



Q2
640
S666
REPT

**TRANSLATIONS OF RECENT DESCRIPTIONS OF
CHINESE PITVIPERS OF THE
TRIMERESURUS-COMPLEX (SERPENTES, VIPERIDAE),
WITH A KEY TO THE COMPLEX IN CHINA AND
ADJACENT AREAS**



Patrick David
Laboratoire des Reptiles et Amphibiens
Muséum national d'Histoire naturelle, Paris
&

Haiyan Tong
Laboratoire de Paléontologie
Université Paris-VI



SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 112

1997

**SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE**

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

HISTORICAL PERSPECTIVE

The renewed interest in herpetological researches that occurred in the 1970's in the People's Republic of China (hereafter merely referred to as China) led to the descriptions of many new taxa. Between 1972 and 1995, 17 species and 14 subspecies of snakes were described as new, either by Chinese or foreign authors. All species are still considered as valid, whereas seven subspecies proved to be junior synonyms of other taxa. The majority of the new snakes occur in the mountainous areas of central and southern China and includes several taxa of venomous snakes.

The descriptions of new snakes published between 1975 and 1995 appeared in Chinese journals such as *Acta zoologica Sinica* (Dongwu Xuebao) and *Acta zootaxonomica Sinica* (Dongwu Fenlei Xuebao), and also in more regional publications, university journals, and in collected works. But most descriptions were published in specialized journals like *Materials for herpetological Research* (Liangqi Paxing Dongwu Yanjiu Ziliao) and *Acta herpetologica Sinica*, of which three series were published, respectively between 1979-1982 (Old series) (Liangqi Paxing Dongwu Yanjiu), during the period 1982-1988 (New series) (Liangqi Paxing Dongwu Xuebao), and from 1992 onwards (Liangqi Paxing Dongwu Xue Yanjiu). Nearly all articles in these journals were in Chinese, although most articles included a short, sometimes disappointingly brief, English summary. We refer the reader to ZHAO & ADLER (1993) and ZHAO & ZHAO (1994) for an overview of the Chinese herpetological literature.

The rich Chinese herpetofauna can be explained by a combination of geographical and climatic factors. This area, and especially the mountains of southern China east of the Himalaya, northern Myanmar and northeastern India, seems to be a center of dispersal for several reptile groups. This region is characterised by a high number of crotaline species. So, while preparing a monograph on the Asian pitvipers of the *Trimeresurus*-complex (Serpentes, Viperidae, Crotalinae), one of us (PD) had to refer to many Chinese publications. According to ZHAO & ADLER (1993), DAVID (1995), ZHAO (1995a, 1995b) and DAVID & INEICH (in press), the *Trimeresurus*-complex, namely the four currently recognized genera *Trimeresurus* Lacepède, 1804, *Ermia* Zhang, 1992, *Ovophis* Burger in Hoge & Romano Hoge, 1981 and *Tropidolaemus* Wagler, 1830, currently has 43 species, ranging from Nepal to southern India and Sri Lanka, to eastern China and Japan, and to eastern Indonesia. It is particularly well represented in central, eastern and southern China and Hainan, with a total of 17 taxa, 13 species and four subspecies, not including the nominal subspecies. Taiwan is the home of four species, all but one also occurring on the mainland.

The taxonomy of this group is far from perfectly known, and during the period 1977-1995, seven new forms of the genus *Trimeresurus*, namely four species and three subspecies, were described from continental China, including a very large species. At the same time, a subspecies described long ago and

another one described in 1977 were raised to specific rank. All these taxa are currently considered valid, although with some doubt for one of the subspecies (see below).

Translations of these original descriptions were purposely prepared by the second author (HT) of the present paper for our monograph on the *Trimeresurus*-complex. We wish to share them with herpetologists not fluent in Chinese language or not having easily access to Chinese literature so a larger audience has access to original descriptions and characteristics of these venomous snakes, which are still poorly known outside China. English translations of the original articles are reproduced here with explanatory notes.

SYSTEMATICS

The seven taxa included herein were all described in the genus *Trimeresurus*. Two were subsequently reallocated to other genera, although ZHAO & ADLER (1993) were conservative and retained all these taxa in the genus *Trimeresurus*.

We provide below in chronological order of description the current names of these taxa, then the original name, bibliographic data, and, if relevant, the authorship of the new combination. For more information, see also GOLAY et al. (1993) and DAVID & INEICH (in press).

Trimeresurus medoensis Djao in Djao & Jiang, 1977

Trimeresurus medoensis Djao in DJAO & JIANG, 1977: 66, pl. 2: fig. 9-1 to 9-5.

Ovophis zayuensis (Jiang in Djao & Jiang, 1977)

Trimeresurus monticola zayuensis Jiang in DJAO & JIANG, 1977: 67, fig. 1: 1-3.

Ovophis monticola zayuensis: HOGE & ROMANO HOGE, 1981: 249.

Ovophis zayuensis: ZHAO, 1995a: 37.

Trimeresurus xiangchengensis Zhao, Jiang & Huang, 1978

Trimeresurus xiangchengensis ZHAO, JIANG & HUANG, 1978: 21.

Trimeresurus tibetanus Huang, 1982

Trimeresurus tibetanus HUANG, 1982: 116, fig. 1-5.

Ermia mangshanensis (Zhao in Zhao & Chen, 1990)

Trimeresurus mangshanensis Zhao in ZHAO & CHEN, 1990: 11, plate.

Ermia mangshanensis: ZHANG, 1992: 82; ZHANG, 1993: 56.

Ovophis monticola zhaokentangi Zhao, 1995

Ovophis monticola zhaokentangi ZHAO, 1995b: 109.

Trimeresurus stejnegeri chenbihuii Zhao, 1995

Trimeresurus stejnegeri chenbihuii ZHAO, 1995b: 110.

SCOPE AND METHODS

We provide translations of seven articles in which descriptions of these taxa were published. Three articles are not translated in full, only their parts relevant to the *Trimeresurus*-complex. DJAO & JIANG (1977) include general remarks and a zoogeographical analysis of the herpetofauna of the Xizang Province; these are not included here. ZHAO et al. (1978) and ZHAO (1995b) contain descriptions of taxa in addition to the *Trimeresurus*-complex; these are not included. On the other hand, we give full translations of two articles relative to *T. xiangshengensis* (ZHAO et al., 1978; ZHAO, 1979). The first one is a preliminary, although valid, description; the second one is a more formal and thorough diagnosis of the species. All other species were described in dedicated papers (HUANG, 1982; ZHAO & CHEN, 1990). However, the original description of *T. mangshanensis*, based on two juveniles, lacks important data about adults and other salient features of this amazing species. So, we also give the translation of another article related to this species and published same year as the original description (CHEN, 1990). The translated articles are arranged according to the chronology of their date of publication and appear in the following order:

DJAO & JIANG, 1977.
 ZHAO, JIANG & HUANG, 1978.
 ZHAO, 1979.
 HUANG, 1982.
 ZHAO & CHEN, 1990.
 CHEN, 1990.
 ZHAO, 1995b.

Full references are given in "LITERATURE CITED". These publications require some explanations. First, the Chinese policy until early 1980 was to credit articles to institutions or laboratories rather than to individuals. So we reproduce in bibliography the author(s) as mentioned in the original paper. In the first article, footnotes on pages 64 and 70 clearly indicate that the actual authors are DJAO & JIANG, and the paper is cited in bibliographies under this authorship.

Second, we used titles as given in the English summaries or as provided in ZHAO & ADLER (1993). The Chinese titles are slightly different, and they are given in the "NOTES" section. Personal, vernacular and geographical names are transcribed according to the *pinyin* system. We combine transcribed Chinese characters when they form a single word, for example *zhuyeqing* in place of *zhu ye qing*, the bamboo-leaf green snake. We retained the spellings of the author's names as mentioned in the English summaries of the original papers. DJAO Er-mie is now spelt ZHAO Er Mi (or Ermi).

Third, names of the type localities and other places are transcribed from the main Chinese text and not from the English summary. Our reference for geographical names is SUN (1989).

Last, the reader should refer to the original articles for the drawings and plates and also for the references included in these articles, which are not included here.

When necessary, we annotated the translations; these comments are marked by an integer in square brackets. The annotations follow the last article. There are no personal notes within the translations. These translations follow the original texts in respect to the titles of their sections and subsections.

A SURVEY OF REPTILES IN XIZANG AUTONOMOUS REGION, WITH FAUNAL ANALYSIS AND
DESCRIPTIONS OF NEW FORMS¹

Herpetological Department, Sichuan Biological Research Institute

Description of new species and subspecies^[1]

Motuo zhuyeqing^[2] *Trimeresurus medoensis* Djao, sp. nov. (Plate II, fig. 9, 1-5)^[3]

Types: Holotype male (Sichuan Institute of Biology Nr 73 II 5208, 3 August 1973, Xizang, Motuo, bridge Ani^[4], altitude 1200 m, collected by DJAO Er-mie and GAO Yuan); paratype male (Sichuan Institute of Biology Nr 73 II 5209, collected on the same day at the same place as the holotype, altitude 1400 m, collected by DJAO Er-mie and WU Xue-en). Deposited in the Sichuan Institute of Biology, Chengdu.

Diagnosis: A form of *zhuyeqing*. The first supralabial is completely separated from the nasal scale; 8 supralabials, 8-9 infralabials; 17 (19)-17-13 dorsal scale rows, of which the 7th-11th median rows are slightly keeled; 148-149 ventral scales.

Description: The dorsal parts are entirely green on the whole body; the upper lips and the venter are white-yellowish; a bicolor red and white ventrolateral stripe on each side, made of the red inferior part of scales of the first dorsal row and of the white superior part of scales of the first dorsal row and inferior margin of the scales of the second dorsal row; the ventrolateral stripe extend beyond the corner of the mouth to the temporal region, where it is interrupted, and, rearward, it reaches the level of first subcaudal scales; upper part and tip of tail dark red.

Total length: 563 + 129 mm (holotype) and 509 + 115 mm (paratype).

The internasals are much larger than other scales on the upper part of the snout, they are in contact or separated by a small scale; the nasals are not divided nor constricted in their middle, and their posterior edge is slightly concave; they are completely separated from the first supralabials by a suture between the scales; second supralabial borders the anterior side of the loreal pit, the upper part of this second supralabial is separated from the nasal by a triangular prefoveal scale^[5]; a loreal^[5] between the nasal and the preocular scales; the left and right supraocular scales are separated by a transversal row of 6-9 small scales; 2 postoculars; 1 subocular in contact on its forward border with the subfoveal^[5]; eyes moderate, with a vertical, oval pupil; 8 supralabials, the third being the largest, the fourth situated just below the eye; 8 infralabials on the left side, and 9 infralabials at right, of which the first pair is in contact behind the mental, and the first three pairs are in contact with the anterior chin shields. 17(19)-17-13 dorsal scale rows, of which the 7-11 median rows are slightly keeled; 148-149 ventral scales; anal entire; 58-59 pairs of subcaudals.

Biology: The holotype and the paratype were collected along a forest path, during a light rain. The holotype was crawling at 10:50 towards the collectors and, arrived in their vicinity, turned away from them. The paratype was found along a path at 13:50, and, when noticed, tried to escape into a pile of leaves and fallen vegetation at the bottom of the hill slope.

¹: Authors of new forms : Djao Er-mie and Jiang Yao-ming.

Comparison and discussion: About thirty species are known in this genus, of which eight are green, bearing ventrolateral stripes or not, and are called “bamboo-leaf green snakes”. The new species can be distinguished from the previously known forms by the following distinctive characteristics: 1) a reduced number of dorsal scale rows, 17(19)-17-13, which is different from all other species of the genus; 2) a relatively low number of supralabials, 8 on each side. The Large-scaled zhuyeqing, *T. macrolepis* Beddome^[6], also has between 7 and 8 supralabials, but in this species the numbers of scale rows at midbody and before vent are 12-15 and 9-10 respectively; 133-143 ventral scales; upper head scales are much enlarged, with a single large scale separating the supraoculars. All these characters are different from those of the new species.

Three female snakes of *zhuyeqing* collected by KAULBACK in the Namti Valley, northern Burma, with 17-17-13 dorsal scale rows, 143-149 ventrals and 57-60 pairs of subcaudals, were tentatively referred by SMITH (1943: 518)^[7] to the species *T. stejnegeri* Schmidt. *T. stejnegeri* was described from specimens collected in Shaowu, Fujian Province, and its range includes southern China, northern Burma, and westwards it reaches Darjeeling in India. The examination of 196 specimens (90 males, 106 females) of *zhuyeqing*^[8] originating from nine Chinese provinces gave the following results: dorsal scales behind the head on 21 or 23 rows (rarely 22, 24 or 25 rows; solely the specimen Nr 1 from Huili, Sichuan Province, has 19 rows), usually 21 scale rows at midbody (very few specimens have 23 rows, and solely the specimen Nr 2 from Huili, Sichuan Province, has 19 rows), 15 scale rows before vent (only the specimen Nr 3 from Lei Shan, Guizhou Province, has 13 or 12 scale rows), dorsal scales all keeled, with the exception of the two outer most rows, number of ventral scales 154-178 in the males (mean: 162.5), 154-173 in the females (mean: 160.7), 9-11 supralabials, sometimes 12, with only 1 specimen from Chongan, Fujian Province and one from Lei Shan, Guizhou Province, having 8 supralabials on each side, and a number of infralabials included between 10 and 14 (there is not any specimen with 9 infralabials). The differences between the new species and the *zhuyeqing*^[8] are therefore very clear. We consider that if other characters of the specimens from northern Burma mentioned above are similar to those of the new species, these animals should be also referred to the *Motuo zhuyeqing*.

**Shan laotietou, Zayü variety^[9] *Trimeresurus monticola zayüensis*^[10] Jiang,
subsp. nov. (Fig. 1, 1-3)^[11]**

Types: Holotype male (Sichuan Institute of Biology Nr 73 I 5024, 22 July 1973, Xizang, Zayü, elevation 1800 m), cotype^[12] female (Sichuan Institute of Biology Nr 73 I 5025, 30 July 1973, Xizang, Zayü, Bendui, elevation 2070 m), paratype male (Sichuan Institute of Biology Nr 73 II 5349, 1965, Xizang, Zayü).

Diagnosis: The new subspecies is separated from other known forms of *Shan laotietou*^[13] by the following characters: in the new subspecies, the largest supralabial is the third one, whereas in other subspecies it is the fourth one^[14]; the number of ventral scales of the new subspecies is greater than 170, when it is less than 158 in other subspecies; the subcaudal scales are single in the new subspecies, with a few exceptions, whereas in other subspecies these scales are paired, only a few being single^[15].

Range: Xizang Province: Zayü and Motuo.

THREE NEW SNAKE SPECIES IN CHINA [16]
(A SUMMARY)

ZHAO Er Mi JIANG Yao Ming HUANG Qing Yun [17]

3. Xiangcheng laotietou [18] *Trimeresurus xiangchengensis* sp. nov.

Types: Holotype male (CIB Nr 725049, 1972/10/17, Sichuan Province, Xiangcheng, altitude 3100 m), cotype [12] female (CIB Nr 725050, 1972/10/23, Sichuan Province, Xiangcheng, altitude 3100 m), paratypes 1 male, 5 females, 2 juveniles (CIB Nr 725048, 725050-725052, 725054-725057). The types are deposited in the Chengdu Institute of Biology, Academia Sinica.

Diagnosis: Some characters of the new species, such as 189-193 ventral scales, 7-8 supralabials, 11-13 infralabials and some scales on the head are similar to those of *T. elegans* (Gray) [19] from which it differs by: 1) in the new species, dorsal scales are on 25-27 rows on the neck, 25 rows at midbody, and 17 (15 in a few cases) rows before vent, versus respectively 27-33, 23-26 and 19-21 rows in *T. elegans*; 2) a low number of subcaudals in the new species, 50-66, whereas their range is 63-79 in *T. elegans*; 3) some characters of head scalation and color blotches are different.

A NEW SNAKE OF THE GENUS *TRIMERESURUS* FROM SICHUAN, CHINA [20]

ZHAO Er Mi

(Chengdu Institute of Biology, Academia Sinica)

About thirty species are recognized in the genus *Trimeresurus* Lacepède, 1804, which occur in the southern part of the Asian continent, mainly in southern and southeastern Asia, in southern China and in Japan (Ryukyus Archipelago). This genus is reported from the southwestern, southern and central regions of China as well as in the Indochinese part of the Oriental Region. In 1992, researchers of the Fifth Laboratory of our Institute collected ten specimens of *Trimeresurus* at Xiangcheng, in the Hengduan Mountains, western Sichuan Province. After examination, it proved to be a new species, which is described below.

Xiangcheng laotietou [18] *Trimeresurus xiangchengensis* new species (Fig. 1) [21]

Diagnosis: The new species is closely related to *T. elegans* (Gray) [19] from which it differs by 1) the presence of two loreals in the new species, against a single loreal in *T. elegans*; 2) the presence of a single scale row between third and fourth supralabials and the subocular in the new species, versus two rows in *T. elegans*; 3) the new species has 11-14 (mean: 12.3) infralabials, whereas *T. elegans* has 10-12 (mean: 10.5) infralabials; 4) 25 dorsal scale rows at midbody, with the two external rows smooth in the new species, whereas *T. elegans* has 23 or 25 rows at midbody, of which only the outermost row is smooth; 5) 17 scale rows before vent in the new species, instead of 19 rows in *T. elegans*; 6) the new species has 189-194 (mean: 191.5) ventral scales, versus 179-191 (mean: 185.5) in *T. elegans*; 7) the new species has 50-66 (mean: 59.3) pairs of subcaudal scales, versus 63-79 (mean: 71.7) pairs in *T. elegans*; 8) the color of the blotches are much different in these two species.

Types: Holotype male (CIB Nr 725050, 1972-10-17, Sichuan Province, Xiangcheng, Qianjinxiang, altitude 3100 m), cotype [12] female (CIB Nr 725049, 1972-10-10, Sichuan Province, Xiangcheng, Qianjinxiang, altitude 3200 m), paratypes 1 male, 5 females, 2 juveniles (CIB Nr 725048, 725051-725057, 1972-10-1-28, Sichuan Province, Xiangcheng, Qianjinxiang and Jiefangxiang, altitude 3000-3200 m). The types are deposited in the Chengdu Institute of Biology, Academia Sinica. [22]

Description: A triangular head, with a relatively sharp canthus rostralis; rostral slightly higher than wide, with only its top visible from above; upper surface of head covered with small scales, the supraoculars being the largest, followed in size by the scales on the top of the snout; the left and right internasals are separated by 1-4 (mean: 2.8) small scales in contact with the upper margin of the rostral scale; supraoculars longer than wide, their width being inferior to half of the distance between the left and right supraoculars, which are separated by 10-12 (mean: 10.8) small scales in a row; nasals relatively large, slightly constricted in their middle, sometimes each divided on its lower part into one anterior and one posterior scales; nostrils nearly rounded, located on the posterior margin of the posterior nasal and directed slightly obliquely backwards; eyes moderate, with a vertical, oval pupil; 7-8 (mean: 7.6) supralabials, of which the first one is completely separated from the nasal, the second is high and forms the anterior border of the loreal pit, the third is the largest, the third and fourth located just below the eye and separated from the subocular by a small scale row; the foveal [23] is separated from the nasal by 2-6 (mean: 3.5) small scales; the superior preocular is separated from the nasal by two loreals [24]; the temporals are smooth; 11-14 (mean: 12.3) infralabials, the first pair in contact behind the mental, the 2nd or 3rd anterior infralabials (sometimes the first) in contact with the anterior chin shields. The dorsal scales are rhombohedral or

elliptical, arranged in 25-27 rows behind the neck, 25 rows at midbody, of which the 21 medial rows are strongly keeled, and 17 rows before vent. Number of ventral scales: 191 and 189 in males, 190-194 (mean: 192) in females; anal entire; subcaudal scales: 66 and 61 pairs in males, 50-62 (mean: 57.6) in females; 3 subcaudals single at the base of the tail in specimen Nr 1, and at the tip of the tail in another specimen.

Specimen number	Sex	Dorsal scales	Ventrals	Subcaudals	Supralabials	Infralabials
725050	M	27-25-15	191	66	7	12/12
725048	M	25-25-17	189	61	7	13/12
725049	F	25-25-17	194	60	7	11/12
725051	F	25-25-17	194	55	8	13/11
725052	F	26-25-17	190	61	8	11/13
725053	F	27-25-17	192	50	8	12/13
725054	F	25-25-17	192	62	8	12/14
725055	F	27-25-17	190	—	8	12/14

Total length: male 741 + 124 mm (holotype), female 765 + 124 mm (cotype).

Light brown above, on each side of the back 1 or 2 rows of subtriangular, dark brown, grey-edged blotches alternating with one another, sometimes contiguous and giving a saw-tooth pattern or an irregular stripe. Belly light grey, in males and a part of females entirely spotted with brown with the exception of the neck, becoming densely powdered in the rear part of body. Head light brown above, with dark brown and light gray spots and streaks; upper lips whitish, sometimes marked with a few brown spots and a conspicuous, large dark brown spot under the loreal pit; a relatively wide temporal streak, wavy on its lower margin and light grey on its upper margin like the canthus rostralis, running from behind the eye up to the corner of the mouth; head whitish-grey below, with a few minute brown spots on infralabials in some specimens.

Biology: This species inhabits the Hengduan mountains above 3000 m. The adult snakes were found either in bushes or among grasses, or in wet places in forest, or in riparian areas along small streams. Two specimens were collected in a stone pile close to dwellings, one was caught inside a house. The air temperature was quite low when these snakes were found and these places were probably hibernation sites. Two juveniles were collected on banks of a river and a stream.

A NEW SPECIES OF THE CROTALIDAE SNAKE FROM TIBETAN [25]

HUANG Zheng Yi

In May 1979, Mr. Wu Qian Hong, while working at the Xizang Normal High School, collected two specimens of *laotietou* [26] which belong to a new species described below:

Xizang zhuyeqing [27] (new species) *Trimeresurus tibetanus* Huang, sp. nov. (Fig. 1) [28]

Types: Holotype female (Faculty of Biology of the Fudan University [29] Nr 80001, 1979-5-5, Xizang Province, Nielamou District, Quekesumou [30], altitude 3200 m, collected by Sog Lang Jo Gar); paratype male (Faculty of Biology of the Fudan University Nr 80002, collected on the same day by the same person as the holotype). Deposited in the vertebrates collection of the Fudan University.

Diagnosis: A species of the *zhuyeqing* group of the *laotietou* [26] genus. Overall body color bright green, with irregularly shaped rusty-color patches on the back, without lateral stripes. Head large, triangular, very distinct from the neck. Upper-head surface covered with small scales, loreal pits present. Nasal completely separated from the first supralabial by a suture, 8-9 supralabials, 9 infralabials, 23-21-17 dorsal scale rows, of which the 15th-17th median rows are slightly keeled, 155 [31] (male) and 161 [31] (female) ventrals; tail short, 44 pairs of subcaudals.

Description: The main measurements and scalation characters of the paratype are summarized in Table 1. Dorsal parts entirely green, marked with dorsal rust-colored blotches from the neck to the tail [32]. Venter light green, ventrolateral stripe absent. Tip of tail green. The internasals are separated by a small scale, the nasal is not divided and is completely separated from the first supralabial by a suture; second supralabial forming the anterior border of the loreal pit; 1 loreal [33] between the nasal and the preocular; 10-11 small scales in a row between the supraoculars, 1 postocular, 1 subocular in contact with the subfoveal [34], the third supralabial is the largest, the fourth lies just below the eye; the first pair of infralabial separated by a groove. At midbody 15-17 dorsal scale rows slightly keeled. Anal entire.

Table 1

Types	Total length (mm)	Tail length (mm)	Dorsal scale rows	Ventrals	Subcaudals	Supralabial s	Infralabials
Holotype	610	82	23-21-17	161[31]	44	8-8	9-9
Paratype	570	58 (*)	23-21-17	155[31]	28 (*)	8-9	9-9

(*): truncated.

Discussion: Among the 34 known species in the *Trimeresurus* genus, nine species, known as *zhuyeqin*, are entirely green, with or without ventrolateral stripes. The main features which distinguish the new species from other forms are: 1) the low number of subcaudals, 44 pairs, whereas this number ranges between 51 to 80 pairs in other species; 2) a short tail, 82 mm long, when in adults of all other known species the tail is longer than 110 mm; 3) a relatively low number of supralabials, 8 scales on each side (the 8th left supralabial of the paratype is divided into two scales). The species *T. medoensis* Zhao and *T. macrolepis* Beddome also have respectively 8 and 7-8 supralabials, but the new species differs clearly from

the former species by others characters and tail length; see Table 2; 4) the new species is marked with rust-colored dorsal blotches, and its tail tip is green.

Table 2

Species [35]	Midbody dorsal scale rows	Subcaudals	Ventrals	Tail length (mm)	Dorsal markings
<i>T. tibetanus</i>	21 rows	44	155 & 161 [31]	82 & 58 (cut)	rusty-colored
<i>T. medoensis</i>	17 rows	58-59	148-149	115-129	none
<i>T. macrolepis</i>	12-15 rows	53-58 (see note)	135-143 females 133-140 males	110-115	none

Note: one female with a number of subcaudals close to the new species.

We thank JIANG Zheng Kui for the preparation of the line drawings, and FU Wen Yu and ZHU Mei Ping for the photographs.

DESCRIPTION OF A NEW SPECIES OF THE GENUS *TRIMERESURUS* [36]

ZHAO Er Mi

(Chengdu Institute of Biology, Academia Sinica)

CHEN Yuan Hui

(Hospital of the Mangshan Bureau of Forestry, Hunan)

In the second half of September 1989, foresters of the Chenzhou area, Hunan Province, discovered on Mount Mang, Yizhang County, a snake den which contained 21 juveniles. While they were catching the youngs, two adults were discovered. All snakes were caught alive and kept in captivity. Mr. Chen gave two youngs to the CHENGDU INSTITUTE OF BIOLOGY for identification. It proved to be a new species of *laotietou*, described below from these two living juveniles.

Mangshan laotietou [37] *Trimeresurus mangshanensis* Zhao [38], sp. nov.
(Figure on back cover) [39]

Holotype: ZS 8901, juvenile male, caught in Pingkeng District, Mt. Mang (Mangshan), Yizhang County, Hunan Province, altitude 700-900 m, by CHEN Guo Hua and TAO Yun Lin.

Paratype: ZS 8902, juvenile female, same dates, place of capture and collectors as the holotype.

Diagnose: The new species is similar to *Trimeresurus kaulbacki* Smith from northern Burma, and it differs from this latter species by: 1) the second supralabial is small and low, and it does not make the border of the loreal pit; 2) a lower number of ventrals; 3) different color of dorsal blotches.

Description of the holotype: Head subtriangular, tip of snout narrow and rounded with a sharp canthus rostralis. The rostral is subtriangular, the 2/3 inferior part slightly bent towards interior, the superior part slightly bent posteriorly on its upper part. Upper head-surfaces covered with small smooth scales among which the supraoculars are the largest; supraoculars separated on the middle by a row of 9 small scales; 1 pair of internasals, the second ones in term of size, widely in contact behind the rostral and not separated by a small scale; 2 relatively large scales on the canthus rostralis between the internasals and the supraoculars. Nasals squarish with their anterior and posterior margins slightly rounded and projected; rostrils shaped like a *mantou* [40], located in the middle of the nasals and open posteriorly; an oval-shaped nasal pore on the top of the posterior margin of the loreal pit; 1 relatively small loreal located between the 2 preoculars and the nasal. Presence of loreal pits, the prefoveal is relatively large and in contact forwardly with the nasal; the superior and inferior margins of the loreal pit are bordered respectively by a preocular and a subfoveal [41]. Eyes relatively small, slightly globulous; an oval, vertical pupil; 2 narrow, stretched preoculars, juxtaposed and bordering the superior margin of the loreal pit; the inferior margin of the pit is formed by the subfoveal; 2 very small postoculars at the superior corner of the eye, 1 lower, quite elongated subocular [42], which runs below the inferior margin of the eye from its lower posterior part towards the lower anterior border of the eye. 7 supralabials on each side of the head, first relatively enlarged, completely separated from the nasal, second the smallest and in contact at its superior margin with the prefoveal; third the largest, separated from the eye by 1-2 minute lacrimals [43]; fourth supralabial relatively large, in contact with third supralabial just below the eye; last three supralabials relatively low and slightly elongated. Mental triangular, pointed downwards, its anterior margin wide and straight, narrowing posteriorly and with a sharp tip inserted between the first infralabials pair. 1 pair of relatively large anterior chin shields, with, behind them, several pairs of smaller scales, separated from the first pair by a deep, well-defined groove. 16 infralabials on the left, 15 on the right, with the first pair quite large and

in contact with the mental, the 3 first pairs in contact with the anterior chin shields. Temporals relatively large, whereas posterior chin shields are small. Dorsals rhombohedral, keeled, arranged in 25 rows at 1-2 head length behind the head, 25 rows at midbody, 17 rows at 1-2 head length before vent, scales of the outer row smooth. Ventrals 189; anal entire. Tail laterally compressed, mainly at its posterior part; 63 subcaudals, the first 62 paired, the 63th single, their outer margin being bent downwards up to the middle of the tail; dorsal part of the tail covered with relatively large, regularly arranged scales on rows of which the number progressively decreases backwards from 9 rows to 7, down to 4 rows at the end of the tail. Tail spine squarish and hard.

Total length: 447 mm ^[44], tail length: 65 mm.

Body entirely blackish brown marked with minute yellowish green or rusty spots which give a pattern similar to net meshes; along each side, a series of transversal bands made of about 40 yellowish green scales covering in width from 3 to 5 scale rows, evenly separated, confluent or slightly set off one from each other on the vertebral line. Ventrals also marked with minute spots like the back, and with larger subtriangular, yellowish green blotches. Upper surface of head blackish brown, with symmetrical yellowish green markings. Upper surface of the anterior part of the tail marked like the body, whereas the posterior tail part is very pale yellowish green or nearly white. Iris pale yellowish green. Adults have similar colors and patterns ^[45].

Variations in paratype: 7 small scales in a row between the supraoculars, 3 postoculars at right, 15 infralabials at left, 14 at right, 195 ventrals, 60 paired subcaudals. Total length: 444 mm, tail length: 65 mm.

The types are deposited in the Chengdu Institute of Biology, Academia Sinica.

A NEW SPECIES OF SNAKE IN CHINA - *TRIMERESURUS MANGSHANENSIS* [46]

CHEN Yuan Hui

Hospital of the Mangshan Bureau of Forestry, Chen Zhou Region, Hunan Province

A group of white-tailed snakes was caught last year by the Mangshan Bureau of Forestry, in the region of Chen Zhou, located in the Hunan Province close to the border between Hunan and Guangdong provinces. According to the famous snake specialist, Mr. ZHAO Er Mi, consultant in the Chinese Snake Society and vice-president of the Chengdu Biology Institute, Academia Sinica, they belong to a species not yet described either from China or from abroad, and formally named *Mangshan laotietou* [47].

These white-tailed snakes were caught in the second half of September 1989 by the Mangshan Forestry Bureau. At the time of capture, the dorsal parts of the two adult snakes were grass-green, marked with blackish brown producing a net-like pattern [48]. The coloration was then very vivid (but after a little more than one month in captivity, the overall color became darker, mainly blackish brown). The posterior part of the tail is white for about 10 cm, and it constitutes the main diagnostic feature of this species. Each snake weighs about 3 kg, measures about 1.85 and 2 m, and have tube-like fangs 2 cm long. The venom can be spit to a distance of 1.5-2 m [49]. These white-tailed snakes have a typical, triangular iron-like shaped head which is as large as a child's fist, provided with loreal pits. The body is as wide as a small bowl. The 21 juveniles caught along with the adults were similar in aspects and coloration to the larger snakes, but their body is only as wide as a thumb. The white-tailed snakes are oviparous, with eggs large like small hen eggs.

The capture of the Mangshan snakes was announced by the Chinese Central Television [50] and was termed as the discovery of a rare venomous snakes, which drew attention from Chinese snake specialists and other scientists. After consultation of Chinese and foreign literature, Professor ZHAO Er Mi believed that they belong to an undescribed *Trimeresurus* species of the family Viperidae, subfamily Crotalinae. It is also a rare large-sized species which would be one of the largest venomous snakes in China. There is no snake reaching such a size among the thirty some forms known in this genus [51], from which it differs by its body color and pattern. This species will be named *Mangshan laotietou* snake because it was discovered from Mangshan.

Prof. ZHAO Er Mi also considers the *Mangshan laotietou* to be of great economical and scientific value. It is a new snake species added to the herpetological fauna of our country, which does not occur elsewhere either in China or abroad, so it is a precious species. Prof. ZHAO Er Mi calls from concerned authorities for the application of protective measures to the special Mangshan natural area. He also suggests that this species should be classed as a protected species.

The Mangshan Forestry Bureau has donated specimens to concerned research units, and types were deposited in the Academia Sinica, Chengdu Institute of Biology which is carefully studying these animals.

We are indebted to Director, Mangshan Forestry Bureau, for its support in our studies and also for its action towards the designation of *Mangshan laotietou* as a protected species.

INFRASPECIFIC CLASSIFICATION OF SOME CHINESE SNAKES [52]

ZHAO Ermi

Chengdu Institute of Biology, Academia Sinica, Chengdu, Sichuan 610041 China

Abstract. - In this article, variations in scalation of four snake species are investigated. Methods commonly applied in the studies of infraspecific variations have been applied. Four new subspecies are described.

Key words. - Subspecific classification - Coefficient of difference - Mean value comparison - *Xenopeltis hainanensis jidamingae* - *Psammodynastes pulverulentus papenfussi* - *Ovophis monticola zhaokentangi* - *Trimeresurus stejnegerii chenbihuii* [53]

The author of the present article, while preparing the chapter on snakes in the *Encyclopedia of Chinese Animals* for the National Foundation of Natural Sciences within the scope of the Eighth Five-year Plan, discovered that some populations of *Xenopeltis hainanensis*, *Psammodynastes pulverulentus*, *Ovophis monticola* and *Trimeresurus stejnegerii* are differentiated. Studies of meristic characters in connection with current methods used for differentiation of subspecies, such as the coefficient of difference (C.D.) and the mean value comparison (MAYR et al., 1965, translated by ZHENG Z. X.) have shown that these populations have reached a subspecific level.

3 The subspecies of the *Shan laotietou* [54]

Ovophis monticola is widely distributed from eastern Himalaya towards east up to Indochina and southern provinces of China. It was divided into five subspecies, among which *zayuensis* is distinct enough from other subspecies to deserve specific status and was renamed *Ovophis zayuensis* (ZHAO, 1995). Specimens from northern Vietnam have a lower number of ventral scales (129-138, mean: 134), and BOURRET (1935) created the subspecies *meridionalis* to accomodate them. The high number of dorsal scale rows (25-29, mean: 26 or more) in Taiwan animals led TAKAHASHI (1922) to define the subspecies *makazayazaya*. The subspecies *monticola* and *orientalis* (SCHMIDT, 1925) differ by the pattern of head spots, and, although the value $V + Sc$ [55] is slightly inferior to the value accepted for separating subspecies, the mean value comparison corresponds to the value on which is based the distinction of subspecies (Table 3). Examination of specimens showed that specimens from the population de Gongshan, north of Pianma, Lushui County, Yunnan Province, have a relatively higher number of ventral and subcaudal scales and are clearly different from those of other populations (Table 3).

Table 3. Subspecific differentiation of *Ovophis monticola* (Günther, 1864)

Population		A	A-B	B	B-C	C	C-A
		S. W. China (<i>monticola</i>)		Gongshan		S. E. China (<i>orientalis</i>)	
n		40		6		25	
V+Sc	Range	172-203		215-225		169-182	
	M±S.D.	188.6±7.38		217.5±5.28		176±3.48	
ΔM			28.9		41.5		12.6
C.D.			2.28 (>1.28)		4.74 (>1.28)		1.16 (<1.28)
S.E.d			3.13		1.77		1.58
ΔM / S.E.d			9.23 (>3)		23.45 (>3)		7.97 (>3)

Table 3 shows that between the population from Gongshan, and *monticola* and *orientalis*, the coefficients of difference of the value V+Sc all are greater than 1.28, the ΔM values all are more than three times the value of S.E.d. It indicates that the population of Gongshan is a subspecies that is here called:

Shan laotietou, Gongshan variety ^[56] *Ovophis m. zhaokentangi* ssp. nov.

Holotype: KIZ 730093, adult male, collected on December 11th, 1973 at Bapo, Gongshan County, Yunnan Province, elevation 1400-1500 m.

Cotype ^[12]: KIZ 730018, adult female, collected on May 23rd, 1973, same locality than holotype.

Paratypes: KIZ 730096, male; KIZ 730024 and 730032, females, collected between May 29 and December 26, 1973, same locality than holotype. CIB 740003, male, collected on March 17th, 1973 at Pianma, Lushui County, Yunnan Province, elevation 1980 m.

Types are deposited in the Kunming Institute of Zoology (KIZ) and the Chengdu Institute of Biology (CIB).

Diagnosis: 159-169 ventral scales, mean 163.5; 49-63 subcaudals ^[57], mean 54. Internasals left and right separated by 2 small scales. Pattern similar to the one of *monticola*.

Distribution: Gaoligongshan, north of Pianma, Lushui County, western Yunnan Province.

Etymology: The new subspecies is named in honour to Pr. ZHAO Ken Tang, of the Suzhou Railways Normal College, for his researches in the lacertilian groups *Phrynocephalus* and *Eremias*.

4 Subspecific differentiation of the *zhuyeqing* ^[58]

Trimeresurus stejnegeri occurs in eastern Himalaya and from Myanmar to Thailand and Vietnam; in China, it is largely distributed in the southern provinces, as far north as Wenxian County, Gansu Province (33°N) in the west, and Changbai County, Jilin Province (41°20'N) in the east. Two subspecies were described. The form with 19 dorsal scale rows was raised to specific rank, *Trimeresurus yunnanensis* (ZHAO, 1995). We found that specimens from the populations of Hainan Island have 10-12 supralabials (mean 10.9), 12-14 infralabials (mean 13), 11-17 (mean 13.3) scales in a row between left and right supraoculars. All these values are higher than those recorded for other Chinese populations, especially the number of ventral scales which is clearly greater than those of other specimens from continental China and Taiwan (Table 4).

Table 4. Intraspecific differentiation of *Trimeresurus stejnegeri* Schmidt, 1925

Population		A Hainan Is.	A-B	B Continental China	B-C	C Taiwan Is.	C-A
n		18		175		26	
V+Sc	Range	236-256		199-246		213-236	
	M±S.D.	245.9 ± 5.54		229.3 ± 6.86		227.5 ± 5.71	
ΔM			16.6		1.8		18.4
C. D.			1.34 (>1.28)		0.14 (<1.28)		1.64 (>1.28)
S. E. d			1.67		1.42		1.73
ΔM / S. E. d			9.94 (>3)		1.27 (<3)		10.64 (>3)

According to Table 4, the coefficients of difference of the value V+Sc between populations from Hainan and those from Fujian, Zhejiang, Anhui, Hubei, Guizhou, Guangxi, Yunnan, Sichuan, Jiangsu, Jilin and Taiwan are higher than the value distinguishing subspecies, and the value of ΔM is much more than three times the value of S.E.d. A new subspecies is created for the Hainan population.

4.1 Zhuyeqing, typical form *Trimeresurus s. stejnegeri* Schmidt, 1925

Diagnosis: Ventral scales in males 154-170, mean 162.6; in females 154-172, mean 162.

Distribution: Provinces of continental China and Taiwan.

4.2 Zhuyeqing, Hainan variety *Trimeresurus s. chenbihuii* ssp. nov.

Holotype: CIB64 III 5599, adult male, collected on June 6th, 1964 at Diaoluoshan, Lingshui County, Hainan Province, elevation about 250 m.

Cotype ^[12]: CIB64 III 5945, adult female, collected on June 11th, 1964, same locality than holotype.

Paratypes: CIB64 III 5906, 5944, 5978-9, 6013, 6043-44, 6069, 6101, 6104, 6107, males; CIB64 III 5600, 5735, 6014, females, collected between June 6 and 15th, 1964 at Diaoluoshan, Lingshui County, Hainan Province, elevation 225-290 m. CIB64 III 5110, 5181, 5261-2, males, collected between April 23rd and May 12th, 1964 at Wuzhishan, Qiongzong County, Hainan Province, elevation 500 m.

Types are deposited in the Chengdu Institute of Biology (CIB).

Diagnosis: Ventral scales in males 169-178, mean 172.6; in females 168-174, mean 172 ^[59].

Distribution: Hainan Island.

Etymology: The new subspecies is named in honour to Prof. CHEN Bi Hui, who dedicated his researches to the endangered Yangze alligator.

TRANSLATORS' NOTES

Trimeresurus medoensis

- [1]: The description of the new taxa begins on the middle of the page 66. We did not translate pages 64-66 nor 68-69.
- [2]: *Zhuyequinq*, meaning literally "bamboo-leaf green [snake]", is the Chinese general vernacular name for green pitvipers occurring in this country (*T. albolabris*, *T. medoensis*, *T. stejnegeri*, *T. tibetanus* and *T. yunnanensis*). The *zhuyeqing* proper is *T. stejnegeri*, whereas *T. medoensis* is called "*Motuo zhuyeqing*". The Chinese text widely uses this vernacular name rather than the scientific name, and we here follow this custom.
- [3]: On plate II, the figure 9 is black-and-white photographs of the preserved holotype which depict respectively:
 Photograph 9-1: general view from above.
 Photograph 9-2: close-up view from the top of the head.
 Photograph 9-3: close-up view from the underneath of the head.
 Photograph 9-4: close-up lateral view of the head.
 Photograph 9-5: close-up view of the body side.
- [4]: Ani qiao [qiao = bridge], written "A-nie" in the English summary. We considered the pinyin transcription of names as mentioned in the Chinese text. On the other hand, the city of Motuo is also known as Mêdog (see SUN, 1989).
- [5]: We follow PETERS (1964) for the terminology of head scales in pitvipers. So, any small scale lying between the nasal, the loreal, the scale bordering the pit (the foveal proper) and supralabials is a prefoveal scale. The scale bordering the lower margin of the pit is a subfoveal, but as, in case of pitvipers of the *Trimeresurus*-complex, it also borders the anterior margin of the eyes, it is often considered as the lower preocular. We take this position here. The foveal is usually united with the second supralabial in the genera of Asian pitvipers, and is not considered in itself. Last, the term of loreal is restricted only to scale(s) in contact both with the nasal and the preocular. Any scale located between the posterior margin of the nasal and any scale other than a preocular is a prefoveal or foveal.
- [6]: A *Trimeresurus* species endemic to the hills of Southern India, and not related to the group of *T. stejnegeri*. The head scalation in this species is atypical in the genus by the much enlarged head scales.
- [7]: See below for the complete references of this major work for Southern Asia.
- [8]: Namely *Trimeresurus stejnegeri* proper; in this paper, the authors do not distinguish *T. stejnegeri* *stejnegeri* Schmidt, 1925 and *T. stejnegeri yunnanensis* Schmidt, 1925 (now *T. yunnanensis*).

Trimeresurus monticola zayuensis

- [9]: A name formed from the words *shan* = mountain, *laotie* = iron (the domestic apparatus, not the metal) and *tou* = head, the vernacular name means literally "mountain iron-head [snake]". The present "variety" is therefore the "Zayü mountain iron-head snake". The name *laotietou* is given to terrestrial species of Chinese species of the *Trimeresurus*-group, such as *T. mucrosquamatus* (the *laotietou* proper), *T. xiangchengensis* and *T. jerdonii*. The name *shan laotietou* is given to *Ovophis monticola*.
- [10]: According to the Art. 32 (c) and (d) of the *International Code of Zoological Nomenclature* (I. C. Z. N., 1985), a species group-name published with a diacritic mark is an incorrect original spelling

which must be corrected. Accordingly, the subspecific name must be written *Trimeresurus monticola zayuensis*.

Subsequently, this taxon was given a specific rank by ZHAO (1995a), as *Ovophis zayuensis*, because of important morphological differences with *O. monticola*. According to this author, the differences between *O. monticola* and *O. zayuensis* are as follows (unmodified from ZHAO's article):

	<i>O. zayuensis</i> (n = 4)	Other subspecies of <i>O. monticola</i> (n = 78)
Largest supralabial scale	third	fourth
Infralabials of the first pair	not in contact each other	in contact each other
Ventral scales	175 - 176	132 - 169
Subcaudals	single, only a few paired	paired, only a few single
Nasal scales	quite small, the left and right ones separated by 1 to 3 small scales	quite large, left and right ones in contact or separated by 1 to 3 small scales
Second supralabial	tall, constituting the prefoveal scale	entering or not the loreal pit

- [11]: Figure 1, located on page 67, is made of line drawings depicting respectively:
drawing 1: close-up view from the top of the head.
drawing 2: close-up view from the underneath of the head.
drawing 3: close-up lateral view of the head.

[12]: A cotype is now considered as a paratype. We retained the terminology adopted by the authors.

[13]: Namely *Ovophis monticola* proper.

[14]: This statement is obviously incorrect, as the largest supralabial is also the third in the nominal subspecies, *Ovophis monticola monticola* (Günther, 1864), from India, Nepal and Myanmar and extreme west of Yunnan Province, and *Ovophis monticola convictus* (Stoliczka, 1870), the southern subspecies. The largest supralabial is the fourth in the Chinese subspecies *Ovophis monticola makazayazaya* (Takahashi, 1922), from continental China and Taiwan, and in *Ovophis tonkinensis* (Bourret, 1934), from Vietnam and Hainan Island.

[15]: They are also single in *Ovophis tonkinensis*. Both this latter species and *O. zayuensis* have single subcaudal scales, whereas all are paired (or paired except a few single scales in some specimens) in all other other subspecies of *O. monticola*.

Trimeresurus xiangchengensis

[16]: This short article, which has no English summary, gives a brief description of three new snake species: *Opisthotropis guangxiensis*, *Plagiopholis unipostocularis*, two colubrid snakes, and *Trimeresurus xiangchengensis*.

[17]: Authorship of separate species description is not given; so we consider that the authorship of *T. xiangchengensis* include all three authors.

[18]: A name meaning "Xiangcheng iron-head snake"; see note [9].

[19]: A species endemic to the Yaeyama archipelago, southern Ruykyus Archipelago, Japan. The authors did not compare their new species with *Trimeresurus mucrosquamatus*, a species widely distributed in China to which it is closely related.

[20]: The literal translation of the Chinese title should read as "A new species of Laotietou snake from Sichuan".

- [21]: Figure 1, located on page 423, has a line drawing depicting the side of the head and a black-and-white photograph showing the living animal.
- [22]: Peculiarly, the collection numbers of the type specimens mentioned in this article and their dates of capture are differ from those given in the preliminary description of the species (ZHAO et al., 1978)! This latter publication is considered the valid, original description of the present species, and the name-bearing type and other specimens in the type series, are those mentioned in this article:

Holotype: CIB Nr 725049, collected on 1972-10-10


Paratypes: CIB Nr 725048-725057.

- [23]: Namely the second supralabial; see note [5].
- [24]: Two loreals consecutively arranged, not superposed.

Trimeresurus tibetanus

- [25]: The literal translation of the Chinese title reads as "A new species of Crotalidae from Xizang". In the English summary, the authors uses the word "Tibetan".
- [26]: The name *laotietou* is here used as a collective name for the genus *Trimeresurus*. The Chinese text used this vernacular name rather than the scientific name, hence its regular appearance.
- [27]: A name meaning "Xizang bamboo-leaf green snake" see note [2].
- [28]: Figure 1 contains five elements, noted (1) to (5) and is divided into two parts, as follows: elements (1) and (2), on page 116: black-and-white photographs showing respectively an overall view of the holotype and a close-up dorsal view of the head; elements (3), (4) and (5) on page 117: line drawings of parts of the holotype showing respectively a lateral view of the head, the general arrangement of dorsal scales at midbody and of color spots, and a ventral view of the tail.
- [29]: The FUDAN UNIVERSITY is located in Shanghai City.
- [30]: The type locality is given in the English summary as "Naylam, Chokesumo"; we recommend the *pinyin* transcription of the names given in the Chinese text. The city of Nielamou is also known as Nyalam (see SUN, 1989).
- [31]: Our own counts, according to DOWLING's method, give respectively 152 (male) and 159 (female) ventrals.
- [32]: According to Mr WU of the Fudan University, the dorsal head surface of the types was also marked with faint rust-colored marks or lines.
He gave also us some ecological data. The type specimens were collected in low dense, luxuriant vegetation inside a shallow valley having a subtropical climate in spite of the altitude.
- [33]: The description of the types are partly erroneous. We (PD) examined both types in the Fudan University, and a more complete description is in preparation. The paratype has 1 loreal on the left side and 2 consecutive loreals on the right side; the holotype has 1 loreal at right and 2 consecutive on the left side; figure 1 (3) is erroneous on this point. Moreover, fig. 1 (3) suggests that, in this species, the third supralabial is in contact with the subocular. This is true on the left side of the holotype, whereas they are separated by a small scale on its right side; the third supralabial is in contact with the subocular on the right side of the paratype but separated on the left side. Last, there are 3 differentiated supraoculars in the holotype, respectively 3 supraoculars on right side and 2 on left side in the paratype.
- [34]: Namely the lower preocular.
- [35]: The author used Chinese names of these species, respectively *Xizang zhuyeqing*, *Motuo zhuyeqing* and *Dalin zhuyeqing*, the latter one meaning "large-scaled bamboo-leaf green snake". For convenience, we used scientific names in the translation.

Trimeresurus mangshanensis

- [36]: The literal translation of the Chinese title should read as “A new species of *laotietou* snakes - The *Mangshan laotietou* snake”. The authors use the vernacular names, *laotietou* and *Mangshan laotietou*, rather than the scientific names.
- [37]: A name meaning “Mangshan iron-head snake”.
- [38]: Although the article is signed by ZHAO & CHEN, the specific description is clearly attributed to ZHAO only. Accordingly, this species must be referred to as *T. mangshanensis* Zhao in Zhao & Chen, 1990.
- [39]: The back cover of this issue of the *Sichuan Journal of Zoology* is a color photograph of the living juvenile snakes.
- [40]: A *mantou* is a Chinese steamed bread, made from wheat, popular in northern China. Its shape is broadly like a crude hemisphere. So, this scale has a semicircular appearance, broadly similar to the  figure.
- [41]: This subfoveal is also the lower preocular.
- [42]: The authors call the subocular “the postero-inferior-ocular”.
- [43]: According to PETERS (1964: 182), it seems that this term is here improperly used.
- [44]: It is unfortunate that the description of this species is based on two juveniles, because it does not do justice to the formidable size and weight reached by larger adults. This is really a giant pitviper. CHEN (1990), also translated here, gives a description of the adults and mentions a size of about 2 m, for a weight of 3 kg. Mr. CHEN Yuan Hui kindly supplied (*in litteris*, October 1993) further data about the species, of which follows a short summary. This species is currently known only from a forested area of a few tens of square-kilometers between 700 m and 1300 m, where it is regularly encountered by peasants, although in low number. One specimen weighed about 4 kg, and another one slightly more than 5 kg, and local residents suggest that much heavier animals were caught. Another specimen had a total length of 203 cm, an head length of 85 mm and a body diameter of 50 mm. This snake feeds on insects, mammals and frogs. It is oviparous, depositing from 13 to 21 eggs (diameter about 30 mm). See also note [51] below. In the *Trimeresurus*-complex, solely *Trimeresurus flavoviridis*, of the Ryukyu Archipelago, Japan, reaches a larger size with a known maximal total length of 2.41 m (Anonymous, 1993), but it is much lighter, as this specimen weighed only 1.35 kg; the second largest known specimen was long of 231.5 cm and weighed 2.4 kg (MISHIMA, 1980).
- [45]: According to published photographs, the pattern, and especially the edges of the transversal bands, are much more contrasted in juveniles, which look like being banded. In adults, the pattern is quite obscure.
- [46]: The literal translation of the Chinese title should read as “Discovery of a new snake species in China - The *Mangshan laotietou* snake”. This article has no English summary.
- [47]: It seems that this paper was written before the formal description of the species. However, as it does not include any binominal latin name, there can not be any dispute concerning the true authorship of this species.
- [48]: In our opinion, this description is more appropriate than the one given in ZHAO & CHEN (1990). The species is mostly yellowish-green, marked with large, more or less squarish dark brown or dark violaceous dorsolateral blotches, as wide as the yellowish-green ground color, which are paired or alternating, forming irregular cross bands or a chequered pattern; scattered brownish spots between the dorsolateral blotches; below these dark dorsal blotches, a series of irregular lateral blotches of the same color. The dark color becomes dominant in larger adult. Upper head surfaces of the same color than the body, marked with symmetrical brownish figures. End of tail whitish.

- [49]: No other member of the *Trimeresurus*-complex has ever been reported for spitting venom. This noteworthy particularity was confirmed by Mr. CHEN (*in litteris*, october 1993), who writes: "These snakes do spit venom indeed, I have observed myself the phenomenon. When they spit venom, they produce a strong hissing. The venom is projected at a distance up to 1.5-2 meters away. The spitting occurs only when snakes are strongly aroused". We did not examine the fangs of this species and we have no further data.
- [50]: CCTV channel.
- [51]: The Japanese *Trimeresurus flavoviviridis* may be longer; see note [44].

Ovophis monticola zhaokentangi

- [52]: The literal translation of the Chinese title should read as "Subdivision of some Chinese snake species". The text relevant to *Trimeresurus* group begins on page 108, with description of new taxa beginning on page 109. Other pages are not translated here.
- [53]: Key words mention the Chinese names of these species. In this translation, we give scientific names for convenience.
- [54]: Namely *Ovophis monticola* Günther, 1864. In this article, ZHAO considers *Ovophis monticola orientalis* (Schmidt, 1925) a valid subspecies, distinct from the Taiwanese *O. monticola makazayazaya* (Takahashi, 1922), to the contrary to ZHAO & ADLER (1993) who consider both subspecies to be synonymous. Data published in the literature and unpublished data (P. David) tend to support the validity of both subspecies (see characters in the KEY). However, a thorough revision of the *monticola*-complex is required.
- [55]: V+Sc designating the total number of ventral and subcaudal scales. According to ZHAO, the total number V+Sc ranges from 169 to 182 in *O. monticola orientalis*. However, we examined specimens for which this value is 186; according to WU et al. (1985), it may attain 193 in specimens from southern China referable to *O. monticola orientalis*.
- [56]: A name meaning "mountain iron-head [snake]" (see also note [9]). The present "variety" is therefore the "Gongshan mountain iron-head snake".
- [57]: In the English summary (p. 111), the diagnosis is given in a slightly different way: "This new subspecies has higher ventral plus subcaudal counts, 215-225 (mean 217.5 ± 5.28), than that of all other known subspecies. The coloration of head is similar to the nominate species." Other meristic data about this subspecies are as follows (ZHAO, pers. comm., based on six specimens): subcaudals all paired; 8-9 supralabials, of which the 4th is the largest; 8-9 cephalic scales in a row between supraoculars; 2nd supralabial bordering the anterior side of the loreal pit.

Trimeresurus stejnegeri chenbihuii

[58]: Namely *Trimeresurus stejnegeri* Schmidt, 1925 (see note [8]).

[59]: In the English summary (p. 112), the diagnosis is given in a slightly different way: "This new subspecies has higher ventral counts, 169-178 (mean 172.6) in males and 168-174 (mean 172) in females; while the nominate subspecies has 154-170 (mean 162.6) in males and 154-172 (mean 162) in females."

Thanks to the courtesy of Mr. CEN Jian Qiang of the Shanghai Natural History Museum, we examined seven preserved specimens of *Trimeresurus stejnegeri* from Hainan Island. Ventral scales counts, obtained according to the DOWLING's method, are as follows:

Museum Number	Sex	Ventrals
SNHM 2042	Male	174
SNHM 2043	Female	169
SNHM 2154	Female	166
SNHM 2158	Female	167
SNHM 2160	Male	163
SNHM 2161	Male	160
SNHM 2458	(Juvenile)	156

The DOWLING's method gives ventrals counts lower by one or two scales compared to the total number of ventrals. Nevertheless, it is obvious that Hainan Islands specimens have a lower number of ventrals than indicated by ZHAO (1995b). The validity of this subspecies seems questionable.

ICONOGRAPHY

The iconography of these recently described taxa is limited, and we give below bibliographic data of published illustrations referring to these forms. We believe it complete to January 1st, 1996. Figures and illustrations published in the original descriptions, mentioned above, are repeated below for the sake of completeness. Species are listed below according to their chronological order of description and under their currently valid name. *Ovophis monticola zhaokentangi* and *Trimeresurus stejnegeri chenbihuii* have not been illustrated.

Trimeresurus medoensis

DJAO & JIANG (1977): pl. II: fig. 9-1 to 9-5 (preserved holotype; black & white photographs).

HU & ZHAO (1979): fig. 2-8, p. 68 (living animal; black & white photograph).

TIAN et al. (1986): pl. XIX: fig. 66-68 (preserved holotype; black & white photographs).

Ovophis monticola zayuensis

DJAO & JIANG (1977): fig. 1, p. 67 (line drawing of head).

Trimeresurus xiangchengensis

ZHAO (1979): fig. 1, p. 423 (line drawing of head - living animal; black & white photograph).

TIAN et al. (1986): pl. XIX: fig. 72 (living animal; black & white photograph).

ZHANG & ZHAO (1990): fig. 6-4, p. 84 (line drawing of skull).

Trimeresurus tibetanus

HUANG (1982): fig. 1 & 2, p. 116 (preserved holotype; black & white photographs); fig. 3-5, p. 117 (various line drawings).

ZHAO & ADLER (1993): pl. 44: fig. C (living animal; color photograph).

Ermia mangshanensis

ZHAO & CHEN (1990): back cover of the issue (living animal; color photograph).

CHEN (1990): p. 41 (black & white photographs of living juvenile, adult animals, and biotope).

Journal of Snake, 2, 1990, (4): back cover (living animal; color photograph).

ZHAO & ADLER (1993): pl. 44: fig. A (living animal; color photograph).

A KEY TO THE *TRIMERESURUS*-COMPLEX IN CHINA AND ADJACENT AREAS

In recent years, three keys have been published that are relevant to the *Trimeresurus*-complex in China and including at least one of the recently described taxa. The first one can be found in SICHUAN BIOLOGICAL RESEARCH INSTITUTE (1977); an English translation, covering the snakes and lizards was subsequently prepared (YANG & INGER, 1986). The most recent and complete key to Chinese snakes, to the subspecific level, was published in TIAN et al. (1986: 132-133). ZHAO & ADLER (1993: 67-92) give keys to the generic level. But no key including all currently recognized members of the *Trimeresurus*-complex is available.

We provide an up-to-date key to the sixteen species and subspecies of the *Trimeresurus*-complex inhabiting China (including Hainan and Taiwan islands, Hong Kong and Macau), and to five taxa occurring in its immediate vicinity, namely *Ovophis monticola convictus* (Stoliczka, 1870) and *Trimeresurus cornutus* Smith, 1930, both known from northern Vietnam, *Trimeresurus kaulbacki* Smith, 1940, from northern Myanmar, *Trimeresurus albolabris septentrionalis* Kramer, 1977 from Nepal and India, and *Trimeresurus erythrurus* (Cantor, 1839) and *Trimeresurus popeiorum* Smith, 1937, both known to occur in Sikkim and northeastern India within 100-200 km of the Indian-Chinese border. We did not include the insular species living in the Japanese Ryukyu archipelago, clearly differentiated by their geographic range. We follow ZHAO (1995a) for raising to a specific rank *Ovophis monticola zayuensis* and *Trimeresurus stejnegeri yunnanensis*, and ZHAO (1995b) in considering *Ovophis monticola orientalis* (Schmidt, 1925) distinct from *O. monticola makazayazaya* (Takahashi, 1922).

This key is both drawn from literature and the examination of preserved specimens belonging to most mentioned taxa. We used our unpublished, preliminary data for the members of *Ovophis monticola*-group (DAVID, in prep.). We tried to produce a key based on external features that will work as well with preserved animals as with living snakes. However, we had to refer to hemipenial shape for distinguishing *T. popeiorum* from *T. stejnegeri*.

According to the current status of our knowledges, the following taxa are present in continental China [C], Hainan Island [I], Hong Kong [H], Macau [M] and Taiwan [T]:

- Ovophis monticola* (Günther, 1864) [C, H, T]
- Ovophis monticola monticola* (Günther, 1864) [C]
- Ovophis monticola makazayazaya* (Takahashi, 1922) [T]
- Ovophis monticola orientalis* (Schmidt, 1925) [C, H]
- Ovophis monticola zhaokentangi* Zhao, 1995 [C]
- Ovophis tonkinensis* (Bourret, 1934) [I]
- Ovophis zayuensis* Jiang in Djao & Jiang (1977) [C]
- Ermia mangshanensis* Zhao in Zhao & Chen, 1990 [C]
- Trimeresurus albolabris* (Gray, 1842) [C, I, H]
- Trimeresurus albolabris albolabris* (Gray, 1842) [C, I, H, M]

- Trimeresurus gracilis* Oshima, 1920 [T]
Trimeresurus jerdonii Günther, 1875 [C]
Trimeresurus medoensis Zhao in Djao & Jiang (1977) [C]
Trimeresurus mucrosquamatus (Cantor, 1839) [C, H, T]
Trimeresurus stejnegeri Schmidt, 1925 [C, I, T]
 Trimeresurus stejnegeri stejnegeri Schmidt, 1925 [C, T]
 Trimeresurus stejnegeri chenbihuii Zhao, 1995 [I]
Trimeresurus tibetanus Huang, 1982 [C]
Trimeresurus xiangchengensis Zhao, Jiang & Huang, 1978 [C]
Trimeresurus yunnanensis Schmidt, 1925 [C]

Taxa not recorded in China but occurring close to its border and considered in our key:

- Ovophis monticola convictus* (Stoliczka, 1870)
Trimeresurus albolabris septentrionalis Kramer, 1977
Trimeresurus cornutus Smith, 1930
Trimeresurus erythrurus (Cantor, 1839)
Trimeresurus kaulbacki Smith, 1940
Trimeresurus popeiorum Smith, 1937

Mobile maxillary fangs; loreal pits present, upper head surface covered with small, irregular shields: *Trimeresurus*-complex.

- | | | |
|----|---|--------------------------------------|
| 1A | Overall dorsal color chiefly bright green or bluish green in life, green or blackish in preservative, with or without small dark markings and a ventrolateral stripe | 2 |
| 1B | Overall color brownish, greyish or dull dull greenish, always with well defined large blotches, usually darker, or lighter with dark edges | 10 |
| 2A | First supralabials fused with nasals or incompletely separated by a groove | 3 |
| 2B | First supralabials totally separated from nasals by a suture (two independant scales) | 5 |
| 3A | Upper head scales flat, smooth and imbricate; temporals smooth or feebly keeled; usually 21 (rarely 23) dorsal scale rows at midbody | 4 |
| 3B | Upper head scales granular or tuberculate and juxtaposed; temporals strongly keeled; usually 23-25 (very rarely 21) dorsal scale rows at midbody | <i>T. erythrurus</i> |
| 4A | Side of head below eyes yellow, white or pale greenish, much lighter than the remaining part of the head; total length of females up to 104 cm; from southern China to Darjeeling area, Myanmar and farther south | <i>T. albolabris albolabris</i> |
| 4B | Side of head below eyes green or blue green, barely lighter than the remaining part of the head; total length of females up to 75 cm; Nepal and northern India | <i>T. albolabris septentrionalis</i> |
| 5A | 17 scale rows at midbody; less than 150 ventrals; 8 supralabials | <i>T. medoensis</i> |
| 5B | 19-23 scale rows at midbody; more than 150 ventrals; 8-11 supralabials | 6 |
| 6A | Less than 50 subcaudals; 8-9 supralabials; 21 dorsal scale rows at midbody; 2 or 3 supraoculars; rusty markings on dorsal parts and upper-head surface; Xizang Province and Nepal | <i>T. tibetanus</i> |
| 6B | More than 50 subcaudals; 9-11 supralabials; 19-21 (rarely 23) dorsal scale rows at midbody; 1 single supraocular; no red markings on the back | 7 |

- 7A 19 scale rows at midbody; Yunnan and adjacent areas *T. yunnanensis*
 7B 21 (rarely 23) scale rows at midbody 8
- 8A Hemipenis short, rounded, spinose; base of tail much enlarged up to about 15-20 subcaudals in males; iris reddish in males; temporals usually smooth; canthus rostralis moderate 9
 8B Hemipenis long, slender, without spines; base of tail moderately enlarged up to 20-25 subcaudals in males; iris yellow or golden in both sex; temporals more or less keeled; sharp canthus rostralis *T. popeiorum popeiorum*
- 9A Ventrals 154-170 in males and 154-172 in females; continental China and Taiwan
 *T. stejnegeri stejnegeri*
 9B Ventrals 156-178 in males and 166-174 in females; Hainan Island *T. stejnegeri chenbihuii*
- 10A Several erect supraoculars forming a horn *T. cornutus*
 10B Supraoculars usually single, flat, not erected 11
- 11A Body clearly elongated, head long, massive, with a narrow snout and a sharp canthus rostralis; subcaudals always paired; usually more than 160 ventrals; dorsal pattern made of irregular dorsolateral markings giving a wavy or zigzag pattern, or cross-bands, or rhombohedral dorsal blotches, or a speckled pattern 12
 11B Body rather short and stout; head short with a rounded snout; dorsal pattern made of dorsolateral dark squarish blotches, usually darker, or lighter with dark edges, confluent on the vertebral line, bordered below by other squarish blotches on the sides; subcaudals paired or single; less than 160 ventrals in specimens having paired subcaudals 16
- 12A 2 consecutive, small, rectangular loreals between the nasal and the higher preocular; 10 or more cephalic scales in a row between the supraoculars; dorsal color greyish or light brown; pattern made of irregular or triangular dorsal blotches giving a wavy, zigzag or sawteeth-like appearance 13
 12B 1 large, squarish loreal; 10 or less cephalic scales in a row between the supraoculars; dorsal color either mostly dull greenish, with dorsal rhombohedral blotches, or speckled with black, or brownish with yellowish green transverse bands 14
- 13A Usually more than 195 ventrals and more than 75 subcaudals; 9-12 supralabials; 25-31 (rarely 23-33) dorsal scale rows at midbody; usually 13-16 (rarely 11-18) scales in a row between the supraoculars; 2 or 3 scale rows between supralabials and the subocular; pattern made mostly of irregular dorsal blotches giving a wavy appearance *T. mucrosquamatus*
 13B Less than 195 ventrals and less than 72 subcaudals; 7-8 supralabials; 25 dorsal scale rows at midbody; 10-12 scales in a row between the supraoculars; 1 or 2 scale rows between supralabials and the subocular; pattern made mostly of triangular, downwards pointed, dorsal blotches giving a saw-like appearance *T. xiangchengensis*
- 14A 2nd supralabial high, bordering the anterior side of the loreal pit; pattern not made of irregular cross-bands 15
 14B 2nd supralabial low, not bordering the anterior side of the loreal pit; dorsal pattern made of irregular, contiguous or more or less alternating blackish brown dorsolateral blotches giving the appearance of irregular cross bands on a yellowish-green background *E. mangshanensis*

- 15A 21 (very rarely 19, rarely 23) dorsal scale rows at midbody; less than 195 ventrals; internasal very large; 4th supralabial nearly as large as the 3rd one; two different patterns: either dull green above, with large, oval, reddish, black-edged dorsal blotches, or almost entirely blackish, heavily speckled with yellow spots *T. jerdonii*
- 15B 25 dorsal scale rows at midbody; 200 or more ventrals; internasals very large; 4th supralabial smaller than the 3rd one; dorsal surfaces dull greyish green in life or in preservative, with blackish, rhombohedral dorsal blotches separated or united to one another; smaller spots on the sides; symmetrical yellow lines on the head *T. kaulbacki*
- 16A 19 (rarely 21) scale rows at midbody; 2nd supralabial not bordering the loreal pit; endemic to Taiwan *T. gracilis*
- 16B 23-27 (very rarely 21) scale rows at midbody (*Ovophis monticola*-group) 17
- 17A Subcaudals single (or rarely only a few paired) 18
- 17B Subcaudals paired (or rarely a few single) 19
- 18A More than 160 ventrals; 10 supralabials, the 3rd the largest; 2nd supralabial high, bordering the anterior side of the loreal pit; 3-5 scales on the upper surface of the snout between a line connecting anterior borders of the eyes and the internasals; Xizang Province *O. zayuensis*
- 18B Less than 140 ventrals; 8-10 supralabials, the 4th the largest; 2nd supralabial bordering the anterior side of the loreal pit or not; 5-7 scales on the upper surface of the snout between a line connecting anterior borders of the eyes and the internasals; Vietnam and Hainan Island *O. tonkinensis*
- 19A 4th (sometimes the 5th) supralabials the largest 20
- 19B 3rd supralabials the largest 22
- 20A 10-12 (exceptionally 8, rarely 9) supralabials; internasals usually in contact; less than 160 ventrals; total number of ventrals plus subcaudals 169 to 204 21
- 20B 8-9 supralabials; internasals separated by 2 small scales; 159 or more ventrals; total number of ventrals plus subcaudals 215 to 225; western Yunnan *O. monticola zhaokentangi*
- 21A 23-25 (exceptionally 21 or 27) dorsal scale rows at midbody; 132-154 ventrals, 33-48 subcaudals; total number of ventrals plus subcaudals 169 to 193; continental China ... *O. monticola orientalis*
- 21B 25-29 dorsal scale rows at midbody; 144-155 ventrals, 39-54 subcaudals; total number of ventrals plus subcaudals 188 to 204; endemic to Taiwan *O. monticola makazayazaya*
- 22A 23-25 (rarely 21) dorsal scale rows at midbody; 135-156 ventrals, 33-62 subcaudals; 8-9 supralabials; Himalaya eastwards up to western Yunnan, India, Bangladesh, Myanmar *O. monticola monticola*
- 22B 21-23 (very rarely 25) dorsal scale rows at midbody; 127-152 ventrals, 22-54 subcaudals; 7-9 (exceptionally 10) supralabials; Vietnam, Thailand, Malaya, Sumatra *O. monticola convictus*

ACKNOWLEDGMENTS

We are much indebted to Dr. Ivan INEICH, of the Laboratoire de Zoologie (Reptiles & Amphibiens), Muséum National d'Histoire Naturelle, Paris, Mr. Gernot VOGEL, of the Society for Southeast Asian Herpetology, Heidelberg, and Dr. George ZUG, of the Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington, for their careful reading of the manuscript and their helpful corrections and suggestions.

We are grateful to Dr. ZHAO Er Mi, Sichuan Institute of Biology, Chengdu, for providing us with otherwise unavailable Chinese literature and unpublished data about *Ovophis monticola zhaokentangi*, and Mr. CEN Jian Qiang, Shanghai Museum of Natural History, for his assistance in the examination of preserved specimens and his friendly help.

Last, we also thank Miss TU Xiao Hua (Paris) for her assistance in the search of Chinese literature and additional translations.

The cover artwork was kindly realised by Miss Agathe RAVET, of the Muséum National d'Histoire Naturelle, Paris. Her skill and friendship are here warmly acknowledged.


LITERATURE CITED

- Anonymous. 1993. Institute news. *The Snake*, 25 (1): 91-92.
- Chen, Y.H. 1990. Discovery in China of a new snake species - *Trimeresurus mangshanensis*. *Journal of Snake* (Nanning) 2 (3): 41. (In Chinese).
- David, P. 1995. Geographic distribution. *Ovophis tonkinensis* (Tonkin Pitviper). *Herpetol. Rev.* 26 (3): 157.
- David, P., and I. Ineich. in press. Les serpents venimeux du monde : systématique et répartition. *Dumerilia* (Paris) 3 [1997].
- Djao, E.M., and Y.M. Jiang. 1977. A survey of reptiles in Xizang Autonomous Region, with faunal analysis and descriptions of new forms. *Acta zool. Sinica* 23 (1): 64-71, 2 plates. (In Chinese, English summary).
- Golay, P., H.M. Smith, D.G. Broadley, J.R. Dixon, C.J. McCarthy, J.-C. Rage, B. Schätti, and M. Toriba. 1993. Endoglyphs and Other Major Venomous Snakes of the World. A Checklist. Azemiops S.A. Herpetological Data Center; Aïre-Genève.
- Hoge, A.R., and S.A.R.W.L. Romano Hoge. 1981 (1978/1979). Poisonous snakes of the world. Part I. Check-list of the pit vipers Viperioidea, Crotalinae. *Mem. Inst. Butantan* 42/43: 179-310.

- Hu, S.Q., and E.M. Zhao. 1979. Venomous snakes of China. 1. Major groups and distribution of venomous snakes. Pp. 51-100. In Chengdu Institute of Biology, Shanghai Natural History Museum & Zhejiang Institute of Chinese Medicine (ed), Poisonous Snakes of China, Prevention and Cure of Snake Bites. Second edition. Shanghai Publishing House in Sciences and Technology; Shanghai. (In Chinese).
- Huang, Z.Y., 1982. A new species of the Crotalidae snake from Tibetan. J. Fudan Univ. (Shanghai), Nat. Sci., 21 (1): 116-118. (In Chinese, English summary).
- I. C. Z. N. (International Commission on Zoological Nomenclature). 1985. International Code of Zoological Nomenclature. Third edition. International Trust for zoological Nomenclature; London.
- Mishima, S. 1980. Two large-sized habus and an albino caught on Tokunoshima Island. Japanese J. Herpetol. 8 (4): 141. (In Japanese).
- Peters, J.A. 1964. Dictionary of Herpetology. A Brief and Meaningful Definition of Words and Terms Used in Herpetology. Hafner Publishing Company; New York & London.
- Sichuan Biological Research Institute. 1977. Systematic Key to the Reptiles of China. Science Press; Beijing. (In Chinese).
(English translation of the key to snakes and lizards: see YANG & INGER, 1986).
- Smith, M.A. 1943. The Fauna of British India, Ceylon and Burma, Including the Whole of the Indo-Chinese Subregion. Reptilia and Amphibia. Vol. III, Serpentes. Taylor & Francis; London.
- Sun, X.D. (ed.). 1989. Atlas of the People's Republic of China. Foreign Languages Press and China Cartographic Publishing House; Beijing.
- Tian, W., Y. Jiang, G.F. Wu, Q.X. Hu, E.M. Zhao, and Q.Y. Huang. 1986. Identification Manual for Chinese Amphibians and Reptiles. Science Press; Beijing. (In Chinese).
- Wu, L., D. Li, and J.S. Liu. 1985. Reptilian fauna of Guizhou. Guizhou People Press; Guiyang, Guizhou Province. (In Chinese).
- Yang, D.T., and R.F. Inger (translators). 1986. Key to snakes and lizards of China. Smithsonian herpetol. Information Service 71: 1-21.
- Zhang, F.J. 1992. Division of the genus *Trimeresurus* (sensu lato) based on the morphology of their skulls. Proc. Asian Herpetological Meeting, Huangshan, Anhui, P. R. of China, 15-20 July 1992: 82.
- 1993. Division of the genus *Trimeresurus* (sensu lato) based on the morphology of their skulls. Pp. 48-57. In E.M. Zhao, B.H. Chen & T. Papenfuss (ed), Proceedings of the First Asian herpetological Meeting, 15-20 July 1992, Huangshan, Anhui, China. Chinese Forestry Press, Herpetol. Series 4; Beijing. (In Chinese, English summary).


- Zhang, F. J., and E.M. Zhao. 1990. Morphological characteristics of the skulls of six species of genus *Trimeresurus* (Serpentes: Viperidae), with reference to interspecific relationships. Pp. 79-86. In E.M. Zhao (ed.), From water onto land. China Forestry Publishing House; Beijing. (In Chinese, English summary).
- Zhao, E.M., 1979. A new snake of the genus *Trimeresurus* from Sichuan, China. Acta zootaxon. Sinica 4 (4): 422-424. (In Chinese, English summary).
- 1995a. Taxonomic status of some snake species and subspecies. J. Shuzhou Railway Teachers College 12 (2): 36-39. (In Chinese, English summary).
- 1995b. Intraspecific classification of some Chinese snakes. Sichuan J. Zool. 14 (3): 107-112. (In Chinese, English summary).
- Zhao, E.M., and K. Adler. 1993. Herpetology of China. Society for the Study of Amphibians and Reptiles, Contrib. Herpetol. 10; Athens.
- Zhao, E.M., and Y.H. Chen. 1990. Description of a new species of the genus *Trimeresurus*. Sichuan J. Zool. 9 (1): 11-12. (In Chinese, English summary).
- Zhao, E.M., Y.M. Jiang, and Q.Y. Huang. 1978. Three new snake species in China (a summary). Mater. herpetol. Reseach (Chengdu), 4: 21. (In Chinese).
- Zhao, E.M., and H. Zhao. 1994. Chinese Herpetological Literature - Catalogue and Indices. Publishing House of the Chengdu University of Science and Technology, Herpetol. Series 5; Chengdu.






Q2
640
S666
REPT

**BIBLIOGRAPHY AND SCIENTIFIC NAME INDEX
TO THE AMPHIBIANS AND REPTILES OF THE
FLORIDA ACADEMY OF SCIENCES, VOLUME 1-55, 1937-1992,
THE FLORIDA FIELD NATURALIST, VOLUME 1-20, 1973-1992,
AND THE FLORIDA NATURALIST, VOLUME 1-65, 1926-1992**



**Ernest A. Liner
Houma, Louisiana**



**SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 113**

1997

SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

INTRODUCTION

The following alphabetical listing of these three Florida publications by author(s) covers all the papers dealing with amphibians and reptiles that have appeared in these publications.

The Florida Academy of Sciences was originally published as Proceedings through volume 7. Volumes 1-5 appeared as one number a year with 6-7 becoming quarterly. Volume 6 numbers 1-2 were not numbered consecutively but number three picked up page numbering as if numbers 1-2 were. Volumes 8-35 had the name changed to the Quarterly Journal of the Florida Academy of Sciences. Volume 36 to the present became Florida Scientist. All titles from the three different names are listed together as for all practical purposes they are the same. Supplements were issued for some volumes which consists of the program and abstracts for the yearly meetings. Articles from the supplements are identified by an :Abs. after the title. Titles by name only are not listed.

The Florida Field Naturalist had volumes 1-8 published twice yearly and 9-20 quarterly.

The Florida Naturalist is the organ of the Florida Audubon Society and consisted of six numbers a year beginning in October, 1927 until volume 53 when it became a quarterly.

All junior authors are listed and cross referenced to the senior author. All articles with original names are preceded by an * (asterisk).

All scientific names of amphibians and reptiles are listed alphabetically and referenced to the numbered article(s) they appear in numerical order. The Florida Academy of Sciences are just numbered from 1-198. The Florida Field Naturalist has the prefix **F** followed by numbers from 199-225. The Florida Naturalist has the prefix **N** followed by numbers 226-326. No names in bibliographies are listed. All original spellings are maintained. Those ending i or ii, if both are used, is given with ii. All original names are given in **bold**.

The author wishes to thank C. Gans for suggesting this project and for suggesting the addition of the scientific name index G. R. Zug and W. R. Heyer. D. L. Auth checked and furnished photocopies of several missing numbers that were not available to me.

FLORIDA ACADEMY OF SCIENCES

1. Allen, E. Ross. 1938. Florida snake venom experiments. 2: 70-76.
2. ----- . 1939a. Notes on Florida watersnakes. 3: 101-104.
3. ----- . 1939b. Notes on the feeding and egg-laying habits of the Pseudemys. 2: 105-108.
Allen E. Ross, **see** Neill, Wilfred T., 1955, 1962.
4. Altig, Ronald. 1972. Defensive behavior in Rana areolata and Hyla avivoca. 35: 212-216.
5. Arata, Andrew A. 1958. Notes on the eggs and young of Gopherus polyphemus (Daudin). 21: 274-280.
Arata, Andrew A., **see** Myers, Charles W., 1961.
6. Arndt, Rudolf G. 1991. Predation on hatchling diamondback terrapin, Malaclemys terrapin (Schoepff), by the ghost crab, Ocypode quadrata (Fabricius). 54: 215-217.
7. Auffenberg, Walter. 1954. Additional specimens of Gavialosuchus americanus (Sellards) from a new locality in Florida. 17: 185-209.
8. ----- . 1956. Additional records of Pleistocene lizards from Florida. 19: 157-167.
9. *----- . 1957a. A new species of Bufo from the Pliocene of Florida. 20: 14-20.
10. ----- . 1957b. Notes on fossil crocodilians from southeastern United States. 20: 107-113.
11. ----- . 1958a. A new family of Miocene salamanders from the Texas coastal plain. 21: 169-176.
12. *----- . 1958b. A small fossil herpetofauna from Barbuda, Leeward Islands, with the description of a new species of Hyla. 21: 248-254.
13. ----- . 1959. A Pleistocene Terrapene hibernaculum, with remarks on a second complete box turtle skull from Florida. 22: 49-53.
14. ----- . 1966. The vertebral musculature of Chersydrus (Serpentes). 29: 155-162.
15. ----- . 1969. Social behavior of Geochelone denticulata. 32: 50-58.
16. Bachmann, K. 1972. Nuclear DNA and developmental rates in frogs. 35: 225-231.
17. Banicki, Leroy H. 1981. New records of the spotted turtle, Clemmys guttata, in northern Florida. 44: 253-254.
Bard, Alice M., **see** Franz, Richard and C. Kenneth Dodd, Jr., 1992.
Barnwell, Mary E., **see** Meylan, Peter A., Connie A. Stevens, and Erik D. Dohm, 1992.
18. Berry, James F. and Culver S. Gidden. 1973. The spotted turtle in Florida and southern Georgia. 36: 198-200.
19. Blair, W. Frank. 1958. Call difference as an isolation mechanism in Florida species of hylid. 21: 32-48.
20. Bovee, Eugene C. and Sam R. Telford. 1962a. Protozoan inguillines from reptiles. I. Monocorcomonas neosopsarum

- n. sp. from the sand skink, Neoseps reynoldsi Stejneger. 25: 96-103.
21. ----- and Sam R. Telford, Jr. 1962b. Protozoan inguinales from reptiles. II. Monocercomonas tantillorum n. sp. from the Florida crowned snake, Tantilla coronata Baird and Girard. 25: 104-108.
 22. ----- and ----- . 1962c. Protozoan inguinales from Florida reptiles. III. Rigidomastix scincorum n. sp.; Cercobodo stilosommarum n. sp.; and Cryptobia geccorum n. sp. 25: 180-191.
 23. Brattstrom, Bayard H. 1953. Records of Pleistocene reptiles and amphibians from Florida. 16: 243-248.
 24. Brooks, Garnett R., Jr. 1963. Food habits of the ground skink. 26: 361-367.
 25. ----- . 1972. Intestinal parasites of the lizard Lygosoma laterale. 35: 8-14.
 26. Brown, Lauren E. 1969 (1970). Natural hybrids between two toad species in Alabama. 32: 285-290.
 27. Buden, Donald W. and Albert Schwartz. 1968. Reptiles and birds of the Cay Sal Bank, Bahama Islands. 31: 290-320.
 28. Caldwell, David K. 1959. On the status of the Atlantic leatherback turtle, Dermochelys coriacea, as a visitant to Florida nesting beaches, with natural history notes. 21: 285-291.
 29. ----- . 1962. Comments on the nesting behavior of Atlantic loggerhead sea turtles, based primarily on tagging returns. 25: 287-302.
 30. ----- . 1968. Baby loggerhead turtles associated with sargassum weed. 31: 271-272.
 31. -----, Archie Carr, and Thomas R. Hellier, Jr. 1955a. A nest of the Atlantic leatherback turtle, Dermochelys coriacea coriacea (Linnaeus), on the Atlantic coast of Florida, with a summary of American nesting records. 18: 279-284.
 32. -----, -----, and ----- . 1955b. Natural history notes on the Atlantic loggerhead turtle, Caretta caretta caretta. 18: 292-302.
 33. Carr, A. F., Jr. 1937. The gulf-island cottonmouths. 1: 86-90.
 34. ----- and Coleman J. Goin. 1943. Neoteny in Florida salamanders. 6 (1): 37-40.
Carr, A. F., Jr., **see** Caldwell, David K., and Thomas R. Hellier, Jr., 1955a; 1955b; Goin, Coleman J., 1943; Witham, Ross, 1969.
 35. Censky, Ellen J. 1988. Geochelone carbonaria (Reptilia: Testudines) in the West Indies. 51: 108-114.
 36. Christman, Steven P. 1970. Hyla andersoni in Florida. 33: 80.
 37. ----- . 1979 (1971). The possible evolutionary history of two Florida skinks. 33: 291-293.
 38. ----- and Howard I. Kochman. 1975. The southern

- distribution of the many-lined salamander, Stereochilus marginatus. 38: 140-141.
- Collier, Gerald, **see** Plymale, Harry H., Crawford G. Jackson, Jr., and Mary W. Trotter, 1980.
39. Conley, Walter J. and Barbara A. Hoffman. 1987. Nesting activity of sea turtles in Florida, 1979-1985. 50: 201-210.
40. Cooper, Byrum W. 1953. Notes on the life history of the lizard, Neoseps reynoldsi Stejneger. 16: 235-238.
41. Cristoffer, Chris. 1991. Road mortalities of northern Florida vertebrates. 54: 65-68.
42. Crombie, Ronald J. 1972. The presence of Hyla squirella in the Bahamas. 35: 49-52.
43. Dambaugh, Luella N. 1960. The Everglades National Park: A wilderness reserved. 23: 77-88.
44. Dickinson, J. C., Jr. 1948 (1949). An ecological reconnaissance of the biota of some ponds and ditches in northern Florida. 11 (2/3): 1-28.
45. Dinsmore, James J. 1969. Reptiles of Little Tobago Island, West Indies. 32: 307-309.
46. Dodd, C. Kenneth, Jr. 1990. Postures associated with immobile woodland salamanders, genus Plethodon. 53: 43-49.
- Dodd, C. Kenneth, Jr., **see** Franz, Richard and Alice M. Bard, 1992.
- Dohm, Erik D., **see** Meylan, Peter A., Connie A. Stevens, and Mary E. Barnwell, 1992.
- Dooris, P. M., **see** Post, J. M. and M. Lopez, 1985.
47. Douglass, John F. 1977. Abnormalities of scutellation in a population of Gopherus polyphemus (Reptilia, Testudinidae). 40: 256-258.
- Dunbar-Cooper, Ann, **see** Mazzoti, Frank J. and James A. Kushlan, 1988.
48. Dunson, William A. 1979. Occurrence of partially striped forms of the mangrove snake Nerodia fasciata compressicauda Kennicott and comments on the status of N. f. taeniata Cope. 42: 102-112.
- Dunson, William A., **see also** Zug, David A., 1979.
49. Ehrhart, L. M. 1974. A study of the loggerhead turtles (Caretta caretta) of Merritt Island, Florida: Abs. 37 (Suppl. 1): 6.
50. ----. 1975. Chelonia mydas nesting on Merritt Island, Florida: Abs. 38 (Suppl. 1): 5.
51. ----. 1977. Results of marine turtle studies at the Merritt Island National Wildlife Refuge, summer, 1976: Abs. 40 (Suppl. 1): 11-12.
52. ----. 1979. Patterns of seaturtle mortality on the east-central Florida coast, 1977-78: Abs. 42 (Suppl. 1): 26.
53. ----. 1983. Marine turtles of the Indian River lagoon system. 46: 337-346.
- Ehrhart, Llewellyn M., **see** Redfoot, W. F. and P. W. Raymond,

- 1985.
54. *Estes, Richard. 1963. Early Miocene salamanders and lizards from Florida. 26: 234-256.
Etchberger, Cory R., **see** Iverson, John B., 1989.
 55. *Etheridge, Richard. 1965. Fossil lizards from the Dominican Republic. 28: 83-105.
 56. ----- . 1965 (1966). Pleistocene lizards from New Providence. 28: 349-358.
 57. *----- . 1966. An extinct lizard of the genus Leiocephalus from Jamaica. 29: 47-59.
 58. Franz, Richard. 1976. A digenetic trematode from a West Indian racer. 39: 1-2.
 59. -----, C. Kenneth Dodd, Jr., and Alice M. Bard. 1992. The non-marine herpetofauna of Egmond Key, Hillsborough County, Florida. 55: 179-183.
 60. ----- and Sam R. Telford, Jr. 1972 (1974). Occurrence of two trematodes in Florida anoles. 35: 163-164.
Frohring, Paula C., **see** Kushlan, James A., Scott A. Voorhees, and William F. Loftus, 1986.
 61. Funderburg, John B., David S. Lee, and Margaret L. Gilbert. 1969. An unusual salamander from the Ocala National Forest. 32: 230-232.
Funk, Richard S., **see** Tucker, John K., 1976.
 62. Garrido, Orlando H. and Albert Schwartz. 1967 (1968). Cuban lizards of the genus Chamaeleolis. 30: 197-220.
Gidden, Culver S., **see** Berry, James F., 1973.
Gilbert, Margaret L., **see** Funderburg, John B. and Davis S. Lee, 1969.
 63. Goin, Coleman J. 1943. The lower vertebrate fauna of the water hyacinth community in northern Florida. 6: 143-152.
 64. ----- . 1948 (1949). The peep order in peepers: A swamp water serenade. 11 (2/3): 59-61.
 65. ----- . 1958. Comments upon the origin of the herpetofauna of Florida. 21: 61-70.
 66. ----- . 1963. Synonymy and distribution of the frog Gastrotheca longipes (Boulenger). 26: 347-352.
 67. *----- . 1966. A new frog of the genus Hyla from British Guiana. 29: 39-42.
 68. *----- . 1968a. A new centrolenid frog from Guyana. 30: 115-118.
 69. ----- . 1968b. Behavior of Iguana during rain storms. 30: 119-120.
 70. ----- and Olive B. Goin. 1972. Antarctica, isostasy, and the origin of frogs. 35: 113-129.
Goin, Coleman J., **see** Goin, Olive B., 1951; Hobson, J. Allan and Olive B. Goin, 1967; Netting, M. Graham, 1943; 1944; 1945.
 71. Goin, Olive B. 1958. A comparison of the nonbreeding habits of two treefrogs, Hyla squirella and Hyla cinerea. 21: 49-60.

72. ----- and Coleman J. Goin. 1951. Notes on the natural history of the lizard Eumeces laticeps in northern Florida. 14: 29-33.
Goin, Olive B., see Goin, Coleman J., 1972; Hobson, J. Allan and Coleman J. Goin, 1967.
73. Goodwin, Thomas M. and Wayne R. Marion. 1977. Occurrence of Florida red-bellied turtle eggs in north-central Florida alligator nests. 40: 237-238.
74. Graham, Eugene D., Jr. and Albert Schwartz. 1978. Status of the name Sphaerodactylus cinereus Wagler and variation in "Sphaerodactylus stejnegeri" Cochran. 41: 243-251.
75. Gut, H. James and Clayton E. Ray. 1963. The Pleistocene vertebrate fauna of Reddick, Florida. 26: 315-328.
76. Hansen, Keith L. 1951 (1952). An investigation of native Florida male salientia as test animals for early pregnancy diagnosis. 14: 231-236.
77. ----- . 1959. A study of in vitro ovulation in the eastern spadefoot toad, Scaphiopus h. holbrooki. 22: 1-13.
78. ----- . 1963. The burrow of the gopher tortoise. 26: 353-360.
79. -----, Edward G. Ruby, and Robert L. Thompson. 1971. Trophic relationships in the water hyacinth community. 34: 107-113.
80. ----- and Donald E. Sweat. 1962. Spermiation in Rana p. pipiens in response to heteroplastic pituitary materials. 25: 109-120.
81. ----- and John C. Thurber. 1960. Pregnancy diagnosis in selected mammals using the male anuran test. 23: 265-272.
Harmon, R. W., see Pollard, C. B., A. F. Novak, and W. B. Runzler, 1952.
82. Hayes, Marc P., J. Alan Pounds, and Douglas C. Robinson. 1986. The fringe-limbed treefrog, Hyla fimbriembra (Anura: Hylidae): New records from Costa Rica. 49: 193-198.
83. ----- and P. N. Lahanas. 1987. Nesting of the aquatic salamander Amphiuma means: Abs. 50 (Suppl. 1): 16.
84. Henderson, Robert W. and Richard A. Sajdak. 1983. Notes on reptiles from Isla Saona, Republica Dominicana. 46: 59-61.
Henderson, Robert W., see Sajdak, Richard A., 1982.
Hertz, Amy L., see Sellers, LaRue George, 1982.
85. Hirschfeld, Sue E. 1968. Vertebrate fauna of Nichol's Hammock, a natural trap. 31: 177-189.
86. Hobson, J. Allan, Coleman J. Goin, and Olive B. Goin. 1967. Sleep behavior of frogs. 30: 184-186.
87. Hodsdon, L. A. and Jay F. W. Pearson. 1943. Notes on the discovery and biology of two Bahaman fresh-water turtles of the genus Pseudemys. 6 (2): 17-23.
Hoffman, Barbaras A., see Conley, Walter J., 1987.
Hofmann, Suzanne, see Wiese, Vicki L. and Jenny L. Mapes, 1987.
88. Holman, J. Alan. 1964. A new glass lizard from Veracruz,

- Mexico. 27: 311-315.
89. ----. 1965a. Early Miocene anurans from Florida. 28: 68-82.
 90. ----. 1965b. A hugh Pleistocene box turtle from Texas. 28: 345-348.
 91. ----. 1966a. A second specimen of Ophisaurus ceroni. 29: 43-46.
 92. *----. 1966b. A small Miocene herpetofauna from Texas. 29: 267-275.
 93. *----. 1968a. Additional anurans from Florida. 30: 121-140.
 94. ----. 1968b. A Pleistocene herpetofauna from Kendall County, Texas. 31: 165-172.
 95. *----. 1968c. Lower Oligocene amphibians from Saskatchewan. 31: 273-289.
 96. ----. 1969. A small Pleistocene herpetofauna from Tamaulipas. 32: 153-158.
 97. Hutchison, A. M. 1992. A reproducing population of Trachemys scripta elegans in southern Pinellas County: Abs. 55 (Suppl. 1): 12.
Hutchison, J. Howard, **see** Trost, Charles H., 1963.
 98. Iverson, John B. 1974. Eggs and hatchlings of the Florida scrub lizard. 37: 169-172.
 99. ----. 1978. Reproductive notes on Florida snakes. 41: 1 94-207.
 100. ----. 1979. On the identity of Kinosternon punctatum Gray 1855. 42: 250-252.
 101. ----. 1984. Proportional skeletal masses in turtles. 47: 1-11.
 102. ----. 1985. Reproduction in the Florida softshell turtle, Trionyx ferox. 48: 41-44.
 103. ----. 1987. Patterns of relative fecundity in snakes. 50: 223-233.
 104. ---- and Cory R. Etchberger. 1989. The distributions of the turtles of Florida. 52: 119-144.
 105. Jackson, Crawford G., Jr. and Marguerite M. Jackson. 1968. The egg and hatching of the Suwannee terrapin. 31: 199-204.
 106. ---- and ----. 1970. Herpetofauna of Dauphin Island, Alabama. 33: 281-287.
 107. ---- and Arnold Ross. 1972. Balanomorph barnacles on Chrysemys alabamensis. 35: 173-176.
Jackson, Crawford G., Jr., **see** Plymale, Harry H., Gerald Collier, and Mary W. Trotter, 1980.
Jackson, Marguerite M., **see** Jackson, Crawford G., Jr., 1968; 1970.
 108. Jacobson, Terri. 1982. Distribution and status of alligators and crocodiles in the lower Florida Keys: Abs. 45 (Suppl. 1): 25.
 109. Jennings, Debra L. and Wayne Price. 1985. Helminths of the

- Mediterranean gecko, Hemidactylus turcicus turcicus, from Tampa, Florida: Abs. 48 (Suppl. 1): 24.
110. Kilby, John D. 1945. A biological analysis of the food and feeding habits of two frogs, Hyla cinerea cinerea and Rana pipiens sphenoccephala. 8: 71-104.
 111. King, Wayne. 1959. Observations on the ecology of a new population of the Mediterranean gecko, Hemidactylus turcicus, in Florida. 21: 317-318.
 112. ----. 1960. New populations of West Indian reptiles and amphibians in southeastern Florida. 23: 71-73.
 113. ----. 1962. The occurrence of rafts for dispersal of land animals into the West Indies. 25: 45-52.
 114. ---- and Thomas Krakauer. 1966. The exotic herpetofauna of southeast Florida. 29: 144-154.
 115. Knepton, James C., Jr. 1951 (1952). The responses of male salientia to human chorionic gonadotropic hormone. 14: 255-265.
Kochman, Howard I., see Christman, Steven P., 1975.
Krakauer, Thomas, see King, Wayne, 1966.
 116. Kushlan, James A., Scott A. Voorhees, William F. Loftus, and Paula C. Frohring. 1986. Length, mass, and calorific relationships of Everglades animals. 49: 65-79.
Kushlan, James A., see Mazzoti, Frank J. and Ann Dunbar-Cooper, 1988.
 - Lahanas, P. N., see Mapes, M. P., 1987.
 117. Layne, James N., Timothy J. Walsh, and Peter Meylan. 1986. New records for the mole snake, Lampropeltis calligaster, in peninsular Florida. 49: 171-175.
Layne, James N., see Martin, Paige L., 1987.
Lee, David S., see Funderburg, John B. and Margaret L. Gilbert, 1969.
 118. Loftin, Horace. 1960. An annotated check-list of trematodes and cestodes and their vertebrate hosts from northwest Florida. 23: 302-314.
Loftus, William F., see Kushlan, James A., Scott A. Voorhees, and Paula C. Frohring, 1986.
Lopez, M., see Post, J. M. and P. M. Dooris, 1985.
 119. Loveridge, Arthur. 1953. Herpetological results of the Berner-Carr entomological survey of the Shire Valley, Nyasaland. 16: 139-150.
 120. Mapes, Jenny L. 1984. Loggerhead (Caretta caretta) sea turtle conservation program: Abs. 47 (Suppl. 1): 19.
Mapes, Jenny L., see Wiese, Vicki L. and Suzanne Hofmann, 1987.
Marion, Wayne R., see Goodwin, Thomas M., 1977.
 121. Martin, Paige L. and James N. Layne. 1987. Relationship of gopher tortoise body size to burrow size in a southcentral Florida population. 50: 264-267.
May, M. L., see Spray, D. C., 1971.

122. Mazzoti, Frank J., James A. Kushlan, and Ann Dunbar-Cooper. 1988. Desiccation and cryptic nest flooding as probable causes of egg mortality in the American crocodile, Crocodylus acutus, in Everglades National Park, Florida. 51: 65-72.
123. McCoy, Earl D. and Henry R. Mushinsky. 1992. Studying a species in decline: Changes in populations of the gopher tortoise on federal lands in Florida. 55: 116-124.
124. McEwan, Bonnie. 1982. Bone anomalies in the shell of Gopherus polyphemus. 45: 189-195.
125. Meacham, Anne and Charles W. Myers. 1961. An exceptional pattern variant of the coral snake, Micrurus fulvius (Linnaeus). 24: 55-58.
126. Mecham, John S. 1952. Notes on the larvae of two Florida salamanders. 15: 127-133.
127. Meylan Peter A., Connie A. Stevens, Mary E. Barnwell, and Erik D. Dohm. 1992. Observations on the turtle community of Rainbow Run, Marion C., Florida. 55: 219-228.
Meylan, Peter, *see* Layne, James N. and Timothy J. Walsh, 1986.
128. Mushinsky, H. R. 1985. Fire and the Florida sandhill herpetological community: Abs. 48 (Suppl. 1): 23-24.
Mushinsky, Henry R., *see* McCoy, Earl D., 1992.
129. Myers, Charles W. 1958. Notes on the eggs and larvae of Eurycea lucifuga Rafinesque. 21: 125-130.
130. ----- and Andrew A. Arata. 1961. Remarks on "defensive" behavior in the hognose snake Heterodon simus (Linnaeus). 24: 108-110.
131. ----- and Sam R. Telford, Jr. 1965. Food of Neoseps, the Florida sand skink. 28: 190-194.
Myers, Charles W., *see* Meacham, Anne, 1961.
132. Neill, Wilfred T. 1957. The rapid mineralization of organic remains in Florida, and its bearing on supposed Pleistocene records. 20: 1-13.
133. ----- . 1960. The caudal lure of various juvenile snakes. 23: 173-200.
134. ----- . 1962. The reproductive cycle of snakes in a tropical region, British Honduras. 25: 234-253.
135. ----- . 1963. Polychromatism in snakes. 26: 194-216.
136. ----- . 1964. Frogs introduced on islands. 27: 127-130.
137. ----- . 1964. Isolating mechanisms in snakes. 27: 333-347.
138. ----- and E. Ross Allen. 1955. Metachrosis in snakes. 18: 207-215.
139. ----- and ----- . 1962. Parturient anaconda, Eunectes gigas Latreille, eating own abortive eggs and foetal membranes. 25: 73-75.
140. Netting, M. Graham and Coleman J. Goin. 1943. Progress report on a survey of the amphibia of Florida: Abs. 6 (1): 67-68.
141. ----- and ----- . 1944. The occurrence of Fowler's toad, Bufo woodhousii fowleri Hinckley, in Florida. 7: 181-184.

142. ----- and ----- . 1945. The cricket-frog of peninsular Florida. 8: 304-310.
Novak, A. F., **see** Pollard, C. B., R. W. Harmon, and W. B. Runzler, 1952.
143. Ober, Lewis D. 1970. Redescription of Sphaerodactylus stejnegeri Cochran. 33: 244-246.
Ober, Lewis D., **see** Weaver, W. G., 1971.

Palmer, Michael D., **see** Witz, Brian W. and Dawn S. Wilson, 1992.
144. Parrish, Henry M. 1957. The poisonous snake bite problem in Florida. 20: 185-204.
145. Patton, Thomas H. 1968. Fossil vertebrates from Navassa Island, W. I. 30: 59-60.
146. *Paulson, Dennis R. 1966. Variation in some snakes from the Florida Keys. 29: 295-308.
Pearson, Jay F. W., **see** Hodsdon, L. A., 1943.
Peterson, Charles, **see** Schwartz, Frank J., 1984.
147. Phillips, Craig. 1940. The flat-tailed watersnake. 4: 210-211.
148. Plymale, Harry H., Gerald Collier, Crawford G. Jackson, Jr., and Mary W. Trotter. 1980. A symmetrical twinning in Chrysemys scripta elegans, with a review of chelonian twinning (Reptilia: Testudines). 43: 97-102.
149. Pollard, C. B., A. F. Novak, R. W. Harmon, and W. B. Runzler. 1952. A study of the toxicity and stability of dried moccasin (Agkistrodon piscivorus) venom. 15: 162-164.
150. ----- and David C. Young, Jr. 1952. Some physical and chemical properties of certain snake oils. 15: 134-136.
151. Post, J. M., M. Lopez, and P. M. Dooris. 1985. A wildlife inventory of the Green Swamp area in central Florida: Abs. 48 (Suppl. 1): 39.
Pounds, J. Alan, **see** Hayes, Marc P. and Douglas C. Robinson, 1986.
152. Price, Wayne and Harold Underwood. 1982. A survey of the intestinal helminths of the Cuban anole, Anolis sagrei sagrei: Abs. 45 (Suppl. 1): 29.
153. ----- and ----- . 1984. Intestinal helminths of the Cuban anole, Anolis sagrei sagrei from Tampa, Florida. 47: 205-207.
Price, W. Wayne, **see** Jennings, Debra L., 1985.
154. Punzo, Fred. 1992. Dietary overlap and activity patterns in sympatric populations of Scaphiopus holbrooki (Pelobatidae) and Bufo terrestris (Bufonidae). 55: 38-44.
Punzo, Fred, **see** Thompson, David, 1984.

Ray, Clayton E., **see** Gut, H. James, 1963.
Raymond, P. W., **see** Redfoot, W. E. and L. M. Ehrhart, 1985.
155. Redfoot, W. E., L. M. Ehrhart, and P. W. Raymond. 1985. A juvenile Atlantic hawksbill turtle, Eretmochelys

- imbricata, from Brevard County, Florida. 48: 193-196.
156. Reid, George K., Jr. 1952. Some considerations and problems in the ecology of floating islands. 15: 63-66.
157. Richardson, Donald R. 1989. The sand pine scrub community: An annotated bibliography. 52: 65-93.
158. Riemer, William J. 1959. Giant toads of Florida. 21: 207-211.
Robinson, Douglas C., **see** Hayes, Marc P. and J. Alan Pounds, 1986.
159. Ross, Arnold. 1963. Chelonibia in the Neogene of Florida. 26: 221-233.
Ross, Arnold, **see** Jackson, Crawford G., Jr., 1972.
160. Rossman, Douglass A. 1960. Herpetofaunal survey of the pinehills area of southern Illinois. 22: 207-225.
161. Routs, Robert A. 1968. Sea turtle nest survey of Hutchinson Island, Florida. 30: 287-294.
Ruby, Edward G., **see** Hansen, Keith L. and Robert L. Thompson, 1971.
- Runzler, W. B., **see** Pollard, C. B., A. F. Novak, and R. W. Harmon, 1952.
162. Sajdak, Richard A. and Robert W. Henderson. 1982. Notes on the eggs and young of Antillophis parvifrons stygius (Reptilia, Serpentes, Colubridae). 45: 200-204.
Sajdak, Richard A., **see** Henderson, Robert W., 1983.
163. Schemnitz, Stanford D. 1974. Populations of bear, panther, alligator and deer in the Florida Everglades. 37: 157-167.
164. Schooley, J. K. and W. A. Szelistowski. 1985. Prey selection in larvae of the mole salamander, Ambystoma talpoideum: Abs. 48 (Suppl. 1): 23.
165. *Schwartz, Albert. 1964. New subspecies of Leiocephalus from Cuba. 27: 211-222.
166. *----- . 1975. A new subspecies of Anolis baleatus Cope (Sauria: Iguanidae) from the Republica Dominicana. 38: 30-35.
167. *----- . 1976. A new species of Sphaerodactylus (Sauria, Gekkonidae) from the Republica Dominicana. 39: 65-70.
168. *----- . 1977. A new subspecies of Anolis baleatus (Sauria: Iguanidae) from Isla Saona, Republica Dominicana. 40: 401-405.
169. *----- and Richard Thomas. 1964. Subspeciation in Sphaerodactylus copei. 27: 316-332.
170. ----- and ----- . 1968 (1969). A review of Anolis angusticeps in the West Indies. 31: 57-69.
Schwartz, Albert, **see** Buden, Donald W., 1968; Garrido, Orlando H., 1967 (1968); Graham, Eugene D., Jr., 1978.
171. Schwartz, Frank J. and Charles Peterson. 1984. Color and teratological abnormalities of green turtle, Chelonia mydas, hatchlings from North Carolina. 47: 65-68.
172. Scott, George C. 1939. Notes on the histology of Siren. 3: 139.

173. Sellers, LaRue George and Amy L. Hertz. 1982. Two platyhelminthes recovered from the green anole, Anolis carolinensis Voigt, collected in Georgia. 45: 176-178.
174. Spray, D. C. and M. L. May. 1971. Physiological thermoregulation in four species of turtles: Abs. 34 (Suppl. 1): 11.
175. Stevenson, Henry M. 1968. Records of the coal skink in Florida. 31: 205-206.
176. -----. 1969. Occurrence of the carpenter frog in Florida. 32: 233-235.
177. Surbis, Albina. 1978. Ultrastructural study of granulocytes of Bufo marinus. 41: 45-52.
178. Sweat, Donald E. 1969. Capture of tagged ridley turtle. 31: 47-48.
Sweat, Donald E., see Hansen, Keith L., 1962.
Szelistowski, W. A., see Schooley, J. K., 1985.
179. Telford, Sam R., Jr. 1952. A herpetological survey in the vicinity of Lake Shipp, Polk County, Florida. 15: 175-185.
180. -----. 1954. A description of the larvae of Ambystoma cingulatum Goin, including an extension of the range. 17: 233-236.
181. -----. 1962. New locality records for the sand skink (Neoseps reynoldsi) in central Florida, with comments on the habitat. 25: 76-77.
182. -----. 1970. Exoerythrocytic gametocytes of saurian malaria. 33: 77-79.
183. -----. 1971. Determination of the onset of yolk deposition in lizards. 34: 78-80.
Telford, Sam R., Jr., see Bovee, Eugene C., 1962a; 1962b; 1962c; Franz, Richard, 1972 (1974); Myers, Charles W., 1965.
184. *Thomas, Richard. 1965. A new gecko from the Virgin Islands. 28: 117-122.
185. *-----. 1965 (1966). New species of Antillean Eleutherodactylus. 28: 375-391.
Thomas, Richard, see Schwartz, Albert, 1964; 1968 (1969).
186. Thompson, David and Fred Punzo. 1984. The combined effects of low environmental pH and temperature on the survival capacity of tadpoles of the southern toad, Bufo terrestris: Abs. 47 (Suppl. 1): 22.
Thompson, Robert L., see Hansen, Keith L. and Edward G. Ruby, 1971.
Thurber, John C., see Hansen, Keith L., 1960.
187. Toland, Brian. 1991. Spotted skunk use of gopher tortoise burrow for breeding. 54: 10-12.
188. Trost, Charles H. and J. Howard Hutchison. 1963. Food of the barn owl in Florida. 26: 382-384.
Trotter, Mary W., see Plymale, Harry H., Gerald Collier, and Crawford G. Jackson, Jr., 1980.
189. Tucker, John K. and Richard S. Funk. 1976. Twinning in the

gulf coast box turtle, Terrapene carolina major. 39: 238-239.

Underwood, Harold, **see** Price, Wayne, 1982; 1984.

Voorhees, Scott A., **see** Kushlan, James A., William F. Loftus, and Paula C. Frohring, 1986.

190. Voss, Robert. 1975. Notes on the introduced gecko Hemidactylus garnoti in south Florida. 38: 174.

Walsh, Timothy J., **see** Layne, James N. and Peter Meylan, 1986.

191. Weaver, W. G. and L. D. Ober. 1971. A preliminary analysis of a late Pleistocene vertebrate fauna from south Florida: Abs. 34 (Suppl. 1): 14.
192. Wiese, Vicki L., Jenny L. Mapes, and Suzanne Hofmann. 1987. Loggerhead sea turtle nesting activities on the central Florida west coast with emphasis on the tagging program: Abs. 50 (Suppl. 1): 17.
- Wilson, Dawn S., **see** Witz, Brian W. and Michael D. Palmer, 1992.
193. Wing, Elizabeth S. 1968. Animal remains from a midden at Fort Walton Beach. 30: 57-58.
194. Witham, Ross. 1970. Breeding of a pair of pen-reared green turtles. 33: 288-290.
195. ----- . 1991. On the ecology of young sea turtles. 54: 179-190.
196. ----- and Archie Carr. 1969. Returns of tagged pen-reared green turtles. 31: 49-50.
197. Witz, Brian W., Dawn S. Wilson, and Michael D. Palmer. 1992. Estimating population size and hatchling mortality of Gopherus polyphemus. 55: 14-19.

Young, David C., Jr., **see** Pollard, C. B., 1952.

198. Zug, David A. and William A. Dunson. 1979. Salinity preference in freshwater and estuarine snakes (Nerodia sipedon and N. fasciata). 42: 1-8.

FLORIDA FIELD NATURALIST

199. Alvarez, Kenneth C. 1984. Sighting of an American crocodile at Collier-Seminole State Park, Florida. 12: 104-105.
200. Bennetts, Robert E. and Elaine L. Gaton. 1988. An observed incident of ratsnake predation on snail kite (Rostrhamus sociabilis) chicks in Florida. 16: 14-16.
201. Christman, Steven P. 1980. Preliminary observations on the gray-throated form of Anolis carolinensis (Reptilia:

- Iguanidae). 8: 11-16.
 Clarke, Nicholas V., *see* Norton, Robert L., 1992.
202. Delany, Michael F., Allan R. Woodward, and Irvin H. Kochel. 1988. Nuisance alligator food habits in Florida. 16: 90-96.
203. Dodd, C. Kenneth, Jr. 1992. Fluorescent powder is only partially successful in tracking movements of the six-lined racerunner (Cnemidophorus sexlineatus). 20: 8-14.
204. Dye, Robert L. 1982. Sandhill cranes prey on amphiumas. 10: 76.
205. Fitzpatrick, John W. 1978. Red-tailed hawk preys on juvenile gopher tortoise. 6: 49.
206. Frank, Philip A. and Karen R. Lips. 1989. Gopher tortoise burrow use by long-tailed weasels and spotted skunks. 17: 20-22.
 Franz, Richard, *see* Jones, Cheri A., 1990; Lee, David S. and Roger A. Sanderson, 1975.
- Gaton, Elaine L., *see* Bennetts, Robert E., 1988.
207. Godley, J. Steve. 1982. Predation and defensive behavior of the striped swamp snake (Regina alleni). 10: 31-36.
208. Hennemann, Willard W., III. 1980. Notes on the food habits of the burrowing owl in Duval County, Florida. 8: 24-25.
209. Jackson, Dale R. 1991. Multiple clutches and nesting behavior in the gulf coast box turtle. 19: 14-16.
210. Jacobsen, Terri. 1983. Crocodilians and islands: Status of the American alligator and the American crocodile in the lower Florida Keys. 11: 1-16.
211. James, Frances C. 1980. Rare and endangered biota of Florida: A review. 8: 33-36.
212. Jones, Cheri A. and Richard Franz. 1990. Use of gopher tortoise burrows by Florida mice (Peromyscus floridanus) in Putnam County, Florida. 18: 45-68.
213. Kilham, Lawrence. 1985. Alligator with young threatens great blue heron. 13: 68-70.
214. Kinsella, J. M. 1982. Alligator predation on round-tailed muskrats. 10: 79.
 Kochel, Irvine H., *see* Delany, Michael F. and Allan R. Woodward, 1988.
215. Lee, David S., Richard Franz, and Roger A. Sanderson. 1975. A note on the feeding habits of male Barbour's map turtles. 3: 45-46.
 Lips, Karen R., *see* Frank, Philip A., 1989.
216. Lohrer, Fred E. 1984. Eastern coachwhip predation on nestling blue jays. 8: 28-29.

217. Meier, Albert J. and Robert E. Noble. 1991. Notes on the natural history of Anolis desechensis. 19: 17-18.
218. Moler, Paul E. 1988. Correction of the type locality of the gulf hammock dwarf siren, Pseudobranchius striatus lustricolus. 16: 12-13.
219. Mumme, Ronald L. 1987. Eastern indigo snake preys on juvenile Florida scrub jay. 15: 53-54.
- Noble, Robert E., *see* Meier, Albert J., 1991.
220. Norton, Robert L. and Nicholas V. Clarke. 1992. Notes on the rock iguana (Cyclura carinata) of the Caicos Islands. 20: 45-46.
221. Palmer, Tom. 1992. A social history of the American Alligator: A review. 20: 79.
- Sanderson, Roger A., *see* Lee, David S. and Richard Franz, 1975.
222. Steiner, Todd M. 1985. A clutch of five-lined skink eggs from south Florida. 13: 96-97.
223. Toland, Brian. 1991. Great horned owl predation of Atlantic loggerhead turtle hatchlings. 19: 117-119.
224. Webber, Thomas A. 1980. Eastern coachwhip predation on juvenile scrub jays. 8: 29-30.
225. Winegarner, Marsha S. 1985. Bobcat family utilizes tortoise burrow. 13: 32-33.
- Woodward, Allan R., *see* Delany, Michael F. and Irvine H. Kocchel, 1988.

THE FLORIDA NATURALIST

226. Allen, E. Ross. 1950. Ward's great blue heron and the alligator. 23 (2): 38-39.
227. ----- and David C. Drysdale. 1978. Don't kill snakes. 51 (5): 20-21.
228. Anonymous. 1954. Worm lizard Rhineura floridana (photo, back cover). 27 (3): 73-74.
229. ----- . 1962. Two awards of merit presented at annual meeting: Carol H. Beck and Archie Carr. 35 (2): 44-45.
230. Ashton, Ray E., Jr. 1976. A Florida worm with a backbone. 49 (3): 13.
231. ----- and Richard Franz. 1976. Florida's Okefenokee Swamp. 49 (1): 13-15.
232. Austin, Daniel F. 1973. Range extension of the Cuban treefrog in Florida. 46 (4): 28.
233. Babbitt, Corinne H. and Lewis H. Babbitt. 1962a. An ecological study of a man-made pond in Georgetown, Florida. 35 (3): 77.
234. ----- and ----- . 1962b. Book review: Living amphibians of

- the world, by Doris M. Cochran. 35 (3): 94.
- Babbitt, Lewis H., **see** Babbitt, Corinne H., 1962a; 1962b.
235. Beck, W. M. 1938. Notes on reptiles of Payne's Prairie, Alachua County, Florida. 11 (4): 85-87.
236. Braddock, J. Evelyn. 1962. A gopher named "Tuffy". 35 (2): 46.
237. Bradley, Polly. 1967. Alligators in anguish. (inside front cover). 40 (3): 73A.
238. Brooks, Bryan. 1987. Broward's sea turtle watchers. 60 (1): 6-8.
239. Brown, Larry N. 1971. Salamanders, moles or gophers: What's in a name? 44 (2): 44-45.
240. ----. 1972. Presence of the knight anole (Anolis equestris) on Elliott Key, Florida. 45 (4): 130.
241. Bucher, Kathleen. 1969. Book review: Amphibians and reptiles of Great Smoky Mountains National Park, by James E. Huheey. 42 (2): 99-100.
242. ----. 1969. Book review: The king snake, by Allan W. Eckert. 42 (4): 175.
243. ----. 1973. Book review: The Gila monster, by Iona Seibert Hiser. 46 (2): 29-30.
244. Byrd, Hiram. 1928. Ode to the rattlesnake (Crotalus adamanteus). 1 (4): 85-86.
- Campbell, E. C., **see** Schortemeyer, J. L. and L. C. Chappell, 1973.
245. Carr, A. F., Jr. 1934. A key to the breeding-songs of the Florida frogs. 7 (2): 19-23.
246. ----. 1964. Green turtle. 37 (3): 69.
247. ----. 1968. Turtles endangered. 41 (2): 83-84.
248. ----. 1977. A key to the breeding-songs of Florida frogs. 50 (6): 18-23.
- Chappell, L. C., **see** Schortemeyer, J. L. and E. C. Campbell, 1973.
249. Craighead, F. C., Sr. 1968a. The role of the alligator in shaping plant communities and maintaining wildlife in the southern Everglades. 41 (1): 2-7.
249. ----. 1968b. The role of the alligator in shaping plant communities and maintaining wildlife in the southern Everglades. Part II. 41 (2): 69-74.
- Drysdale, David C., **see** Allen, E. Ross, 1978.
250. Eckholm, Erik. 1979. Disappearing species: The social challenge. 52 (1): 14-26.
251. Ehrhart, Llewellyn M. 1962. Turtles of the worm-rock reefs. 65 (2): 9-11.
252. Fitzpatrick, John W. 1992. Vanishing Florida scrub. 65 (1): 8-10.
253. Fletemeyer, John R. 1978. And so shall she weep. 51 (2): 28.

254. ----- . 1990. Kemp's ridley sea turtle nests in Palm Beach. 63 (1): 5.
Franz, Richard., see Ashton, Ray E., Jr., 1976.
255. Frye, O. E., Jr. 1957. On alligators...They have a place in Florida. 30 (4): 107.
256. Funderburg, John B. 1972. An additional record of the slimy salamander in central Florida. 45 (1): 29.
257. Grimes, S. A. 1936. Great horned owl and common black snake in mortal combat. 9 (4): 77-78.
258. Gross, Alfred O. 1962. Unique feeding habits of the toad, Bufo marinus, as observed in the Fiji Islands. 35 (1): 15-16, 32.
259. Hansen, Keith L. 1977. Living in harmony with nature. 50 (5): 6-12.
260. ----- . 1980. The jump of a frog. 53 (1): 6-8.
261. Hollister, J. Murray. 1951. Turtles found in Florida. 24 (4): 93-95.
262. Jacobson, Susan Kay. 1983. Alligators exploited, feared, threatened. 56 (1): 12-13.
263. Kellett, Joseph H., Jr. 1968. Time runs out for the gators. 41 (3): 115-116.
264. King, Wayne. 1968. As a consequence many will die. 41 (3): 99-103, 120.
265. Krakauer, Thomas. 1970. The invasion of the toads. 43 (1): 12-14.
266. Kuntz, Gopher Carlson. 1977. Endangered species: Florida indigo. 50 (2): 15-17.
267. LaHart, David E. 1975. Freaky frogs of Florida. 48 (5): 2-5.
268. LeBuff, Charles R., Jr. 1974. Book review: Sea turtles: Their natural history and conservation. 47 (1): 30.
269. Lee, David S. 1969. Save Barbour's map turtle. 42 (1): 38.
270. ----- . 1969. Observations on the feeding habits of the Congo eel. 42 (2): 95.
271. ----- . 1969. The treefrogs of Florida. 42 (3): 117-120.
272. ----- . 1970. The hostile beach. 43 (4): 144-145.
273. ----- and Roger A. Sanderson. 1970. Comments on the distribution of three species of frogs in Florida. 43 (1): 23.
274. Long, Eddie. 1963. A midnight turtle hunt. 36 (3): 84, 91.
275. Longstreet, R. J. 1945. Barbour's "That vanishing Eden: A naturalist's Florida". 19 (1): 12.
276. Marshall, Art. 1972. Alligators and cities, lessons from the Everglades. 45 (4): 107-109.

277. Mason, C. Russell. 1963. Book review: Reptiles in the home zoo, by Isabel Hoopes. 36 (3): 90-91.
278. ----- . 1970. Book review: So excellent a fishe, a natural history of sea turtles, by Archie Carr. 43 (3): 126.
279. Mazzer, Ed P. 1971. Sea turtle patrol. 44 (2): 34-35.
280. Means, Bruce. 1976. Endangered species: Pine barrens treefrog. 49: (5): 15-20.

281. Neill, Wilfred T. 1951. Florida's air-plants and their inhabitants. 24 (3): 61-66.
282. ----- . 1952. The reptiles of Florida. Part I. 25 (1): 11-16.
283. Nicholson, Donald J. 1961. Bullfrog captures warblers in Florida. 34 (1): 44.
284. Norris, Dave. 1975. Stinkpot. 48 (4): 2-4.

285. O'Keefe, M. Timothy. 1977. When speed kills. 50 (5): 5.

286. Parmenter, William G. and Peter C. H. Pritchard. 1976. Letters to the editor: The threatened crocodilians. 49 (1): 28.
287. Partington, Joan M. 1972. Book review: The world of the snake, by Hal B. Harrison. 45 (2): 66.
288. Partington, William M. 1970. Eastern coral snake. 43 (1): 1.
289. ----- . 1975. The alligator--Saver of wetlands or public nuisance? 48 (5): 22-24.
290. Peck, Robert M. 1981. William Bartram's Florida travels. 54 (1): 2-4.
291. Perkins, Robert N., Jr. 1955. Alligator eats alligator. 28 (3): 76-77.
292. Pritchard, Peter C. H. 1974a. Book review: Kay's turtles, by Robert Bustard. 47 (4): 29-30.
293. ----- . 1974b. Book review: Sea turtles and the turtle industry of the West Indies, Florida, and the Gulf of Mexico, by Thomas P. Rebel. 47 (6): 27-28.
294. ----- . 1975a. The threatened crocodilians. 48 (4): 16-19.
295. ----- . 1975b. Alligator snappers. 48 (6): 14-17.
296. ----- . 1976a. Book review: A field guide to reptiles and amphibians of eastern and central North America, by Roger Conant. 49 (1): 26-27.
297. ----- . 1976b. Endangered species: Kemp's ridley turtle. 49 (3): 15-19.
298. ----- . 1977a. The alligator--Disgusting monster of our swamps. 50 (1): 2-8.
299. ----- . 1977b. After the burn. 50 (4): 12-13.
300. ----- . 1977c. Endangered species: Florida crocodile. 50 (5): 13-19.
301. ----- . 1978. The ridley story Part II. 51 (5): 10-12.
302. ----- . 1979. Book review: Time of the turtle, by Jack Rudloe. 52 (6): 24.
303. ----- . 1982. Books: Handbook of reptiles and amphibians

- of Florida. Part one. The snakes. 55 (3): 12.
304. ----- . 1987. Mostly sea turtles. 60 (2): 4-5.
305. ----- . 1989. New hope for sea turtles in Guyana. 62 (4): 9.
306. ----- . 1992a. Sea turtles---A cornucopia of issues. 65 (2): 8-9, 12-13, 16.
307. ----- . 1992b. Wildlife conservation. 65 (2): 19.
Pritchard, Peter C. H., **see** Parmenter, William G., 1976.
308. Quincy, Peter A. 1979. Alligator extravaganza. 52 (2): 18-19.
309. ----- . 1980. Book review: Vertebrates of Florida, by Henry M. Stevenson. 53 (1): 14.
310. Reichard, Sherwood M. and Henry M. Stevenson. 1964. Records of Eleutherodactylus ricordi at Tallahassee. 37 (3): 96-B (inside back cover).
311. Reid, George Kell. 1991. The gopher tortoise---Landlord of the sandhills. 64 (1): 3-5.
- Sanderson, Roger A., **see** Lee, David S., 1970.
312. Schortemeyer, J. L., L. C. Chappell and E. C. Campbell. 1973. Long term recapture of an American alligator in Broward County. 46 (1): 28-29.
313. Shofner, Jerrell H. 1977. A half century of the Florida Naturalist. 50 (5): 22-26.
314. Shupe, Scott. 1980. Living dangerously--An observation of nature's strange bedfellows. 53 (2): 8-9.
315. Snellings, Emmett, Jr. 1982. The pygmy rattlesnake: Petite but not passive. 55 (2): 12-13.
316. ----- . 1986. The gentleman of snakes. 59 (1): 6-8.
317. Steffee, Nina. 1968. Book review: The world of the frog and the toad, by George Porter. 41 (3): 133.
Stevenson, Henry M., **see** Reichard, Sherwood M., 1964.
318. Stubbs, Thomas H. 1974. A moccasin may be more than a shoe. 47 (1): 17-20.
319. ----- . 1979. Moccasin. 52 (4): 2-4.
320. Taylor, Ernest A. 1953. Meet some Florida reptiles. 26 (2): 72-75.
321. Thomas, Mike. 1978. Gopher tortoise. 51 (3): 2-4.
322. Thornton, Dade W. 1977. Reminiscences on the indigo. 50 (2): 18-19.
323. Trainer, Max T. 1944. Nature studies in Florida. 17 (4): 68-71.
324. Wark, Arthur Frederic. 1928. Description of a giant fossil turtle from the Pliocene of Florida. 2 (1): 9-10.
325. Whitecar, Terrence L. 1973. Florida's 1st protected snake the indigo. 46 (2): 23-25.
326. Wood, Roger. 1981. The mysterious mangrove terrapin. 54 (3): 6-7.

SCIENTIFIC NAME INDEX

- Abastor 65: 75: N303.
 Abastor erythrogrammus 133: 135.
 Ablepharis wahlbergii 119.
 Acanthophis antarcticus 133.
 Acrochordus granulatus 103.
 Acris 25: 65.
 Acris **barbouri** 93.
 Acris crepitans 93; 95, 142.
 Acris gryllus 19; 61; 63; 93; 95; 110; 116' N233; N245; N248; N271.
 Acris gryllus blanchardi 160.
 Acris gryllus dorsalis 44; 142; 156; 179.
 Acris gryllus gryllus 133; 142.
 Acrochordus 14.
 Afrixalus brachycnemis brachycnemis 119.
 Afrixalus fornasilhil fornasilhil 119.
 Agalychnis dacnicolor 114.
 Agama agama 134.
 Agama hispida armata 119.
 Agkistrodon 25; 65; N303.
 Agkistrodon acutus 103.
 Agkistrodon bilineatus bilineatus 133.
 Agkistrodon bilineatus taylori 133.
 Agkistrodon contortrix 92; 103; 137.
 Agkistrodon contortrix contortrix 133; 135; 160.
 Agkistrodon contortrix laticinctus 133.
 Agkistrodon contortrix mokeson 135; 160.
 Agkistrodon halys 103.
 Agkistrodon halys blomhoffi 133; 135.
 Agkistrodon hypnale 133.
 Agkistrodon piscivorous 4.
 Agkistrodon piscivorus 1; 23; 33; 103; 137; 146; 149; 150; F207; N231; N235.
 Agkistrodon piscivorus leucostoma 106; 160.
 Agkistrodon piscivorus piscivorus 44; 63; 133; 135; 179.
 Agkistrodon rhodostoma 103.
 Alligator 54; 65.
 Alligator mississippiensis 75; 92; N294.
 Alligator mississippiensis 7; 44; 63; 73; 106; 118; 122; 163, 179, F202; F210; F213; F214; F221; N235; N312.
 Alligator olsoni 10.
 Alligator sinensis N294.
 Alsophis 145;
 Alsophis angulifer 27; 162.
 Alsophis leucomelas 12.
 Alsophis portoricensis F217.
 Alsophis vudii 58.
 Alytes 70.
 Amblyrhynchus 54; 56; 198.
 Ambystoma 65; 75.
 Ambystoma cingulatum 95.
 Ambystoma cingulatum bishopi 126; 180
 Ambystoma cingulatum cingulatum 126; 180.
 Ambystoma kansense 95.
 Ambystoma laterale 95.
 Ambystoma mabeei 95.
 Ambystoma macrodactylum 95.
 Ambystoma maculatum 61; 95; 160.
 Ambystoma mexicanum 95.
 Ambystoma minshalli 95.
 Ambystoma opacum 95; 160.
 Ambystoma rosaceum 95.
 Ambystoma talpoideum 34; 95; 106; 160; 164.
 Ambystoma texanum 95; 160.
 Ambystoma tigrinum 61; 95.
 Ambystoma tigrinum diaboli 34.
 Ambystoma tigrinum mavortium 34.
 Ambystoma tigrinum slateri 34.
 Ambystoma tigrinum tigrinum 34; 106; 160.
 Ambystoma tigrinum velasci 34.
 Ambystoma **tiheni** 95.
 Ambystomichnus montanus 95.
 Ameiva ameiva 45; 183.

- Ameiva ameiva ameiva* 114; N264.
Ameiva ameiva petersi 114; N264.
Ameiva auberi 27; 56; 170.
Ameiva barbouri 55.
Ameiva chrysolaema 55; 56.
Ameiva chrysolaema richardthomasi 168.
Ameiva deseichensis F217.
Ameiva exsul 54.
Ameiva griswoldi 12; 56.
Ameiva lineolata 55; 56.
Ameiva maynardi 56.
Ameiva rosamonde 55.
Ameiva taeniura 55; 56.
Ameiva taeinura rosamonde 168.
Ameiva thoracica 56.
Amphiesma mairii 103.
Amphignathodon 95.
Amphisbaena manni 55; 168.
Amphiuma 11; 65.
Amphiuma means 23; 83; 85; 132; F204; F218; N233; N270.
Amphiuma means means 63; 106; 179.
Amphiuma pholeter F211; F218.
Amyda ferox 179; N235.
Amyda rerox 34.
Ancistrodon N303.
Ancistrodon contortrix contortrix 144.
Ancistrodon piscivorus N318; N319.
Ancistrodon piscivorus piscivorus 144; N233.
Aneides 11.
Anilius 14.
Anolis 35; 54; 65; 145.
Anolis aliniger 55.
Anolis alliaceus 8.
Anolis allisoni 27; 56.
Anolis allogus 62.
Anolis angusticeps 56; 62.
Anolis angusticeps angusticeps 170.
Anolis angusticeps chickcarneyi 170.
Anolis angusticeps oligaspis 170.
Anolis angusticeps paternus 170.
Anolis aquaticus 182.
Anolis armouri 55.
Anolis auratus 183.
Anolis baleatus altager 166.
Anolis baleatus baleatus 166.
Anolis baleatus caeruleolatus 166.
Anolis baleatus fraudator 166.
Anolis baleatus lineatacervix 84; 168.
Anolis baleatus litorisilva 166; 168.
Anolis baleatus multistruppus 166.
Anolis baleatus samanae 166.
Anolis baleatus scelestus 166; 168.
Anolis baleatus sublimis 166.
Anolis barahonae 166.
Anolis bimaculatus 55.
Anolis biporcatus 182; 183.
Anolis bremeri 27.
Anolis brunneus 8; 27; 56.
Anolis carolinensis 8; 59; 60; 75; 85; 106; 111; 116; 117; 146; 156; 170; 173; F201; N235.
Anolis carolinensis carolinensis 56; 80; 133; 179; 281.
Anolis carolinensis fairchildi 27.
Anolis carolinensis lernerii 27.
Anolis carolinensis porcatus 27.
Anolis carolinensis smaragdinus 27; 56.
Anolis chamaeleonides 62.
Anolis chloro-cyanus 8.
Anolis chlorocyanus 55.
Anolis chlorocyanus chlorocyanus 168.
Anolis cochranii 55.
Anolis coelestinus 55.
Anolis conspersus conspersus 114.
Anolis cristatellus 55; 185; F217.
Anolis cristophei 55.
Anolis cybotes 8; 168.
Anolis cybotes cybotes 114.

- Anolis cybotes haetianus* 55.
Anolis deseichensis F217.
Anolis distichus 8; 27; 55; 56; 168; 170.
Anolis dischichus distichus 114; 264.
Anolis distichus dominicensis 114; 264.
Anolis dischichus ignigularis 114.
Anolis equestris 8; 62.
Anolis equestris equestris 114; 264.
Anolis equistris N240;
Anolis etheridgei 55
Anolis fairchildi 27; 56.
Anolis frenatus 183.
Anolis greyi 27.
Anolis gundlachi 55; 185.
Anolis hendersoni 55.
Anolis homolechis 27.
Anolis koopmani 55.
Anolis krugi 55.
Anolis leachii 12; 57.
Anolis limifrons 182; 183.
Anolis lineatopis 8.
Anolis lineatopus F217.
Anolis lionotus 182; 183.
Anolis longiceps 56.
Anolis luteosignifer 27.
Anolis mayensis 27.
Anolis maynardi 56.
Anolis monesis F217.
Anolis monticola 55.
Anolis occultus 170.
Anolis oligaspis 170.
Anolis olssoni 55.
Anolis poecilopus 182; 183.
Anolis porcatus 8; 27; 56; 60.
Anolis pulchellus 55.
Anolis ricordii 55; 57; 166.
Anolis sagrei 56; 57; 59; 133; 170; F201.
Anolis sagrei ordinatus 27; 112; 114; 264.
Anolis sagrei sagrei 27; 112; 114; 152; 153; 281; 264.
Anolis sagrei stejnegeri 112; 114.
Anolis scriptus 55.
Anolis semilineatus 55.
Anolis shrevei 55.
Anolis singularis 55.
Anolis smaragdinus 27.
Anolis stejnegeri 27; 80; 112.
Anolis tropidogaster 183.
Anolis trossulus 8.
Anolis valencienni 170.
Anolis wattsi 12.
Anolis whitemani 55.
Anotheca coronata 93; 95.
Antillophis parvifrons alleni 162.
Antillophis parvifrons paraniger 162.
Antillophis parvifrons styguis 162; 168.
Apalone ferox 104; 127.
Apalone mutica 104.
Apalone spinifera 104.
Aristelliger 145.
Aristelliger cochranae expectatus 55.
Aristelliger georgeensis 28; 55.
Aristelliger lar 55; 57.
Aristelliger praesignis 55.
Aristelliger titan 55; 57.
Arizona elegans 103; 138.
Arthroleptis 25.
Arthroleptis boulengeri 119.
Arthroleptis stenodactylus stenodactylus 119.
Ascaphus 70.
Atelopos 70.
Atelopos zeteki 114.
Atractaspis corpulentum 133.
Atractus 135.
Barbourula 70.
Basiliscus 54.
Basiliscus basiliscus 114.
Batrachosauroides dissimulans 11; 54.
Bitis arietans 103; 119.
Bitis atropos 103.
Bitis caudalis 103; 135.
Bitis cornuta 103.
Bitis gabonica 103.
Boa 14.
Boa constrictor 103; 133.
Boa constrictor constrictor 139.
Boa constrictor imperator 134

- Boaedon lineatus lineatus* 119.
Boiga irregularis 103.
Bolyeria 133.
Bombina 70.
Bothrops alternata 135.
Bothrops alticola 133.
Bothrops atrox 1; 103; 134.
Bothrops atrox asper 133.
Bothrops cotiara 135; 137.
Bothrops jararaca 135; 137.
Bothrops leptura 133.
Bothrops neuwiedi 137.
Bothrops neuweidii minasensis 135.
Bothrops neuweidii pauloensis 135.
Bothrops nummifer 103; 133; 134.
Bothrops nummifera 1.
Bothrops oligolepis 133.
Bothrops schlegeli 133.
Brachycephalus 70.
Brachylophus 54.
Brookesia platyceps carri 119.
Bufo 12; 25; 54; 65; 70; 95.
Bufo americanus 76; 80.
Bufo americanus americanus 110; 160.
Bufo americanus charlesmithi 160.
Bufo arenarius 9.
Bufo arenarum 11; 76; 80.
Bufo blombergi 114.
Bufo boreas halophilus 76.
Bufo bufo 16; 76; 177.
Bufo californicus 110.
Bufo careus 119.
Bufo cognatus 9; 16; 110.
Bufo compactilis 9; 110; 141.
Bufo crucifer 76.
Bufo debilis 16.
Bufo d'orbigny 76; 80.
Bufo hibbardi 9.
Bufo houstonensis 26.
Bufo lemus 184.
Bufo lentiginosus americanus 141.
Bufo lentiginosus lentiginosus 110.
Bufo lentiginosus pachycephalus 141.
Bufo marinus 11; 16; 76; 80; 114; 177; N258; N264; N265.
Bufo melanostictus 76.
Bufo paracnemis 11; 76; 80.
Bufo peltacephalus 136.
Bufo praeivius 9; 93.
Bufo punctatus 9; 16.
Bufo quercicus 75; 106; 110; 133; 179; 245; N245; N248.
Bufo regularis 76.
Bufo regularis regularis 119.
Bufo retiformis 16.
Bufo stomaticus 76.
Bufo terrestris 9; 11; 16; 26; 61; 75; 76; 85; 93; 106; 141; 146; 154; 186; F208; N245; N248; N265.
Bufo terrestris terrestris 77; 80; 81; 115; 179.
Bufo tihenii 9.
Bufo typhonius N250.
Bufo valliceps 93.
Bufo viridis 76.
Bufo vulgaris 76.
Bufo woodhousei 9; 26.
Bufo woodhousei fowleri 141; 160.
Bufo woodhousii 76.
Bufo woodhousii fowleri 23; 110.
Bufo woodhousii woodhousii 110.
Bungaris multicinctus 135.
Cacosternum boettzeni 89.
Caiman crocodilus 122; N264.
Caiman crocodylus 122.
Caiman sclerops 114.
Caiman yacare 122.
Calabaria 14.
Calabaria reinhardti 135.
Calamaria 137.
Callisaurus 57.
Callopistes 54.
Calyptocephala gayi 76.
Caretta 65; 159; 171.
Caretta caretta 39; 49; 51; 52; 53; 104; 120; 148; 195; F211; N272.
Caretta caretta caretta 28; 29; 30; 31; 32; 106; 161; F223; N279.
Carphophis 65.

- Carphophis amoena* 8.
Carphophis amoenus 75; N303.
Carphophis amoenus amoenus 135; 160.
Carphophis amoenus helenae 160.
Carphophis vermis 103.
Casarea 133.
Caudochelys crassiscutata 75.
Causus rhombeatus 103.
Celestus 54.
Celestus costatus saonae 168.
Cemophora 65; 137.
Cemophora coccinea 106; 160.
Centrolenella antisthenesi 68.
Centrolenella fleischmanni 68.
Centrolenella geijskesi 68.
Centrolenella taylori 68.
Cerastes vipera 133.
Ceratophrys 93.
Ceratophrys cornuta 89.
Ceratophrys varia 89.
Cerberus rhynchops 103; 198.
Chamaeleo dilepis dilepis 119.
Chamaeleo melleri 119.
Chamaeleolis chamaeleonides 62.
Chamaeleolis cocteauui 62.
Chamaeleolis ferrandina 62.
Chamaeleolis porcus 62.
Chamoelolis 62.
Chamaeolis fernandina 62.
Charina 133.
Charina bottae 103.
Chelone mydas 148.
Chelonia 65.
Chelonia depressa N268.
Chelonia mydas 39; 50; 51; 52; 53; 101; 104; 148; 171; 194; 195.
Chelonia mydas mydas 32; 161.
Cheloniba 159.
Chelus fimbriatus 104; 114.
Chelydra 65.
Chelydra osceola 85.
Chelydra serpentina 101; 104; 127; 148; 160.
Chelydra serpentina osceola 179; N235.
Chersydrus granulatus 14.
Chrysemys 65.
Chrysemys alabamensis 107.
Chrysemys concinna mobilensis 107.
Chrysemys concinna suwanniensis 107.
Chrysemys floridana 85.
Chrysemys nelsoni 73; 85.
Chrysemys picta 148; 174.
Chrysemys picta bellii 104; 114; 160.
Chrysemys picta dorsalis 114; 160.
Chrysemys picta marginata 101; 160.
Chrysemys rubriventris 101.
Chrysemys scripta 191.
Chrysemys scripta elegans 148; N264.
Clelia clelia 134.
Clemmys guttata 17; 18; 101; 104.
Clonophis kirtlandi 103.
Cnemidophorus 54; 65; 94.
Cnemidophorus deppei 96.
Cnemidophorus gularis 8; 96.
Cnemidophorus lemniscatus 45.
Cnemidophorus picturatus 114.
Cnemidophorus sexlineatus 8; 59; 75; 80; 85; 106; 128; 160; 179; F203.
Cnemidophorus tessellatus 8.
Colpochelys kempii N297.
Coluber 65.
Coluber constrictor 23; 75; 85; 99; 103; 134; 137; F216.
Coluber constrictor constrictor N233; N235.
Coluber constrictor foxi 160.
Coluber constrictor hassti 146.
Coluber constrictor paludicola N249.
Coluber constrictor priapus 59; 80; 106; 146; 160; 179.
Coluber flagellum 137; N303.
Coluber flagellum flagellum 80; 179.
Coluber gemonensis 103.
Coluber jugularis 103.
Coluber taeniatus 137.
Coluber viridiflavus 103.
Coniophanes imperialis clavatus 134.

- Coniophanes schmidtii* 134.
Conolophus 54; 56.
Conophis concolor 134.
Conophis lineatus 135
Conophis lineatus dunni 134.
Constrictor 14.
Constrictor constrictor 113;
 114; 150.
Constrictor constrictor
imperator 138.
Corallus canina 133.
Corallus enydris 133.
Cordylus cordylus niger 114.
Coronella austriaca 103.
Corythophanes 54.
Corythophanes cristatus 183.
Cricosauria 96.
Crocodylus acutus N300.
Crocodylus americanus N300.
Crocodylus arduini 10.
Crocodylus cataphractus 10.
Crocodylus champsoides 10.
Crocodylus intermedius N300.
Crocodylus lucius N300.
Crocodylus porosus N300.
Crocodylus toliapicus 10.
Crocodylus 65; 146.
Crocodylus acutus 122; F199;
 F210.
Crocodylus americanus 7.
Crocodylus intermedius 113;
 N294.
Crocodylus johnstoni 122.
Crocodylus moreleti N294.
Crocodylus niloticus 122.
Crocodylus porosus 122.
Crotalus 9; 65; 134; N315.
Crotalus adamanteus 1; 23;
 59; 75; 85; 101; 113; 135;
 137; 138; 144; 146; 150;
 179; F225; N233; N244; N282;
 N316.
Crotalus atrox 1; 103; 135;
 138; 150.
Crotalus basiliscus 103.
Crotalus cerastes 103.
Crotalus cerastes cerastes
 138.
Crotalus cerastes laterorepens
 138.
Crotalus durissus 103.
Crotalus durissus durissus 1.
Crotalus durissus terrificus
 133; 135.
Crotalus durissus tzabcan 134.
Crotalus horridus 103; 137;
 N231.
Crotalus horridus atricaudatus
 1; 133; 135; 144; 160; N282.
Crotalus horridus horridus
 135; 160.
Crotalus lepidus 103.
Crotalus lepidus klauberi 133.
Crotalus lepidus morulus 135.
Crotalus mitchellii stephensi
 135.
Crotalus potterensis 8.
Crotalus pricei 103.
Crotalus pricei pricei 133.
Crotalus ruber 103; 137.
Crotalus ruber ruber 135.
Crotalus scutulatus 103; 137.
Crotalus scutulatus scutulatus
 135.
Crotalus tigris 135.
Crotalus triseriatus aquilus
 135.
Crotalus unicolor 137.
Crotalus viridis 92; 103; 137.
Crotalus viridis helleri 133;
 135.
Crotalus viridis oreganus 135;
 138.
Crotalus viridis viridis 135;
 150; 138.
Crotaphopeltis hotamboeia
hotamboeia 119.
Crotaphytus collaris 94.
Crotaphytus wislizeni 94.
Ctenoblepharis 57.
Ctenosaura 54; 56.
Ctenosaura similis 101.
Cyclura 54; 145.
Cyclura baelopha 56.
Cyclura carinata 101; F220.
Cyclura cornuta 56; N264.
Cyclura cornuta cornuta 114;
 168.
Cyclura cristata 56.
Cyclura cyclura 101.
Cyclura macleayi 56.
Cyclura portoricensis 56.
Cyclura ricordi 56.
Cyclura rileyi 56.

- Cynops 54; 92.
 Dasypeltis 135.
 Dehmiella 11.
 Deirochelys 65.
 Deirochelys reticularia 63;
 80; 85; 101; 104; 118; 127;
 179; N235.
 Deirochelys reticularia
 reticularia 106.
 Dermochelys 28.
 Dermochelys 65.
 Dermochelys coriacea 39; 104;
 148; 195.
 Dermochelys coriacea coriacea
 28; 31.
 Dermochelys coriacea schegeliai
 28.
 Desmognathus 25; 65; 70.
 Desmognathus fuscus 110.
 Desmognathus fuscus
 auriculatus 77.
 Desmognathus fuscus conanti
 160.
 Desmognathus fuscus fuscus
 160.
 Desmognathus monticola F211.
 Diadophis 65; 137.
 Diadophis punctatus 75; 85;
 99; 103.
 Diadophis punctatus **acricus**
 146.
 Diadophis punctatus arnyi 146;
 160.
 Diadophis punctatus docilis
 146.
 Diadophis punctatus edwardsi
 146; 160.
 Diadophis punctatus punctatus
 63; 146; 179.
 Diadophis punctatus
 stictogenys 146; 160.
 Diadophis regalis regalis 146.
 Diaglena reticulata 93; 95.
 Dicamptodon ensatus 95.
 Diemictylus 65.
 Diemictylus viridescens
 louisianensis 160.
 Diemictylus viridescens
 viridescens 160.
 Dierochelys 65.
 Diploglossus 54.
 Diploglossus costatus 55.
 Diploglossus curtissi 55.
 Diploglossus darlingtoni 55.
 Diploglossus sternurus 55.
 Dipsas brevifacies 134.
 Dipsosaurus 54.
 Dirochelys reticularia 44.
 Discoglossus 70.
 Dispholidus typus 119.
 Dromicus 12.
 Dromicus andreae 27; 170.
 Dryadophis melanolomus
 alternatus 135.
 Dryadophis sanguineus 135.
 Drymarchon 65; 137.
 Drymarchon corais 23; 75; 85;
 99; 146; F225.
 Drymarchon corais corais 133.
 Drymarchon corais couperi 1;
 80; 134; F219; N266; N325.
 Drymarchon corais melanurus
 134.
 Drymarchon corais souperi
 N322.
 Drymoberis boddaerti 45.
 Drymobius margaritiferus
 margaritiferus 134.
 Duberria lutrix 103.
 Eirenis collaris 103.
 Elaphe 65.
 Elaphe climacophora 135.
 Elaphe dione 103.
 Elaphe guttata 75; 85; 99;
 101; N235.
 Elaphe guttata emoryi 135;
 138.
 Elaphe guttata guttata 135;
 137; 146; 179.
 Elaphe guttata rosacea 135;
 146.
 Elaphe hohenackeri 103.
 Elaphe longissima 103.
 Elaphe obsoleta 23; 75; 85;
 103; 137; F200.
 Elaphe obsoleta bairdi 135.
 Elaphe obsoleta deckerti 146.
 Elaphe obsoleta lindheimeri
 135.
 Elaphe obsoleta obsoleta 160.
 Elaphe obsoleta quadrivittata
 59; 80; 135; 146; 179.

- Elaphe obsoleta rossalleni* 135; 137; 146; N281.
Elaphe obsoleta spiloides 135; 160.
Elaphe obsoleta williamsi 135.
Elaphe quadrivittata quadrivittata N235.
Elaphe quatorlineata 103.
Elaphe rufodorsata 103.
Elaphe scalaris 103.
Elaphe situla 103.
Eleutherodactylus 12; 42; 65; 133; 168.
Eleutherodactylus antillensis 185.
Eleutherodactylus augusti 89.
Eleutherodactylus auriculatus 185.
Eleutherodactylus brittoni 185.
Eleutherodactylus cochranæ 185.
Eleutherodactylus cooki 185.
Eleutherodactylus coqui 185.
Eleutherodactylus dunni 89.
Eleutherodactylus eneidae 185.
Eleutherodactylus gossei 185.
Eleutherodactylus gryllus 185.
Eleutherodactylus hedricki 185.
Eleutherodactylus locustus 185.
Eleutherodactylus planirostris 27; 58; 170; N248.
Eleutherodactylus planirostris planirostris 114; N264.
Eleutherodactylus podociferus 89; 93.
Eleutherodactylus portoricensis 114; 185.
Eleutherodactylus ricordii 61; 89; 93; N245; N310.
Eleutherodactylus ricordii planirostris 179; N281.
Eleutherodactylus schwartzi 185.
Eleutherodactylus wrightmanæ 185.
Emoia cyanura 134.
Emydoidea blandingi 101.
Emys orbicularis 148.
Enyalioides 54.
Engyrus 133.
Eorhinophrynus septentrionalis 95.
Epicrates cenchris 133.
Epicrates fordi fordi 84.
Epicrates striatus 133; 162.
Epicrates striatus striatus 168.
Eretmochelys 65; 159.
Eretmochelys imbricata 53; 101; 104; 155.
Eretmochelys imbricata imbricata 32.
Eretmochelys imbricatae 39.
Eryx 133.
Eryx jaculus 103.
Eryx miliaris 103.
Eumeces 23; 25; 54; 65.
Eumeces anthracinus pluvialis 175.
Eumeces brevilineatus 94.
Eumeces chinensis 8.
Eumeces egregius 8; 85; 131; 146; 181.
Eumeces egregius lividus 37; F211.
Eumeces fasciatus 8; 75; 94; 160; F222.
Eumeces humilis 8.
Eumeces inexpectatus 8; 33; 40; 59; 85; 106; 179; F222; N235.
Eumeces laticeps 8; 72; 94; 160; 179; 183; N235.
Eumeces longirostris 8.
Eumeces obsoletus 8; 92; 94.
Eumeces onocrepis 40.
Eumeces schneideri 8.
Eumeces septentrionalis 8.
Eumeces skiltonensis 8.
Eumeces tetragrammus 94.
Eumeces tetragramus 8.
Eunectes gigas 133; 139.
Eunectes murinus 103; 133.
Eupemphix pustulosus 89.
Eurheloderma gallicum 54.
Eurycea 65.
Eurycea bislineata 70.
Eurycea longicauda 70; 118.
Eurycea longicauda longicauda 129; 160.

- Eurycea longicauda melanopleura* 129; 160.
Eurycea longicauda pernix 160.
Eurycea lucifuga 94; 129; 160.
- Farancia* 65; 75; N303.
Farancia abacura 23; 99; 103; 137; N233; N235.
Farancia abacura abacura 63; 106; 135; 156; 179.
Farancia abacura reinwardti 106; 160.
Farancia erythrogramma 99; 103; 137.
Ficimia publia 135.
Ficimia ramirezi 135.
- Gaigeae gaigeae* 96.
Gastrophryne 54.
Gastrophryne carolinensis 4; 59; 75; 89; 93; 106; 146; N245; N248.
Gastrophryne olivacea 89.
Gastrotheca longipes 75.
Gastrotheca marsupiata 93; 95.
Gastrotheca viridis 75.
Gavialosuchus americanus 7; 10.
Gavialosuchus eggenburgense 7.
Gehyra mutilata 183.
Gekko gecko 114; N264.
Geochelone 54; 145.
Geochelone carbonaria 15; 35.
Geochelone chiliensis 15.
Geochelone crassiscutata 75.
Geochelone cubensis 35.
Geochelone denticulata 15; 35.
Geochelone elegans 101.
Geochelone elephantophus 15.
Geochelone elephantopus 35.
Geochelone incisa 75.
Geochelone monensis 35.
Geochelone sombrerensis 35.
Geochelone tabulata 35.
Gerrhonotus 54.
Gerrhosaurus nigrolineatus nigrolineatus 119.
Glyptosaurus 54.
Geochelone crassiscutata 191.
Gonatodes 65.
Gonatodes albagularis fuscus 114; 183; N264.
- Gonatodes annularis* N250.
Gonatodes ocellatus 45.
Gopherus 13; 15; 65.
Gopherus agassizi 5; 47; F205; F225.
Gopherus berlandieri 124.
Gopherus flavomarginatus 47.
Gopherus polyphemus 5; 47; 59; 75; 78; 80; 101; 104; 121; 123; 124; 148; 179; 187; 193; 197; F205; F206; F211; F212; F224; F225; N282; N311; N321; N325.
Gopherus polyphemus 174.
Graptemys 65.
Graptemys barbouri 104; F215; N269; N296.
Graptemys geographica 101.
Graptemys kohni 104; N296.
Graptemys nigrinoda 104.
Graptemys pseudogeographica 160.
Graptemys pseudogeographica kohni 114.
Graptemys pulchra 104.
Gymnophthalmus speciosus 183.
Gyrinophilus 94.
- Haideotriton wallacei* F211.
Haldea 65; N303.
Heleophryne 70.
Helicops angulatus 103.
Helicops petersii 103.
Heloderma 54.
Heloderma matthewi 54.
Hemachatus haemachatus 103.
Hemidactylum scutatum 140.
Hemidactylum scutatum F211.
Hemidactylus 65.
Hemidactylus brooki 114.
Hemidactylus brooki haitianus 84.
Hemidactylus frenatus 183.
Hemidactylus garnoti 114; 190; N264.
Hemidactylus mabouia 45; 119.
Hemidactylus mercatorius 119.
Hemidactylus turcicus N232.
Hemidactylus turcicus turcicus 109; 111; 114; N264; N281.
Hesperotestudo incisa 75.
Heterodon 65.

- Heterodon nasicus* 103; 130.
Heterodon platyrhinos 75; 85; 99; 103; 106; 130; 135; 137; 138; 146; 160.
Heterodon platyrhinos platyrhinos 179.
Heterodon simus 75; 130; 135; 137.
Hispaniolus pratensis 54.
Holbrookia 57.
Holbrookia lacerata 94.
Holbrookia maculata 94.
Holbrookia propinqua 94.
Holbrookia texana 94.
Holops 10.
Hopolocercus 54.
Hyla 25; 54; 65; 70; 75.
Hyla andersonii 36; 93; 110; F211; N280.
Hyla arenicolor 92; 93; 95.
Hyla aurea aurea 136.
Hyla aurea raniformis 136.
Hyla avivoca 4; N245; N248; N271.
Hyla avivoca avivoca 160.
Hyla barbudensis 12.
Hyla bokermani 67.
Hyla californiae 93; 95.
Hyla carolinensis 42.
Hyla chrysoscelis 82; N231; N248.
Hyla cinerea 4; 19; 42; 71; 86; 93; 95; 118; 133; 146; 160; N245; N248; N271.
Hyla cinerea cinerea 63; 44; 77; 79; 106; 110; 115; 156; 179; N281.
Hyla crucifer 19; 93; 95; 119; N245; N248.
Hyla crucifer bartramiana 44; 63; 64.
Hyla crucifer bartramina N271.
Hyla crucifer crucifer 64; 106; 160.
Hyla ebraccata 93; 95.
Hyla elaeochroia 93; 95.
Hyla eximia 93; 95.
Hyla femoralis 19; 42; 85; 93; 95; N245; N248; N271.
Hyla fimbrimembra 82.
Hyla goini 93; 95.
Hyla goughi 12.
Hyla grandisonae 67.
Hyla gratiosa 19; 76; 77; 85; 93; 95; 179; N245; N248; N260; N271.
Hyla lanciformis 12.
Hyla leucophyllata 12.
Hyla maxima 12.
Hyla miliaria 82.
Hyla minera 82.
Hyla miocenica 92.
Hyla miofloridana 93; 95.
Hyla miotympanum 93; 95.
Hyla ocularis 19.
Hyla parviceps 67.
Hyla phaeocrypta 19; 93; 95.
Hyla pulchrilineata 133.
Hyla punctata 12.
Hyla punctissima 12.
Hyla regilla 93; 95.
Hyla richardsi 82.
Hyla rondoniae 67.
Hyla rubra 12.
Hyla salvaje 82.
Hyla septentrionalis 16; 19; 27; 42; 80; 93; 95; 112; 114; 133; 136; 170; N232; N245; N248; N264; N271.
Hyla squirella 19; 42; 59; 71; 80; 85; 86; 92; 93; 95; 106; 110; 133; 156; 179; N231; N245; N248; N271; N281.
Hyla swanstoni 95.
Hyla thysanota 82.
Hyla valancifer 82.
Hyla versicola 271.
Hyla versicolor 19; 92; 93; 95; 110; N245.
Hyla versicolor versicolor 160.
Hyla wrightorum 93; 95.
Hymenochirus boettgeri 114.
Hynobius nigrescens 95.
Hyperolius concolor tuberilinguis 119.
Hyperolius marmoratus albofasciatus 119.
Hyperolius marmoratus marmoratus 119.
Hyperolius puncticulatus choloensis 119.
Hyperolius puncticulatus puncticulatus 119.

- Hyperolius pusillus* 119.
Hypopachus cuneus 89.
Hypopachus oxyrhinus 89.
Hypsirhynchus ferox exedrus 168.

Iguana 54; 56.
Iguana iguana 45; 69; 101.
Iguana iguana iguana 114; N264.
Impensodens 96.

Japalura polygonota 183.

Kinixys belliana belliana 119.
Kinosternon 65.
Kinosternon alamosae 101.
Kinosternon baurii 101; 104; 146; F202; N296.
Kinosternon baurii baurii 63; 179; N235.
Kinosternon bauri palmarum 179.
Kinosternon flavescens 101.
Kinosternon herrerae 101.
Kinosternon hirtipes 101.
Kinosternon integrum 101.
Kinosternon leucostomum 101.
Kinosternon oxaccae 101.
Kinosternon punctatum 100.
Kinosternon scorpioides 104; 114.
Kinosternon scorpioides abaxillare 101.
Kinosternon scorpioides albogulare 101.
Kinosternon scorpioides cruentatum 101.
Kinosternon steindachneri 100.

Kinosternon steindachneri N235.
Kinosternon subrubrum 85; 104.
Kinosternon subrubrum hippocrepis 106.
Kinosternon subrubrum steindachneri 63; 100; 179; N233; N261.
Kinosternon subrubrum subrubrum 100; 101; 106.
Klauberina riversiana 96.

Lacerta sicula campestris N264.
Lachesis lanceolatus 1.
Lachesis muta 133.
Lampropeltis 65.
Lampropeltis californiae 135.
Lampropeltis calligaster 103.
Lampropeltis calligaster calligaster 135; 160.
Lampropeltis calligaster rhombomaculata 117.
Lampropeltis doliata 23.
Lampropeltis doliata doliata 135; 137; 179.
Lampropeltis doliata gentilis 135.
Lampropeltis doliata polyzona 134.
Lampropeltis doliata syspila 160.
Lampropeltis getula 59.
Lampropeltis getulus 23; 75; 85; 99; 103; F207.
Lampropeltis getulus boylii 135.
Lampropeltis getulus brooksi 135; 179; N235.
Lampropeltis getulus californiae 48; 135.
Lampropeltis getulus floridana 137; 179; N235.
Lampropeltis getulus floridanus 63.
Lampropeltis getulus getulus 1; 106; 135; N233; N235.
Lampropeltis getulus goini 135.
Lampropeltis getulus holbrooki 160.
Lampropeltis getulus niger 160.
Lampropeltis getulus sticticeps 135.
Lampropeltis triangulum gentilis 98.
Lampropeltis triangulum triangulum 103.
Lanebatrachus 95.
Laticauda colubrina 198.
Leimadophis poecilogyrus 137.
Leiocephalus 65; 93.

- Leiocephalus apertosulcus* 55; 56; 57.
Leiocephalus carinatus 27; 165; 170; F203.
Leiocephalus carinatus armouri 112; 114; 264.
Leiocephalus carinatus carinatus 54.
Leiocephalus carinatus coryi 114.
Leiocephalus carinatus microcyon 55; 56; 57.
Leiocephalus carinatus virescens 56; 112; 114.
Leiocephalus cubensis 57; 170.
Leiocephalus cubensis cubensis 165.
Leiocephalus cuneus 55; 56; 57.
Leiocephalus greenwayi 57.
Leiocephalus hermimeri 57.
Leiocephalus inaguae 57.
Leiocephalus jamaicensis 57.
Leiocephalus loxogrammus 57.
Leiocephalus lunatus louisae 168.
Leiocephalus macropus 57; 165.
Leiocephalus melanochloris 55; 57.
Leiocephalus personatus 56; 57.
Leiocephalus personatus louisae 55.
Leiocephalus personatus mentalis 55.
Leiocephalus pratensis 55; 57.
Leiocephalus psammodromus 57.
Leiocephalus punctatus 57.
Leiocephalus raviceps 57.
Leiocephalus screibersi 57.
Leiocephalus schreibersi 57.
Leiocephalus stictigaster astictus 165.
Leiocephalus stictigaster exotheotus 165.
Leiocephalus stictigaster lucianus 165.
Leiocephalus stictigaster ophiacodes 165.
Leiocephalus stictigaster parasphex 165.
Leiocephalus stictigaster sierrae 165.
Leiocephalus stictigaster stictigaster 165.
Leiocephalus stictogaster 57.
Leiopelma 70.
Leiopelma laterale 179.
Leiopelma unicolor N235.
Leiopelma 70.
Lepidochelys 65.
Lepidochelys kempii 32; 53; 104; 195; N247; N254; N297.
Lepidochelys olivacea 101; N247.
Lepidochelys olivacea kempii 178.
Lepidodactylus lugubris 183.
Lepidophyma flavimaculata 96.
Lepidophyma flavimaculatum 183.
Lepidophyma gaigeae 96.
Lepidophyma smithi smithi 96.
Leposoma rugiceps 183.
Leptodactylus 12; 25.
Leptodactylus abavus 89; 93; 96.
Leptodactylus bolivianus 93.
Leptodactylus insularum 89.
Leptodactylus labialis 96.
Leptodactylus melanonotus 89; 93.
Leptodactylus ocellatus 76; 80.
Leptodactylus pentadactylus 4.
Leptodeira annulata annulata 134.
Leptodeira mystacina 138.
Leptodeira septentrionalis polysticta 134.
Leptophis ahaetulla nigromarginatus 134.
Leptophis ahaetulla praestans 134.
Leptophis mexicanus 134.
Leurognathus 94.
Liasis amethistinus 103.
Lichanura 133.
Limnaeoedus ocularis 93; 95; N248; N271.
Liodytes 65; 137; N303.
Liodytes alleni 44; 63; 85; 135; 156; N233; N235; N319.
Liodytes alleni alleni 179.

- Liodytes alleni lineaplatus* 179.
Liolaemus 55; 57.
Liolaemus annectens 54.
Liolaemus multiformis 54.
Liolaemus nigromaculatus 54.
Liolaemus platei 54.
Liophis 137.
Lissemys punctata 101.
Loxocemus 133.
Loxocemus bicolor 135.
Lygodactylus capensis 119.
Lygosoma 65.
Lygosoma laterale 24; 25; 85; 94; 106; 146; 160.
Lygosoma pellopleurum 183.
Lystrophis dorbignyi 103.

Mabuya bocagii mlanjensis 119.
Mabuya mabouya 183; F217.
Mabuya striata striata 119.
Mabuya varia varia 119.
Macroclermys 65.
Macroclermys temminckii 104; 160; N295; N296.
Macroclermys temminckii 104.
Macropelobates 95.
Malaclemys terrapin terrapin 194.
Malaclemmys 65.
Malaclemmys terrapin centrata 148.
Malaclemys terrapin 6; 104; 146; 198.
Malaclemys terrapin centrata 148.
Malaclemys terrapin pileata 106.
Malaclemys terrapin rhizophorarum N326.
Malaclemys terrapin terrapin N326.
Malacochersus 101.
Malpolon monspessulanus 103; 198.
Manculus 11; 65
Manculus quadridigitatus 63; 179.
Mantella auriantica 89.
Masticophis 9.
Masticophis flagellum 75; 85; 103; N303.

Masticophis flagellum flagellum F216; F219; F224.
Masticophis flagellum frenatum 135.
Masticophis flagellum piceus 135.
Masticophis lateralis 103.
Masticophis mentovarius mentovarius 134.
Masticophis piceus 135.
Masticophis taeniatus 103.
Megalobatrachus 11.
Mehelya capensis capensis 119.
Melanosuchus niger N294.
Melanochelys trijuga 101.
Microhyla 65.
Microhyla carolinensis 63; 115.
Microhyla carolinensis carolinensis 77; 179.
Micrurus 65; 137.
Micrurus affinis 135.
Micrurus affinis alienus 134.
Micrurus affinis hippocrepis 134.
Micrurus affinis mayensis 134.
Micrurus bernadi 135.
Micrurus fulvius 75; 85; 125; 135; 146.
Micrurus fulvius barbouri 144.
Micrurus fulvius fulvius 1; 135; 144; 179.
Miobatrachus gouldi 89.
Morunasaurus 54.

Naja melanoleuca 119.
Naja nigricollis 103; 135.
Natriciteres olivacea uluguruensis 119.
Natrix 23; 65; 133; 198; N326; N303.
Natrix clarkii 2; 33.
Natrix compressicauda 2; 147.
Natrix compressicauda compressicauda 48.
Natrix compressicauda compsolaema 48.
Natrix compressicauda obscura 48.
Natrix compressicauda taeniata 48.

Natrix compressicauda walkerii 48.
Natrix cyclopion 85; N270.
Natrix cyclopion cyclopion 160.
Natrix cyclopion floridana 1; 2; 135; 150; 156; 179; N233; N235.
Natrix erythrogaster erythrogaster 2; 135; 137.
Natrix erythrogaster flavigaster 160.
Natrix erythrogaster neglecta 160.
Natrix fasciata 99; 146.
Natrix fasciata fasciata 137.
Natrix maura 103; 137.
Natrix natrix 103; 137.
Natrix rhombifera 4.
Natrix rhombifera rhombifera 160.
Natrix rigida 2; 135; N235.
Natrix rigida rigida 137.
Natrix septemvittata 2.
Natrix septemvittata septemvittata 137.
Natrix sipedon 137.
Natrix sipedon clarki 106.
Natrix sipedon compressicauda 135.
Natrix sipedon fasciata 2; 135.
Natrix sipedon pictiventris 2; 44; 63; 135; 138; 147; 150; 156; 179; N233; N235.
Natrix sipedon pleuralis 135; 160.
Natrix sipedon taeniata 48.
Natrix taxispilota 2; 77; 179; N270.
Natrix taxispilota taxispilota 135; 137.
Natrix tessellata 103; 137.
Natrix usta 48.
Necturus 65.
Necturus lodingi 140.
Necturus maculosus 80.
Necturus maculosus maculosus 160.
Neoseps 65.
Neoseps reynoldsi 20; 22; 37; 40; 131; 181; F211.

Nerodia F202; F207; N303.
Nerodia clarki N319.
Nerodia compressicauda N319.
Nerodia cyclopion 103; N319.
Nerodia erythrogaster 103; N319.
Nerodia fasciata N319.
Nerodia fasciata clarki 48; 103; 198.
Nerodia fasciata compressicauda 48; 198.
Nerodia fasciata confluens 48; 198.
Nerodia fasciata pictiventris 48; 198.
Nerodia fasciata taeniata 48; 198.
Nerodia rhombifera 103.
Nerodia sipedon 48; 103.
Nerodia sipedon sipedon 198.
Nerodia sipedon williamengelsi 198.
Nerodia taxispilota 103; N319.
Nerodia valida 48.
Ninia sebae sebae 134; 135.
Notechis scutatus 103.
Notobatrachus 70.
Notophthalmus robustus 54; 92.
Notophthalmus slaughteri 92.
Notophthalmus viridescens 61; 92; 116.
Notophthalmus viridescens louisianensis 106.
Notophthalmus viridescens viridescens 114.
Nototrema longipes 75.
Nyctimystes 70.
Odontophrynus 76.
Odontophrynus americanus 93.
Ogallalabatrachus 95.
Ooeidozys laevis 89.
Opheodrys 65; 137.
Opheodrys aestivus 75; 85; 103; 135; 146; 179.
Opheodrys aestivus aestivus 160.
Opheodrys vernalis 103.
Ophiophagus hannah 103.
Ophisaurus 54; 65.
Ophisaurus attenuatus 8; 91.

- Ophisaurus attenuatus*
attenuatus 88.
Ophisaurus ceroni 88; 91
Ophisaurus compressus 8; 88;
85; 91
Ophisaurus incomptus 88; 91.
Ophisaurus ventralis 8; 9; 75;
85; 88; 91; 106; N235.
Ophisaurus ventralis ventralis
179.
Ophryoessoides 55; 57.
Osteopilus dominicensis 168.
Osteopilus septentrionalis 58.
Oxybelis aeneus aeneus 134.
Oxybelis fulgidus 134.
Oxyrhopus 135.
Oxyrhopus petola 134.
Oxyurranus scutellatus 103.

Pachydactylus bibronii turneri
119.
Palaeoxantusia 96.
Paleotaricha 11.
Pallimnarchus pollens 10.
Pelamis platurus 195.
Pelobates 95.
Peltosaurus floridanus 8; 54.
Peltosaurus granulatus 54.
Pelusios sinuatus 119.
Petrosaurus 57.
Philothamnus hoplogaster 119.
Phrynobatrachus natalensis
119.
Phrynobatrachus perpalmatus
119.
Phrynobatrachus ukingensis
mababiensis 119.
Phrynohyas spilomma 93; 95.
Phrynomerus bifasciatus
bifasciatus 119.
Phrynosoma 65; 103.
Phrynosoma cornutum 94; 114;
N264.
Phrynosoma douglassi 94.
Phrynosoma modestum 94.
Phyllomedusa dacnicolor 93;
95.
Phyllorhynchus browni 135.
Phyllorhynchus decurtatus
decurtatus 135.
Pituophis 9; 65; 137.
Pituophis melanoleuca 23.

Pituophis melanoleucus 75; 99;
103.
Pituophis melanoleucus
catenifer 135.
Pituophis melanoleucus mugitus
135.
Pituophis melanoleucus sayi
138.
Platynotus 55; 57; 102.
Plethodon 65.
Plethodon cinereus 46; 94;
160.
Plethodon cinereus 129.
Plethodon dorsalis 46.
Plethodon dorsalis
angusticlavius 160.
Plethodon glutinosus 46; 129;
N256.
Plethodon glutinosus albagula
94.
Plethodon glutinosus
glutinosus 94; 160.
Plethodon hoffmani 46.
Plethodon hubrichti 46.
Plethodon jordani 46.
Plethodon nettingi 46.
Plethodon punctatus 46.
Plethodon richmondi 46.
Plethodon serratus 46.
Plethodon shenandoah 46.
Plethodon websteri 46.
Plethodon wehrlei 46.
Plethodon welleri 46.
Plethodon yonahlossee 46.
Pleurodema brachyops 93.
Plica 54; 55; 57.
Plioambystoma 95.
Pliogonodon priscus 10.
Podocnemis lewyana 104; 114.
Podocnemis sextuberculata 104;
114.
Podocnemis unifilis 101; 104;
114.
Polychrus gutturosus 183.
Proacris 54; 95.
Proacris mintoni 93.
Protobranchius 70.
Proctotretus 54; 55; 57.
Psammophis elegans 135.
Psammophis sibilans 135.
Psammophis sibilans sibilans
119.

- Psammophis subtaeniatus* 103.
Psammophylax tritaeniatus variabilis 119.
Pseudacris 25; 65; 70.
Pseudacris feriarum N273.
Pseudacris nigrita 19; 93; 95; N245; N248; N271.
Pseudacris nigrita feriarum 160.
Pseudacris nigrita triseriata 160.
Pseudacris nordensis 92.
Pseudacris ocularis 179; 245.
Pseudacris ornata 19; 93; 95; N245; N248; N260; N271.
Pseudacris streckeri 93; 95.
Pseudacris triseriata 93; 95; N273.
Pseudaspis cana 103.
Pseudechis 1.
Pseudechis porphyriacus 103.
Pseudemys 7; 54; 65; 75; 145; 193.
Pseudemys alabamensis 106; 104.
Pseudemys concinna 101; 104.
Pseudemys concinna suwanniensis 105; 127.
Pseudemys dorbigni 114.
Pseudemys felis 87.
Pseudemys floridana 85; 101; 104; 118; 156; F202.
Pseudemys floridana floridana 142; N235.
Pseudemys floridana mobilensis 3.
Pseudemys floridana peninsularis 80; 127; 179.
Pseudemys floridana penunsularis 3.
Pseudemys floridana suwanniensis 3.
Pseudemys malonei 87; 114.
Pseudemys nelsoni 3; 44; 63; 73; 85; 104; 127; 179; F202; N235.
Pseudemys rubriventris 104.
Pseudemys rugosa 3.
Pseudemys scripta 174.
Pseudemys scripta callirostris 114.
Pseudemys scripta elegans 101; 114; 160.
Pseudemys scripta ornata 114.
Pseudemys scripta scripta 101.
Pseudoboa cloelia 12.
Pseudoboa neuweidii 12.
Pseudobranchus 40; 54; 65; 92.
Pseudobranchus robustus 75.
Pseudobranchus striatus 116; N231.
Pseudobranchus striatus axanthus 63; 156.
Pseudobranchus striatus lustricolus F218.
Pseudochamaeleon cocteau 62.
Pseudonaja textilis 103.
Pseudotriton 65; 94.
Pseustes 137.
Pternohyla fodiens 93; 95.
Ptyas mucosus 103.
Python 14.
Python molurus 103.
Python reticulatus 103; 138.
Python sebae 103.
Rana 12; 25; 54; 65; 70; 85; 95.
Rana aesopus 110; N245.
Rana ansongii 119.
Rana areolata 4; 61; 89; 135; F206; F225; N248.
Rana areolata aesopus F211.
Rana aurora 89.
Rana boylei 89.
Rana bucella 89; 92.
Rana capito 9; 89.
Rana cascadae 89.
Rana catesbeiana 9; 34; 44; 63; 76; 80; 86; 89; 96; 110; 118; 136; 156; 160; 179; N233; N245; N248; N273.
Rana clamitans 9; 44; 63; 76; 77; 89; 176; N231; N245; N248.
Rana clamitans clamitans 160.
Rana clamitans melanota 160.
Rana dorsalis 142.
Rana esculenta 89.
Rana fuscigula angolensis 119.
Rana grylio 9; 23; 44; 76; 80; 89; 106; 116; 136; 156; 176; N233; N245; N248.

- Rana heckscheri* 9; 76; 89;
 N231; N245; N248; N273.
Rana johnsoni 89.
Rana mascareniensis
mascareniensis 119.
Rana mascareniensis mossambica
 119.
Rana miocenica 89.
Rana oxyrhynchus oxyrhynchus
 119.
Rana palmipes 89.
Rana palustris 9; 89; 129;
 160.
Rana pipiens 4; 9; 16; 61; 75;
 89; 92; 93; 94; 96; 118;
 146; 188.
Rana pipiens pipiens 76; 80;
 110; 135.
Rana pipiens sphenocephala 44;
 63; 76; 77; 80; 81; 106;
 110; 115; 160; 179.
Rana pliocenica 89.
Rana septentrionalis 110.
Rana sphenocephala 16; 110;
 116; 156; F210; N245.
Rana sevosia 140.
Rana sylvatica 9; 89; 160.
Rana sylvatica sylvatica 110.
Rana temporaria 89.
Rana tigrina 76.
Rana utricularia N248.
Rana virgatipes 110; 140; 176;
 N231.
Rana vittigera 76.
Regina N303.
Regina alleni F204; F207.
Regina septemvittata 103;
 F207.
Rhabdophis tigrina 103.
Rhacophorus buergeri 89.
Rhadinaea 65.
Rhadinaea flavilata 75; 179.
Rhadinea 40.
Rhadinea flavilata 106.
Rhineura 65.
Rhineura floridana 40; 75;
 N228; N230.
Rhinocheilus 135.
Rhinocheilus lecontei 103.
Rhinophrynus canadensis 95;
 96.
Rhinophrynus dorsalis 4; 70;
 95; 96.
Salamandrina 11.
Sanzinia 14.
Sator 57.
Saurisia sepsoides 55.
Sauromalus 54.
Scaphiodontophis annulatus
annulatus 134.
Scaphiopus 25; 54; 65;
Scaphiopus bombifrons 16; 93;
 110.
Scaphiopus couchi 16; 93.
Scaphiopus hammondi 16.
Scaphiopus hammondi hammondi
 93.
Scaphiopus hammondi
multiplicatus 93.
Scaphiopus holbrookii 4; 75;
 85; 106; 110; 146; 154;
 F208; N245; N248.
Scaphiopus holbrookii
holbrookii 76; 77; 80; 93;
 95; 115; 160; 179.
Scaphiopus holbrookii hurteri
 95.
Scaphiopus neuter 95.
Sceloporus 57.
Sceloporus graciosus 183.
Sceloporus magister 114.
Sceloporus olivaceus 94.
Sceloporus orcutti 98.
Sceloporus poinsetti 94; 114.
Sceloporus undulatus 8; 23;
 94.
Sceloporus undulatus
hyacinthinus 160.
Sceloporus undulatus undulatus
 59; 77; 98; 106; N235.
Sceloporus variabilis 94; 96.
Sceloporus woodi 23; 65; 85;
 98; F211.
Scincella lateralis 59.
Scolecossaurus triinitatus 45.
Seminatrix 65; 137.
Seminatrix pygaea 44; 63; 103;
 F207; N235; N319.
Seminatrix pygaea cyclas 179.
Seminatrix pygaea pygaea 156.
Sibon sannicola 134.
Simophis rhinostoma 135.
Siredon mexicanum 34.


- Siren 172.
 Siren hesterna 54; 92.
 Siren intermedia 65.
 Siren intermedia nettingi 160.
 Siren lacertina 63; 65; 75;
 116; 118; 179; F202; F207;
 F218; N231.
 Siren **simpsoni** 92.
 Sistrurus 65; 137.
 Sistrurus catenatus 103.
 Sistrurus miliarius 75; 99;
 103.
 Sistrurus miliarius barbouri
 1; 133; 135; 144; N233;
 N282; N315.
 Smilisca baudini 93; 95.
 Smilisca phaeota 93; 95.
 Sonora miniata 135.
 Sonora semiannulata isozona
 135.
 Spalerosophis arenarius 135.
 Spea bombifrons 93; 95.
 Spea hammondi hammondi 93.
 Spea hammondi multiplicatus
 93.
 Spelerpes maculicaudus 129.
 Spelerpes stejnegeri 129.
 Sphaerodactylus 55; 65.
 Sphaerodactylus alopex 74.
 Sphaerodactylus anthracinus
 56; 169.
 Sphaerodactylus argus argus
 114; 264.
 Sphaerodactylus brevirostratus
 143.
 Sphaerodactylus **callocricus**
 167; 169.
 Sphaerodactylus cinereus 114;
 143; 169; 264.
 Sphaerodactylus cinereus
 cinereus 74.
 Sphaerodactylus cinereus
 stejnegeri 74.
 Sphaerodactylus clenchi 167.
 Sphaerodactylus copei
cataplexis 169.
 Sphaerodactylus copei copei
 169.
 Sphaerodactylus copei **enochrus**
 169.
 Sphaerodactylus copei
 picturatus 169.
 Sphaerodactylus darlingtoni
 167.
 Sphaerodactylus decoratus 27;
 74; 170.
 Sphaerodactylus decoratus
 flavicaudus 27.
 Sphaerodactylus difficilis
 167.
 Sphaerodactylus elegans 74.
 Sphaerodactylus gaigeae 184.
 Sphaerodactylus klauberi 185.
 Sphaerodactylus levinsi F217.
 Sphaerodactylus macrolepis
 114; 185.
 Sphaerodactylus macrolepis
 parvus 184.
 Sphaerodactylus molei 45.
 Sphaerodactylus nicholsi 184.
 Sphaerodactylus nigropunctatus
 74.
 Sphaerodactylus notatus 22.
 27; 85; 114; 170.
 Sphaerodactylus **parthenopion**
 184.
 Sphaerodactylus picturatus
 169.
 Sphaerodactylus punctatissimus
 74.
 Sphaerodactylus samanensis
 167.
 Sphaerodactylus savagei
 juanilloensis 168.
 Sphaerodactylus scaber 169.
 Sphaerodactylus sputator 74.
 Sphaerodactylus stejnegeri 74;
 143; 169.
 Sphaerodactylus torrei 74.
 Sphaerodactylus townsendi 184.
 Spilotes 137.
 Spilotes pullatus mexicanus
 134.
 Staurois natador 89.
 Staurotypus salvinii 101.
 Stenocercus 54; 55; 57.
 Stenorrhina 134.
 Stenorrhina freminvillei 135.
 Stenorrhina freminvillei
 freminvillei 134.
 Sterochilus marginatus 38;
 N231.
 Sternotherus 65.
 Sternotherus minor 104; 127.

- Sternotherus minor minor* N233.
Sternotherus odoratus 44; 63; 80; 101; 104; 118; 127; 156; 160; 179; F202; N235.
Stilosoma 65; 137.
Stilosoma extenuatum F211.
Stilosoma extenuatum arenicolor 22.
Storeria 25; 65; 137.
Storeria dekayi 75; 85; 99; 103.
Storeria dekayi victa 146.
Storeria dekayi wrightorum 160.
Storeria occipitomaculata 99; 103; 135; N231;
Storeria occipitomaculata occipitomaculata 160.
Storeria victa N235.
Stupendemys geographica 101.
Syrrhophis marnocki 89; 96.
Syrrhophus campi 93; 96.
Syrrhophus marnocki 96.

Takydromus smaragdinus 183.
Takydromus tachydromoides 183.
Tantilla 65; 137.
Tantilla canula 133.
Tantilla canula brevis 134.
Tantilla coronata 21; 75; 85; 103; 146.
Tantilla coronata coronata 106.
Tantilla gracilis hallowelli 160.
Tantilla oolitica 146.
Tarentola americana 56; 170.
Tarentola annularis 55.
Tarentola ephippiata 55.
Taricha 54.
Terrapene 65.
Terrapene caniliculata 7; 90.
Terrapene carolina 85; 101; 104; 174; 193.
Terrapene carolina baurii 13; 59; 75; 90; 179; F209; N233.
Terrapene carolina carolina 13; 75; 90; 160.
Terrapene carolina major 13; 90; 106; 148; 189; F209.
Terrapene carolina putnami 13; 75; 90.

Terrapene carolina triunguis 13; 94; 148; 160; 189.
Terrapene coahuila F209.
Terrapene illanensis 90.
Terrapene marnocki 90.
Terrapene ornata 90; 101; F209.
Testudo 7; 13; N311.
Testudo atlas N324.
Testudo floridana 142.
Testudo graeca 101.
Testudo louisekressmanni N324.
Thalassochelys 159.
Thalassochelys kempii N297.
Thamnophis 23; 65; 133; 138; F207.
Thamnophis butleri 103.
Thamnophis elegans 103.
Thamnophis elegans vagrans 91.
Thamnophis marcianus 103; 137.
Thamnophis melanogaster 137.
Thamnophis ordinoides 103.
Thamnophis praeocularis 134.
Thamnophis radix 103; 137.
Thamnophis rufipunctatus 137.
Thamnophis sauritus 85; 99; 103; 106.
Thamnophis sauritus proximus 134; 160.
Thamnophis sauritus rutiloris 134.
Thamnophis sauritus sackeni 134; 146; 179; N235.
Thamnophis sauritus sauritus 134; N233.
Thamnophis sirtalis 75; 85; 99; 103; 198.
Thamnophis sirtalis sirtalis 135; 160; 179; N235.
Thecadactylus rapicauda 45.
Thecadactylus rapicaudus 12; 55; 182; 183; N250.
Tomistoma 10.
Tomistoma calaritanus 7.
Tomodactylus 93.
Tomodactylus nitidus 89.
Trachemys malonei 104.
Trachemys scripta elegans 97; 104.
Trachemys stejnegeri 104.
Trachyboa boulengeri 133.

- Tretanorhinus nigroluteus*
lateralis 134.
Tretanorhinus variabilis 136;
 162.
Triadobatrachus 70.
Trimeresurus 137.
Trimeresurus albolabris 133.
Trimeresurus borneensis 133.
Trimeresurus elegans 133.
Trimeresurus erythrurus 133.
Trimeresurus flavoviridis 103.
Trimeresurus gramineus 133.
Trimeresurus popeorum 133.
Trimeresurus puniceus 133.
Trimeresurus stejnegeri 133.
Trimeresurus strigatus 133.
Trimeresurus sumatranus 133,
Trimeresurus wagleri 133,
Trionyx 65.
Trionyx ferox 75; 101; 102;
 118.
Trionyx ferox agassizi 104.
Trionyx ferox ferox 80.
Trionyx spinifer hartwegi 160.
Trionyx spinifer spinifer 160;
Trionyx spiniferus 101.
Triturus 77.
Triturus perstriatus 63; 126.
Triturus pyrrhogaster 114.
Triturus viridescens
louisianensis 34; 44; 63;
 126; 156.
Triturus viridescens
viridescens 126.
Tropidoclonion lineatum 103.
Tropidophis 168.
Tropidophis canus andresi 27.
Tropidophis canus barbouri 27.
Tropidophis canus curtus 27.
Tropidophis maculatus
haetianus 133.
Tropidophis maculatus
jamaicensis 133.
Tropidophis maculatus pilsbryi
 133.
Tropidophis maculatus stulli
 133.
Tropidophis melanurus 133.
Tropidophis malanurus
caymanensis 133.
Tropidophis nigriventris 133.
Tropidophis pardalis pardalis
 27.
Tropidophis pardalis
stejnegeri 133.
Tropidophis parkeri 133
Tropidurus 54; 57.
Typhlops biminensis 170.
Typhlops biminensis
biminensis 27.
Typhlops caymanensis 27.
Typhlops pusilla 168.
Typhlops schlegelii mucroso
 119.
Uma 57;
Uma notata 37.
Ungaliophis continentalis 133;
Uranoscodon 54; 55.
Urocentron 54; 55; 57.
Uromacer catesbyi
inchausteguii 168.
Uromacer oxyrhynchus 84; 168.
Urosaurus 57.
Urotheca 137.
Urotheca flavilata 135.
Uta 57.
Uta stansburiana 183.
Varanus niloticus niloticus
 119.
Vieraella 79.
Vipera ammodytes 103; 137.
Vipera aspis 103; 137.
Vipera berus 103; 137.
Vipera defilippi 103.
Vipera ursinii 103.
Virginia 137; N303.
Virginia striatula 103.
Virginia valeriae 103.
Virginia valeriae elegans 160.
Wetmorina haetiana 55.
Xantusia arizonae 96.
Xantusia henshawi 96.
Xantusia riversiana F203.
Xantusia vigilis 96.
Xenoboa 133.
Xenodon severus 103.
Xenopeltis 14.
Xenopus laevis 76; 80; 114;
 115.
Xenopus laevis laevis 136.
Xenopus muelleri 119.






QL
640
S666
REPT

**BIBLIOGRAPHY AND SCIENTIFIC NAME INDEX
TO
HERPETOLOGICAL PUBLICATIONS BY THE
UNIVERSITY OF MICHIGAN MUSEUM OF ZOOLOGY
1913-1995**



**Harlan D. Walley
Department of Biology
Northern Illinois University**



**SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 114**

1997

**SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE**

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

INTRODUCTION

The present alphabetical listing by author (s) covers all the papers concerning herpetology that have appeared in the Occasional Papers of the Museum of Zoology since its beginning in 1913, along with the monographic series Miscellaneous Publications of the Museum of Zoology, and five publications appearing in the Laboratory of Vertebrate Biology series.

Junior authors are listed alphabetically and cross referenced to the senior author. All articles in this bibliography can be located by knowing the author(s) or the title.

All herpetological scientific names are listed alphabetically and referenced to the article(s) where they are mentioned. This is supplemented by a numerical listing of museum numbers and authors, which makes references available to those not having excess to complete series within their libraries, and needing inter-library assistance.

All original spelling have been maintained and new scientific names are highlighted. Occasional Papers of the Museum of Zoology are cited by the initials (OP); Miscellaneous Publications and Laboratory of Vertebrate Biology as (MP) and (LVB respectively. The number of the publication and the first page number of the article where the name appears are given, although in certain instances where the name is cited throughout a monograph, and considered of importance, the name is cited as several page listings.

BIBLIOGRAPHY

- ADLER, Kraig. 1965. Three new frogs of the genus Hyla from the Sierra Madre del Sur of Mexico. No. 642:1-18, pl. 1.
- ALLEN, Morrow J. 1933. Report on a collection of amphibians and reptiles from Sonora, Mexico, with the description of a new lizard. No. 259:1-15.
- BAILEY, Joseph R. 1937. New forms of Coniophanes Hallowell, and the status of Dromicus clavatus Peters. No. 362:1-6.
- 1937. Notes on Plethodont salamanders of the southeastern United States. No. 364:1-10.
- 1940. The Mexican snakes of the genus Rhadinaea. No. 412:1-19, pls. 1-2.
- 1946. Leptotyphlops anthracinus, an new blind snake form eastern Ecuador. No. 492:1-5.
- 1955. The snakes of the genus Chironius in southeastern South America. No. 571:1-21.
- BAILEY, Reeve M. see CONANT, R. 1936.
- see GOIN, C. J. 1948.
- see STUART, L. C. 1941.
- BALLINGER, Royce E. and Donald W. TINKLE. 1968. A new species of Uta (Sauria: Iguanidae) from Salsipuedes Island, Gulf of California, Mexico. No. 656:1-6.
- BARBOUR, Thomas. 1917. A most regretable tangle of names. No. 44:1-9.
- 1920. A undescribed Microhyla. No. 76:1-4.
- 1923. Notes on reptiles and amphibians from Panama. No. 129:1-16.
- 1923. The crocodile in Florida. No. 131:1-6.
- 1923. West Indian investigations of 1922. No. 132:1-9.
- BISHOP, Sherman C. 1941. Notes on salamanders with descriptions of several new forms. No. 451:1-22 pls. 1-2.
- BLANCHARD, Frank N. 1919. Two new snakes of the genus Lampropeltis. No. 70:1-11, pl. 1.
- 1920. Three new snakes of the genus Lampropeltis. No. 81:1-10. pl. 1.
- 1920. A synopsis of the king snakes: genus Lampropeltis Fitzinger. No. 87:1-7.
- 1922. The amphibians and reptiles of western Tennessee. No. 117:1-18.
- 1922. Discovery of the eggs of the four-toed salamander in Michigan. No. 126:1-3.
- 1923. A new North American snake of the genus Natrix. No. 140:1-7.
- 1923. Comments on ring-neck snakes (genus Diadophis), with diagnosis of new forms. No. 142:1-9.
- 1924. A new snake of the genus Arizona. No. 150:1-5.
- BRANDT, B.B. and C.F. WALKER. 1933. A new species of Pseudacris from the Southeastern United States. No. 272:1-7.

- BURT, Charles E. 1927. An annotated list of the amphibians and reptiles of Riley County, Kansas. No. 189:1-9.
- 1928. The synonymy, variation, and distribution of the collared lizard, Crotaphytus collaris (Say). No. 196:1-19, pls. 1-7.
- 1929. The synonymy, variation, and distribution of the Sonoran skink, Eumeces obsoletus (Baird and Girard). No. 201:1-12, pls. 1-3.
- 1935. A new lizard from the Dutch Leeward Islands (Cnemidophorus murinus ruthveni). No. 324:1-3.
- CAGLE, Fred R. 1953. Two new subspecies of Graptemys pseudogeographica. No. 546:1-17.
- CAMPBELL, Berry. 1934. Report on a collection of reptiles and amphibians made in Arizona during the summer of 1933. No. 289:1-10.
- CARR, A. F., Jr. 1937. A new turtle from Florida, with notes on Pseudemys floridana mobiliensis (Holbrook). No. 348:1-7, pls. 1-2.
- CARVALHO, Antenor Leitao de. 1954. A preliminary synopsis of the genera of American Microhylid frogs. No. 555:1-19, pl. 1.
- CASE, E.C. 1918. A mounted skeleton of Edaphosaurus cruciger Cope, in the Geological collection of the University of Michigan. No. 62:1-4, 2 pls.
- 1920. On a very perfect thoracic shield of a large Labyrinthodont in the Geological collections of the University of Michigan. No. 82:1-3, pl. 1.
- CLANTON, Wesley. 1934. An unusual situation in the salamander Ambystoma jeffersonianum (Green). No. 290:1-14. pl. 1.
- CLAY, William M. see CONANT, R. 1937.
- COLLINS, James P. AND Henry M. WILBUR. 1979. Breeding habits and habitat of the amphibians of the Edwin S. George Reserve, Michigan, with notes on the local distribution of fishes. No. 686:1-34.
- CONANT, Roger and Reeve M. BAILEY. 1936. Some herpetological records from Monmouth and Ocean Counties, New Jersey. No. 328:1-10.
- and William M. CLAY. 1937. A new subspecies of water snake from Islands in Lake Erie. No. 346:1-9, pls. 1-3.
- and Coleman J. GOIN. 1948. A new subspecies of soft-shelled turtle from the Central United States, with comments on the application of the name Amyda. No. 510:1-19, pls. 1-2.
- CONANT, Roger. see GLOYD, H.K. 1934.
- DOWLING, Herndon G. 1952. A taxonomic study of the ratsnakes, genus Elaphe Fitzinger II. The subspecies of the Elaphe flavirufa (Cope). No. 540:1-14 pl. 1.
- 1952. A taxonomic study of the ratsnakes, genus Elaphe Fitzinger IV. A check list of the American forms. No. 541:1-12.
- 1957. A taxonomic study of the ratsnakes, genus Elaphe Fitzinger V. The rosalie section. No. 583:1-22, pls. 1-2.

- DOWNS, Floyd L. 1978. Unisexual Ambystoma from the Bass Islands of Lake Erie. No. 685:1-36.
- DUELLMAN, William E. 1954. The amphibians and reptiles of Jorullo Volcano, Michoacan, Mexico. No. 560:1-24, pls. 1-2.
- 1955. Notes on reptiles and amphibians from Arizona. No. 569:1-14, pl. 1.
- 1955. A new whiptail lizard, genus Cnemidophorus, from Mexico. No. 574:1-7.
- 1958. A preliminary analysis of the herpetofauna of Colima, Mexico. No. 589:1-22.
- 1958. A review of the frogs of the genus Syrrophus in Western Mexico. No. 594:1-15, pls. 1-3.
- 1959. Two new snakes, genus Geophis from Michoacan, Mexico. No. 605:1-9, pl. 1.
- 1980. A new species of Marsupial frog (Hylidae: Gastrotheca) from Venezuela. No. 690:1-7.
- and Ann S. DUELLMAN. 1959. Variation, distribution, and ecology of the Iguanid lizard Enyaliosaurus clarki of Michoacan, Mexico. No. 598:1-10, pl. 1.
- and John E. WERLER. 1955. Variation and relationships of the Colubrid snake Leptodeira frenata. No. 570:1-9, pls. 1-2.
- DUNKLE, David H. and Hobart M. SMITH. 1937. Notes on some Mexican Ophidians. No. 363:1-15.
- DUNN, E. R. 1924. Some Panamanian frogs. No. 151:1-16, pls. 1-2.
- 1932. The status of the snake genus Rhadinaea Cope. No. 251:1-2.
- 1937. Notes on tropical Lampropeltis. No. 353:1-11.
- 1946. Atractus snactaemartae, a new species of snake from the Sierra Nevada de Santa Marta, Colombia. No. 493:1-6.
- and L.C. STUART. 1935. A new race of Leptodeira from northern Central America. No. 313:1-3.
- GAIGE, Helen Thompson. 1915. The amphibians and reptiles collected by the Bryant Walker Expedition to Schoolcraft County, Michigan. No. 17:1-5.
- 1917. Description of a new salamander from Washington. No. 40:1-3. pl.1.
- 1920. Observations upon the habits of Ascaphus truei Stejneger. No. 84:1-9.
- 1922. A new Gastrotheca from Venezuela. No. 107:1-3.
- 1926. A new frog from British Guiana. No. 176:1-3. pl. 1.
- 1929. Three new tree-frogs from Panama and Bolivia. No. 207:1-6.
- 1933. A new Gastrotheca from Colombia. No. 263:1-3.
- and L. C. STUART. 1934. A new Hyla from Guatemala. No. 281:1-3.
- Norman HARTWEG and L.C. STUART. 1937. Notes on a collection of amphibians and reptiles from Eastern Nicaragua. No. 357:1-18.

- GAIGE, Helen T. see RUTHVEN, A.G. 1915.
 ----- see RUTHVEN, A.G. 1915.
 ----- see RUTHVEN, A.G. 1915.
 ----- see RUTHVEN, A.G. 1923.
 ----- see RUTHVEN, A.G. 1924.
- GANS, Carl and Grace C. LEHMAN. 1973. Studies on Amphisbaenians (Amphisbaenia: Reptilia), 5. The species of Monopeltis from North of the River Zaire. No. 669:1-34.
- GLOYD, Howard K. 1935. The subspecies of Sistrurus miliaris. No. 322:1-7.
 -----1936. A Mexican subspecies of Crotalus molossus Baird and Girard. No. 325:1-5.
 -----1936. The subspecies of Crotalus lepidus. No. 337:1-7, 1 pl.
 -----and Roger CONANT. 1934. The broad-banded copperhead: A new subspecies of Agkistrodon mokasen. No. 283:1-7, pl. 1.
 -----1934. The taxonomic status, range, and natural history of Schott's racer. No. 287:1-23, 3 pls.
- GREER, Allen E. and Arnold G. KLUGE. 1980. A new species of Lampropholis (Lacertilia: Scincidae) from the rainforests of northeastern Queensland. No. 691:1-12.
- GOFF, C. C. 1936. Distribution and variation of a new subspecies of water snake, Natrix cyclopion floridana, with a discussion of its relationships. No. 327:1-11, 1 pl.
- GROBMAN, Arnold B. 1943. Notes on salamanders with the description of a new species of Cryptobranchus. No. 470:1-13, pl. 1.
- HARRIS, Dennis M. 1982. The Sphaerodactylus (Sauria: Gekkonidae) of South America. No. 704:1-31.
 -----and Arnold G. KLUGE. 1984. The Sphaerodactylus (Sauria: Gekkonidae) of Middle America. No. 706:1-59.
- HARTWEG, Norman. 1934. Description of a new Kinosternid from Yucatan. No. 277:1-2.
 -----1938. Kinosternon flavescens stejnegeri, a new turtle from Northern Mexico. No. 371:1-5.
 -----1939. A new American Pseudemys. No. 397:1-4.
 -----1941. Notes on the genus Plectrohyla, with descriptions of new species. No. 437:1-11.
 -----1944. Remarks on some Mexican snakes of the genus Tantilla. No. 486:1-9.
 -----1959. A new Colubrid snake of the genus Geophis from Michoacan. No. 601:1-6.
 -----and OLIVER, James A. 1937. A contribution to the Herpetology of the Isthmus of Tehuantepec. I. The Scelopori of the Pacific Slope. No. 356:1-9.
 -----and-----1937. A contribution to the Herpetology of the Isthmus of Tehuantepec. II. The Teiids of the Pacific Slope. No. 359:1-8.
 -----and-----1938. A contribution to the Herpetology of the Isthmus of Tehuantepec. III. Three new snakes from the Pacific Slope. No. 390:1-8, pl. 1.
 -----and ORTON, G. 1941. Notes on tadpoles of the genus Plectrohyla. No. 438:1-6.

- and TIHEN, J.A. 1946. Lizards of the genus Gerrhonotus from Chiapas, Mexico. No.497:1-16.
see GAIGE, H.T. 1937.
- HERSHKOVITZ, Philip. 1938. A new Caecilian from Ecuador. No. 370:1-3.
- JONES, J. Paul. 1926. The proper name for Sceloporus consobrinus Baird and Girard. No. 172:1-3.
- 1927. Descriptons of two new Scelopori. No. 186:1-7.
- KLUGE, Arnold G. 1979. The Gladiator frogs of Middle America and Colombia-A reevaluation of their systematics (Anura: Hylidae). No. 688:1-24.
- see GREER, Allen E. 1980.
- see HARRIS, Dennis M. 1984.
- KRAUS, Fred. 1985. A new unisexual salamander from Ohio. No. 709:1-24.
- KRULL, Wendell H. and Helen F. PRICE. 1932. Studies on the life history of Diplodiscus temperatus Stafford from the frog. No. 237:1-42, pls. 1-2.
- LA MARCA, Enrique and Hobart M. SMITH. 1982. Eleutherodactylus colostichos, a new frog species from the Paramo de Los Conejos, in the Venezuelan Andes (Anura: Leptodactylidae). No. 700:1-8.
- LYNCH, John D. 1977. A new species of Eleutherodactylus from the Cordillera Occidental of Colombia (Amphibia: Anura: Leptodactylidae). No. 678:1-6.
- 1981. Two new species of Eleutherodactylus from western Colombia (Amphibia: Anura: Leptodactylidae). No. 697:1-12.
- and Pedro M. RUIZ-CARRANZA. 1985. A synopsis of the frogs of the genus Eleutherodactylus from the Sierra Nevada de Santa Marta, Colombia. No. 711:1-59.
- MARTIN, Paul S. 1952. A new subspecies of the Iguanid lizard Sceloporus serrifer from Tamaulipas, Mexico. No. 543:1-7.
- MARTOF, Bernard. 1956. Three new subspecies of Leurognathus marmorata from the southern Appalachian Mountains. No. 575:1-21, pls. 1-4.
- McCOY, Clarence J. and Charles F. WALKER. 1966. A new salamander of the genus Bolitoglossa from Chiapas. No. 649:1-11.
- MOSAUER, Walter. 1932. The amphibians and reptiles of the Guadalupe Mountains of New Mexico and Texas. No. 246:1-19, pl. 1.
- 1936. The Reptilian fauna of sand dune areas of the Vizcaino desert and of northwestern Lower California. No. 329:1-25, 2 pls.
- MOSIMANN, James E. and George B. RABB. 1953. A new subspecies of the turtle Geoemyda rubida (Cope) from western Mexico. No. 548:1-9, 1 pl.
- see RABB, G.B. 1955.
- MYERS, George S. 1942. The black toad of Deep Springs Valley, Inyo County, California. No. 460:1-19, 3 pls.

- NUSSBAUM, Ronald A. 1977. Rhinatreumatidae: A new family of caecilians (Amphibia: Gymnophiona). No. 682:1-30.
- 1979. The taxonomic status of the caecilian genus Uraeotyphlus Peters. No. 687:1-20.
- 1985. Systematics of Caecilians (Amphibia: Gymnophiona) of the family Scolecomorphidae. No. 713:1-49.
- 1987. Two new species of Chthonerpeton (Amphibia: Gymnophiona: Typhlonectidae) from Brazil. No. 716:1-15.
- OLIVER, James A. 1937. Notes on a collection of amphibians and reptiles from the State of Colima, Mexico. No. 360:1-30, 1 pl.
- 1942. A check list of the snakes of the genus Leptophis, with descriptions of new forms. No. 462:1-19.
- ORTENBURGER, Arthur I. 1923. A note on the genera Coluber and Masticophis, and a description of a new species of Masticophis. No. 139:1-14, 3 pls.
- ORTON, Grace. 1943. The tadpole of Rhinophrynus dorsalis. No. 472:1-9, 1 pl.
- see HARTWEG, N. 1941.
- PARKER, H. W. 1927. The brevicipitid frogs allied to the genus Gastrophryne. No. 187:1-8, pl. 1.
- PETERS, James A. 1948. A new snake of the genus Typhlops from the Solomon Islands. No. 508:1-5, pl. 1.
- 1951. Studies on the lizard Holbrookia texana (Troschel) with descriptions of two new subspecies. No. 537:1-20.
- 1952. Catalogue of the type specimens in the Herpetological Collections of the University of Michigan Museum of Zoology. Occas. No. 539:1-55.
- 1954. The amphibians and reptiles of the coast and coastal Sierra of Michoacan, Mexico. No. 554:1-37.
- PRICE, Helen F. see KRULL, W.H. 1932.
- RABB, George B. 1958. On certain Mexican salamanders of the Plethodontid genus Chiropterotriton. No. 587:1-43, pls. 1-3.
- and James E. MOSIMANN. 1955. The tadpole of Hyla robertsoni, with comments on the affinities of the species. No. 563:1-9.
- see MOSIMANN, J.E. 1953.
- RUIZ-CARRANZA, Pedro M. see LYNCH, J. D. 1985.
- RUTHVEN, Alexander G. 1913. On Ameiva bifrontata Cope and Ameiva divisus (Fischer). No. 2:1-3.
- 1915. Description of a new genus and species of lizard of the family Gekkonidae. No. 19: 1-3.
- 1915. The breeding habits of Hylodes cruentus Peters. No. 11: 1-4, pl. 1.
- 1915. Observations on the habits, eggs, and young of Hyla fuhrmanni Peracca. No. 14:1-3, pl. 1.
- 1915. Description of a new subspecies of Cnemidophorus lemniscatus Laurenti. No. 16:1-4, pl. 1.
- 1915. Description of a new genus and species of lizard of the family Gekkonidae. No. 19:1-3.

- 1915. Description of a new tailless amphibian of the family Dendrobatidae. No. 20:1- 3.
- 1916. A new genus and species of lizard from Colombia, with remarks on the genus Pseudogonatodes. No. 21:1-3.
- 1916. Description of a new genus and species of lizard from British Guiana. No. 22:1-4.
- 1916. Description of a new species of Atelopus from the Santa Marta Mountains, Colombia. No. 28:1-4, pl. 1.
- 1916. A new species of Paludicola from Colombia. No. 30:1-3.
- 1916. Three new species of Anolis from the Santa Marta Mountains, Colombia. No. 32:1-11, pls. 1-3.
- 1916. A new genus and species of amphibian of the family Cystignathidae. No. 33:1-5, pl. 1.
- 1917. Description of a new species of Eleutherodactylus from Colombia. No. 34: 1-5. pl. 1.
- 1917. Two new species of Eleutherodactylus from Colombia. No. 39:1-9, pl. 1.
- 1917. A new amphibian of the genus Eleutherodactylus from the Santa Marta Mountains, Colombia. No. 43:1-4, pl. 1.
- 1917. On the occurrence of Bufo fowleri in Michigan. No. 47:1-6. pl. 1.
- 1919. Contribution to the Herpetology of Iowa, III. No. 66:1-3.
- 1919. The amphibians of the University of Michigan-Walker Expedition to British Guiana. No. 69:1-17, pl. 1-2.
- 1921. Description of an apparently new lizard from Colombia. Occas. Papers Mus. No. 103:1-4.
- 1922. A new species of Amphisbaena from British Guiana. No. 122:1-2.
- 1923. The reptiles of the Dutch Leeward Islands. No. 143:1-10.
- 1924. Description of an Ameiva from Testigos Island, Venezuela. 149:1-3.
- 1924. Description of a new lizard of the genus Alopoglossus. 153:1-3.
- 1924. The subspecies of Ameiva bifrontata. No. 155:1-6.
- 1926. A new species of Anadia from the Santa Marta Mountains, Colombia. No. 177:1-3.
- 1926. The status of Phyllodactylus spatulatus Cope. No. 178:1-2.
- 1926. Notes on Utah reptiles. No. 179:1-4.
- 1927. Description of an apparently new species of Apostolepis from Bolivia. Occas. No. 188:1-2.
- 1928. Notes on the genus Lepidoblepharis (Peracca), with description of a new subspecies. No. 191:1-3.
- 1929. Description of a new species of Kentropyx from Brazil. No. 206:1-3.
- 1932. Notes on the amphibians and reptiles of Utah. No. 243:1-4.
- 1933. Description of a new Anolis from Yucatan. No. 257:1-2.
- 1936. Leptodeira bakeri, new species. No. 330:1-2.

- and Helen T. GAIGE. 1915. The Reptiles and Amphibians collected in Northeastern Nevada by the Walker-Newcomb Expedition of the University of Michigan. No. 8: 1-33, 5 pls.
- 1915. The breeding habits of Prostherapis subpunctatus Cope. No. 10:1-7. pl. 1.
- 1923. Description of a new species of Pipa from Venezuela. No. 136:1-2.
- 1924. A new Leposoma from Panama. No. 147:1-3.
- 1933. A new skink from Mexico. No. 260:1-3.
- 1935. Observations on Typhlops from Puerto Rico and some of the adjacent islands. No. 307:1-12.
- and L. C. STUART. 1932. Notes on the period of post-depositional development in several common lizards. No. 241:1-3.
- and Crystal THOMPSON. 1915. On the occurrence of Clemmys insculpta (LeConte) in Michigan. No. 12:1-2.
- SMITH, Hobart M. 1937. A synopsis of the variabilis group of the lizard genus Sceloporus, with descriptions of new subspecies. No. 358:1-14.
- 1937. A synopsis of the scalaris group of the lizard genus Sceloporus. No. 361:1-8.
- 1938. Remarks on the status of the subspecies of Sceloporus undulatus, with descriptions of new species and subspecies of the undulatus group. No. 387:1-17.
- 1938. Notes on reptiles and amphibians from Yucatan and Campeche, Mexico. No. 388: 1-24, 1 pl.
- see DUNKLE, D.H. 1937.
- see LA MARCA, E. 1982.
- STUART, L. C. 1932. Studies on Neotropical Colubrinae I. The taxonomic status of the genus Drymobius Fitzinger. No 236:1-26, 5 pls.
- 1932. The lizards of the Middle Pahvant Valley, Utah; materials for a study in Saurian distribution. No. 244:1-39, 3 pls.
- 1933. Studies on Neotropical Colubrinae II. Some new species and subspecies of Eudryas Fitzinger, with an annotated list of the forms of Eudryas boddaerti (Stentzen). No. 254:1-10.
- 1934. Studies on Neotropical Colubrinae. IV. An apparently new species of Coluber from Guatemala. No. 284:1-4.
- 1934. A contribution to a knowledge of the Herpetological fauna of El Peten, Guatemala. No. 292:1-18.
- 1935. Studies on Neotropical Colubrinae V. A new snake of the genus Lampropeltis from Yucatan. No. 309:1-6.
- 1935. A new Anolis from northern Central America. No. 310:1-4.
- 1935. The king snake of the Tres Marias Islands. No. 323:1-2.
- 1939. A description of a new Gymnophthalmus from Guatemala, with notes on other members of the genus. No. 409:1-10. 1 pl.
- 1940. Notes on the "Lampropholis" group of Middle American Lygosoma (Scincidae) with descriptions of two new forms. No. 421:1-16.
- 1941. Some new snakes from Guatemala. No. 452:1-7.

- 1942. Descriptions of two new species of Plectrohyla Brocchi with comments on several forms of tadpoles. No. 455:1-14.
- 1942. Comments on several species of Anolis from Guatemala, with descriptions of three new forms. No. 464:1-10.
- 1943. Comments on the Herpetofauna of the Sierra de Los Cuchumatanes of Guatemala. No. 471:1-29, 1 pl.
- and Joseph R. BAILEY. 1941. Three new species of the genus Rhadinaea from Guatemala. No. 442:1-11.
- see DUNN, E.R. 1935.
- see GAIGE, H.T. 1934.
- see GAIGE, H.T. and HARTWEG, N. 1937.
- STULL, Olive Griffith. 1928. A revision of the genus Tropidophis. No. 195:1-52, 3 pls.
- 1929. The description of a new subspecies of Pituophis melanoleucus from Louisiana. No. 205:1-3.
- 1932. An annotated list of the forms of the genus Pituophis. No. 250:1-5.
- 1933. Two new subspecies of the famiy Boidae. No. 267:1-4.
- TEST, Frederick H. 1956. Two new dendrobatid frogs from Northern Venezuela. No. 577:1-9.
- 1957. A new Mexican gartersnake (genus Thamnophis) with notes on related forms. No. 584:1-10, pls. 1-2.
- and WALKER, C.F. 1955.
- THOMPSON, Crystal. 1915. Notes on the habits of Rana areolata Baird and Girard. No. 9:1-7, pls. 1-3.
- 1915. The Reptiles and Amphbians of Manistee County, Michigan. No. 18: 1-6.
- TIHEN, Joe A. see HARTWEG, N. 1946.
- TILLEY, Stephen G. 1981. A new species of Desmognathus (Amphibia: Caudata: Plethodontidae) from the southern Appalachian Mountains. No. 695:1-23.
- TINKLE, Donald W. see BALLINGER, Royce E. 1968.
- TOLSON, Peter J. 1987. Phylogenetics of the Boid snake genus Epicrates and Caribbean vicariance theory. No. 715:1-68.
- UZZELL, Thomas M., Jr. 1958. Generic status of the Teiid lizard Goniptychus bicolor Werner. No. 592:1-4.
- 1958. Teiid lizards related to Proctoporus luctuosus, with the description of a new species from Venezuela. No. 597:1-15.
- 1959. Teiid lizards of the genus Placosoma. No. 606:1-16.
- WALKER, Charles F. 1938. The structure and systematic relationships of the genus Rhinophrynus. No. 372:1-11.
- 1955. Two new lizards of the genus Lepidophyma from Tamaulipas. No. 564:1-10.
- 1955. A new salamander of the genus Pseudoeurycea from Tamaulipas. No. 567:1-8. pl. 1.
- and Frederick H. TEST. 1955. New Venezuelan frogs of the genus Eleutherodactylus. No. 561:1-10.
- see McCOY, C. J. 1966.

- WERNER, Franz. 1930. Contribution to the knowledge of the reptiles and amphibians of Greece, especially the Aegean Islands. No. 211:1-46, pls. 1-6.
- WILBUR, Henry M. see COLLINS, James P. 1979.
- WILKINSON, M. see NUSSBAUM, R. A. 1987.
- WOODALL, Harold T. 1941. A new Mexican salamander of the genus Oedipus. No. 444:1-4.

ZUG, George R. 1966. The penial morphology and the relationships of Cryptodiran turtles. No. 647:1-24.

MISCELLANEOUS PUBLICATIONS MUSEUM OF ZOOLOGY, UNIVERSITY OF MICHIGAN

- BALLINGER, Royce E. and Donald W. TINKLE. 1972. Systematics and evolution of the genus Uta (Sauria: Iguanidae). No. 145:1-83.
- CAGLE, Fred R. 1944. Home range, homing behavior, and migration in turtles. No. 61:1-37, 2 pls.
- CAMPBELL, Jonathan A. see DUELLMAN, W.E. 1992.
- DOWNS, Floyd Leslie. 1967. Intrageneric relationships among Colubrid snakes of the genus Geophis Wagler. No. 131:1-197.
- DOWLING, Herndon G. 1950. Studies of the black swamp snake, Seminatrix pygaea (Cope), with descriptions of two new subspecies. No. 76:1-38.
- DUELLMAN, William E. 1956. The frogs of the hylid genus Phrynohyas Fitzinger, 1843. No. 96:1-59, pl. 1-4.
- and Jonathan A. CAMPBELL. 1992. Hylid frogs of the genus Plectrohyla: systematics and phylogenetic relationships. No. 181:1-38.
- and John WELLMAN. 1960. A systematic study of the lizards of the Deppei group (genus Cnemidophorus) in Mexico and Guatemala. No. 111:1-81, pl. 1.
- DUNHAM, Arthur E. 1981. Populations in a fluctuating environment: The comparative population ecology of the Iguanid lizards Sceloporus merriami and Urosaurus ornatus. No. 158:1-66.
- GIBBONS, J. Whitfield see TINKLE, D.W. 1977.
- GROBMAN, Arnold B. 1941. A contribution to the knowledge of variation in Opheodrys vernalis (Harlan), with the description of a new subspecies. No. 50:1-38.
- HARTWEG, Norman and James A. OLIVER. 1940. A contribution to the Herpetology of the Isthmus of Tehuantepec. IV. No. 47:1-31.
- HEATWOLE, Harold see TEST, F. H. 1966.
- KLUGE, Arnold G. 1969. The evolution and geographical origin of the New World Hemidactylus mabouia-brookii complex (Gekkonidae, Sauria). No. 138:1-78.

- 1974. A taxonomic revision of the lizard family Pygopodidae. No. 147:1-227.
 - 1976. Phylogenetic relationships in the lizard family Pygopodidae: an evaluation of theory, methods and data. No. 152:1-76.
 - 1981. The life history, social organization, and parental behavior of Hyla rosenbergi Boulenger, a nest-building gladiator frog. No. 160:1-176.
 - 1983. Type-specimens of amphibians in the University of Michigan Museum of Zoology. No. 166:1-70.
 - 1984. Type-specimens of reptiles in the University of Michigan Museum of Zoology. No. 167:1-87.
 - 1987. Cladistic relationships in the Gekkonoidea (Squamata: Sauria). No. 173:1-58.
 - 1991. Boine snake phylogeny and research cycles. No. 178:1-62.
 - and Ronald A. NUSSBAUM. 1995. A review of African-Madagascan Gekkonid lizard phylogeny and biogeography (Squamata). No. 183:1-20.
- MARTIN, Paul S. 1958. A biogeography of reptiles and amphibians in the Gomez Farias Region, Tamaulipas, Mexico. No. 101:1-117, pls. 1-7.
- MOSIMANN, James E. 1956. Variation and relative growth in the plastral scutes of the turtle Kinosternon integrum Leconte. 97:1-45. pl. 1.
- NUSSBAUM, Ronald A. 1976. Geographic variation and systematics of salamanders of the genus Dicamptodon Strauch (Ambystomidae). No. 149:1-98.
- 1985. The Evolution of parental care in salamanders. No. 169:1-54.
 - see RAXWORTHY, C. J. 1994.
 - see KLUGE, A. G. 1995.
- OELRICH, Thomas M. 1956. The anatomy of the head of Ctenosaurua pectinata (Iguanidae). No. 94:1-165. figs. 1-59.
- OLIVER, James A. see HARTWEG, N. 1940.
- PACE, Ann E. 1974. Systematic and biological studies of the Leopard frogs (Rana pipiens complex) of the United States. No. 148:1-146.
- PETERS, James A. 1960. The snakes of the subfamily Dipsadinae. No. 114:1-243, pls. 1-7.
- RAXWORTHY, Christopher J. and Ronald A. NUSSBAUM. 1994. A review of the Madagascan snake genera Pseudoxyrhopus, Pararhandinaea, and Heteroliodon (Squamata: Colubridae). No. 182:1-37.
- RUTHVEN, Alexander G. 1922. The amphibians and reptiles of the Sierra Nevada de Santa Marta, Colombia. No. 8:1-94, pls. 1-12.

- SAVAGE, Jay M. 1960. A revision of the Ecuadorian snakes of the Colubrid genus Atractus. No. 112:1-86.
- SEXTON, Owen J. see TEST, F. H. 1966.
- STARRETT, Priscilla. 1960. Descriptions of tadpoles of Middle American frogs. No. 110:1-39.
- STUART, L. C. 1935. A contribution to a knowledge of the Herpetology of a portion of the Savanna Region of Central Peten, Guatemala. No. 29:1-64, pls. 1-4.
- 1941. Studies of Neotropical Colubrinae VIII. A revision of the genus Dryadophis Stuart, 1939. No. 49:1-115, pls. 1-4.
- 1943. Taxonomic and geographic comments on Guatemalan salamanders of the genus Oedipus. No. 56:1-37, pls. 1-2.
- 1948. The amphibians and reptiles of Alta Verapaz Guatemala. No. 69:1-109.
- 1955. A brief review of the Guatemalan lizards of the genus Anolis. No. 91:1-35.
- 1963. A checklist of the herpetofauna of Guatemala. No. 122:1-150.
- TEST, Frederick, Owen J. SEXTON and Harold HEATWOLE. 1966. Reptiles of Rancho Grande and vicinity, Estado Aragua, Venezuela. No. 128:1-63.
- TINKLE, Donald W. 1967. The life and Demography of the Side-blotched lizard, Uta stansburiana. No. 132:1-182.
- and J. Whitfield GIBBONS. 1977. The distribution and evolution of viviparity in reptiles. No. 154:1-59.
- see BALLINGER, R.E. 1972.
- WELLMAN, John see DUELLMAN, W.E. 1960.
- ZUG, George R. 1971. Buoyancy, locomotion, morphology of the pelvic girdle and hindlimb, and systematics of Cryptodiran turtles. No. 142:1-98.

CONTRIBUTIONS FROM THE LABORATORY OF VERTEBRATE BIOLOGY

- STUART, L. C. 1950. A geographic study of the herpetofauna of Alta Verapaz, Guatemala. No. 45:1-86, 9 pls.
- 1951. The herpetofauna of the Guatemalan Plateau, with special reference to its distribution on the southwestern highlands. No. 49:1-85, 7 pls.
- 1954. A description of a subhumid corridor across northern Central America, with comments on its herpetofaunal indicators. No. 65:1-39, 6 pls.
- 1954. Herpetofauna of the southeastern highlands of Guatemala. No. 68:1-73, 4 pls.
- 1958. A study of the herpetofauna of the Uaxactun-Tikal area of northern El Peten, Guatemala. No. 75:1-30.

LIST OF PUBLICATIONS BY NUMBER AND AUTHOR

OP 2	Ruthven	OP 151	Dunn
OP 8	Ruthven & Gaige	OP 153	Ruthven
OP 9	Thompson	OP 155	Ruthven
OP 10	Ruthven & Gaige	OP 172	Jones
OP 11	Ruthven	OP 176	Gaige
OP 12	Ruthven & Thompson	OP 177	Ruthven
OP 14	Ruthven	OP 178	Ruthven
OP 16	Ruthven	OP 179	Ruthven
OP 17	Gaige	OP 186	Jones
OP 18	Thompson	OP 187	Parker
OP 19	Ruthven	OP 188	Ruthven
OP 20	Ruthven	OP 189	Burt
OP 21	Ruthven	OP 191	Ruthven
OP 22	Ruthven	OP 195	Stull
OP 28	Ruthven	OP 196	Burt
OP 30	Ruthven	OP 201	Burt
OP 32	Ruthven	OP 205	Stull
OP 33	Ruthven	OP 206	Ruthven
OP 34	Ruthven	OP 207	Gaige
OP 39	Ruthven	OP 211	Werner
OP 40	Gaige	OP 236	Stuart
OP 43	Ruthven	OP 237	Krull & Price
OP 44	Barbour	OP 241	Ruthven & Stuart
OP 47	Ruthven	OP 243	Ruthven
OP 62	Case	OP 244	Stuart
OP 66	Ruthven	OP 246	Mosauer
OP 69	Ruthven	OP 250	Stull
OP 70	Blanchard	OP 251	Dunn
OP 76	Barbour	OP 254	Stuart
OP 81	Blanchard	OP 257	Ruthven
OP 82	Case	OP 259	Allen
OP 84	Gaige	OP 260	Ruthven & Gaige
OP 87	Blanchard	OP 263	Gaige
OP 103	Ruthven	OP 267	Stull
OP 107	Gaige	OP 272	Brandt & Walker
OP 117	Blanchard	OP 277	Hartweg
OP 122	Ruthven	OP 281	Gaige & Stuart
OP 126	Blanchard	OP 283	Gloyd & Conant
OP 129	Barbour	OP 284	Stuart
OP 131	Barbour	OP 287	Gloyd & Conant
OP 132	Barbour	OP 289	Campbell
OP 136	Ruthven & Gaige	OP 290	Clanton
OP 139	Ortenburger	OP 292	Stuart
OP 140	Blanchard	OP 307	Ruthven & Gaige
OP 142	Blanchard	OP 309	Stuart
OP 143	Ruthven	OP 310	Stuart
OP 147	Ruthven & Gaige	OP 313	Dunn & Stuart
OP 149	Ruthven	OP 322	Gloyd
OP 150	Blanchard	OP 323	Stuart

OP 324	Burt	OP 543	Martin
OP 325	Gloyd	OP 546	Cagle
OP 327	Goff	OP 548	Mosimann & Rabb
OP 328	Conant & Bailey	OP 554	Peters
OP 329	Mosauer	OP 555	deCarvalho
OP 330	Ruthven	OP 560	Duellman
OP 337	Gloyd	OP 561	Walker & Test
OP 346	Conant & Clay	OP 563	Rabb & Mosimann
OP 348	Carr	OP 564	Walker
OP 353	Dunn	OP 567	Walker
OP 356	Hartweg & Oliver	OP 569	Duellman
OP 357	Gaige, Hartweg & Stuart	OP 570	Duellman & Werler
OP 358	Smith	OP 571	Bailey
OP 359	Hartweg & Oliver	OP 574	Duellman
OP 360	Oliver	OP 575	Martof
OP 361	Smith	OP 577	Test
OP 362	Bailey	OP 583	Dowling
OP 363	Dunkle & Smith	OP 584	Thompson
OP 364	Bailey	OP 587	Rabb
OP 370	HersHKovitz	OP 589	Duellman
OP 371	Hartweg	OP 592	Uzzell
OP 372	Walker	OP 594	Duellman
OP 387	Smith	OP 597	Uzzell
OP 388	Smith	OP 598	Duellman & Duellman
OP 390	Hartweg & Oliver	OP 601	Hartweg
OP 397	Hartweg	OP 605	Duellman
OP 409	Stuart	OP 606	Uzzell
OP 412	Bailey	OP 642	Adler
OP 421	Stuart	OP 647	Zug
OP 437	Hartweg	OP 649	McCoy & Walker
OP 438	Hartweg & Orton	OP 656	Ballinger & Tinkle
OP 442	Stuart & Bailey	OP 669	Gans & Lehman
OP 444	Woodall	OP 678	Lynch
OP 451	Bishop	OP 682	Nussbaum
OP 452	Stuart	OP 685	Downs
OP 455	Stuart	OP 686	Collins & Wilbur
OP 460	Myers	OP 687	Nussbaum
OP 462	Oliver	OP 688	Kluge
OP 464	Stuart	OP 690	Duellman
OP 470	Grobman	OP 691	Greer & Kluge
OP 471	Stuart	OP 695	Tilley
OP 472	Orton	OP 697	Lynch
OP 286	Hartweg	OP 700	La Marca & Smith
OP 492	Bailey	OP 704	Harris
OP 493	Dunn	OP 706	Harris & Kluge
OP 497	Hartweg & Tihen	OP 709	Kraus
OP 508	Peters	OP 711	Lynch & Ruiz-Carranza
OP 510	Conant & Goin	OP 713	Nussbaum
OP 537	Peters	OP 715	Tolson
OP 539	Peters		
OP 540	Dowling		
OP 541	Dowling		

OP 716	Nussbaum & Wilkinson	MP 145	Ballinger & Tinkle
MP 8	Ruthven	MP 147	Kluge
MP 29	Stuart	MP 148	Pace
MP 47	Hartweg & Oliver	MP 149	Nussbaum
MP 49	Stuart	MP 152	Kluge
MP 50	Grobman	MP 154	Tinkle & Gibbons
MP 56	Stuart	MP 158	Dunham
MP 61	Cagle	MP 160	Kluge
MP 69	Stuart	MP 166	Kluge
MP 76	Dowling	MP 167	Kluge
MP 91	Stuart	MP 169	Nussbaum
MP 94	Oelrich	MP 173	Kluge
MP 96	Duellman	MP 178	Kluge
MP 97	Mosimann	MP 181	Duellman & Campbell
MP 101	Martin	MP 182	Raxworthy &
MP 110	Starrett		Nussbaum
MP 111	Duellman & Wellman	MP 183	Kluge & Nussbaum
MP 112	Savage	LVB 45	Stuart
MP 114	Peters	LVB 49	Stuart
MP 122	Stuart	LVB 65	Stuart
MP 128	Test, Sexton & Heatwole	LVB 68	Stuart
MP 131	Downs	LVB 75	Stuart
MP 132	Tinkle		
MP 138	Kluge		
MP 142`	Zug		

SCIENTIFIC NAME INDEX

- Ablabes gracilis MP 122: 122.
 Ablepharus pannonicus OP 211: 18.
 Abronia MP 101: 63.
 Abronia aurita MP 122: 81.
 Abronia matudai OP 539: 32; MP 167: 2.
 Abronia taeniata MP 101: 66.
 Abronia vasconcelosii MP 122: 81; LVB 49: 60.
 Achalinus loochooensis OP 44: 4.
 Achalinus werneri OP 44: 5.
 Achalinus spinalis OP 44: 3.
 Aclys MP 147: 46; MP 152: 69.
 Aclys **concinna** MP 147: 46, 189; MP 152: 69.
 Acris crepitans OP 686: 14.
 Acris gryllus OP 66: 2; OP 117: 4; OP 189: 3.
 Acrantophis MP 178: 6.
 Acrantophis dumerili MP 178: 6, 56.
 Acrantophis madagascariensis MP 178: 8, 56.
 Acrochordidae MP 154: 15.
 Acrochordus granulatus MP 178: 57.
 Acrochordus javanicus MP 178: 57.
 Acrodytes MP 96: 7.
 Acrodytes inflata OP 554: 7; OP 560: 20; MP 9: 19.
 Acrodytes modesta MP 96: 25; MP 122: 37.
 Acrodytes spilomma MP 96: 28; MP 122: 37.
 Acrodytes venulosa MP 96: 36.
 Adelphichis foxi MP 167: 48.
 Adelphichis quadrivirgatus MP 69: 78; MP 122: 88.
 Adelphichis quadrivirgatus OP 292: 15; MP 29: 51; MP 101: 67.
 Adelphichis quadrivirgatus sargi MP 122: 88.
 Adelphichis quadrivirgatus visoninus MP 69: 78; LVP 75: 9, 11, 25.
 Adelphichis **veraepacis** OP 452: 5; OP 539: 41; MP 69: 78; MP 122: 89; MP 167: 48.
 Adelphichis veraepacis nigrilatus OP 497: 14.
 Adelphichis veraepacis veraepacis OP 471: 23; OP 539: 41; MP 69: 78; MP 122: 89; MP 167: 48; LVB 45: 24.
 Adenomera bokermanni MP 166: 22.
 Adenomera marmorata MP 166: 22.
 Aeluroscalabotes MP 173: 43; MP 183: 1.
 Aeluroscalabotes felinus MP 183: 20.
 Afrocaecilia taitana MP 166: 2.
 Afrocaecilia uluguruensis MP 166: 2.
 Afroedura MP 173: 43; MP 183: 1.
 Afroedura pondolia MP 183: 20.
 Afroedura transvaalica MP 183: 20.
 Agalychnis callidryas MP 69: 35; MP 122: 38; MP 160: 74; LVB 45: 22; LVB 75: 11, 18.
 Agalychnis dacnicolor OP 360: 5; OP 554: 7; OP 560: 20; OP 589: 14.
 Agalychnis moreletii OP 388: 9; OP 471: 16; MP 69: 36; MP 122: 38; LVB 45: 22.
 Agama agama MP 132: 27; MP 154: 23.
 Agama agama dodomae MP 167: 2.
 Agama agama elgonis MP 167: 2.
 Agama agama kaimosae OP 539: 23; MP 167: 2.
 Agama agama turuensis OP 539: 23; MP 167: 2.
 Agama collaris OP 196: 2.
 Agama cristata MP 122: 66.
 Agama cristatus MP 69: 52.
 Agama cyanogaster MP 154: 26.
 Agama lionotus dodomae OP 539: 23; MP 167: 2.
 Agama lionotus mwanzae OP 539: 23; MP 167: 2.
 Agama planiceps caudospinosa MP 167: 2.
 Agama planiceps mwanzae MP 167: 2.
 Agama stellio OP 211: 6.
 Agamidae MP 154: 14.
 Agamura MP 173: 43; MP 183: 1.
 Agamura persica MP 183: 20.
 Agkistrodon MP 122: 128.
 Agkistrodon MP 154: 15.
 Agkistrodon acutus MP 154: 39.
 Agkistrodon bilineatus OP 360: 25; MP 101: 77; MP 122: 128.
 Agkistrodon bilineatus bilineatus OP 560: 18; OP 589: 17; MP 122: 128.
 Agkistrodon bilineatus russeolus MP 167: 48.
 Agkistrodon bilineatus taylori MP 101: 77.
 Agkistrodon contortrix MP 154: 29.
 Agkistrodon contortrix laticinctus OP 539: 41; MP 167: 48.
 Agkistrodon contortrix phaeogaster MP 167: 48.
 Agkistrodon contortrix pictigaster OP 539: 41; MP 167: 48.
 Agkistrodon mokasen OP 117: 16; OP 189: 8; OP 283: 1; MP 122: 128.
 Agkistrodon mokasen **laticinctus** OP 283: 2; OP 539: 41; MP 167: 48.
 Agkistrodon mokasen pictigaster OP 539: 41; MP 167: 48.
 Agkistrodon piscivorus OP 117: 16; MP 154: 28.
 Agkistrodon rhodostoma MP 154: 22, 39.
 Ahaetulla diplotropis OP 462: 9.
 Ahaetulla modesta OP 462: 17; MP 122: 105.
 Ahaetulla nigromarginatus OP 462: 4.
 Ahaetulla occidentalis OP 462: 14.
 Ailuronyx MP 173: 43; 183: 1.
 Ailuronyx seychellensis 183: 20.
 Alligator punctulatus MP 122: 132.
Allophryne OP 176: 1.
 Allophryne **ruthveni** OP 176: 2; OP 539: 10; MP 166: 22.
 Alopocosa cuneirostris MP 147: 135.
 Alopocosa cuneirostris inornata MP 147: 135.
 Alopoglossus OP 592: 2.
 Alopoglossus **amazonius** OP 153: 1; OP 539: 23; MP 167: 3.
 Alopoglossus angulatus MP 167: 3.
 Alopoglossus buckleyi OP 153: 3.
 Alopoglossus carinicaudatus OP 153: 3.
 Alopoglossus copei OP 153: 3.
 Alopoglossus festae OP 153: 3.
 Alsophis OP 251: 2; OP 715: 40.
 Alsophis angulifer OP 539: 41; MP 154: 25.
 Alsophis angulifer ruttyi MP 167: 49.
 Alsophis bruesi MP 49: 59.
 Alsophis cantherigerus ruttyi MP 167: 49.
 Alsophis cinereus OP 132: 6.
 Alsophis nicholsi OP 539: 41; MP 167: 49.
 Alsophis portoricensis nicholsi MP 167: 49.
 Alsophis portoricensis prymnus MP 167: 49.
 Alsophis pulcher MP 49: 53.
 Alsophis rufiventris OP 132: 7.
 Alsophis vudii raineyi MP 167: 49.
 Alsophylax MP 173: 43.
 Amastridium saperi MP 69: 84.
 Amastridium sapperi MP 101: 67; MP 122: 89; LVB 45: 24.
 Amastridium veliferum MP 122: 89.
 Amblycephalidae MP 114: 12.
 Amblycephalus MP 114: 13.
 Amblycephalus carinatus MP 154: 23.
 Amblyrhynchus cristatus MP 154: 26.
 Amblystoma atterimum MP 149: 5.
 Amblystoma tenebrosus MP 149: 5.
 Ambystoma OP 709: 1.

- Ambystoma californiense* MP 169: 11.
Ambystoma cingulatum MP 169: 18.
Ambystoma cingulatum bishopi OP 539: 3; MP 166: 4.
Ambystoma ensatum MP 149: 5.
Ambystoma gracile MP 149: 73; MP 169: 11, 13, 18, 25.
Ambystoma granulosum MP 166: 5.
Ambystoma jeffersonianum OP 18: 3; OP 290: 1; OP 685: 1; OP 709: 1; MP 169: 18.
Ambystoma lacustris MP 166: 5.
Ambystoma laterale OP 685: 1; OP 686: 12; OP 709: 1.
Ambystoma laterale-texanum OP 709: 13.
Ambystoma mabeei MP 169: 18.
Ambystoma macrodactylum OP 539: 4; MP 169: 11, 12.
Ambystoma macrodactylum croceum MP 169: 11, 25.
Ambystoma macrodactylum krausei MP 166: 5.
Ambystoma macrodactylum sigillatum MP 169: 25.
Ambystoma microstomum OP 117: 3.
Ambystoma maculatum OP 686: 12; MP 169: 11, 16, 18.
Ambystoma nothagenes OP 709: 14.
Ambystoma opacum OP 117: 3; OP 328: 3; OP 686: 13; MP 169: 11, 18.
Ambystoma ordinarium MP 169: 22.
Ambystoma platineum OP 685: 1; OP 709: 1.
Ambystoma punctatum OP 18: 3.
Ambystoma rosaceum MP 169: 22.
Ambystoma stejnegeri OP 539: 4.
Ambystoma subsalsum MP 166: 5.
Ambystoma stejnegeri MP 166: 5.
Ambystoma talpoideum OP 117: 3; MP 169: 11.
Ambystoma taylori MP 166: 5.
Ambystoma texanum OP 685: 26; OP 686: 13; OP 709: 4.
Ambystoma tigrinum OP 66: 2; OP 189: 2; OP 243: 2; OP 246: 4; OP 686: 12; OP 709: 5; MP 149: 5; MP 169: 9, 11, 13, 18, 25.
Ambystoma tigrinum subsp. OP 569: 2.
Ambystoma tigrinum californiense MP 169: 11.
Ambystoma tigrinum diaboli OP 539: 4; MP 166: 5.
Ambystoma tigrinum nebulosum OP 569: 2.
Ambystoma tigrinum tigrinum OP 709: 4.
Ambystoma tigrinum velasci OP 569: 2.
Ambystoma tremblayi OP 685: 1; OP 686: 12; OP 709: 1.
Ambystomatidae MP 149: 1; MP 169: 3, 18.
Ameiva OP 715: 40; MP 122: 76.
Ameiva ameiva bilineata OP 539: 23; MP 167: 3.
Ameiva ameiva maculata MP 8: 60.
Ameiva ameiva praesignis OP 539: 23; MP 128: 19; MP 167: 3.
Ameiva anomala MP 167: 3.
Ameiva auberi granti MP 167: 3.
Ameiva auberi sabulicolor MP 167: 3.
Ameiva auberi ustulata MP 167: 3.
Ameiva bifrontata OP 2: 1; OP 143: 7; OP 149: 1; OP 155: 1; MP 8: 48, 61.
Ameiva bifrontata concolor OP 155: 3; OP 539: 23; MP 167: 3.
Ameiva bifrontata divisus MP 8: 48, 60.
Ameiva birdorum OP 539: 23; MP 167: 4.
Ameiva chaizami OP 539: 23; MP 69: 56; MP 122: 77; MP 167: 4; LVB 45: 22.
Ameiva chrysolema secessa MP 167: 4.
Ameiva concolor OP 155: 6.
Ameiva divisus OP 2: 1; OP 155: 2.
Ameiva edwardsii MP 69: 56; MP 122: 77.
Ameiva eleanorae OP 539: 24.
Ameiva erythrocephala OP 132: 6.
Ameiva erythrops OP 132: 5.
Ameiva exsul exsul MP 167: 4.
Ameiva festiva OP 129: 9; OP 292: 11; OP 357: 11; MP 29: 46; MP 69: 56; MP 122: 77.
Ameiva festiva edwardsii OP 471: 19, 21; MP 59: 56; MP 122: 77; LVB 45: 22; LVB 75: 8.
Ameiva festiva festiva OP 471: 21.
Ameiva festiva miadis OP 539: 24; MP 167: 4;
Ameiva festivus MP 69: 56; MP 122: 77.
Ameiva garmani OP 132: 6.
Ameiva griswoldi OP 132: 6.
Ameiva insulana OP 149: 1; OP 155: 2.
Ameiva maculata MP 8: 48.
Ameiva maynardi OP 715: 59.
Ameiva nevisana OP 132: 5.
Ameiva quadrilineata OP 310: 3; MP 132: 28.
Ameiva undulata OP 292: 5; OP 310: 3; OP 359: 7; MP 29: 46; MP 47: 16; MP 69: 57; MP 101: 65; MP 122: 77; MP 167: 4.
Ameiva undulata gaigeae OP 539: 24; MP 122: 77; MP 167: 4; LVB 75: 7, 9, 11, 23.
Ameiva undulata hartwegi MP 69: 57; MP 122: 77; LVB 45: 22; LVB 68: 55.
Ameiva undulata parva OP 292: 11; OP 388: 4; MP 122: 77; LVB 68: 56.
Ameiva undulata quadrilineata OP 129: 9.
Ameiva undulata podarga OP 539: 24; MP 101: 65; MP 167: 5.
Ameiva undulata sinistra OP 539: 24; OP 554: 18; OP 560: 20; OP 589: 16; MP 167: 5.
Ameiva undulata stuarti OP 471: 21; OP 649: 7.
Ameiva undulata thomasi MP 122: 78.
Ameiva undulata undulata OP 360: 16; OP 388: 4, 16.
Ameiva undulata subsp. LVB 65: 20.
Ameiva undulata var. A, MP 122: 77.
Ameiva wetmorei MP 167: 5.
Ameiva wetmorei eleanorae OP 539: 24; MP 167: 5.
Amphibolurus inermis MP 154: 25.
Amphibolurus maculosus MP 154: 24.
Amphibolurus muricatus MP 132; 27.
Amphiesma vibakari MP 154: 39.
Amphignathodon guentheri OP 690: 2.
Amphisbaena OP 669: 1; OP 715: 40.
Amphisbaena alba MP 128: 34.
Amphisbaena fuliginosa MP 8: 64.
Amphisbaena pericensis MP 167: 5.
Amphisbaena rondoensis OP 539: 25; MP 167: 6.
Amphisbaena stejnegeri OP 122: 1; OP 539: 25; MP 167: 6.
Amphisbaena xera MP 167: 6.
Amphisbaenidae MP 128: 34; MP 154: 15.
Amyda OP 510: 11.
Amyda coromandelicus OP 510: 14.
Amyda mutica OP 117: 18; OP 189: 9.
Amyda spinifera OP 117: 18; OP 189: 9.
Amyda spinifera aspera OP 510: 1.
Amyda spinifera hartwegi OP 510: 1; OP 539: 54; MP 167: 79.
Amyda spinifera spinifera OP 510: 1.
Anadia pulchella OP 177: 1; OP 539: 25; MP 167: 6.
Anadia rhombifera OP 177: 3.
Ancistrodon bilineatus MP 122: 128.
Andrias japonicus MP 169: 3, 18, 25.
Aneides ferreus MP 149: 74.
Aneides flavipunctatus MP 149: 75.
Anguidae MP 122: 80; MP 154: 14.
Anguis fragilis MP 132: 28; MP 154: 28.
Anguis lumbricalis MP 122: 85.

- Anguis platyrus MP 122: 125.
 Anholodon MP 114: 141.
 Anholodon mikani MP 114: 148.
 Anilioids MP 178: 1.
 Anilius MP 178: 1.
 Anilius scytale MP 178: 55.
 Anniella pulchra MP 154: 29.
 Anniellidae MP 154: 15;
 Anolis MP 91: 1; MP 122: 60.
 Anolis adleri MP 167: 6.
 Anolis aeneus OP 143: 6; MP 167: 6.
 Anolis albipalpebralis OP 539: 25; MP 167: 6.
 Anolis alligator OP 143: 5.
 Anolis allisoni OP 539: 25; MP 167: 6.
 Anolis angusticeps paternus MP 167: 6.
 Anolis asper OP 539: 25; MP 167: 6.
 Anolis aureolus OP 292: 9; OP 388: 3, 13; OP 471: 18; MP 29: 41; MP 91: 19; MP 122: 64.
 Anolis baccatus MP 69: 49; MP 91: 25.
 Anolis bahorucoensis MP 167: 7.
 Anolis **barbudensis** OP 132: 4.
 Anolis beckeri MP 122: 65.
 Anolis bimaculatus OP 132: 3.
 Anolis bimaculatus bimaculatus MP 167: 7.
 Anolis biporcatus OP 292: 9; OP 388: 14; MP 29: 41; MP 69: 46; MP 91: 13, 18, 19; MP 122: 61; LVB 45: 22; LVB 75: 8, 9, 11, 20.
 Anolis bocourti OP 539: 25; MP 167: 7.
 Anolis **bonariensis** OP 143: 4; OP 539: 25; MP 167: 7.
 Anolis bourgeaei MP 69: 49; MP 91: 19; MP 122: 64.
 Anolis bourgeaui MP 91: 19.
 Anolis bouvieri MP 91: 29; MP 122: 59.
 Anolis bouvierii MP 91: 29.
 Anolis bransfordii OP 357: 9.
 Anolis brevirostris caudalis MP 167: 7.
 Anolis brunneus OP 715: 59.
 Anolis bullaris MP 122: 59.
 Anolis capito OP 357: 8; OP 471: 18; MP 29: 42; MP 69: 47; MP 91: 13; MP 122: 61; LVB 45: 22; LVB 75: 8.
 Anolis (Draconura) capito MP 69: 47; MP 91: 13.
 Anolis carneus MP 69: 47; MP 91: 13; MP 122: 61.
 Anolis carolinensis MP 101: 57; MP 122: 59; MP 132: 27; MP 154: 20.
 Anolis carolinensis lernerii MP 167: 7.
 Anolis cepedii OP 143: 6.
 Anolis cepedii cinereus MP 167: 7.
 Anolis cepedii extremus MP 167: 7.
 Anolis cepedii gentilis MP 167: 7.
 Anolis chloris MP 167: 7.
 Anolis chrysolepis MP 167: 8.
 Anolis cinereus OP 539: 25.
 Anolis **cobanensis** OP 464: 6; OP 539: 26; MP 69: 47; MP 91: 14, 29; MP 122: 62; MP 167: 8; LVB 45: 22.
 Anolis conspersus OP 539: 26; MP 167: 8.
 Anolis conspersus conspersus OP 539: 26; MP 167: 8.
 Anolis conspersus lewisi OP 539: 26; MP 167: 8.
 Anolis cooki MP 167: 8.
 Anolis copei OP 32: 5; OP 310: 3; OP 357: 9; MP 29: 42; MP 69: 46; MP 91: 13; MP 122: 61.
 Anolis **cortezi** OP 464: 8; OP 539: 26; MP 69: 47; MP 91: 20, 30; MP 122: 64; MP 167: 8; LVB 45: 22.
 Anolis crassulus OP 310: 3; OP 464: 2; OP 471: 18; OP 497: 14; MP 69: 47; MP 91: 15; MP 122: 62.
 Anolis crassulus [crassulus] MP 122: 62.
 Anolis crassulus crassulus MP 91: 15; LVB 49: 54; LVB 68: 52.
 Anolis crassulus haguei OP 539: 26; MP 69: 47; MP 91: 15; MP 122: 62; MP 167: 8; LVB 45: 22.
 Anolis cristatellus cooki OP 539: 26.
 Anolis cristatellus wileyi OP 539: 26; MP 167: 8.
 Anolis cummingi MP 91: 26.
 Anolis cupreus MP 91: 15; MP 122: 62.
 Anolis cybotes doris OP 539: 26; MP 167: 9.
 Anolis distichus biminiensis MP 167: 9.
 Anolis distichus caudalis OP 539: 26.
 Anolis dollfusianus MP 91: 16; MP 122: 63.
 Anolis dominicensis caudalis OP 539: 26; MP 167: 9.
 Anolis doris OP 539: 26; MP 167: 9.
 Anolis dunni MP 69: 50.
 Anolis extremus OP 539: 27; MP 167: 9.
 Anolis ferreus MP 167: 9.
 Anolis **forresti** OP 132: 4; OP 539: 27; MP 167: 9.
 Anolis fraseri MP 91: 13.
 Anolis **gaigei** OP 32: 6; OP 539: 27; MP 8: 58; MP 167: 9.
 Anolis gentilis OP 539: 27.
 Anolis gingivinus OP 132: 4; OP 539: 29; MP 167: 10.
 Anolis godmani MP 122: 59.
 Anolis gorgonae OP 539: 27; MP 167: 10.
 Anolis granuliceps OP 539: 27; MP 167: 10.
 Anolis griseus OP 539: 27; MP 167: 10.
 Anolis **haguei** OP 464: 3; OP 539: 27; MP 69: 47; MP 122: 62; MP 167: 10.
 Anolis heliactin MP 91: 22, 26.
 Anolis heteropholidotus MP 91: 14, 29.
 Anolis homolechis MP 167: 10.
 Anolis humilis OP 292: 9; OP 310: 1; OP 357: 9; OP 464: 2; MP 69: 48; MP 91: 17; MP 122: 63.
 Anolis humilis edwardsii MP 69: 48.
 Anolis humilis uniformis OP 539: 28; MP 69: 48; MP 91: 17, 27; MP 122: 63; LVB 45: 22; LVB 75: 8, 9, 12, 21.
 Anolis incompertus incompertus OP 539: 27; MP 167: 10.
 Anolis intermedius MP 69: 50; MP 91: 17, 20; MP 122: 64.
 Anolis jacobii MP 91: 23, 26.
 Anolis jubar oriens MP 167: 11.
 Anolis **kidderi** OP 257: 1; OP 388: 14; OP 539: 28; MP 91: 28; MP 167: 11.
 Anolis laeviventris MP 69: 50; MP 91: 17; MP 122: 63; MP 167: 11; LVB 49: 55.
 Anolis latifrons OP 129: 5.
 Anolis lemurinus OP 357: 9; MP 91: 18.
 Anolis lemurinus bourgeaei MP 69: 49; MP 91: 19; MP 122: 64; MP 167: 11; LVB 45: 22; LVB 75: 7, 9, 12, 21.
 Anolis lemurinus lemurinus MP 91: 18; MP 122: 63.
 Anolis (Gastrotropis) lemurinus MP 91: 18; MP 122: 63.
 Anolis limifrons OP 357: 9; MP 154: 20.
 Anolis limifrons rodriguezii MP 69: 49; MP 91: 19; MP 122: 64; LVB 45: 22; LVB 75: 11, 21.
 Anolis lineatopus coxi OP 539: 28; MP 167: 11.
 Anolis lineatopus lineatopus MP 167: 11.
 Anolis lineatopus neckeri OP 539: 28; MP 167: 11.
 Anolis lineatus OP 143: 7.
 Anolis liogaster MP 167: 11.
 Anolis lionotus OP 357: 9.

- Anolis lividus* OP 539: 28; MP 167: 11.
Anolis loveridgei OP 539: 28; MP 69: 51; MP 167: 11.
Anolis macrophallus MP 91: 15; MP 122: 62.
Anolis mariarum OP 539: 28; MP 167: 11.
Anolis marmoratus speciosus MP 167: 12.
Anolis mayeri OP 539: 28; MP 167: 12.
Anolis metallicus MP 29: 42; MP 91: 27.
Anolis moorei OP 539: 28.
Anolis nannodes MP 69: 50; MP 91: 17, 20; MP 122: 64; LVB 45: 22.
Anolis nebuloides OP 554: 11; MP 47: 14; MP 69: 50.
Anolis nebulosus OP 257: 2; OP 360: 9; OP 554: 11; OP 598: 8; OP 560: 9; OP 589: 16; MP 69: 50.
Anolis nelsoni OP 539: 28; MP 167: 12.
Anolis nitens MP 128: 13.
Anolis nubilus MP 167: 12.
Anolis occultus MP 167: 12.
Anolis ortonii MP 91: 29.
Anolis palpebrosus MP 91: 18, 25.
Anolis paternus paternus MP 167: 12.
Anolis patricius MP 167: 12.
Anolis (Coccoesus) pentaprion MP 91: 20.
Anolis pentaprion OP 357: 10; MP 91: 20; MP 122: 65; LVB 45: 22; LVB 75: 21.
Anolis pentaprion beckeri MP 122: 65; LVP 75: 8, 9, 21.
Anolis petersi MP 91: 13, 21; MP 122: 65.
Anolis petersii OP 310: 3; MP 69: 51; MP 91: 21; MP 122: 65; LVB 45: 22.
Anolis petersii bivittata MP 91: 21; MP 122: 65.
Anolis princeps OP 129: 6.
Anolis quagagulus OP 357: 9; MP 69: 48.
Anolis richardi MP 167: 12.
Anolis richardii OP 539: 29.
Anolis rodriguezi MP 91: 19.
Anolis rodriguezii MP 69: 49; MP 122: 64.
Anolis roquet OP 143: 6; OP 539: 27.
Anolis ruthveni OP 310: 1; OP 464: 2; OP 471: 18; OP 539: 28; MP 29: 42; MP 69: 48; MP 91: 17; MP 122: 63; MP 167: 12.
Anolis sabanus OP 539: 29; MP 167: 1.
Anolis sagrae MP 91: 22.
Anolis sagrei OP 388: 3, 14; MP 122: 65.
Anolis sagrei mayensis MP 91: 22; MP 122: 65.
Anolis sagrei nelsoni MP 167: 13.
Anolis sagrei sagrei MP 91: 22; MP 122: 65.
Anolis sallaei OP 292: 10; OP 257: 2; MP 69: 51; MP 91: 23, 25, 26; MP 122: 65.
Anolis salvini OP 464: 9; MP 91: 29; MP 122: 59.
Anolis schiedi MP 91: 14.
Anolis schiedii OP 464: 5; MP 91: 14.
Anolis schmidtii OP 554: 11; OP 560: 20; OP 589: 10; 16.
Anolis scriptus OP 715: 59; MP 167: 13.
Anolis sericeus MP 29: 43; MP 47: 14; MP 69: 51; MP 91: 22, 25, 28; MP 101: 56; MP 122: 65; MP 167: 13; LVB 45: 22; LVB 68: 52; LVB 75: 7.
Anolis sericeus sericeus MP 91: 25.
Anolis sericeus wellbornae MP 91: 26.
Anolis shrevei MP 167: 13.
Anolis smaragdinus lernerii MP 167: 13.
Anolis sminthus MP 91: 15.
Anolis solifer OP 32: 4; MP 8: 58.
Anolis solitarius OP 32: 2; OP 539: 29; MP 8: 58; MP 167: 13.
Anolis speciosus OP 539: 29; MP 167: 13.
Anolis squamulatus OP 129: 5; MP 128: 16.
Anolis stigmatus OP 129: 6.
Anolis stuarti MP 91: 20; MP 122: 64.
Anolis subocularis MP 167: 13.
Anolis tigrinus MP 128: 13.
Anolis trinitatis MP 167: 13.
Anolis tropidogaster MP 167: 13.
Anolis tropidonotus OP 292: 9; OP 310: 3; OP 388: 3, 14; MP 29: 42; MP 91: 24, 27; MP 122: 66; LVB 68: 52; LVP 75: 7, 11, 22.
Anolis tropidonotus tropidonotus MP 122: 66.
Anolis trossulus OP 539: 29; MP 167: 13.
Anolis uniformis OP 310: 3; OP 464: 1; OP 471: 18; MP 29: 42; MP 69: 48; MP 91: 15, 17; MP 122: 63; MP 167: 13; LVB 49: 54.
Anolis ustus OP 257: 2; OP 464: 9; MP 91: 28; MP 122: 66; LVP 75: 12, 22.
Anolis ustus ustus OP 292: 10; OP 388: 14; MP 29: 43; MP 91: 28.
Anolis ustus veraepacis MP 69: 51; MP 91: 19, 25; MP 122: 64.
Anolis ustus verae-pacis OP 539: 29; MP 69: 49; MP 167: 13.
Anolis ustus wellbornae MP 91: 26.
Anolis vincenti OP 539: 29.
Anolis vincentii MP 167: 13.
Anolis virgatus OP 539: 29; MP 167: 14.
Anolis wattsi forrestii MP 167: 14.
Anolis wiegmanni MP 91: 17.
Anolis bilabialis MP 167: 14.
Anothea coronata MP 110: 25, 32.
Aparralactus MP 154: 15.
Aplopeltura MP 114: 13.
Aplopeltura boa MP 154: 24.
Apostolepis ambiniger MP 167: 49.
Apostolepis dorbignyi OP 188: 2.
Apostolepis nigroterminata OP 188: 2.
Apostolepis tenius OP 188: 1; OP 539: 41; MP 167: 49.
Aprasia MP 147: 45, 48; MP 173: 43; MP 183: 1.
Aprasia aurita MP 147: 49; MP 152: 70; MP 167: 14, 189; MP 183: 20.
Aprasia brevirostris MP 147: 58.
Aprasia inaurita MP 147: 51; MP 152: 70; MP 167: 14.
Aprasia octolineata MP 147: 69.
Aprasia parapulchella MP 147: 53; MP 152: 70; MP 167: 14, 189; MP 183: 20.
Aprasia pseudopulchella MP 147: 56; MP 152: 70; MP 167: 14, 189; MP 183: 20.
Aprasia pulchella MP 147: 48, 57, 189; MP 152: 70; MP 183: 20.
Aprasia pulchella var. *lineolata* MP 147: 69.
Aprasia pulchella var. *striolata* MP 147: 69.
Aprasia repens MP 147: 61, 190; MP 152: 70; MP 183: 20.
Aprasia repens rostrata MP 147: 65.
Aprasia rostrata MP 147: 65, 190; MP 152: 70.
Aprasia smithi MP 147: 66, 190; MP 152: 70.
Aprasia striolata MP 147: 69, 191; MP 152: 70; MP 183: 20.
Aprasia striolata glauerti MP 147: 69.
Aprasiadae MP 147: 45.
Aprasiaini MP 152: 69.
Arcovomer OP 555: 8.
Arcovomer passarellii OP 555: 9.
Argalia marmorata MP 128: 19.
Aristelliger OP 715: 40; MP 173: 43.
Aristelliger cochraniae OP 539: 29; MP 167: 14; MP 183: 20.
Aristelliger cochraniae cochraniae MP 167: 14.
Aristelliger georgeensis 183: 20.

- Aristelliger hechti* MP 167: 14.
Aristelliger praesignis 183: 20.
Arizona elegans MP 132: 15; MP 154: 24.
Arizona elegans elegans OP 150: 1.
Arizona elegans occidentalis OP 150: 1.
Arizona lineaticollis MP 167: 49; LVB 49: 62.
Arthroleptis bequaerti OP 539: 10; MP 166: 22.
Arthroleptis muta MP 166: 22.
Asaccus MP 173: 43.
Ascaphus OP 372: 8.
Ascaphus truei OP 84: 1; MP 149: 73.
Aspidites melanocephalus MP 178: 57.
Aspidites ramsayi MP 178: 57.
Aspis MP 154: 15.
Asthenognathus MP 114: 169.
Atelopus OP 711: 3.
Atelopus arthuri MP 166: 22.
Atelopus carrikeri OP 22: 1; OP 539: 10; MP 8: 14, 50; MP 166: 22.
Atelopus certus MP 166: 23.
Atelopus chiriquiensis OP 539: 10; MP 166: 23.
Atelopus cruciger vogli OP 539: 11; MP 166: 23.
Atelopus elegans OP 539: 11.
Atelopus gracilis OP 539: 11; MP 166: 23.
Atelopus ignescens OP 22: 1; MP 8: 50.
Atelopus mindoensis MP 166: 23.
Atelopus spurrelli certus OP 129: 12; OP 539: 11; MP 166: 23.
Atelopus spurrelli spurrelli OP 129: 12.
Atelopus varius OP 129: 12.
Atelopus varius certus OP 539: 11.
Atelopus walkeri MP 166: 24.
Atomarchus multimaculatus OP 584: 3.
Atractus MP 112: 1.
Atractus badius OP 493: 5; MP 8: 40; MP 112: 36, 47, 57.
Atractus bocourti MP 112: 43.
Atractus carrioni 112: 32.
Atractus chalybeus MP 131: 57.
Atractus collaris MP 112: 34, 38.
Atractus dubius MP 131: 84.
Atractus duboisi MP 112: 60.
Atractus dunni MP 112: 36.
Atractus ecuadorensis MP 112: 37, 38.
Atractus elaps MP 112: 39; MP 131: 42.
Atractus elaps tetrazonus MP 112: 39.
Atractus emmeli MP 131: 42.
Atractus erythromelas OP 493: 5.
Atractus gaigeae MP 112: 38, 43; MP 167: 49.
Atractus guentheri MP 131: 42.
Atractus indistinctus OP 493: 5.
Atractus iridescens OP 493: 2; MP 8: 66, 67.
Atractus iridescens MP 8: 40.
Atractus isthmicus MP 131: 42; 121.
Atractus latifrons MP 131: 42.
Atractus latifrontale MP 131: 101.
Atractus latifrontalis MP 131: 101; 104.
Atractus lehmanni MP 112: 38, 45.
Atractus longiceps MP 131: 104.
Atractus major MP 112: 47.
Atractus microhynchus MP 112: 38, 52.
Atractus modestus MP 112: 53.
Atractus multicinctus MP 112: 54.
Atractus occidentalis MP 112: 38, 57.
Atractus occipitoalbus MP 112: 33, 60.
Atractus orcesi MP 112: 60.
Atractus paucidens MP 112: 62.
Atractus (Atractopsis) paucidens MP 112: 62.
Atractus resplendens MP 112: 64.
Atractus roulei MP 112: 33, 66.
Atractus omiltemanus MP 131: 124.
Atractus paucidens MP 112: 38.
Atractus resplendens MP 112: 38.
Atractus reticulatus MP 131: 42.
Atractus sanctaemartae OP 493: 2; OP 539: 41; MP 167: 49.
Atractus semidoliatus MP 131: 133.
Atractus torquatus var. *resplendens* MP 112: 64.
Atractus vertebrolineatus OP 493: 5.
Atractus zebrinus MP 131: 121.
Audantia shrevei MP 167: 15.
Aulacoplax leptosoma MP 167: 15.
Babina OP 44: 1.
Bachia bicolor MP 8: 63.
Bachia cophias parkeri MP 167: 15.
Bachia dorbignyi MP 8: 63.
Bachia intermedia MP 167: 15.
Bachia parkeri OP 539: 29; MP 167: 15.
Bachia scolecoides MP 167: 15.
Bachia talpa OP 539: 29; MP 167: 15.
Bachia tridactylus MP 8: 64.
Barisia fimbriata MP 122: 81.
Barisia imbricata jonesi MP 167: 15.
Barisia moreleti fulva LVB 49: 58; LVB 68: 55.
Barisia moreleti rafaeli OP 539: 33; MP 122: 83; MP 167: 16; LVB 49: 58.
Barisia moreleti temporalis OP 539: 33; MP 167: 16.
Bascanion anthonyi MP 167: 50.
Bascanion constrictor flaviventris OP 8: 30.
Bascanion constrictor vetustum OP 8: 29.
Bascanion flagelliformis testaceus OP 363: 5.
Bascanion taeniatum OP 8: 26; OP 8: 28.
Bascanium schottii OP 287: 5.
Bascanium suboculare OP 541: 8; MP 69: 66; MP 122: 105.
Bascanium taeniatum laterale OP 287: 5.
Basiliscus americanus MP 122: 66.
Basiliscus barbouri OP 539: 30; MP 8: 59; MP 167: 16.
Basiliscus basiliscus barbouri MP 167: 17.
Basiliscus plumifrons OP 357: 10.
Basiliscus vittatus OP 292: 11; OP 357: 10; OP 360: 9; OP 388: 3, 15; OP 471: 19; OP 554: 12; OP 589: 16; MP 29: 44; MP 47: 14; MP 69: 52; MP 122: 66; MP 132: 27; LVB 45: 22; LVB 68: 52.
Basiliscus vittatus vittatus OP 560: 20.
Batagurinae OP 647: 5.
Batrachoseps attenuatus OP 589: 13; MP 149: 75.
Batrachoseps wrighti MP 149: 75.
Batrachuperus karlschmidti OP 539: 4; MP 166: 6.
Bavayia MP 173: 43; MP 183: 1.
Bavayia cyclura MP 183: 20.
Bdellophis OP 713: 13.
Bdellophis vittatus OP 713: 13.
Bipes lepidopus MP 147: 148.
Blasesodactylus MP 183: 1.
Blasesodactylus boivini MP 183: 20.
Blepharactis OP 409: 4.
Blepharactis speciosa OP 409: 4.
Boa MP 178: 8.
Boa annulata OP 357: 12.
Boa canina MP 178: 9.
Boa carinata MP 178: 8.
Boa cenchria MP 178: 9.
Boa constrictor MP 122: 84; MP 154: 16; MP 178: 8, 56.
Boa constrictor amarali MP 167: 50.
Boa constrictor imperator OP 589: 15; MP 122: 84; LVB 68: 58.
Boa contortrix MP 122: 128.

- Boa cooki* MP 8: 40.
Boa Enydris MP 178: 9.
Boa enydris cookii OP 357: 12.
Boa imperator MP 69: 62 MP 122: 84.
Boa melanura OP 195: 39.
Boa murina MP 178: 10.
Boa pardalis OP 195: 9, 23.
Boa scytale MP 178: 10.
Bogertia MP 173: 43.
Bogertia lutzae MP 167: 17.
Boidae OP 267: 1; MP 122: 84; MP 128: 36; MP 154: 15.
Boiga dendrophila MP 154: 25.
Boiga drapiezi MP 154: 26.
Boiga jaspidea MP 154: 26.
Boiga multimaculata MP 154: 24.
Boiga nigriceps MP 154: 25.
Bolitoglossa OP 711: 3; MP 122: 17.
Bolitoglossa cuchumatana MP 166: 6.
Bolitoglossa dofleini MP 122: 17.
Bolitoglossa dunni MP 166: 6.
Bolitoglossa engelhardti MP 166: 6.
Bolitoglossa epimela MP 166: 6.
Bolitoglossa flavimembris MP 166: 6.
Bolitoglossa franklini OP 649: 6.
Bolitoglossa franklini franklini MP 166: 6.
Bolitoglossa franklini nigrofavescens MP 166: 6.
Bolitoglossa galaenae OP 539: 4; MP 166: 6.
Bolitoglossa hartwegi MP 166: 6.
Bolitoglossa helmrichi MP 166: 6.
Bolitoglossa lincolni OP 649: 6; MP 166: 6.
Bolitoglossa moreleti LVB MP 122: 17; LVB 75: 9, 11, 16.
Bolitoglossa morio MP 166: 6.
Bolitoglossa mulleri MP 122: 18.
Bolitoglossa nigroflavescens OP 539: 4; OP 539: 5; MP 166: 6.
Bolitoglossa nigromaculata OP 539: 4; MP 166: 7.
Bolitoglossa occidentalis OP 539: 4; MP 122: 18; MP 166: 7.
Bolitoglossa odonnelli OP 539: 4; MP 166: 7.
Bolitoglossa resplendens OP 649: 1; MP 166: 7.
Bolitoglossa rufescens MP 122: 18.
Bolitoglossa salvini MP 122: 19.
Bolitoglossa savagei OP 711: 3; MP 166: 7.
Bolitoglossa schizodactyla MP 166: 8.
Bolitoglossa sooyorum MP 166: 8.
Bolitoglossa stuarti MP 166: 8.
Bolitoglossa walkeri MP 166: 8.
Bolitoglossa xolocalcae MP 166: 8.
Bolyeriines MP 178: 57.
Bolyeria multocarinata MP 178: 57.
Bothriechis aurifera MP 69: 88; MP 122: 130.
Bothriechis brachystoma OP 390: 7.
Bothriechis godmani LVB 49: 67.
Bothriechis godmanni MP 69: 87; MP 122: 129; LVB 49: 67.
Bothriechis lansbergii OP 292: 5; OP 390: 7; MP 69: 87.
Bothriechis nummifera MP 69: 88; MP 122: 130.
Bothriechis nummifera notata MP 69: 88; MP 122: 130.
Bothriechis schlegeli MP 122: 131.
Bothriechis scutigera MP 122: 129.
Bothriechis trianguligera MP 122: 129.
Bothrops MP 122: 128.
Bothrops affinis MP 122: 130.
Bothrops asper MP 178: 57.
Bothrops atrox OP 292: 17; OP 357: 17; MP 29: 54; MP 69: 87; MP 101: 77; MP 122: 129; MP 128: 49.
Bothrops atrox asper MP 69: 86; MP 101: 78; MP 122: 129; LVB 45: 24; LVB 75: 8, 11, 29.
B[othrops] atrox septentrionalis MP 122: 129.
Bothrops (Bothriechis) bernoullii MP 122: 129.
Bothrops bilineatus smaragdinus MP 167: 50.
Bothrops brachystoma MP 69: 87.
Bothrops (Bothriopsis) brachystoma OP 390: 7.
Bothrops brammianus MP 122: 129; LVB 49: 67.
Bothrops dunni OP 539: 42; MP 167: 50.
Bothrops godmani OP 471: 25; OP 497: 14; MP 69: 87; MP 122: 129. LVB 45: 24; LVB 49: 67; LVB 68: 63.
Bothrops (Bothriopsis) godmanii MP 122: 129.
Bothrops insularis MP 167: 50.
Bothrops lanceolatus MP 8: 69.
Bothrops lansbergi MP 8: 69.
Bothrops lansbergii OP 292: 5; OP 390: 7; MP 69: 87; MP 122: 130.
Bothrops mexicanus MP 122: 130; LVB 45: 24.
Bothrops nasuta LVB 75: 8, 11, 29.
Bothrops nasutus MP 69: 87; MP 122: 130; LVB 45: 24.
Bothrops nigroviridis aurifer LVB 45: 24.
Bothrops nigroviridis aurifera OP 471: 26; MP 69: 88 MP 122: 130.
Bothrops nigroviridis marchi OP 539: 42; MP 167: 50.
Bothrops nummifer mexicanus LVB 75: 8.
Bothrops nummifera MP 29: 55.
Bothrops nummifera affinis MP 122: 130.
Bothrops nummifera nummifera MP 122: 130.
Bothrops ophryomegas MP 122: 131.
Bothrops sanctaecrucis MP 167: 50.
Bothrops schlegeli MP 122: 131.
Bothrops schlegeli supraciliaris MP 122: 131.
Bothrops schlegelii OP 357: 18.
Bothrops venezuelae MP 128: 49, 51.
Boulengerula taitanus OP 539: 3; MP 166: 2.
Boulengerula uluguruensis MP 166: 3.
Brachydactylus mitratus MP 122: 55.
Brachyorrhos MP 112: 65.
Brachyorrhos torquatus MP 112: 65.
Bribe MP 173: 43; MP 183: 1.
Bribe brasiliana MP 183: 20.
Bufo 122: 24.
Bufo aqua MP 69: 20.
Bufo alvarius OP 259: 2; OP 289: 2.
Bufo americanus OP 17: 4; OP 18: 3; OP 47: 1; OP 686: 14; MP 160: 108, 121.
Bufo bocourti OP 471: 12; MP 69: 20; MP 122: 25; LVB 49: 50.
Bufo boreas OP 8: 13; OP 460: 3.
Bufo boreas boreas OP 243: 2; OP 460: 3.
Bufo boreas nelsoni OP 460: 3.
Bufo bufo MP 160: 108, 121.
Bufo bufo japonicus MP 166: 24.
Bufo canaliferus MP 69: 21; MP 122: 25.
Bufo canorus MP 160: 108, 121.
Bufo chanchanensis OP 539: 11; MP 166: 24.
Bufo coccifer MP 47: 10; MP 122: 25; LVB 65: 20; LVB 68: 43.
Bufo cognatus cognatus OP 243: 2.
Bufo debilis OP 289: 3.
Bufo debilis insidiosus OP 569: 2.
Bufo dunni MP 166: 24.
Bufo exsul OP 460: 3; OP 539: 11; MP 160: 108, 121; MP 166: 24.
Bufo fowleri OP 47: 1; OP 117: 4; OP 328: 3; OP 539: 11; MP 166: 24.

- Bufo granulosus* MP 8: 55; MP 128: 38; MP 160: 74.
Bufo granulosus goeldii MP 166: 25.
Bufo granulosus lutzi MP 166: 25.
Bufo granulosus minor MP 166: 26.
Bufo halophilus OP 8: 14.
Bufo haematiticus OP 129: 10.
Bufo horribilis OP 554: 4; OP 560: 4; OP 589: 14; MP 101: 47; MP 122: 26.
Bufo houstonensis MP 166: 26.
Bufo ibarrae MP 122: 25; MP 166: 26; LVB 68: 43.
Bufo luetkeni MP 122: 26; LVB 68: 44.
Bufo marinus OP 69: 7; OP 129: 10; OP 132: 7; OP 292: 6; OP 357: 4; OP 360: 2; OP 388: 2; 10; MP 8: 54; MP 29: 36; MP 47: 11; MP 69: 20; MP 122: 26; LVB 45: 22; LVB 68: 45; LVB 75: 7.
Bufo marmoreus OP 554: 4; OP 360: 2; OP 560: 4; OP 589: 14; MP 47: 11.
Bufo micranotis OP 539: 11; MP 166: 26.
Bufo microscaphus microscaphus OP 569: 3.
Bufo microtus LVB 68: 43.
Bufo minshanicus OP 539: 11; MP 166: 26.
Bufo nebulifer MP 69: 21.
Bufo occidentalis OP 554: 5; OP 554: 22; OP 589: 14; 19.
Bufo periglenes MP 166: 26.
Bufo punctatus OP 289: 3; OP 329: 4; MP 101: 48.
Bufo pygmaeus MP 166: 26.
Bufo simus OP 360: 4; OP 688: 3.
Bufo smithi OP 539: 11; MP 166: 26.
Bufo sternosignatus OP 129: 10.
Bufo tacanensis MP 122: 26; MP 166: 27.
Bufo taitanus MP 166: 27.
Bufo terrestris OP 554: 4.
Bufo typhonius OP 69: 8; OP 129: 9; MP 160: 74, 108, 121.
Bufo typhonius chanchanensis OP 539: 11; MP 166: 27.
Bufo ushoranus OP 539: 11; MP 166: 27.
Bufo valliceps OP 292: 6; OP 357: 4; OP 388: 2, 10; OP 471: 14; MP 29: 36; MP 69: 21; MP 101: 48; MP 122: 26; LVB 45: 22; LVB 68: 45; LVB 75: 8, 11, 16.
Bufo valliceps valliceps MP 122: 26.
Bufo valliceps wilsoni MP 122: 27; 166: 27.
Bufo viridis OP 211: 29.
Bufo woodhousii OP 189: 3; OP 243: 2.
Bufo woodhousei fowleri OP 539: 11; OP 686: 17; MP 166: 27.
Bufo woodhousei velatus MP 166: 27.
Bufo woodhousei woodhousei OP 569: 3.
Bufonidae OP 382: 2.
Bungarus MP 114: 21.
Bungarus fasciatus MP 178: 57.
Bunopus MP 173: 43; MP 183: 1.
Bunopus tuberculatus MP 183: 20.

Cacocalyx OP 236: 5.
Cacophis MP 154: 15.
Cacophis krefftii MP 154: 16.
Caecilia OP 682: 2.
Caecilia abitaquae OP 539: 3; MP 166: 3.
Caecilia corpulenta MP 166: 3.
Caecilia degenerata OP 539: 3; MP 166: 3.
Caecilia dunnii OP 370: 2; OP 539: 3; MP 166: 3.
Caecilia gracilis OP 69: 1.
Caecilia occidentalis OP 687: 8.
Caecilia pachynema OP 370: 1.
Caecilia perdita MP 166: 4.

Caecilia tentaculata OP 370: 3.
Caeciliidae OP 687: 2.
Caenophidians MP 178: 57.
Caiman MP 122: 132.
Caiman crocodilus [fuscus] MP 122: 132.
Caiman crocodilus fuscus MP 122: 132.
Caiman fissipes MP 122: 132.
Caiman fuscus OP 357: 12.
Caiman sclerops MP 8: 69; MP 128: 52.
Calabaria reinhardtii MP 178: 57.
Calamaria atrocincta MP 122: 114.
Calamaria babia MP 112: 65.
Calamaria degenhardtii MP 69: 83; MP 122: 116.
Calamaria innaei MP 154: 24.
Calliophis (=Callophis) MP 154: 15.
Callisaurus crinitus OP 329: 4; OP 329: 15.
Callisaurus draconoides OP 329: 5.
Callisaurus draconoides carmenensis OP 329: 5; OP 329: 15.
Callisaurus draconoides ventralis OP 537: 12; OP 569: 8.
Callisaurus inusitatus OP 259: 7.
Callisaurus ventralis OP 329: 5.
Callisaurus ventralis gabbii OP 329: 15.
Callisaurus ventralis ventralis OP 259: 8.
Calliscincopus OP 22: 1.
Calliscincopus agilis OP 22: 2; OP 539: 30; MP 167: 17.
Callophis MP 154: 15.
Callophis formosensis OP 44: 4.
Callophis macclellandii OP 44: 4.
Callophis swinhoei OP 44: 5.
Calodactylodes MP 173: 43; MP 183: 1.
Calodactylodes aureus MP 183: 20.
Calotes jubatus MP 154: 25.
Calotes tympanistriga MP 154: 24.
Calotes versicolor MP 154: 21.
Candoia MP 178: 8.
Candoia aspera MP 178: 8, 56.
Candoia aspera schmidtii MP 167: 51.
Candoia bibroni MP 178: 8, 56.
Candoia carinata MP 178: 8, 56.
Candoia carinata paulsoni MP 167: 51.
Caretta caretta MP 122: 52.
Caretta caretta caretta MP 122: 52.
Caretta olivacea OP 360: 8.
Carettochelyidae MP 142: 52.
Carettochelys OP 647: 13.
Carinatogekko MP 173: 43.
Carphodactylus MP 173: 43; MP 183: 1.
Carphodactylus laevis MP 183: 20.
Carphophis amoena OP 117: 8.
Carphophis amoena amoena OP 328: 5.
Carphophis amoena helenae OP 539: 42.
Carphophis amoena vermis OP 189: 4.
Carphophis amoenus helenae MP 167: 51.
Carphophis vermis MP 154: 22.
Casarea dussumieri MP 178: 57.
Catostoma MP 131: 33; 57.
Catostoma bicolor MP 131: 55; 57.
Catostoma brachycephalum MP 131: 146.
Catostoma chalybeum MP 122: 99; MP 131: 33; 42; 57; 146; 160; 171.
Catostoma championi MP 131: 70.
Catostoma dolichocephalum MP 131: 146.
Catostoma dubium MP 131: 84.
Catostoma dugesi MP 131: 59.
Catostoma godmani MP 131: 72.
Catostoma hoffmanni MP 131: 155.
Catostoma nasale MP 122: 100; MP 131: 34; 42.
Catostoma omiltemanum MP 131: 124.
Catostoma nasale MP 131: 160.

- Catostoma petersi* MP 131: 164.
Catostoma psephotum MP 131: 42.
Catostoma rhodogaster MP 131: 92; LVB 49: 64.
Catostoma ruthveni MP 131: 75.
Catostoma sieboldi MP 131: 171.
Catostoma semidoliatum MP 131: 133.
Catostoma sallaei MP 131: 168.
Catostomus MP 131: 33.
Caudacaecilia OP 682: 2; OP 687: 11, 14.
Cauphias OP 437: 1; MP 181: 1.
Cauphias guatemalensis LVB 49: 52.
Causus defilipii MP 154: 25.
Celestus MP 122: 81.
Celestus atitlanensis MP 122: 81.
Celestus cruscus cundalli OP 539: 30; MP 167: 17.
Celestus cruscus molesworthi OP 539: 30; MP 167: 17.
Celestus enneagrammus MP 69: 60; LVB 45: 23.
Celestus rozellae LVP 75: 9, 24.
Celestus striatus MP 122: 81.
Celuta helenae OP 539: 42; MP 167: 51.
Centrolene fleishmanni OP 471: 15; MP 69: 25; MP 110: 13; MP 160: 74.
Centrolene prosoblephon MP 110: 12.
Centrolenella OP 711: 3.
Centrolenella colymbiphylum MP 160: 108, 121.
Centrolenella fleishmanni MP 160: 108, 121; LVB 45: 22.
Centrolenella megacheira MP 166: 27.
Centrolenella midas MP 166: 27.
Centrolenella munozorum MP 166: 27.
Centrolenella valerioi MP 160: 108, 121.
Centrolenella viridissima MP 122: 33.
Centrolenidae MP 110: 11.
Cephalo galeatus MP 96: 7.
Cephalophes MP 114: 12.
Cephalophractus MP 96: 7.
Cerastes cornutus OP 211: 20.
Cerastes mexicanus MP 69: 66; MP 122: 116.
Cerastes nebulatus MP 114: 199.
Ceratohyla MP 8: 56.
Ceratophrys calcarata MP 8: 53.
Cercosaura (Urosaura) glabella OP 606: 11.
Chalcides ocellatus OP 211: 18.
Chalcides sepoides OP 329: 13.
Chamaeleo MP 154: 14.
Chamaeleo basiliscus MP 154: 26.
Chamaeleo bitaeniatus MP 132; 27.
Chamaeleo chamaeleon MP 154: 26.
Chamaeleo dilepis idjwiensis OP 539: 30; MP 167: 17.
Chamaeleo hoehneli MP 132; 27.
Chamaeleo hoehnelii MP 167: 17.
Chamaeleolis OP 715: 40.
Chamaeleon bitaeniatus altaealgonis OP 539: 30; MP 167: 17.
Chamaeleontidae MP 154: 14.
Charina bottae OP 179: 2; OP 243: 3; MP 154: 8; MP 178: 57.
Charina bottae utahensis OP 179: 2.
Chelonia OP 647: 14.
Chelonia mydas OP 554: 9; OP 589: 18; MP 122: 53.
Chelonia mydas agassizi MP 122: 53.
Chelonia mydas mydas MP 122: 53.
Chelonia olivacea MP 122: 53.
Cheloniidae MP 122: 52.
Cheloniidae OP 647: 14.
Chelydra MP 142: 15, 37, 41, 47.
Chelydra lacertina MP 122: 47.
Chelydra rossignonii MP 69: 44; MP 122: 47; LVB 45: 22.
Chelydra serpentina OP 17: 5; OP 18: 6; OP 117: 17; OP 189: 8; OP 237: 3; OP 328: 8; OP 388: 20; OP 647: 2; MP 142: 9, 26, 30, 39, 59.
Chelydridae MP 128: 8; MP 142: 52.
Chiasmocleis OP 187: 1, 2; OP 555: 11.
Chiasmocleis albopunctata OP 555: 11.
Chiasmocleis anatis MP 166: 28.
Chiasmocleis bassleri OP 555: 11.
Chiasmocleis bicegoi OP 555: 11.
Chiasmocleis boliviensis OP 187: 3; OP 539: 12; OP 555: 7. MP 166: 28.
Chiasmocleis centralis OP 555: 11.
Chiasmocleis leucosticta OP 555: 11.
Chiasmocleis panamensis OP 555: 11. MP 160: 74;
Chiasmocleis schubarti OP 555: 11.
Chiasmocleis shudikarensis OP 555: 11.
Chiasmocleis urbanae OP 555: 11.
Chiasmocleis ventrimaculata OP 555: 11.
Chilabothrus inornatus OP 195: 9.
Chilomeniscus OP 329: 11.
Chilomeniscus cinctus OP 329: 12; OP 329: 16.
Chilopoma rufipunctatum OP 584: 3.
Chirindia rondoensis MP 167: 17.
Chirixalus hansenae MP 166: 28.
Chirixalus nongkhorensis MP 166: 28.
Chironius OP 571: 1.
Chironius bicarinatus OP 571: 8.
Chironius carinatus MP 8: 65; MP 128: 36.
Chironius flavolineatus OP 571: 13.
Chironius foveatus OP 571: 10; MP 167: 51.
Chironius fuscus OP 357: 13; OP 571: 19.
Chironius fuscus grandisquamis OP 357: 13.
Chironius laevis OP 571: 18.
Chironius monticola MP 128: 37.
Chironius pyrrhopogon OP 571: 12.
Chironius quadricarinatus OP 571: 15.
Chiropterotriton OP 587: 1; MP 101: 73.
Chiropterotriton arboreus OP 587: 18; MP 166: 8.
Chiropterotriton bromeliacia OP 539: 4; MP 122: 19.
Chiropterotriton chiropterus OP 587: 14.
Chiropterotriton chondrostega MP 101: 46.
Chiropterotriton chondrostega chondrostega OP 587: 23.
Chiropterotriton chondrostega cracensis OP 587: 28; MP 166: 8.
Chiropterotriton chondrostega terrestris OP 587: 23.
Chiropterotriton dimidiatus OP 587: 10, 32.
Chiropterotriton magnipes MP 166: 9.
Chiropterotriton mosaueri OP 587: 20; MP 166: 9.
Chiropterotriton mosauri OP 539: 4.
Chiropterotriton multidentata OP 539: 4; MP 101: 45.
Chiropterotriton multidentatus OP 587: 5.
Chiropterotriton nasalis OP 539: 4.
Chiropterotriton prisca MP 166: 9.
Chiropterotriton priscus MP 166: 9.
Chiropterotriton sp. OP 587: 16.
Chlorosoma vernalis MP 50: 10.
Chondrodactylus MP 173: 43; MP 183: 1.
Chondrodactylus angulifer MP 183: 20.
Chondrotus atterimus MP 149: 5.
Chondrotus lugubris MP 149: 5.
Chondrotus tenebrosus MP 149: 5.
Chorophilus copii OP 272: 2.
Chorophilus (=Pseudacris) occidentalis OP 272: 1.

- Christinus MP 183: 1.
 Christinus marmoratus MP 183: 20.
 Chrysemys OP 647: 7; OP 715: 40; MP 142: 15, 47.
 Chrysemys bellii OP 17: 5.
 Chrysemys bellii bellii OP 189: 9.
 Chrysemys cinerea OP 18: 6.
 Chrysemys concinna OP 647: 6; MP 142: 30.
 Chrysemys floridana OP 647: 6; MP 142: 30, 39, 59.
 Chrysemys marginata OP 539: 54; MP 167: 79.
 Chrysemys marginata dorsalis OP 117: 17.
 Chrysemys nelsoni OP 647: 6.
 Chrysemys picta OP 647: 6; MP 61: 7; MP 142: 39, 59.
 Chrysemys picta marginata OP 539: 54; MP 167: 79.
 Chrysemys picta picta OP 328: 9.
 Chrysemys scripta OP 647: 6; MP 142: 10, 16, 30, 39, 59.
 Chthonerpeton OP 716: 1.
 Chthonerpeton braestrupi OP 716: 3, 6, 13.
 Chthonerpeton erugatum OP 716: 14.
 Chthonerpeton exile OP 716: 6, 8, 14.
 Chthonerpeton hellmichi OP 716: 14.
 Chthonerpeton indistinctum OP 587: 8; OP 716: 14.
 Chthonerpeton ornorei OP 716: 13.
 Chthonerpeton perissodus OP 716: 2, 6, 13.
 Chthonerpeton viviparum OP 716: 13.
 Cinosternum baurii MP 167: 80.
 Cinosternum cobanum MP 69: 43; MP 122: 49.
 Cinosternum cruentatum MP 122: 48.
 Cinosternum effeldtii MP 122: 49.
 Cinosternum leucostomum OP 292: 5; MP 69: 44; MP 122: 48.
 Claudius OP 647: 10; MP 142: 41.
 Claudius angustatus OP 388: 20; MP 122: 47; MP 142: 39, 59; LVB 75: 11, 19.
 Claudius pictus MP 122: 50.
 Clelia MP 122: 89.
 Clelia clelia MP 178: 57.
 Clelia clelia clelia MP 122: 90.
 Clelia clelia immaculata OP 589: 15; 19.
 Clelia cloelia MP 128: 37.
 Clelia daudinii MP 122: 89.
 Clelia petola MP 8: 67.
 Clelia scytalina MP 122: 90.
 Clemmys OP 647: 7; MP 142: 15.
 Clemmys caspica rivulata OP 211: 3.
 Clemmys guttata OP 328: 8; OP 647: 8, 30; MP 142: 39, 59.
 Clemmys insculpta OP 12: 1; OP 17: 5; OP 18: 6; OP 328: 8; MP 142: 10, 30, 39, 59.
 Clemmys marmorata MP 142: 39, 59.
 Clemmys muhlenbergii OP 328: 9; OP 647: 8.
 Clonophis kirtlandii MP 154: 8; MP 167: 51.
 Cnemaspis MP 173: 43; MP 183: 1.
 Cnemaspis boulengeri OP 539: 33; MP 183: 20.
 Cnemaspis kandiana MP 183: 20.
 Cnemaspis kendallii MP 183: 20.
 Cnemaspis quatturoseriata MP 183: 20.
 Cnemaspis wynadensis MP 183: 20.
 Cnemidophorus MP 111: 1; MP 122: 78.
 Cnemidophorus aethiops OP 259: 10.
 Cnemidophorus alfaronis MP 111: 24.
 Cnemidophorus angusticeps MP 122: 78.
 Cnemidophorus angusticeps petenensis MP 167: 18.
 Cnemidophorus arubensis OP 143: 8.
 Cnemidophorus bartolomas OP 329: 9.
 Cnemidophorus bocourti LVB 65: 17.
 Cnemidophorus burti xanthonotus MP 167: 18.
 Cnemidophorus calidipes OP 574: 1; OP 598: 8; 21; MP 167: 18.
 Cnemidophorus communis MP 69: 57.
 Cnemidophorus communis copei MP 69: 57; OP 560: 12.
 Cnemidophorus costatus costatus MP 167: 18.
 Cnemidophorus costatus huico MP 167: 18.
 Cnemidophorus costatus mazatlanensis MP 167: 18.
 Cnemidophorus costatus zweifeli MP 167: 18.
 Cnemidophorus cozumelus rodecki MP 167: 18.
 Cnemidophorus decemlineatus MP 111: 24.
 Cnemidophorus deppei cozumela MP 11: 35.
 Cnemidophorus deppei lineatissimus MP 111: 32.
 Cnemidophorus deppei decemlineatus MP 111: 24.
 Cnemidophorus deppei MP 111: 19; MP 122: 78.
 Cnemidophorus deppei cozumelus OP 292: 12; MP 29: 46; MP 111: 35; MP 122: 79.
 Cnemidophorus deppei deppei OP 292: 12; OP 359: 1; MP 29: 46; MP 47: 16.
 Cnemidophorus deppei deppei OP 388: 16; MP 111: 24; MP 122: 78; LVB 65: 20; LVB 68: 56.
 Cnemidophorus deppei infernalis MP 111: 32; MP 167: 18.
 Cnemidophorus deppei lineatissimus OP 359: 1; OP 360: 16; OP 554: 18; OP 560: 11; OP 598: 8; OP 589: 16; MP 111: 32.
 Cnemidophorus deppei oligoporus MP 111: 24.
 Cnemidophorus divisus OP 2: 1; OP 155: 1.
 Cnemidophorus exsanguis MP 154: 24.
 Cnemidophorus gigas OP 574: 6; MP 167: 19.
 Cnemidophorus gularis OP 388: 4; MP 29: 47.
 Cnemidophorus guttatus MP 111: 54.
 Cnemidophorus guttatus duodecemlineatus MP 111: 48.
 Cnemidophorus guttatus flavilineatus MP 111: 65; MP 167: 19.
 Cnemidophorus guttatus guttatus MP 111: 57.
 Cnemidophorus guttatus immutabilis OP 359: 3; OP 554: 18; OP 560: 20; OP 589: 16; MP 47: 16; MP 111: 61.
 Cnemidophorus hyperythrus MP 132: 28; MP 154: 23.
 Cnemidophorus hyperythrus beldingi OP 329: 9; OP 329: 16.
 Cnemidophorus immutabilis MP 111: 61.
 Cnemidophorus inornatus MP 154: 22.
 Cnemidophorus inornatus paululus MP 167: 19.
 Cnemidophorus laredoensis MP 167: 19.
 Cnemidophorus lativittis MP 111: 24.
 Cnemidophorus lemniscata MP 122: 79.
 Cnemidophorus lemniscatus OP 16: 1; OP 143: 8.
 Cnemidophorus lemniscatus gaigei OP 16: 1; OP 143: 8; OP 539: 31; MP 8: 48; MP 167: 19.
 Cnemidophorus lemniscatus lemniscatus OP 539: 31; MP 122: 79; MP 128: 19, 22; MP 167: 20.
 Cnemidophorus lineatissimus OP 359: 1; MP 111: 38.
 Cnemidophorus lineatissimus duodecemlineatus MP 111: 48.
 Cnemidophorus lineatissimus exoristus MP 111: 44; MP 167: 20.
 Cnemidophorus lineatissimus lineatissimus MP 111: 41.
 Cnemidophorus lineatissimus lividus MP 111: 50; MP 167: 20.
 Cnemidophorus melanostethus OP 259: 10; OP 569: 10.
 Cnemidophorus mexicanus balsas MP 167: 20.
 Cnemidophorus microlepidopus MP 111: 61.
 Cnemidophorus motaguae MP 69: 57; MP 122: 79.

- Cnemidophorus murinus* OP 143: 8.
Cnemidophorus murinus arubensis OP 324: 1.
Cnemidophorus murinus ruthveni OP 324: 1; OP 539: 31; MP 167: 20.
Cnemidophorus neomexicanus MP 154: 23.
Cnemidophorus nigricolor OP 143: 8.
Cnemidophorus praesignis OP 539: 31; MP 167: 21.
Cnemidophorus rodecki MP 167: 21.
Cnemidophorus rubidus OP 329: 9.
Cnemidophorus sacki OP 574: 1; MP 101: 65.
Cnemidophorus sacki angusticeps MP 122: 78; LVB 75: 7.
Cnemidophorus sacki copei OP 574: 6; OP 589: 16.
Cnemidophorus sacki gularis MP 101: 66.
Cnemidophorus sacki huico MP 167: 21.
Cnemidophorus sacki mazatlanensis MP 167: 21.
Cnemidophorus sacki motaguae LVB 68: 57.
Cnemidophorus sacki xanthonotus MP 167: 21.
Cnemidophorus sacki sacki OP 574: 6.
Cnemidophorus sacki zweifeli MP 167: 21.
Cnemidophorus sackii OP 560: 21.
Cnemidophorus sackii bocourti MP 122: 79.
Cnemidophorus sackii communis OP 554: 18; OP 560: 12.
Cnemidophorus sackii copei OP 554: 18; OP 560: 12; OP 598: 8.
Cnemidophorus sackii gigas MP 167: 21.
Cnemidophorus sackii innotatus OP 539: 31; MP 167: 22.
Cnemidophorus sackii motaguae MP 69: 57; LVB 65: 17.
Cnemidophorus sackii stictogrammus OP 569: 9.
Cnemidophorus sackii xanthonotus OP 569: 9.
Cnemidophorus scalaris MP 158: 3.
Cnemidophorus sexlineatus OP 117: 6; OP 189: 4; MP 132: 28; MP 132: 41; MP 154: 22.
Cnemidophorus sexlineatus gularis OP 360: 16.
Cnemidophorus sexlineatus mexicanus MP 122: 79.
Cnemidophorus sexlineatus perplexus OP 243: 3; OP 259: 10.
Cnemidophorus sexlineatus sackii OP 246: 9.
Cnemidophorus striatus MP 111: 61.
Cnemidophorus tessellatus OP 329: 10; MP 154: 24.
Cnemidophorus tessellatus tessellatus OP 241: 1; OP 243: 3; OP 244: 30; OP 259: 10; OP 329: 9; OP 329: 15.
Cnemidophorus tigris OP 8: 25; OP 8: 29; OP 569: 10; MP 132: 14; MP 132: 28; MP 154: 24.
Cnemidophorus tigris aethiops OP 569: 9.
Cnemidophorus undulata MP 69: 57.
Cnemidophorus uniparens MP 154: 23.
Cnemidophorus velox MP 167: 22.
Cochliophagus MP 114: 141.
Cochliophagus albifrons MP 114: 121.
Cochliophagus alternans MP 114: 127.
Cochliophagus brevifacies MP 114: 38.
Cochliophagus Catesbyi MP 114: 56.
Cochliophagus incertus MP 114: 127.
Cochliophagus inaequifasciatus MP 114: 158.
Cochliophagus intermedius MP 114: 165.
Cochliophagus mikani MP 114: 148, 165.
Cochliophagus mikani neuwiedi MP 114: 154.
Cochliophagus turgidas MP 114: 157, 165.
Cochliophagus variegatus MP 114: 132.
Cochliophagus ventrimaculatus MP 114: 165.
Cochranella granulosa MP 110: 16.
Cochranella reticulata MP 110: 15.
Cochranella viridissima MP 122: 33.
Coecilia sabogae OP 129: 14.
Coelopeltis monspessulana OP 211: 25.
Coleodactylus MP 183: 1.
Coleodactylus amazonicus MP 183: 20.
Coleodactylus brachystoma MP 167: 22; MP 183: 20.
Coleodactylus meridionalis MP 183: 20.
Coleonyx MP 122: 54; MP 138: 41; MP 173: 43; MP 183: 1.
Coleonyx brevis OP 158: 3; MP 183: 20.
Coleonyx elegans OP 292: 9; MP 29: 41; MP 47: 14; MP 122: 54; MP 183: 20.
Coleonyx elegans elegans MP 122: 54; LVP 75: 9, 20.
Coleonyx elegans (nemoralis) OP 589: 14.
Coleonyx mitratus MP 122: 55; MP 183: 20.
Coleonyx reticulatus MP 183: 20.
Coleonyx switaki MP 183: 20.
Coleonyx variegatus OP 259: 4; MP 154: 22; MP 183: 20.
Coleonyx variegatus sonoriensis OP 539: 31; MP 167: 22.
Coleonyx variegatus utahensis OP 539: 31; MP 167: 22.
Colobognathus MP 131: 34; 35.
Colobognathus brachycephalus MP 131: 34; 42; 146.
Colobognathus dolichocephalus MP 131: 34; 42; 146.
Colobognathus hoffmanni MP 131: 34, 42; 155.
Colobognathus hoffmanni MP 131: 34.
Colophrys MP 122: 99; MP 131: 35.
Colophrys rhodogaster MP 122: 99; MP 131: 34; 42; 92; LVB 49: 64.
Colopus MP 173: 43; MP 183: 1.
Colopus wahlbergii MP 183: 20.
Colostethus OP 711: 3.
Colostethus sp. MP 160: 74.
Colostethus bromelicola MP 166: 28.
Colostethus inguinalis MP 166: 28.
Colostethus neblina MP 166: 28.
Colostethus nubicola MP 166: 28.
Colostethus trinitatis MP 166: 28.
Coluber OP 211: 21; OP 236: 10; MP 122: 90.
Coluber ahaetulla OP 462: 1; MP 114: 23.
Coluber alleghaniensis OP 541: 1.
Coluber annulata MP 122: 103.
Coluber atrox MP 122: 128.
Coluber bicarinatus OP 571: 8.
Coluber bifossatus MP 49: 39.
Coluber boddaerti MP 49: 13.
Coluber boiga MP 114: 23.
Coluber bucephalus MP 114: 23, 73.
Coluber capistratus MP 49: 39.
Coluber carinatus MP 8: 65.
Coluber carinatus var. *flavolineata* OP 571: 13.
Coluber caspius OP 211: 23.
Coluber catesbeji MP 114: 56.
Coluber cenchroa MP 122: 100.
Coluber chironius MP 8: 65.
Coluber chlorosoma OP 541: 8.
Coluber clelia MP 122: 90.
Coluber constrictor MP 101: 67; MP 122: 90; MP 154: 22.
Coluber constrictor constrictor OP 117: 10; OP 139: 3; OP 328: 5.
Coluber constrictor flaviventris OP 66: 2; OP 139: 3; OP 189: 5.
Coluber constrictor mormon OP 139: 3; OP 243: 3; OP 284: 3.
Coluber constrictor paludicola MP 167: 51.
Coluber constrictor stejnegerianus MP 101: 68; MP 122: 90; MP 167:

- Coluber corais* MP 69: 67; MP 122: 95.
Coluber corais var. *melanurus* MP 69: 67.
Coluber dahlii OP 211: 23.
Coluber dipsas MP 114: 23.
Coluber fasciata **confluens** OP 140: 1.
Coluber fasciatus OP 140: 1; MP 49: 50.
Coluber flagellum frenatum OP 329: 16.
Coluber flavivirgatus OP 540: 3; OP 541: 1; MP 69: 68.
Coluber fulgidus MP 69: 82; MP 122: 108.
Coluber fuscus OP 571: 19; MP 49: 66.
Coluber gemonensis OP 211: 23.
Coluber getulus MP 122: 102.
Coluber guttatus OP 541: 1.
Coluber guttatus guttatus OP 541: 2.
Coluber laevis OP 571: 18.
Coluber lichtensteinii MP 49: 39.
Coluber liocercus OP 462: 10.
Coluber megaera MP 122: 128.
Coluber melanoleucus MP 122: 109.
Coluber mutabilis OP 541: 7; MP 69: 68; MP 122: 98.
Coluber nebulatus MP 69: 73; MP 114: 169, 197, 199; MP 122: 116.
Coluber novae-hispaniae MP 69: 66.
Coluber oaxaca OP 139: 3; OP 589: 13.
Coluber obsoletus OP 541: 4.
Coluber obsoletus confinis OP 541: 5.
Coluber obsoletus lemniscatus OP 541: 5.
Coluber obsoletus lindheimeri OP 541: 6.
Coluber obsoletus obsoletus OP 541: 4.
Coluber obsoletus spiloides OP 541: 5.
Coluber ortenbergeri OP 284: 1; OP 539: 42; MP 29: 49; MP 122: 90; MP 167: 51.
Coluber pantherinus MP 49: 39.
Coluber petola MP 122: 109.
Coluber piceus OP 329: 16.
Coluber pullatus MP 122: 116.
Coluber pyrrhopogon OP 571: 12.
Coluber quatuorlineatus MP 122: 97.
Coluber quatuorlineatus OP 541: 1.
Coluber quadrivittatus OP 541: 5.
Coluber rosaliae OP 541: 8; OP 583: 5.
Coluber rosaceus OP 541: 2.
Coluber saurita MP 122: 120.
Coluber severus MP 122: 124.
Coluber sibon MP 114: 199.
Coluber subocularis OP 583: 10.
Coluber testaceus OP 363: 5.
Coluber triaspis OP 541: 7; MP 122: 98.
Coluber vernalis MP 50: 10.
Colubridae MP 114: 12, 13, 23; MP 122: 86; MP 128: 36; MP 154: 15.
Colubrinae MP 114: 12, 13.
Coniophanes OP 251: 2.
Coniophanes bipunctatus OP 362: 5.
Coniophanes bipunctatus bipunctatus MP 69: 79; MP 122: 91; LVB 45: 24.
Coniophanes brevifrons OP 362: 3.
Coniophanes dromiciformis OP 362: 4.
Coniophanes fissidens OP 362: 5; MP 69: 79; MP 122: 92.
Coniophanes fissidens andresensis OP 362: 4.
Coniophanes fissidens dispersus OP 554: 21.
Coniophanes fissidens fissidens OP 362: 5; OP 554: 21; MP 69: 79; MP 122: 91; LVB 45: 24.
Coniophanes fissidens punctigularis MP 122: 91.
Coniophanes frangivirgatus OP 539: 42; MP 101: 55; 68; MP 167: 51.
Coniophanes imperialis OP 292: 17; OP 362: 5; MP 29: 53; MP 101: 68.
Coniophanes imperialis clavatus OP 362: 6; OP 388: 18; MP 69: 79; MP 122: 92; LVB 75: 9, 11, 24.
Coniophanes imperialis copei OP 390: 4; OP 539: 42; MP 47: 27; MP 167: 51.
Coniophanes imperialis imperialis OP 363: 12; MP 101: 68.
Coniophanes lateritus OP 589: 15; 18.
Coniophanes piceivittis OP 362: 2; MP 29: 53; MP 47: 28.
Coniophanes piceivittis frangivirgatus MP 167: 52.
Coniophanes proterops OP 362: 5; MP 122: 91.
Coniophanes punctigularis MP 122: 92.
Coniophanes quinquevittatus MP 122: 92.
Coniophanes schmidtii OP 362: 1; OP 539: 42; MP 122: 92; MP 167: 52; LVB 75: 9, 25.
Conophis sp. LVB 75: 7.
Conopsis conica OP 539: 43.
Conophis concolor OP 388: 7.
Conophis lineata wetmorei OP 539: 43.
Conophis lineatus OP 292: 5; MP 122: 93.
Conophis lineatus concolor MP 122: 93.
Conophis lineatus dunni MP 122: 93.
Conophis lineatus similis MP 122: 93.
Conophis pulcher MP 69: 79; MP 122: 93.
Conophis pulcher plagosus LVB 65: 19.
Conophis pulcher pulcher MP 69: 79; LVB 45: 24; LVB 65: 19; LVB 68: 63.
Conophis pulcher similis MP 122: 93.
Conophis viduus MP 47: 26.
Conophis vittatus vittatus OP 554: 22; OP 560: 15; OP 589: 15.
Constrictor constrictor MP 8: 65; MP 101: 67; MP 128: 36.
Constrictor constrictor amarali OP 539: 43; MP 167: 52.
Constrictor constrictor constrictor OP 357: 12.
Constrictor constrictor imperator OP 259: 11; OP 292: 14; OP 360: 19; OP 388: 17; OP 560: 15; MP 29: 47; MP 47: 19; MP 69: 62; MP 122: 84; LVB 45: 22; LVB 75: 8, 24.
Contia modesta OP 211: 24.
Contia pygaea MP 76: 7.
Contia tenuis MP 154: 8.
Contia vernalis MP 50: 10.
Copeotyphlinus OP 687: 2.
Cophosaurus texanus OP 537: 2; MP 158: 3; MP 167: 22.
Cophosaurus texanus reticulatus MP 167: 22.
Cophosaurus texanus scitulus MP 167: 22.
Cophosaurus texanus texanus MP 167: 22.
Corallus MP 178: 9.
Corallus annulatus MP 178: 9, 56.
Corallus caninus MP 178: 9, 56.
Corallus enydri MP 178: 9, 56.
Corallus obtusirostris MP 178: 9.
Cordylidae MP 154: 15.
Cornella MP 154: 15.
Cornella austriaca MP 154: 29.
Cornella bipunctata MP 122: 91.
Cornella bipunctatus MP 69: 79.
Cornella decorata OP 412: 7; MP 69: 72.
Cornella formosa MP 69: 70.
Coronella anomala MP 122: 102.
Coronella annulata MP 122: 102.
Coronella decorata MP 122: 112.
Coronella fissidens MP 122: 91.
Coronella formosa abnorma MP 122: 102.
Coronella formosa anomala MP 122: 102.
Coronella formosa var. *abnorma* MP 69: 70.

- Coronella formosa oligozona* MP 122: 102.
Coronella godmani MP 122: 112.
Coronella micropholis OP 323: 2; MP 69: 70.
Coronella micropholis var. A OP 81: 6.
Coronella microps MP 182: 2, 10.
Coryphodon alternatus MP 49: 81.
Coryphodon mentovarius MP 69: 66; MP 122: 105.
Corytophanes MP 154: 14.
Corytophanes cristata MP 122: 66.
Corytophanes cristatus OP 292: 10; OP 357: 10;
 OP 388: 14; MP 29: 44; MP 69: 52; MP 122:
 66; LVB 45: 22; LVB 75: 8, 11, 22.
Corytophanes hernandezii MP 122: 67.
Corytophanes hernandezii MP 29: 44; MP 122:
 67; LVB 75: 9, 11, 22.
Corytophanes mexicanus MP 69: 52.
Corytophanes percarinatus MP 69: 52; MP 122:
 67; MP 154: 29; LVB 45: 22.
Cosymbotus MP 173: 43; MP 183: 1.
Cosymbotus platyurus MP 183: 20.
Craspedoglossa sanctaecatharinae OP 539: 12.
Craspedoglossa sanctae-catharinae MP 166: 28.
Crenadactylus MP 173: 43; MP 183: 1.
Crenadactylus ocellatus MP 183: 20.
Cricosauria OP 715: 40.
Crocodylus MP 122: 132.
Crocodylus acutus OP 131: 1; OP 360: 8; MP 8:
 69; MP 69: 45; MP 122: 133.
Crocodylus acutus acutus MP 122: 133.
Crocodylus acutus moreletii OP 292: 6.
Crocodylus americanus acutus MP 122: 133.
Crocodylus latirostris MP 122: 132.
Crocodylus lucius OP 131: 1.
Crocodylus moreletii MP 122: 133.
Crocodylus pacificus MP 122: 133.
Crocodylia MP 122: 132.
Crocodylidae MP 122: 132; MP 128: 52.
Crocodylus acutus OP 357: 12; OP 388: 21; OP
 589: 14; MP 47: 13; LVB 45: 22.
Crocodylus moreletii OP 589: 13; MP 122: 133;
 LVB 75: 9, 11, 29.
Crocodylus moreletii OP 292: 6; OP 388: 21; MP
 29: 56; MP 69: 45; MP 122: 133; LVB 45: 22.
Crocodylus niloticus MP 122: 132.
Crocodylus pacificus MP 122: 133.
Crossobamon MP 173: 43; MP 183: 1.
Crossobamon eversmanni MP 183: 20.
Crossobamon orientalis MP 183: 20.
Crotalidae MP 154: 15.
Crotalus atrox MP 47: 29; MP 101: 78; MP 178:
 57.
Crotalus atrox atrox OP 246: 16.
Crotalus basiliscus OP 325: 1; OP 360: 25; OP
 560: 21; OP 589: 17.
Crotalus basiliscus basiliscus OP 554: 35.
Crotalus cinereus OP 363: 13.
Crotalus confluentus OP 189: 8.
Crotalus confluentus concolor OP 243: 4.
Crotalus confluentus lutosus OP 243: 4.
Crotalus confluentus oreganus OP 329: 15.
Crotalus durissus MP 69: 89; MP 101: 78; MP
 122: 132.
Crotalus durissus culminatus MP 167: 52.
Crotalus durissus durissus OP 388: 20; MP 47:
 30; MP 69: 89; MP 122: 132; LVB 65: 20.
Crotalus durissus ruruima MP 167: 52.
Crotalus durissus totonacus MP 101: 78.
Crotalus durissus tzabcan MP 122: 132; MP 167:
 52.
Crotalus horridus OP 189: 8; MP 122: 131.
Crotalus horridus horridus OP 328: 7.
Crotalus horridus unicolor OP 143: 9.
Crotalus lepidus OP 289: 10; OP 337: 1; MP 101:
 78; MP 158: 3.
Crotalus lepidus klauberi OP 337: 2; OP 363:
 13; OP 539: 43; MP 167: 52.
Crotalus lepidus lepidus OP 337: 2.
Crotalus lepidus morulus MP 101: 78; MP 167:
 53.
Crotalus lucifer OP 8: 33; OP 539: 43; MP 167:
 53.
Crotalus molossus OP 246: 17; OP 259: 13; OP
 325: 1; MP 158: 3.
Crotalus molossus molossus OP 325: 3.
Crotalus molossus nigrescens OP 325: 2; OP 363:
 13; OP 539: 43; MP 47: 29; MP 167: 53.
Crotalus palmeri OP 337: 1.
Crotalus ruber OP 329: 14; OP 329: 16; MP 154:
 29.
Crotalus scutulatus OP 363: 14; MP 47: 29.
Crotalus terrificus OP 143: 9; MP 8: 69.
Crotalus terrificus durissus MP 29: 55.
Crotalus tigris OP 259: 12.
Crotalus triseriatus anahuacus OP 539: 43; MP
 167: 53.
Crotalus triseriatus triseriatus OP 589: 13; MP
 167: 53.
Crotalus viridis MP 132: 15.
Crotalus viridis oreganus OP 539: 43; MP 167:
 54.
Crotalus willardi silus OP 539: 43; MP 167: 54.
Crotaphatrema OP 713: 5.
Crotaphatrema bornmuelleri OP 713: 5, 7, 45.
Crotaphatrema lamottei OP 713: 7, 11, 45.
Crotaphopeltis hotamboeia MP 154: 25.
Crotaphytus bailyei OP 196: 3.
Crotaphytus collaris OP 196: 1; OP 246: 5; MP
 132: 27; MP 132: 41; MP 154: 23; MP 158: 3.
Crotaphytus collaris bailyei OP 8: 17; OP 196:
 3; OP 243: 2; OP 244: 29; OP 259: 7.
Crotaphytus collaris collaris OP 189: 3; OP
 196: 3; OP 259: 7.
Crotaphytus collaris dickersonae OP 259: 7.
Crotaphytus dickersonae OP 196: 6; OP 259: 7.
Crotaphytus fasciatus OP 196: 6.
Crotaphytus insularis OP 196: 7.
Crotaphytus wislizenii OP 8: 16; OP 241: 1; OP
 243: 2; OP 244: 29; OP 259: 6; MP 132: 14;
 MP 154: 21.
Cryptobranchidae MP 169: 3, 18.
Cryptobranchus alleganiensis MP 169: 3, 18.
Cryptobatrachus OP 33: 1; OP 470: 1; OP 711: 3.
Cryptobranchus alleganiensis OP 470: 5; MP 169:
 25.
Cryptobranchus alleganiensis bishopi MP 166: 9.
Cryptobranchus bishopi OP 470: 6; OP 539: 4; MP
 166: 10.
Cryptobatrachus boulengeri OP 33: 2; OP 539:
 12; MP 8: 55; MP 166: 28.
Cryptobatrachus fuhrmanni OP 539: 12; MP 8: 48,
 55.
Cryptobatrachus fuhrmanni orientalis MP 166:
 29.
Cryptobatrachus fusca OP 470: 5.
Cryptobatrachus gigantea OP 470: 5.
Cryptobatrachus horrida OP 470: 5.
Cryptobatrachus maxima OP 470: 5.
Cryptobatrachus mucronata OP 470: 5.
Cryptobatrachus salamandroides OP 470: 5.
Cryptobatrachus terassodactylos OP 470: 5.
Cryptodelma MP 147: 149.
Cryptodelma nigriceps MP 147: 149, 153.
Cryptodiran MP 142: 1.
Ctenophryne OP 555: 7.

- Ctenophryne geayi* OP 555: 7.
Ctenosaura MP 101: 58.
Ctenosaura acanthura OP 360: 9; MP 101: 58.
Ctenosaura brevirostris OP 554: 12.
Ctenosaura (Enyaliosaurus) clarki OP 598: 1.
Ctenosaura completa OP 292: 5; MP 122: 67.
Ctenosaura cycluroides MP 122: 67.
Ctenosaura erythromelas OP 388: 15.
Ctenosaura palearis MP 122: 68.
Ctenosaura pectinata OP 360: 9; OP 554: 12; OP 560: 9; OP 589: 16; MP 47: 14; MP 94: 1.
Ctenosaura quinquecarinata MP 47: 15.
Ctenosaura similis OP 292: 11; OP 388: 3, 15; MP 29: 44; LVB 68: 54.
Ctenosaura similis similis MP 122: 67; LVB 65: 20.
Cubina grandis MP 122: 83.
Cuora MP 142: 15.
Cuora amboinensis MP 142: 30.
Cyclophis vernalis MP 50: 10.
Cyclorhampus culeus OP 539: 12; MP 166: 29.
Cyclorhampus granulatus MP 166: 29.
Cyclorhampus granulatus OP 539: 12; MP 166: 29.
Cyclura OP 715: 40.
Cyclura quinquecarinata MP 122: 68.
Cylindrophis rufus MP 178: 55.
Cynops pyrrhogaster MP 169: 19.
Cyrtodactylus MP 183: 1.
Cyrtodactylus annulatus MP 183: 20.
Cyrtodactylus intermedius MP 167: 22.
Cyrtodactylus louisianensis MP 183: 20.
Cyrtodactylus marmoratus MP 183: 20.
Cyrtodactylus pequensis MP 183: 20.
Cyrtopodion MP 173: 43; MP 183: 1.
Cyrtopodion kachhensis MP 183: 20.
Cyrtopodion scaber MP 183: 20.
Cystignathus caliginosus MP 69: 21.
Cystignathus echinatus MP 122: 31.
Cystignathus labialis MP 69: 21; MP 122: 31.
Cystignathus melanonotus MP 69: 21; MP 122: 31.
Dactyloa biporcatus MP 69: 46; MP 91: 13; MP 122: 61.
Dactyloa (Anolis) laevis LVB 49: 55.
D[actyloa] (A[nolis]) laevis MP 91: 17; MP 122: 63.
Dactyloa laevis MP 91: 17.
Darlingtonia haetiana vaticinata MP 167: 54.
Dasypeltis scabra OP 211: 20.
Dasypops OP 187: 1; OP 555: 3, 15.
Dasypops schirchi OP 555: 15.
Davidogecko MP 173: 43.
Deirochelys OP 647: 7.
Deirochelys reticularia chrysea MP 167: 80.
Delma MP 147: 76; MP 152: 69; MP 173: 43.
Delma australis MP 147: 77, 191; MP 152: 69; MP 183: 20.
Delma (Cryptodelma) Baileyi MP 147: 153.
Delma borea MP 147: 81, 192; MP 152: 69; MP 167: 22.
Delma (Aclys) concinna MP 152: 69.
Delma elegans MP 147: 82, 192; MP 152: 69.
Delma fraseri MP 147: 76, 86, 192; MP 152: 69; MP 183: 20.
Delma grayii MP 147: 76, 94, 192; MP 152: 69.
Delma impar MP 147: 98, 192; MP 152: 69; MP 183: 20.
Delma inornata MP 147: 101, 194; MP 152: 69; MP 167: 23; MP 183: 20.
Delma lineata MP 147: 98.
Delma mulleri MP 147: 105, 194; MP 152: 69.
Delma nasuta MP 147: 109, 194; MP 152: 69; MP 167: 23; MP 183: 20.
Delma orientalis MP 147: 144.
Delma pax MP 147: 113, 195; MP 152: 69; MP 167: 23.
Delma plebeia MP 147: 117, 195; MP 152: 69.
Delma reticulata MP 147: 121.
Delma tinctoria MP 147: 121, 195; MP 152: 69; MP 183: 20.
Delma torquata MP 147: 125, 196; MP 152: 69; MP 167: 23; MP 183: 20.
Deirochelys OP 647: 7.
Dendrelaphis MP 154: 39.
Dendrelaphis punctulatus MP 154: 25.
Dendrobates boulengeri MP 166: 29.
Dendrobates galindoi MP 166: 29.
Dendrobates minutus ventrimaculatus OP 539: 12; MP 166: 29.
Dendrobates pumilio MP 110: 9; MP 166: 29.
Dendrobates quinquevittatus MP 166: 29.
Dendrobates tinctorius OP 129: 13.
Dendrobates zaparo MP 166: 29.
Dendrobatidae MP 110: 9.
Dendrophidion OP 236: 5; MP 122: 93.
Dendrophidion dendrophis OP 236: 5; OP 292: 5; OP 357: 12; MP 69: 63; MP 122: 94.
Dendrophidion dendrophis vinitor OP 539: 43.
Dendrophidion percarinatum MP 128: 37, 40.
Dendrophidion vinitor OP 539: 43; MP 69: 63; MP 122: 94; MP 167: 54; LVB 45: 23.
Dendrophidium OP 236: 5.
Dendrophidium chloroticum MP 69: 64; MP 122: 96.
Dendrophis boiga MP 154: 25.
Dendrophis formosus MP 154: 26.
Dendrophis pictus MP 154: 25.
Dendrotriton bromeliacea MP 166: 10.
Dendrotriton xolocalcae MP 166: 10.
Dermatemydidae OP 647: 12; MP 142: 52.
Dermatemys OP 647: 12; MP 142: 37, 41.
Dermatemys mawei MP 122: 46.
Dermatemys mawii OP 292: 18; OP 388: 20; MP 29: 56; MP 69: 43; MP 122: 46; LVB 45: 22; LVB 75: 19.
Dermatemys salvinii MP 122: 46.
Dermatonotus OP 187: 1; OP 555: 2, 13.
Dermatonotus mulleri OP 555: 13.
Dermochelys OP 647: 14; MP 122: 54.
Dermochelys coriacea MP 122: 54.
Dermophis OP 682: 2; OP 687: 11.
Dermophis eburatus MP 166: 4.
Dermophis mexicanus OP 687: 8; MP 166: 4.
Desmognathus fuscus OP 695: 1; MP 169: 19.
Desmognathus fuscus fuscus OP 117: 4.
Desmognathus fuscus imitator OP 539: 4; MP 166: 10.
Desmognathus imitator OP 695: 3; MP 166: 10.
Desmognathus monticola OP 695: 3; MP 169: 3, 19.
Desmognathus ochrophaeus OP 695: 3; MP 169: 19.
Desmognathus ochrophaeus carolinensis OP 539: 4.
Desmognathus quadramaculatus MP 169: 3, 19.
Desmognathus quadramaculatus amphileucus OP 451: 12; OP 539: 5; MP 166: 10.
Desmognathus quadramaculatus OP 364: 2.
Desmognathus santealah OP 695: 3; MP 166: 10.
Desmognathus welteri MP 169: 3.
Diadophis amabilis OP 142: 3.
Diadophis amabilis amabilis OP 142: 3.
Diadophis amabilis modestus OP 142: 8.
Diadophis amabilis occidentalis OP 142: 6.

- Diadophis amabilis pulchellus* OP 142: 6.
Diadophis amabilis similis OP 142: 4; OP 539: 43; MP 167: 54.
Diadophis amabilis vandenburgii OP 142: 5.
Diadophis arnyi OP 66: 2.
Diadophis decoratus OP 412: 7.
Diadophis punctatus MP 154: 16, 23, 39.
Diadophis punctatus acricus MP 167: 54.
Diadophis punctatus arnyi OP 117: 9; OP 189: 4.
Diadophis punctatus edwardsii OP 117: 9; OP 328: 5.
Diadophis punctatus punctatus OP 117: 9.
Diadophis punctatus similis MP 167: 54.
Diadophis punctatus strictogenys OP 117: 8.
Diadophis regalis OP 142: 1; OP 189: 5.
Diadophis regalis arizonae OP 142: 2; OP 289: 9.
Diadophis regalis arnyi OP 189: 5.
Diadophis regalis regalis OP 142: 1.
Diaglena reticulata OP 554: 6; OP 560: 20.
Diaphoranolis OP 129: 7.
Diaphoranolis brooksi OP 129: 7.
Dicamptodon MP 149: 1.
Dicamptodon copei MP 149: 1, 10; MP 169: 3, 18, 25.
Dicamptodon atterimus MP 149: 5.
Dicamptodon ensatus MP 149: 1, 8; MP 169: 3, 15, 18, 25.
Dicrodon barbouri OP 539: 31; MP 167: 23.
Dicrodon guttatum MP 167: 23.
Dicrodon lentiginosus barbouri OP 539: 31.
Diemictylus viridescens piaropicola MP 166: 10.
Diemictylus viridescens vittatus OP 451: 2.
Dimetrodon OP 62: 3.
Dinodon orientale MP 154: 22.
Diplodactylinae MP 173: 43.
Diplodactylus MP 173: 43; MP 183: 20.
Diplodactylus alboguttatus MP 183: 20.
Diplodactylus byrnei MP 183: 20.
Diplodactylus conspicillatus MP 183: 20.
Diplodactylus damaeus MP 183: 20.
Diplodactylus granariensis MP 183: 20.
Diplodactylus maini MP 183: 20.
Diplodactylus pulcher MP 183: 20.
Diplodactylus savagei MP 183: 20.
Diplodactylus squarrosus MP 183: 20.
Diplodactylus steindachneri MP 183: 20.
Diplodactylus stenodactylus MP 183: 20.
Diplodactylus taenicauda MP 183: 20.
Diplodactylus tessellatus MP 183: 20.
Diplodactylus vittatus MP 183: 20.
Diplodactylus williamsi MP 167: 23.
Diplodiscus temperatus OP 237: 1.
Diploglossus OP 715: 40; MP 154: 14.
Diploglossus costatus oreistes MP 167: 23.
Diploglossus cruscus cundalli MP 167: 24.
Diploglossus cruscus molesworthi MP 167: 24.
Diploglossus steindachneri MP 69: 60; MP 122: 82.
Diploglossus (Celestus) steindachnerii MP 122: 81.
Dipsadidae MP 114: 12.
Dipsadinae MP 114: 1.
Dipsadomorphus MP 114: 12;
Dipsadomorphus biscutatus MP 69: 80.
Dipsadomorus MP 114: 21.
Dipsadomorus albifrons MP 114: 121.
Dipsadomorus bucephalus MP 114: 67.
Dipsadomorus indicus MP 114: 67.
Dipsadomorus indicus MP 114: 73.
Dipsadomorus fasciatus MP 114: 38.
Dipsadomorus variegatus MP 114: 132.
D[ipsadomorus] bucephalus MP 114: 73.
Dipsas MP 114: 12, 21, 31.
Dipsas argus MP 114: 189.
Dipsas albifrons MP 114: 121.
Dipsas albifrons cavaleiroi MP 114: 121.
Dipsas annulata MP 114: 176.
Dipsas anthracops MP 114: 180.
Dipsas articulata MP 114: 33.
Dipsas boettgeri MP 114: 98.
Dipsas brevis MP 114: 213.
Dipsas bucephala MP 114: 67, 73, 78.
Dipsas catesbyi MP 114: 23.
Dipsas cenchoa MP 69: 80; MP 122: 101.
Dipsas cenchoa var. *reticulata* MP 122: 100.
Dipsas cenchoa var. *rhombeata* MP 122: 100.
Dipsas cisticeps MP 114: 78.
Dipsas copei MP 114: 58.
Dipsas copeii MP 114: 58.
Dipsas costaricensis MP 114: 192.
Dipsas dieperinkii MP 122: 111.
Dipsas dimidiata MP 114: 185.
Dipsas dimidiatus MP 69: 78; MP 114: 182; MP 122: 115; LVB 45: 24.
Dipsas elegans MP 114: 86.
Dipsas ellipsifera MP 114: 87.
Dipsas gaigeae OP 589: 15; 19; MP 114: 42; MP 167: 54.
Dipsas gemmistratus MP 122: 101.
Dipsas gracilis MP 114: 44.
Dipsas grandoculis MP 122: 115.
Dipsas incerta MP 114: 127.
Dipsas indica MP 114: 12, 23, 61, 67, 73.
Dipsas indica cisticeps MP 114: 78.
Dipsas indica ecuadorensis MP 114: 81; MP 167: 54.
Dipsas indica indica MP 114: 23, 67.
Dipsas infrenalis MP 114: 214.
Dipsas latifasciata MP 114: 100.
Dipsas latifasciatus MP 114: 67.
Dipsas latifrontalis MP 114: 20, 103; MP 128: 44; MP 167: 54.
Dipsas leucomelas MP 114: 97.
?Dipsas leucomelas MP 114: 199.
Dipsas longicaudata MP 114: 94.
Dipsas longifrenis MP 114: 192.
Dipsas maxillaris MP 114: 48.
Dipsas mikani MP 114: 148.
Dipsas mikanii MP 114: 154.
Dipsas mikanii peruanus MP 114: 110.
Dipsas nebulatus MP 114: 199.
Dipsas neivai MP 114: 85.
Dipsas niceforoi MP 114: 112.
Dipsas oreas MP 114: 92.
Dipsas palmeri MP 114: 100, 103.
Dipsas pavonina MP 114: 61.
Dipsas poecilolepis MP 114: 95.
Dipsas polylepis MP 114: 96.
Dipsas pratti MP 114: 112.
Dipsas sannillus MP 114: 187.
Dipsas schunkei MP 114: 119.
Dipsas schunkii MP 114: 119.
Dipsas tenuissima MP 114: 52.
Dipsas tolimensis MP 114: 112.
Dipsas trinitatis MP 114: 139.
Dipsas variegata MP 114: 112, 132; MP 128: 44.
Dipsas variegata nicholsi MP 114: 137.
Dipsas variegata trinitatis MP 114: 139.
Dipsas variegata variegata MP 114: 132.
Dipsas vermiculata MP 167: 54, 65.
Dipsas viguieri MP 114: 54.
D[ipsas] brevis MP 114: 33.

- Dipso-saurus dorsalis dorsalis* OP 259: 5; OP 329: 15.
Dipso-saurus dorsalis sonoriensis OP 259: 4; MP 167: 24.
Dipsosaurus dorsalis MP 154: 24.
Dipsosaurus dorsalis sonoriensis OP 539: 31; MP 167: 24.
Dirosema bicolor MP 131: 55; 57.
Dirosema brachycephalum MP 131: 146.
Dirosema omiltemanum OP 131: 124.
Discoglossidae OP 272: 9.
Dispholidus typus MP 154: 26.
Draco fimbriatus MP 154: 24.
Draco volans MP 154: 20.
Dromicus OP 251: 2.
Dromicus antillensis OP 143: 9.
Dromicus chitalonensis MP 122: 92.
Dromicus clavatus OP 362: 5.
Dromicus (Dromicus) clavatus MP 69: 79; MP 122: 92.
Dromicus coeruleus MP 69: 64.
Dromicus cursor MP 47: 26.
Dromicus godmanni LVB 49: 62.
Dromicus lachrymans OP 412: 6.
Dromicus laureatus OP 412: 5.
Dromicus (Alsophis) maculivittis MP 49: 53.
Dromicus omiltemanus OP 412: 13.
Dromicus pleei MP 49: 53.
Dromicus putnami MP 47: 26.
Dromicus taeniatus OP 412: 13.
Dryadophis MP 49: 9; MP 122: 94.
Dryadophis alternatus MP 47: 21.
Dryadophis alternatus alternatus MP 47: 21.
Dryadophis alternatus slevini MP 47: 21.
Dryadophis amarali MP 49: 57.
Dryadophis bifossatus bifossatus MP 49: 39.
Dryadophis bifossatus striatus MP 49: 48.
Dryadophis bifossatus triseriatus MP 49: 43.
Dryadophis boddaerti boddaerti MP 49: 66.
Dryadophis boddaerti dunni MP 49: 76.
Dryadophis boddaerti ruthveni OP 539: 43; MP 49: 64.
Dryadophis boddaertii MP 128: 39.
Dryadophis bruesi MP 49: 59.
Dryadophis dorsalis OP 471: 23; MP 49: 95; MP 122: 94.
Dryadophis heathii MP 49: 77.
Dryadophis melanolomus MP 101: 68; LVB 45: 23.
Dryadophis melanolomus alternatus OP 539: 44; MP 49: 81.
Dryadophis melanolomus laevis MP 49: 86; MP 69: 64; MP 122: 95; LVB 75: 26.
Dryadophis melanolomus melanolomus MP 49: 88.
Dryadophis melanolomus stuarti OP 539: 43; OP 554: 22; OP 560: 21; OP 589: 15; MP 167: 55.
Dryadophis melanolomus tehuanae OP 539: 44; MP 122: 95; MP 167: 55.
Dryadophis melanolomus veraecrucis MP 49: 91; MP 101: 68.
Dryadophis melanolomus subsp. LVB 75: 26.
Dryadophis pleei MP 49: 53.
Dryadophis pulchriceps MP 49: 50.
Dryinus aeneus MP 122: 108.
Dryinus auratus MP 69: 81; MP 122: 108.
Dryiophis acuminata MP 122: 108.
Drymarchon MP 122: 95.
Drymarchon corais OP 236: 1; MP 101: 68; MP 154: 25; MP 178: 57.
Drymarchon corais melanocercus OP 471: 23.
Drymarchon corais melanurus OP 292: 15; OP 357: 13; OP 360: 19; OP 388: 7; MP 8: 65; MP 29: 49; MP 47: 21; MP 69: 67; MP 122: 95; LVB 45: 23.
Drymarchon corais rubidus OP 554: 22; OP 560: 15; OP 589: 15; MP 122: 96.
Drymarchon corais uniclor MP 122: 96.
Drymobius OP 236: 6.
Drymobius bifossatus OP 236: 5.
Drymobius bifossatus striatus MP 49: 46.
Drymobius bifossatus triseriatus MP 49: 43.
Drymobius boddaertii OP 19: 3; OP 236: 5; OP 254: 1; OP 292: 5; MP 8: 65; MP 69: 64; MP 122: 94.
Drymobius boddaerti modesta MP 122: 95.
Drymobius boddaerti var. modesta MP 49: 86; MP 69: 64.
Drymobius (Eudryas) caeruleus MP 122: 95.
Drymobius chloroticus MP 69: 64; MP 122: 96; LVB 45: 23.
Drymobius (Eudryas) dorsalis MP 49: 95; MP 122: 94.
Drymobius dendrophis OP 292: 5; MP 69: 63; MP 122: 94.
Drymobius heathii MP 49: 77.
Drymobius (Eudryas) laevis MP 122: 95.
Drymobius margaritiferus OP 292: 14; OP 357: 13; OP 360: 19; OP 363: 4; OP 388: 17; MP 29: 47; MP 47: 20; MP 101: 69; MP 122: 97.
Drymobius margaritiferus fistulosus OP 554: 22; OP 560: 21; OP 589: 15.
Drymobius margaritiferus margaritiferus MP 69: 64; MP 122: 97; LVB 45: 23; LVB 75: 8, 11, 25.
Drymobius margaritiferus occidentalis MP 122: 97; LVB 68: 59.
Drymobius melanotropis OP 357: 13.
Drymobius rhombifer OP 236: 1; MP 8: 65.
Drymoluber dichrous OP 236: 3.
Drymoluber brazili OP 236: 3.
Drymoluber dichrous OP 236: 3.
Ebenavia MP 173: 44; MP 183: 1.
Ebenavia inunguis MP 183: 20.
Echis carinatus MP 154: 16.
Ecpleopus OP 597: 1.
Ecpleopus (Euspondylus) acuitirostris MP 128: 23.
Ecpleopus lutzae OP 606: 3.
Edajpsaurus OP 62: 1.
Edaphosaurus cruciger OP 62: 1.
Egernia carinata OP 539: 32; MP 167: 24.
Egernia striolata MP 154: 28.
Elachistocleis OP 187: 4; OP 555: 3, 14.
Elachistocleis bicolor OP 555: 15.
Elachistocleis ovale OP 187: 4; OP 539: 18.
Elachistocleis ovale bicolor OP 187: 4.
Elachistocleis ovale ovale OP 187: 4.
Elaphe OP 540: 1; OP 541: 1; MP 122: 97; MP 154: 15.
Elaphe bairdi OP 541: 7.
Elaphe chlorosoma OP 360: 19; OP 541: 8; MP 47: 22; MP 69: 68.
Elaphe climacophora MP 154: 23.
Elaphe conspicillata MP 154: 22.
Elaphe dione MP 154: 20, 39.
Elaphe emoryi OP 540: 1.
Elaphe flavirufa OP 388: 17; OP 540: 1; MP 101: 69.

- Elaphe flavirufa flavirufa* OP 540: 3; OP 541: 3; MP 69: 68; MP 101: 69; MP 122: 98; LVB 45: 23.
Elaphe (Pseudoelaphe) *flavirufa* OP 540: 3; OP 541: 3.
Elaphe flavirufa matudai OP 540: 6; OP 541: 3.
Elaphe flavirufa pardalina OP 541: 3; MP 122: 98.
Elaphe flavirufa phaescens OP 540: 7; OP 541: 3; MP 167: 55.
Elaphe flavolineata MP 154: 26.
Elaphe guttata OP 328: 2; OP 540: 1; OP 541: 2; MP 101: 69; MP 154: 23.
Elaphe guttata emoryi MP 101: 69.
Elaphe guttatus OP 541: 2.
Elaphe laeta OP 189: 5; OP 246: 15; OP 363: 6.
Elaphe leopardina OP 211: 22.
Elaphe obsoleta MP 154: 23.
Elaphe obsoleta bairdi OP 541: 7.
Elaphe obsoleta lindheimeri OP 541: 6.
Elaphe obsoleta obsoleta OP 117: 10; OP 189: 5; OP 541: 4.
Elaphe obsoleta rossalleni OP 541: 5.
Elaphe obsuletus OP 541: 4.
Elaphe pardalinus OP 541: 3.
Elaphe parreysii MP 122: 97.
Elaphe phaescens MP 167: 55.
Elaphe quadrivittata OP 541: 5; MP 154: 21.
Elaphe quadrivittata deckerti OP 541: 5.
Elaphe quadrivittata parallela OP 541: 5.
Elaphe quadrivittata quadrivittata OP 541: 5.
Elaphe quatuorlineata OP 211: 21.
Elaphe rodriguezii OP 540: 9; OP 541: 3.
Elaphe rosacea OP 541: 2.
Elaphe rosaliae OP 540: 1; OP 541: 8; OP 583: 1.
Elaphe sclerotica OP 541: 8; OP 583: 10.
Elaphe subocularis OP 540: 1; OP 541: 8; OP 583: 10.
Elaphe triaspis OP 540: 1; OP 541: 7; MP 101: 69; MP 122: 98.
Elaphe triaspis intermedia OP 541: 8; OP 589: 11; 15; MP 101: 69.
Elaphe triaspis mutabilis OP 541: 7; MP 69: 68; MP 122: 98; LVB 45: 23.
Elaphe triaspis triaspis OP 541: 7; MP 122: 98; LVB 75: 9, 26.
Elaphe vulpina OP 66: 2; OP 541: 4; MP 154: 8.
Elaphe vulpina gloydi OP 541: 4.
Elaphe vulpinus OP 541: 4.
Elaphe williamsi OP 541: 5.
Elaphis pardalinus MP 122: 98.
Elaphis rodriguezii MP 69: 68; MP 122: 98.
Elaphis spiloides OP 541: 5.
Elaphrosaura OP 606: 1.
Elaphrosaura spitzii OP 606: 9.
Elapidae MP 122: 125; MP 128: 45; MP 154: 15.
Elapoides MP 131: 34; 35.
Elapoidis brachycephalus MP 131: 146.
Elapoidis chalybeus MP 131: 171.
Elapoidis dolichocephalus MP 131: 146.
Elapoides dugesi MP 131: 59.
Elapoides fuscus MP 131: 34.
Elapoides hoffmanni MP 131: 155.
Elapoides rostralis MP 131: 42; 84.
Elapoides semidoliatum MP 131: 34.
Elapoides semidoliatus MP 131: 133.
Elapoides sieboldi MP 131: 34; 42; 160; 171.
Elapomorphus mexicana MP 122: 118.
Elaps aglaeae OP 292: 5.
Elaps aglaeae MP 69: 84; MP 122: 126.
Elaps alienus MP 122: 126.
Elaps apiatus MP 69; 84; MP 122: 126.
Elaps corallinus MP 69: 85.
Elaps elegans MP 69: 86; MP 122: 126.
Elaps fulvius MP 69: 84; MP 122: 126.
Elaps fulvius apiatus MP 69: 84.
Elaps fulvius sapperi MP 122: 126.
Elaps guatemalensis MP 69: 84; MP 122: 126.
Elaps hippocrepis MP 69: 85; MP 122: 126.
Eleutherodactylus OP 711: 1; OP 715: 40; MP 122: 27.
Eleutherodactylus sp. MP 128: 36; MP 160: 74.
Eleutherodactylus affinis OP 711: 4, 37.
Eleutherodactylus albipes MP 166: 29.
Eleutherodactylus alfredi MP 101: 52.
Eleutherodactylus alticola OP 539: 12; MP 166: 30.
Eleutherodactylus andrewsi OP 539: 12; OP 561: 4; MP 166: 30.
Eleutherodactylus angelicus MP 166: 30.
Eleutherodactylus anotis OP 561: 7; MP 166: 30.
Eleutherodactylus anzueto OP 471: 16; OP 539: 12; MP 69: 22; MP 122: 28, 134; MP 166: 30; LVB 45: 22.
Eleutherodactylus audanti OP 539: 12; MP 166: 30.
Eleutherodactylus augusti MP 47: 12; MP 101: 52; 53.
Eleutherodactylus augusti augusti MP 101: 53.
Eleutherodactylus augusti fuscofemora MP 166: 30.
Eleutherodactylus bakeri MP 166: 31.
Eleutherodactylus berkenbauschii MP 166: 31.
Eleutherodactylus boconoensis OP 700: 1.
Eleutherodactylus bocourti MP 69: 22; MP 69: 64; LVB 45: 22.
Eleutherodactylus bogotensis OP 700: 5.
Eleutherodactylus boulengeri OP 697: 2; MP 166: 31.
Eleutherodactylus bransfordii MP 166: 31.
Eleutherodactylus breifrons OP 697: 8; MP 166: 31.
Eleutherodactylus briceni OP 539: 13; MP 166: 31.
Eleutherodactylus brocchi MP 69: 22; MP 122: 28; LVB 45: 22.
Eleutherodactylus calcaratus OP 711: 4, 28.
Eleutherodactylus carmelitae OP 539: 13; OP 561: 10; OP 711: 4, 8; MP 8: 51; MP 166: 31.
Eleutherodactylus carvalhoi OP 561: 10.
Eleutherodactylus caryophyllaceus MP 166: 32.
Eleutherodactylus cochraniae OP 539: 13; MP 166: 32.
Eleutherodactylus colostichos OP 700: 1; MP 166: 32.
Eleutherodactylus conspicuus MP 122: 29.
Eleutherodactylus cooki OP 539: 13; MP 166: 32.
Eleutherodactylus cornutus cornutus OP 711: 4.
Eleutherodactylus cornutus maussi MP 128: 38, 41.
Eleutherodactylus cruentae OP 711: 10.
Eleutherodactylus cruentus OP 711: 4, 37; MP 8: 43, 51, 68.
Eleutherodactylus cubanus MP 166: 32.
Eleutherodactylus cundalli MP 166: 32.
Eleutherodactylus decoratus MP 101: 52.
Eleutherodactylus decoratus purpurus MP 166: 32.
Eleutherodactylus delicatus OP 43: 1; OP 539: 13; OP 711: 4, 10, 17; MP 8: 43, 53; MP 166: 33.
Eleutherodactylus diastema OP 357: 5.
Eleutherodactylus eneidae MP 166: 33.

- Eleutherodactylus escoces* MP 166: 33.
Eleutherodactylus etheridgei MP 166: 33.
Eleutherodactylus fitzingeri OP 561: 7.
Eleutherodactylus fleischmanni MP 69: 24.
Eleutherodactylus gaigei OP 539: 13; OP 539: 19.
Eleutherodactylus ginesi OP 700: 1.
Eleutherodactylus greggi MP 122: 134; MP 166: 33.
Eleutherodactylus haitianus MP 166: 33.
Eleutherodactylus hidalgoensis MP 101: 49; 51.
Eleutherodactylus haitianus OP 539: 13.
Eleutherodactylus insignitus OP 34: 1; OP 539: 14; OP 711: 4, 20, 43; MP 8: 43; MP 166: 33.
Eleutherodactylus intermedius OP 539: 13; MP 166: 34.
Eleutherodactylus karlschmidtii OP 539: 14; MP 166: 34.
Eleutherodactylus lancinii OP 700: 1.
Eleutherodactylus lineatus MP 122: 29.
Eleutherodactylus laticeps MP 69: 25; MP 166: 34.
Eleutherodactylus latrans MP 101: 49.
Eleutherodactylus lewisi OP 539: 14; MP 166: 34.
Eleutherodactylus lynni OP 539: 14; MP 166: 34.
Eleutherodactylus magalops OP 39: 3; OP 539: 14; OP 561: 6; OP 711: 4, 23; MP 8: 52; MP 166: 34.
Eleutherodactylus matudai MP 122: 29.
Eleutherodactylus mexicanus OP 360: 4; MP 166: 35.
Eleutherodactylus milesi MP 166: 35.
Eleutherodactylus myersi OP 700: 5.
Eleutherodactylus natator OP 471: 16; MP 69: 24.
Eleutherodactylus niceforoi OP 711: 5.
Eleutherodactylus nigrovittatus OP 561: 4.
Eleutherodactylus noblei OP 357: 5.
Eleutherodactylus occidentalis OP 554: 6; OP 560: 20; OP 589: 6; 14.
Eleutherodactylus octavioi MP 166: 35.
Eleutherodactylus palmatus OP 129: 10.
Eleutherodactylus parvus OP 561: 4; MP 166: 35.
Eleutherodactylus patriciae MP 166: 35.
Eleutherodactylus persimilis MP 166: 36.
Eleutherodactylus petersi OP 697: 9.
Eleutherodactylus phoxocephalus OP 697: 9; OP 711: 2.
Eleutherodactylus pinarensis OP 539: 14; MP 166: 36.
Eleutherodactylus pittieri MP 69: 24.
Eleutherodactylus podiciferus OP 539: 14; MP 166: 36.
Eleutherodactylus poolei OP 539: 14; MP 166: 36.
Eleutherodactylus prolixodiscus OP 711: 4, 37.
Eleutherodactylus pygmaeus MP 122: 32.
Eleutherodactylus racemus MP 166: 36.
Eleutherodactylus ranoides OP 129: 10.
Eleutherodactylus reticulatus OP 561: 4; MP 166: 36.
Eleutherodactylus rhodopsis OP 292: 7; OP 589: 17; MP 29: 37; MP 69: 23; MP 122: 29; LVB 45: 22; LVB 75: 11, 17.
Eleutherodactylus ricordii rogersi MP 166: 36.
Eleutherodactylus roseus OP 561: 10.
Eleutherodactylus rostralis MP 69: 23; MP 122: 30.
Eleutherodactylus rugulosus OP 357: 5; OP 471: 16; OP 554: 6; OP 560: 5; OP 561: 7; OP 589: 7; MP 69: 24; MP 122: 30; LVB 45: 22; LVB 68: 46.
Eleutherodactylus ruizi OP 711: 4.
Eleutherodactylus ruthveni OP 711: 28.
Eleutherodactylus sanctae-martae OP 39: 1; OP 539: 14; OP 711: 33; MP 8: 43, 53; MP 166: 37.
Eleutherodactylus sanctaemartae OP 711: 4, 28, 33.
Eleutherodactylus simoterus MP 166: 37.
Eleutherodactylus spatulatus MP 69: 22; MP 101: 52.
Eleutherodactylus stantoni OP 539: 14; MP 69: 25; MP 166: 37; MP 122: 30; LVB 45: 22.
Eleutherodactylus stenodiscus OP 561: 2; MP 166: 37.
Eleutherodactylus stuarti MP 166: 37.
Eleutherodactylus surdus OP 561: 10.
Eleutherodactylus talamancae OP 357: OP 539: 15; MP 166: 38.
Eleutherodactylus tayrona OP 711: 37.
Eleutherodactylus terraebolivaridis MP 128: 39, 41; MP 166: 38.
Eleutherodactylus thectopternus OP 678: 1.
Eleutherodactylus trepidotus OP 700: 5.
Eleutherodactylus turquinensis MP 166: 38.
Eleutherodactylus ventrimarmoratus OP 561: 10.
Eleutherodactylus ventrivittatus OP 561: 10.
Eleutherodactylus vertebralis OP 711: 4, 10, 28.
Eleutherodactylus vidua OP 700: 5.
Eleutherodactylus viridicans OP 678: 1; MP 166: 38.
Eleutherodactylus vocalis OP 589: 6; 14; 18.
Eleutherodactylus vulcani MP 166: 38.
Eleutherodactylus walkeri MP 166: 38.
Eleutherodactylus wetmorei OP 539: 15; MP 166: 38.
Eleutherodactylus w-nigrum OP 678: 1; OP 711: 4, 43.
Eleutherodactylus whymperi OP 561: 10.
Eleutherodactylus xucanebi OP 539: 15; MP 69: 25; MP 101: 52; MP 122: 30; MP 166: 38; LVB 45: 22.
Elosia magalhaesi MP 166: 39.
Elosia ornata MP 166: 39.
Emoia atrocostata MP 154: 23.
Emydinae OP 647: 5.
Emydoidea MP 142: 15, 37, 47.
Emydoidea blandingi OP 647: 2; MP 142: 30, 39, 59, 62.
Emydops OP 187: 1, 2; OP 555: 4.
Emydops hypomelas OP 555: 4.
Emys areolata OP 292: 6; MP 69: 45; MP 122: 50.
Emys blandingii OP 647: 2.
Emys grayi MP 122: 51.
Emys incisa MP 122: 50.
Emys ornata MP 69: 44; MP 122: 51.
Emys rubriventris OP 348: 1.
Emys salvinii MP 122: 51.
Emys umbra MP 122: 51.
Emys venusta MP 69: 44; MP 122: 51.
Emysaurus rossignonii MP 69: 44; MP 122: 47.
Engyrus asper schmidtii OP 539: 44; MP 167: 55.
Engyrus carinatus paulsoni MP 167: 55.
Engystoma OP 187: 1.
Engystoma carolinense OP 555: 12; MP 59: 43.
Engystoma elegans MP 122: 43.
Engystoma leucostictum OP 555: 11.
Engystoma microps OP 555: 17.

- Engystoma mulleri OP 555: 4, 13.
 Engystoma subnigrum OP 555: 16.
 Engystoma variolosum OP 555: 12.
 Engystomops pustulosus OP 388: 11; MP 47: 12;
 MP 110: 8; MP 122: 31; LVB 68: 45.
 Engystomops ruthveni OP 539: 15.
 Enicognathus annulatus MP 69: 62; MP 122: 113.
 Enicognathus vittatus OP 412: 7.
 Ensatina MP 149: 6.
 Ensatina eschscholtzi oregonensis MP 149: 74.
 Ensatina eschscholtzi picta MP 149: 75.
 Ensatina eschscholtzi xanthoptica MP 149: 74.
 Ensatina eschscholtzii MP 149: 6.
 Enulius flavitorques MP 47: 23; MP 122: 98.
 Enulius unicolor OP 554: 22; MP 131: 42.
 Enyaliosaurus clarki OP 598: 1; 21; LVB 65: 17.
 Enyaliosaurus defensor LVB 65: 17.
 Enyaliosaurus erythromelas LVB 65: 17.
 Enyaliosaurus quinquecarinatus LVB 65: 17.
 Enyaliosaurus palearis MP 122: 68; LVB 65: 17.
 Enygrus Bibroni MP 178: 8.
 Epaphelus OP 409: 4.
 Epaphelus sumichrasti OP 409: 5; MP 122: 80.
 Epicrates OP 715: 1; MP 178: 9.
 Epicrates angulifer OP 715: 1; MP 178: 9, 56.
 Epicrates cenchria MP 8: 40, 65; MP 178: 9, 56.
 Epicrates cenchria gaigei OP 539: 44; MP 167: 55.
 Epicrates chrysogaster OP 715: 1; MP 178: 9, 56.
 Epicrates exsul OP 715: 1; MP 178: 9, 56.
 Epicrates fordii OP 715: 1; MP 178: 9, 56.
 Epicrates gracilis OP 715: 1; MP 178: 9, 56.
 Epicrates inornatus OP 715: 1; MP 178: 9, 56.
 Epicrates inornatus granti OP 267: 1; OP 715: 35.
 Epicrates monensis OP 715: 1; MP 178: 9, 56.
 Epicrates monensis granti OP 715: 57.
 Epicrates striatus MP 154: 29; MP 178: 9, 56.
 Epicrates striatus fosteri MP 167: 56.
 Epicrates striatus mccraniei MP 167: 56.
 Epicrates subflavus OP 715: 35; MP 178: 9, 56.
 Epicrionops OP 682: 2; OP 687: 11.
 Epicrionops petersi petersi MP 166: 4.
 Erebophis asper MP 178: 8.
 Eremias nitida garambensis OP 539: 32; MP 167: 24.
 Eretmochelys OP 647: 13.
 Eretmochelys imbricata OP 388: 21; MP 122: 53.
 Erpetodryas OP 571: 16.
 Erpetodryas 4 dricarinatus OP 571: 15.
 Erycines MP 178: 57.
 Erythrolamprus aesculapii OP 129: 14; OP 357: 17; MP 8: 67.
 Erythrolamprus fissidens MP 69: 79.
 Erythrolamprus longicaudus OP 412: 7; MP 122: 112.
 Erythrolamprus mimus micrurus OP 539: 44; MP 167: 56.
 Erythrolamprus proterops MP 69: 79.
 Eryx colubrinus MP 178: 57.
 Eryx conicus MP 178: 57.
 Eryx jaculus OP 211: 19; MP 178: 57.
 Eryx jayakari MP 178: 57.
 Eryx johnii MP 178: 57.
 Eryx miliaris MP 178: 57.
 Eryx tataricus MP 178: 57.
 Eublepharinae MP 138: 41; MP 173: 43.
 Eublepharis MP 138: 41; MP 173: 43; MP 183: 1.
 Eublepharis hardwickii MP 183: 20.
 Eublepharis kuroiwae splendens MP 138: 41.
 Eublepharis macularius MP 138: 20.
 Eudryas OP 236: 4; OP 254: 1; MP 49: 13.
 Eudryas amarali MP 49: 57.
 Eudryas boddaerti OP 254: 1; MP 29: 49.
 Eudryas boddaertii boddaertii OP 254: 2.
 Eudryas boddaerti alternatus OP 254: 2; OP 357: 13.
 Eudryas boddaerti dorsalis OP 254: 2.
 Eudryas boddaerti gaigeae OP 254: 7; OP 539: 44; MP 49: 81; MP 167: 56.
 Eudryas boddaerti laevis OP 254: 2; MP 29: 49.
 Eudryas boddaerti melanolomus OP 254: 2; OP 292: 5; OP 388: 7; MP 29: 49.
 Eudryas boddaerti mexicanus OP 254: 8; MP 49: 91.
 Eudryas boddaerti melanolomus x boddaerti laevis OP 292: 5; MP 29: 48.
 Eudryas boddaerti pulchriceps OP 254: 2.
 Eudryas boddaertii slevini OP 360: 19.
 Eudryas dunni OP 254: 5; MP 49: 76.
 Eudryas quinquelineatus OP 254: 2.
 Eudryas ruthveni OP 254: 4; OP 539: 43; MP 49: 64; MP 167: 56.
 Eudryas slevini OP 254: 9.
 Eumeces MP 122: 73; MP 154: 14.
 Eumeces barbouri OP 44: 4.
 Eumeces brevirostris OP 260: 3.
 Eumeces brevirostris bilineatus MP 167: 24.
 Eumeces brevirostris dicei MP 167: 24.
 Eumeces callicephalus MP 154: 20, 39.
 Eumeces chinensis formosensis OP 44: 4.
 Eumeces colimensis OP 554: 16; OP 560: 20; OP 589: 16.
 Eumeces dicei OP 260: 1; OP 539: 32; MP 101: 64; MP 167: 24.
 Eumeces dugesi OP 260: 3.
 Eumeces egregius OP 260: 3; MP 132: 28; MP 154: 21.
 Eumeces fasciatus MP 128: 33; MP 132: 28; MP 154: 22.
 Eumeces furcistrostris OP 260: 3.
 Eumeces gaigei OP 539: 32.
 Eumeces gilberti OP 8: 26.
 Eumeces guttulatus OP 189: 4; OP 201: 1; OP 246: 10.
 Eumeces humilis OP 246: 10.
 Eumeces ishigakiensis OP 44: 4.
 Eumeces leptogrammus OP 246: 14.
 Eumeces lynxae OP 260: 3.
 Eumeces lynxae furcistrostris OP 589: 13.
 Eumeces marginatus OP 44: 2.
 Eumeces marginatus amamiensis OP 44: 4.
 Eumeces marginatus kikaigensis OP 44: 4.
 Eumeces multivirgatus OP 246: 12.
 Eumeces multivirgatus epipleurotus MP 167: 24.
 Eumeces ochoteranae MP 167: 24.
 Eumeces obsoletus OP 189: 4; OP 201: 1; OP 246: 10; MP 132: 14, 28; MP 154: 23; MP 158: 3.
 Eumeces oshimensis OP 44: 2.
 Eumeces parvulus OP 360: 12; OP 554: 17; OP 560: 20; OP 589: 16.
 Eumeces quinquilineatus OP 18: 4.
 Eumeces schwartzei OP 292: 13; OP 388: 9, 17; MP 122: 74; LVB 75, 9, 23.
 Eumeces septentrionalis MP 128: 30; MP 132: 28; MP 154: 21.
 Eumeces skiltonianus OP 8: 26; OP 243: 3; OP 244: 30; MP 128: 29, 30; MP 132: 28; MP 154: 8.
 Eumeces sumichrasti MP 69: 55; MP 122: 74; LVB 45: 23; LVB 75: 8.
 Eumeces taylori OP 539: 32; MP 167: 25.
 Eumeces tetragrammus MP 101: 64.

- Eunectes* MP 178: 10.
Eunectes barbouri MP 178: 10.
Eunectes deschauensei MP 178: 10, 56.
Eunectes murinus MP 178: 10, 56.
Eunectes notaeus MP 178: 10, 57.
Eunectes sp. MP 178: 57.
Eupemphix maculiventris OP 539: 15; MP 166: 39.
Eupemphix gadovii MP 122: 43.
Eupemphix pustulosus OP 129: 10; MP 8: 54.
Eupemphix ruthveni OP 539: 15; MP 166: 39.
Euphryne obesus OP 539: 32; MP 167: 25.
Euprepes MP 122: 73.
Euproctus asper MP 169: 19.
Eurycea aquatica MP 166: 11.
Eurycea bislineata MP 169: 3, 19.
Eurycea bislineata bislineata OP 470: 4.
Eurycea bislineata cirrigera OP 117: 4.
Eurycea bislineata major OP 539: 5; MP 166: 11.
Eurycea griseogaster OP 539: 5; MP 166: 11.
Eurycea gutto-lineta OP 117: 4.
Eurycea junaluska MP 166: 11.
Eurycea longicauda OP 117: 4; MP 169: 3.
Eurycea longicauda longicauda OP 364: 8; OP 451: 19; OP 539: 5; MP 166: 11.
Eurycea longicauda pernix OP 539: 5; MP 166: 11.
Eurycea lucifuga OP 470: 3; MP 169: 19.
Eurycea melanopleura OP 451: 19.
Eurycea multiplicata griseogaster MP 166: 11.
Eurycea nana OP 451: 6; OP 539: 5; MP 166: 11.
Eurycea neotenes OP 451: 8.
Eurycea quadridigitata MP 166: 12.
Eurycea quadridigitata remifera OP 364: 9.
Eurycea tynnerensis OP 539: 5; MP 166: 12.
Eurydactylodes MP 173: 43.
Eurypholis mayae OP 539: 45; MP 167: 57.
Eurypholis vernalis MP 50: 10.
Euspondylus acutirostris MP 128: 23.
Euspondylus cupreus OP 606: 9.
Euspondylus marianus OP 539: 32.
Eutaenia angustirostris OP 584: 8.
Eutaenia (Thamnophis) angustirostris OP 584: 6.
Eutaenia cyrtopis var. *fulvus* MP 69: 62.
Eutaenia cyrtopis fulvus MP 122: 120; LVB 49: 60.
Eutaenia cyrtopis sumichrasti MP 122: 120.
Eutaenia cyrtopis var. *sumichrasti* MP 69: 62.
Eutaenia faireyi OP 539: 45; MP 167: 57.
Eutaenia marcianus OP 584: 8.
Eutaenia rutilorus MP 122: 121.
Eutaenia sumichrasti MP 122: 120.
Exiliboa placata MP 178: 58.

Farancia abacura MP 154: 23.
Ficimia cana OP 569: 11.
Ficimia publia MP 47: 23; MP 122: 99.
Ficimia publia publia MP 122: 99.
Ficimia olivacea MP 29: 51; MP 101: 69; MP 122: 99.
Ficimia olivacea streckeri MP 101: 70.
Ficimia publia publia LVP 75: 9, 28.

Gaigea gaigeae OP 539: 32.
Gastrophryne OP 187: 1, 5; OP 555: 3, 12.
Gastrophryne albopunctatum OP 187: 1.
Gastrophryne aterrimum OP 187: 5.
Gastrophryne borneense OP 187: 1.
Gastrophryne carolinense OP 187: 1.
Gastrophryne carolinensis OP 117: 6; OP 189: 3; MP 101: 55.
Gastrophryne carolinensis carolinensis OP 555: 13.
Gastrophryne carolinensis mazatlanensis OP 555: 13.
Gastrophryne carolinensis olivacea OP 555: 13.
Gastrophryne dumerilii OP 187: 5.
Gastrophryne elegans OP 187: 5; OP 292: 7; OP 555: 13; MP 122: 43; LVB 75: 8, 9, 11, 18.
Gastrophryne microps OP 187: 5.
Gastrophryne muelleri OP 187: 1.
Gastrophryne olivacea OP 289: 6; MP 101: 55.
Gastrophryne ovale MP 8: 51.
Gastrophryne pictiventris OP 555: 13.
Gastrophryne texensis OP 259: 3.
Gastrophryne usta OP 259: 3.
Gastrophryne usta gadovi OP 555: 13; MP 122: 43.
Gastrophryne usta usta OP 555: 13; OP 589: 14; MP 101: 55.
Gastrophryne ustum OP 187: 5.
Gastrophrynoides OP 187: 1, 5.
Gastrotheca angustifrons OP 263: 3.
Gastrotheca aureomaculata MP 166: 39.
Gastrotheca boliviana griswoldi OP 539: 15; MP 166: 39.
Gastrotheca ceratophrys OP 690: 2.
Gastrotheca cornuta OP 690: 2.
Gastrotheca excubitor MP 166: 40.
Gastrotheca fulvorufa OP 263: 2.
Gastrotheca griswoldi MP 166: 40.
Gastrotheca humbertoi OP 690: 2.
Gastrotheca longipes OP 107: 1.
Gastrotheca medemi MP 166: 40.
Gastrotheca mertensi MP 166: 40.
Gastrotheca nicefori OP 263: 1; OP 539: 15; MP 166: 40.
Gastrotheca ochoai MP 166: 40.
Gastrotheca walkeri OP 690: 1; MP 166: 40.
Gastrotheca williamsoni OP 107: 1; OP 539: 15; OP 690: 2; MP 166: 41.
Geagras redimitus MP 47: 23.
Geatractus tecpanecus MP 131: 42.
Gecko aculeatus MP 138: 28.
Gecko cruciger MP 138: 28.
Gecko mabouia MP 122: 56; MP 138: 25, 28.
Gecko tuberculosus MP 122: 56; MP 138: 25.
Geckoella MP 183: 1.
Geckoella nebulosus MP 183: 20.
Geckolepis MP 173: 44; MP 183: 1.
Geckolepis maculata MP 183: 20.
Geckonia MP 173: 44; MP 183: 1.
Geckonia chazaliae MP 183: 20.
Gegenophis OP 687: 8, 11.
Gehyra MP 173: 44; MP 183: 1.
Gehyra australis MP 154: 25; MP 183: 20.
Gehyra mutilata MP 183: 20.
Gehyra oceanica MP 183: 20.
Gehyra punctata MP 183: 20.
Gehyra variegata MP 154: 24; MP 183: 20.
Gekko MP 173: 44; MP 183: 1.
Gekko armatus MP 138: 28.
Gekko gekko MP 183: 20.
Gekko incanescens MP 138: 28.
Gekko japonicus MP 154: 23.
Gekko rapicauda MP 69: 46; MP 122: 57.
Gekko tuberculosus MP 183: 20.
Gekko vittatus MP 183: 20.
G[ekko] mabuia MP 138: 28.
Gekkonidae MP 122: 56; MP 128: 9; MP 154: 15; MP 173: 43.
Geobatrachus OP 20: 1; OP 711: 3.
Geobatrachus walkeri OP 20: 2; OP 539: 15; MP 8: 50, 68; MP 166: 41.
Geochelone OP 647: 7; MP 142: 37.

- Geochelone gigantea* OP 647: 2.
Geoemyda areolata OP 388: 21; MP 29: 56; MP 69: 45; MP 122: 50; LVB 75: 19.
Geoemyda pulcherrima incisa MP 122: 50.
Geoemyda pulcherrima (pulcherrima) OP 589: 14.
Geoemyda pulcherrima pulcherrima OP 360: 8.
Geoemyda punctularia areolata OP 292: 18.
Geoemyda rubida OP 360: 8; MP 47: 13.
Geoemyda rubida perixantha OP 548: 1; OP 554: 10; OP 560: 20; MP 167: 80.
Geoemyda rubida (perixantha) OP 589: 14.
Geoemyda rubida rubida OP 548: 1.
Geophidium MP 131: 35; 41.
Geophidium dubium MP 122: 99; MP 131: 34; 41; 42.
Geophis MP 122: 99; MP 131: 1; 33; 35; 40.
Geophis acutirostris MP 131: 41; 155.
Geophis albonuchalis MP 131: 41.
Geophis annulatus OP 471: 25; MP 122: 124; MP 131: 41.
Geophis anocularis MP 131: 41; 84.
Geophis aquilonaris OP 601: 1; OP 605: 7; MP 131: 41; 48; 52; MP 167: 57.
Geophis bakeri MP 131: 41; 146.
Geophis bartholomewi MP 131: 41; 155.
Geophis bicolor MP 131: 41; 48; 55; 57.
Geophis blanchardi MP 131: 41; 97; 99.
Geophis brachycephalus MP 131: 42; 70; 139; 146.
Geophis cancellatus OP 601: 1; 42; OP 605: 7; MP 131: 42; 127; 129.
Geophis carinosus OP 452: 3; OP 471: 25; OP 539: 45; MP 122: 99; MP 131: 42; 80; 81; MP 167: 57.
Geophis chalybaea MP 122: 100; MP 131: 70; 72; 84; 92; 164.
Geophis chalybeum MP 131: 33; 36.
Geophis chalybeus MP 122: 100; MP 131: 42; 48; 55; 57; 155; 160, 168, 171.
Geophis chalybeus var. *quadrangularis* MP 131: 42; 146.
Geophis championi MP 131: 42; 68; 70.
Geophis diplozeugus MP 112: 39; MP 131: 42.
Geophis dubius MP 122: 99; MP 131: 42; 80; 84; 90; MP 167: 57.
Geophis dugesi OP 605: 7; MP 131: 42; 49; 59.
Geophis dugesii OP 601: 1; MP 131: 42.
Geophis dunni MP 42; 131: 139; 153.
Geophis elaps MP 112: 39.
Geophis emmeli MP 131: 42.
Geophis fulvoguttatus MP 131: 42; 80; 88.
Geophis fuscus MP 131: 42; 84.
Geophis godmani MP 131: 42; 68; 72.
Geophis guentheri MP 131: 42.
Geophis hoffmanni MP 131: 42; 155.
Geophis immaculatus MP 131: 42; 90; MP 167: 57.
Geophis incomptus MP 131: 42; 114; 118; MP 167: 57.
Geophis isthmicus MP 131: 42; 114; 121.
Geophis hoffmanni MP 131: 139; 146.
Geophis immaculatus MP 131: 80.
Geophis incomptus OP 605: 3, 7.
Geophis laticinctus MP 42; 131: 127; 131.
Geophis latifrontalis MP 131: 35; 42; 97; 101; 104.
Geophis latifrons MP 131: 42.
Geophis longiceps MP 131: 104.
Geophis maculiferus OP 605: 7; MP 131: 42; 114; 122.
Geophis moestus MP 131: 35.
Geophis multitorques MP 131: 42; 97; 104.
Geophis multitorques yucatanicus MP 131: 42.
Geophis nasalis OP 452: 3; OP 554: 22; MP 122: 100; MP 131: 42; 139; 160.
Geophis nigroalbus MP 131: 146.
Geophis nigrocinctus OP 605: 1, 7; MP 131: 49; MP 167: 57.
Geophis omiltemana MP 131: 42; 124.
Geophis omiltemanus MP 131: 114; 124.
Geophis ophidium dubium MP 131: 84.
Geophis moestus MP 131: 146.
Geophis nigroalbus MP 131: 42.
Geophis nigroalbus OP 605: 1; MP 131: 42; 63.
Geophis omiltemanus MP 131: 42.
Geophis petersi OP 605: 7; MP 131: 42; 140; 164.
Geophis petersii OP 601: 1; MP 131: 42.
Geophis poeppigii MP 112: 39.
Geophis pyburni MP 167: 58.
Geophis reticulatus MP 131: 42.
Geophis rhodogaster MP 122: 100; MP 131: 42; 80; 92; LVB 49: 64; LVP 68: 61.
Geophis rostralis MP 131: 84.
Geophis ruthveni MP 131: 42; 68; 75.
Geophis sallaei OP 601: 1; OP 605: 7; MP 131: 42; 140; 168.
Geophis schadenbergi MP 131: 42.
Geophis semiannulatus OP 589: 13; MP 101: 70; MP 131: 42, 97, 109.
Geophis semidoliatus OP 601: 1; OP 605: 7; MP 131: 34; 42; 127; 133.
Geophis sieboldi MP 131: 42; 140; 171.
Geophis sieboldii OP 452: 3.
Geophis stenorhynchus MP 131: 42.
Geophis tarascae OP 601: 1; OP 605: 8; MP 131: 42; 49; 65; MP 167: 58.
Geophis tecpanecus MP 131: 42.
Geophis unicolor MP 131: 42.
Geophis zebrina MP 131: 121.
Geophis zeledoni MP 131: 42; 140; 174.
Geotriton morio LVB 49: 48.
Geotrypetes OP 682: 2.
Geotrypetes seraphini OP 687: 8.
Gerrhonotus OP 497: 1; MP 154: 14.
Gerrhonotus auritus OP 292: 5; MP 69: 59; MP 122: 81; LVB 45: 22.
Gerrhonotus (Abronia) auritus MP 69: 59, MP 122: 81.
Gerrhonotus coeruleus MP 132: 28; MP 149: 75; MP 154: 8, 28.
Gerrhonotus deppei MP 122: 80.
Gerrhonotus fimbriatus OP 497: 1; MP 69: 59.
Gerrhonotus fulvus MP 69: 59; MP 122: 82; LVB 49: 58.
Gerrhonotus liocephalus MP 101: 66; MP 122: 82.
Gerrhonotus liocephalus austrinus OP 497: 6; OP 539: 32; MP 167: 25.
Gerrhonotus liocephalus infernalis MP 101: 66.
Gerrhonotus liocephalus liocephalus OP 497: 7.
Gerrhonotus liocephalus loweryi MP 101: 66.
Gerrhonotus matudai OP 497: 3; OP 539: 32; MP 167: 25.
Gerrhonotus moreleti MP 69: 59; LVB 49: 58.
Gerrhonotus moreleti fulvus OP 471: 20; MP 69: 59; MP 122: 82.
Gerrhonotus moreleti moreleti OP 497: 8; MP 69: 59; MP 122: 82; LVB 45: 22.
Gerrhonotus moreleti rafaeli OP 497: 8; OP 539: 33; MP 122: 83; MP 167: 25; LVB 49: 58.
Gerrhonotus moreleti temporalis OP 497: 10; OP 539: 33; MP 167: 25.
Gerrhonotus moreletii OP 292: 5; MP 122: 82.
Gerrhonotus moreletii moreletii MP 122: 82.

- Gerrhonotus multicarinatus MP 132: 28; MP 154: 22.
 Gerrhonotus ochoterrenai OP 497: 1.
 Gerrhonotus tessellatus MP 122: 82.
 Gerrhonotus (Abronia) vasconcelosii MP 122: 81; LVB 49: 60.
 Gerrhonotus vasconcelosii MP 122: 81.
 Gerrhonotus wiegmanni MP 69: 59.
 Glaphyrophis lateralis OP 362: 5.
 Glaphyrophis pictus OP 362: 5.
 Glauertia russelli OP 539: 16; MP 166: 41.
 Glossostoma OP 187: 5; OP 555: 2, 11.
 Glossostoma aequatoriale OP 555: 12.
 Glossostoma aterrimum OP 555: 12.
 Gonatodes MP 183: 1.
 Gonatodes albogularis OP 143: 1; OP 357: 8; MP 122: 55; MP 183: 20.
 Gonatodes albogularis bodinii MP 167: 26.
 Gonatodes annularis MP 183: 20.
 Gonatodes antillensis MP 183: 20.
 Gonatodes atricucularis OP 539: 33; MP 167: 26; MP 183: 20.
 Gonatodes bodinii MP 167: 26.
 Gonatodes fuscus OP 357: 8; MP 8: 57; MP 122: 55.
 Gonatodes glaucus OP 539: 33.
 Gonatodes humeralis MP 183: 20.
 Gonatodes ocellatus MP 183: 20.
 Gonatodes taniae MP 128: 9; MP 167: 26; MP 183: 20.
 Gonatodes vittatus MP 183: 20.
 Gonatodes vittatus OP 143: 1; MP 8: 57; MP 154: 25.
 Gonatodes vittatus vittatus OP 128: 11.
 Goniocelys minor OP 539: 54; MP 167: 80.
 Goniptychus bicolor OP 592: 1.
 Goniurosaurus MP 183: 1.
 Goniurosaurus kuroiwae MP 183: 20.
 Gonocephalus chamaeleontinus MP 154: 26.
 Gonydactylus MP 173: 44.
 Gopherus OP 647: 7; MP 142: 15, 41, 47.
 Gopherus berlandieri MP 142: 39, 59.
 Gopherus polyphemus MP 142: 10, 13, 14, 39 59.
 Grandisonia OP 687: 2.
 Grandisonia alternans OP 687: 8.
 Grandisonia brevis OP 687: 3.
 Grandisonia diminutiva OP 687: 3.
 Graptemys barbouri OP 539: 54; OP 546: 9; MP 167: 80.
 Graptemys flavimaculata MP 167: 80.
 Graptemys kohli OP 546: 9.
 Graptemys nigrinoda MP 167: 81.
 Graptemys pseudogeographica **ouachitensis** OP 546: 10; MP 167: 81.
 Graptemys pseudogeographica pseudogeographica OP 117: 17; OP 189: 9; OP 546: 2.
 Graptemys pseudogeographica **sabinensis** OP 546: 2; MP 167: 81.
 Graptemys pseudogeographica versa OP 546: 9.
 Graptemys pulchra OP 546: 2.
 Gymnobatrachios (Anura) Brasileros MP 96: 36.
 Gymnodactylus MP 138: 5; MP 183: 1.
 Gymnodactylus antillensis OP 143: 1.
 Gymnodactylus condorensis OP 539: 33.
 Gymnodactylus intermedius OP 539: 33; MP 167: 26.
 Gymnodactylus geckoides MP 183: 20.
 Gymnodactylus kotschyi OP 211: 4.
 Gymnodactylus marmoratus MP 154: 25.
 Gymnodactylus quadrilineatus OP 143: 9.
 Gymnodactylus scapularis MP 122: 54.
 Gymnophiona OP 682: 1.
 Gymnophthalmus OP 409: 4; MP 122: 79.
 Gymnophthalmus **birdi** OP 409: 1; OP 539: 33; MP 122: 80; MP 167: 26.
 Gymnophthalmus lutkenii OP 409: 6.
 Gymnophthalmus lineatus OP 409: 4.
 Gymnophthalmus merremii OP 409: 4.
 Gymnophthalmus multiscutatus OP 409: 7.
 Gymnophthalmus nitidus OP 409: 4.
 Gymnophthalmus pleii OP 409: 6.
 Gymnophthalmus rubicaudus OP 409: 7.
 Gymnophthalmus speciosus OP 409: 4; MP 128: 40.
 Gymnophthalmus speciosus birdi MP 167: 26; MP 122: 80; LVB 68: 55.
 Gymnophthalmus speciosus sumichrasti MP 122: 80.
 Gymnophthalmus sumichrasti OP 359: 8; OP 409: 5; MP 8: 64; MP 47: 17; MP 122: 80.
 Gymnopsis OP 682: 2; MP 122: 16.
 Gymnopsis mexicana mexicana MP 122: 16.
 Gymnopsis multiplicata OP 687: 8.
 Gymnopsis oligozona MP 69: 18; MP 122: 16; LVB 45: 22.
 Gyriophilus porphyriticus MP 169: 3, 19.
 Gyriophilus palleucus MP 169: 10.
Hamptophryne OP 555: 7.
 Hamptophryne boliviana OP 555: 7. MP 166: 41.
 Helicops MP 154: 15.
 Helicops angulatus MP 154: 20, 39.
 Helicops pastazae MP 167: 58.
 Helminthophis bondensis MP 8: 40.
 Helminthophis petersii MP 8: 64.
 Heloderma MP 122: 83.
 Heloderma horridum OP 360: 16; OP 554: 19; OP 560: 20; MP 47: 16.
 Heloderma horridum alvarezi MP 122: 83.
 Heloderma horridum horridum OP 589: 16.
 Heloderma suspectum OP 259: 10.
 Helocaetes feriarum OP 539: 16; MP 166: 41.
 Hemantodes cenchoa MP 69: 80.
 Hemantodes leucomelas MP 69: 80.
 Hemidactylum scutatum OP 126: 1; OP 328: 3; OP 686: 13; MP 169: 19.
 Hemidactylum OP 715: 40; MP 138: 5, 25; MP 173: 44; MP 183: 1.
 Hemidactylum benguellensis MP 138: 29.
 Hemidactylum bowringii MP 138: 6.
 Hemidactylum brookii MP 138: 6; MP 183: 20.
 Hemidactylum brookii angulatus MP 138: 27.
 Hemidactylum brookii haitianus MP 138: 27, 28, 36.
 Hemidactylum brookii leightoni MP 138: 28, 37.
 Hemidactylum flaviviridis MP 138: 6; MP 154: 21; MP 183: 20.
 Hemidactylum frenatus MP 122: 56; MP 138: 6; MP 183: 20.
 Hemidactylum frenatus var. calabaricus MP 138: 29.
 Hemidactylum gardineri MP 138: 29.
 Hemidactylum garnoti MP 132: 26; MP 138: 6; MP 183: 20.
 Hemidactylum giganteus MP 183: 20.
 Hemidactylum haitianus MP 138: 25.
 Hemidactylum karenorum MP 183: 20.
 Hemidactylum leightoni MP 138: 26, 37.
 Hemidactylum leschenaultii MP 183: 20.
 Hemidactylum mabouia MP 138: 6, 27, 28; MP 183: 20.
 Hemidactylum (Tachybates) mabuya MP 138: 28.
 Hemidactylum mandanus MP 139: 29.
 Hemidactylum mercatorius MP 138: 28, 29.
 Hemidactylum neotropialis MP 138: 26, 37.

- Hemidactylus palaichthus* MP 138: 27, 28, 39; MP 167: 26.
Hemidactylus persicus MP 138: 6; MP 183: 20.
Hemidactylus persimilis MP 138: 29.
Hemidactylus triedrus MP 183: 20.
Hemidactylus turcicus OP 211: 5; OP 388: 3, 13; MP 101: 56; MP 138: 6; MP 154: 21; MP 183: 20.
Hemiergis OP 421: 7.
Hemiergis peronii MP 154: 29.
Hemiphyllodactylus MP 173: 44; MP 183: 1.
Hemiphyllodactylus typus MP 154: 21; MP 183: 20.
Hemipipa carvalhoi OP 472: 7.
Hemitheconyx MP 173: 43; MP 183: 1.
Hemitheconyx caudicinctus MP 183: 20.
Henicognathus annulata MP 69: 62.
Henicognathus annulatus MP 69: 62; MP 122: 114.
Heredia oregonensis MP 149: 6.
Herpetodryas brunneus MP 69: 64.
Herpetodryas dendrophis MP 122: 93.
Herpetodryas flavolineatus OP 571: 13.
Herpetodryas laevis MP 49: 86; MP 69: 64; MP 122: 95.
Herpetodryas margaritifera MP 69: 64; MP 122: 97.
Herpetodryas quinquelineatus MP 49: 53.
Herpetodryas rappii MP 49: 66.
Herpetodryas reticulata MP 49: 66.
Herpetodryas vernalis MP 50: 10.
Heterodon contortrix OP 189: 5.
Heterodon nasicus OP 66: 2; OP 189: 5; MP 154: 22.
Heterodon nasicus kennerlyi OP 363: 9.
Heterodon nasicus nasicus OP 363: 9.
Heterodon platyrhinus OP 18: 5; OP 117: 9; OP 328: 5; MP 154: 23.
Heterodonium bicolor MP 8: 63.
Heteroliodon MP 182: 3, 25.
Heteroliodon occipitalis MP 182: 3, 26.
Heteroliodon torquatus MP 182: 3, 25, 26.
Heteronotia MP 173: 44; MP 183: 1.
Heteronotia binoei MP 154: 22; MP 183: 20.
Heteronotia spelea MP 183: 20.
Heterorhachis MP 114: 13, 22.
Heterorhachis poecilolepis MP 114: 95.
Heterorhachis poecilolepsis MP 114: 95.
Himantodes cenchoa OP 129: 14; MP 122: 101.
Himantodes elegans OP 129: 14.
Himantodes gemmistratus OP 554: 23; MP 122: 101.
Himantodes leucomelas MP 122: 101.
Holodactylus MP 173: 43; MP 183: 1.
Holodactylus africanus MP 183: 20.
Holbrookia affinis OP 537: 3.
Holbrookia elegans OP 259: 8.
Holbrookia maculata MP 132: 14; MP 154: 24.
Holbrookia maculata approximans OP 538: 12; OP 569: 6.
Holbrookia maculata pulchra OP 569: 6.
Holbrookia maculata ruthveni OP 539: 33; MP 167: 26.
Holbrookia maculata thermophila OP 569: 6; MP 167: 27.
Holbrookia propinqua OP 259: 8.
Holbrookia texana OP 246: 5; OP 537: 1; MP 132: MP 101: 58; MP 154: 23.
Holbrookia texana reticulata OP 537: 11; MP 167: 27.
Holbrookia texana scitula OP 537: 8; OP 569: 8; MP 167: 27.
Holbrookia texana texana OP 537: 5; MP 101: 58.
Holbrookia thermophila MP 167: 27.
Homalocephala MP 182: 2.
Homalocephalus heterurus MP 182: 1, 3, 8.
Homalocranium melanocephalum fuscum MP 122: 118.
Homalocranium schistosum MP 122: 119.
Homalocranium taeniatum MP 122: 119.
Homalocranium armillatum MP 122: 119.
Homolocranium moestum OP 292: 5; MP 122: 119.
Homalacrarium jani MP 122: 118.
Homolocranium schistosum MP 69: 82; MP 122: 119.
Homolocranium trivittatum MP 122: 119.
Homonota MP 173: 44; MP 183: 1.
Homonota brachystoma MP 167: 27.
Homonota darwinii MP 183: 20.
Homonota gaudichaudii MP 183: 20.
Homonota horrida MP 183: 20.
Homopholis MP 173: 44; MP 183: 1.
Homopholis fasciata MP 183: 20.
Homopholis walbergii MP 183: 20.
Hoplodactylus MP 173: 43; MP 183: 1.
Hoplodactylus duvaucelii MP 183: 20.
Hoplodactylus granulatus MP 183: 20.
Hoplodactylus maculatus MP 183: 20.
Hoplodactylus pacificus MP 183: 20.
Hoplophryne ulugurensis OP 539: 16; MP 166: 41.
Hydrocalamus quinquevittatus OP 292: 5; MP 122: 92.
Hydrophiidae MP 154: 15.
Hydrophis bicolor OP 706: 15.
Hydrops triangularis bolivianus MP 167: 58.
Hydrops triangularis neglectus MP 167: 58.
Hyla MP 122: 35.
Hyla sp. OP 584: 3.
Hyla spp. MP 69: 38.
Hyla acuminata OP 69: 13; OP 357: 4.
Hyla albofrenata MP 166: 41.
Hyla alboguttata OP 69: 13.
Hyla albomarginata OP 151: 3.
Hyla altae OP 539: 16; MP 29: 38; MP 166: 41.
Hyla anceps MP 166: 42.
Hyla andersonii OP 328: 3.
Hyla arboricola MP 69: 29.
Hyla arenicolor OP 289: 4; OP 569: 3.
Hyla aurantiaca surda MP 166: 42.
Hyla baileyi MP 166: 42.
Hyla baudinii OP 292: 7; OP 357: 4; OP 360: 5; OP 388: 2, 12; OP 471: 15; OP 589: 14; MP 39: 38; MP 47: 12; MP 69: 26; MP 122: 41; LVB 45: 22; LVB 68: 46.
Hyla baudinii dolomedes OP 129: 11.
Hyla baumgardneri MP 166: 42.
Hyla becki MP 166: 42.
Hyla berthalutzae MP 166: 42.
Hyla bistrincta OP 563: 6; OP 542: 5.
Hyla blairi MP 166: 42.
Hyla boans OP 69: 13; OP 688: 1; MP 160: 1.
Hyla bocourti MP 69: 28; MP 122: 35; LVB 45: 22.
Hyla bogerti MP 166: 42.
Hyla boulengeri OP 357: 4; MP 160: 74.
Hyla bromeliacia OP 471: 14; OP 539: 16; MP 69: 29; MP 69: 88; MP 122: 35; MP 166: 43; LVB 45: 22.
Hyla buckleyi OP 207: 4.
Hyla bufonia MP 96: 35.
Hyla callidryas MP 69: 35.
Hyla carnifex MP 166: 43.
Hyla chaneque MP 166: 43.
Hyla charadricola OP 642: 5.
Hyla chryses OP 642: 1; MP 166: 43.

- Hyla cinerea* OP 117: 5; MP 166: 43.
Hyla circumdata MP 160: 1.
Hyla coriacea MP 96: 36.
Hyla crepitans OP 688: 7; MP 8: 55; MP 160: 1.
Hyla crucifer OP 328: 4; OP 686: 14.
Hyla cruentomma MP 166: 43.
Hyla culex MP 29: 38.
Hyla cuspidata OP 539: 16; MP 166: 43.
Hyla cyclomaculata OP 563: 7.
Hyla dalquesti OP 563: 7.
Hyla ebraccata MP 122: 35; MP 160: 74.
Hyla elaeochroa MP 110: 19.
Hyla euphorbiacea MP 69: 29.
Hyla euthysanota MP 122: 40.
Hyla evansi MP 8: 56.
Hyla evittata OP 539: 16; MP 166: 43.
Hyla eximia OP 289: 6; OP 563: 4; MP 101: 54; MP 166: 43.
Hyla fuhrmanni OP 14: 1; MP 8: 56.
Hyla fuscomarginata MP 166: 43.
Hyla glandulosa MP 181: 6.
Hyla godmani OP 281: 3.
Hyla goeldi MP 8: 56.
Hyla goughi baileyi MP 166: 43.
Hyla hallowelli OP 44: 2, 4.
Hyla heilprini MP 166: 44.
Hyla helenae OP 69: 10; OP 539: 16; MP 166: 44.
Hyla holochlora MP 69: 36; MP 122: 38.
Hyla jahni MP 166: 44.
Hyla juanitae MP 166: 44.
Hyla lafrentzi OP 563: 4.
Hyla leali MP 166: 44.
Hyla lichenosa MP 96: 28; MP 122: 37.
Hyla loquax OP 281: 1; OP 292: 7; OP 388: 12; OP 539: 16; MP 29: 38; MP 69: 31; MP 69: 81; MP 122: 36; MP 166: 44; LVB 45: 22; LVB 75: 11, 17.
Hyla madeirae MP 166: 45.
Hyla marianae MP 166: 45.
Hyla maxima OP 69: 9; OP 129: 10.
Hyla melanomma MP 166: 45.
Hyla microcephala MP 69: 35; MP 160: 74.
Hyla microcephala martini MP 122: 36; LVB 68: 46; LVB 75: 11, 17.
Hyla microcephala sartori MP 166: 45.
Hyla miotypanum OP 281: 3; MP 29: 38; MP 101: 54.
Hyla modesta MP 96: 25.
Hyla molitor OP 688: 3.
Hyla molitor marmorata OP 688: 3.
Hyla moraviensis MP 110: 21, 25.
Hyla moreletii MP 69: 36; MP 122: 38.
Hyla nana OP 207: 2; MP 166: 45.
Hyla nana sanborni MP 166: 45.
Hyla nigropunctata MP 96: 28.
Hyla nubicola MP 166: 45.
Hyla ocularis OP 272: 2.
Hyla paenulata MP 96: 28; MP 122: 37.
Hyla pansosana MP 69: 26; MP 122: 41.
Hyla paramica MP 166: 46.
Hyla pardalis MP 96: 36.
Hyla parkeri OP 207: 1; OP 539: 16; MP 166: 46.
Hyla pearsei OP 207: 3; OP 539: 17; MP 166: 46.
Hyla pentheter OP 642: 5; MP 166: 46.
Hyla phaeota MP 122: 42.
Hyla phaeota cyanosticta MP 122: 42.
Hyla phlebodes MP 29: 39; MP 160: 74.
Hyla picadoi OP 539: 17; MP 166: 46.
Hyla pickeringii OP 17: 4.
Hyla picta MP 69: 31; MP 122: 36; LVB 45: 22.
Hyla platydactyla MP 166: 46.
Hyla pseudopuma MP 110: 22.
Hyla pseudopuma infucata MP 166: 46.
Hyla pugnax OP 688: 2; OP 688: 11; MP 160: 1.
Hyla pulchrrilineata OP 195: 15.
Hyla punctariola OP 207: 6.
Hyla punctata MP 166: 46.
Hyla regilla OP 8: 14; MP 69: 28; MP 122: 35.
Hyla riveroi MP 166: 47.
Hyla rivularis MP 110: 23.
Hyla resinifictrix MP 96: 36.
Hyla robertmertensi MP 122: 36; LVB 68: 47.
Hyla robertsorum OP 563: 1.
Hyla robustofemora OP 455: 6.
Hyla rosenbergi OP 688: 14; MP 160: 1.
Hyla rossalleni MP 166: 47.
Hyla rubra OP 69: 13; OP 357: 5; MP 160: 74.
Hyla sanborni OP 539: 17; MP 166: 47.
Hyla sartori MP 166: 47.
Hyla smaragdina MP 166: 47.
Hyla smithi OP 360: 6; OP 554: 8; OP 560: 8; OP 589: 14.
Hyla spilomma MP 96: 28; MP 122: 37.
Hyla spinipollex OP 471: 16; MP 69: 32; MP 122: 41; LVB 45: 22.
Hyla splendens OP 688: 3.
Hyla staufferi OP 388: 12; MP 47: 12; MP 69: 34; MP 101: 54; MP 122: 36; LVB 45: 22; LVB 68: 47.
Hyla staufferi altae MP 166: 47.
Hyla strigilata MP 110: 20.
Hyla taurina OP 69: 9.
Hyla thorectes OP 642: 10; MP 166: 47.
Hyla tica MP 166: 47.
Hyla tritaeniata MP 166: 47.
Hyla trux MP 166: 48.
Hyla underwoodi OP 388: 12; OP 471: 15; MP 8: 55; MP 29: 39; MP 69: 35; LVB 45: 22; LVB 68: 46.
Hyla uranochroa OP 151: 2; MP 110: 25.
Hyla variabilis OP 539: 17; MP 166: 48.
Hyla venulosa OP 360: 7; OP 388: 12; OP 554: 7; MP 8: 48, 55; MP 96: 7.
Hyla vermiculata MP 96: 36.
Hyla versicolor OP 66: 2; OP 686: 15; MP 29: 39; MP 160: 108, 121.
Hyla versicolor versicolor OP 117: 5; OP 189: 3; OP 328: 4.
Hyla wilsoniana MP 8: 55.
Hyla underwoodi OP 357: 5; MP 69: 32; MP 122: 36.
Hyla walfordi MP 166: 48.
Hyla walkeri MP 122: 37; MP 166: 48; LVB 68: 47.
Hyla wilderi MP 166: 48.
Hyla wrightorum OP 539: 17; MP 166: 48.
Hyla zeteki OP 207: 4; OP 539: 17; MP 110: 26; MP 166: 49.
Hyla zonata MP 96: 7; MP 96: 35.
Hylactophryne augusti fuscofemora MP 166: 49.
Hylella azteca OP 554: 7; OP 560: 20; OP 589: 8; 14; 18.
Hylella buckleyi MP 8: 57.
Hylella fleischmanni MP 69: 25.
Hylella pearsei OP 539: 17; MP 8: 57; MP 166: 49.
Hylella picta MP 29: 40; MP 69: 31.
Hylella sumichrasti OP 554: 7; OP 589: 9; MP 110: 28.
Hylidae MP 8: 56; MP 110: 19; MP 122: 33.
Hylidola bocourti MP 69: 28; MP 122: 35.
Hylodes bocourti MP 69: 22; MP 122: 28.
Hylodes briceni OP 539: 17; MP 166: 49.
Hylodes brocchii MP 122: 30.

- Hylodes buergeri* OP 711: 43.
Hylodes cruentus OP 11: 1; OP 711: 37.
Hylodes brocchi MP 69: 22.
Hylodes magalhaesi MP 166: 49.
Hylodes martinicensis OP 11: 2.
Hylodes ornatus MP 166: 49.
Hylodes (=Eleutherodactylus) rhodopis OP 589: 17.
Hylodes rostralis MP 122: 30.
Hylodes sallaei MP 69: 23; MP 122: 30.
Hylodes w-nigrum OP 711: 43.
Hyloscirtus MP 8: 55.
Hyloscirtus bogotensis MP 8: 55.
Hyloxalus panamanensis OP 539: 18; MP 166: 49.
Hymenochirus OP 472: 7.
Hymenochirus boulengeri OP 539: 18; MP 166: 49.
Hynobiidae MP 169: 3, 18, 30.
Hynobius dunni MP 169: 25.
Hynobius fuscus MP 169: 25.
Hynobius kimurai MP 169: 3, 22, 25.
Hynobius leechii MP 169: 25.
Hynobius naevis MP 169: 3, 22, 25.
Hynobius nebulosus MP 169: 3, 25.
Hynobius nigrescens MP 169: 25.
Hynobius retardatus MP 169: 25.
Hynobius tsuensis MP 169: 25.
Hypogeophis OP 687: 11.
Hypogeophis rostratus OP 687: 8.
Byophryne OP 555: 4.
Hyophryne histrio OP 555: 5.
Hyperolius cystocandicans MP 166: 49.
Hyperolius milnei OP 539: 18; MP 166: 50.
Hyperolius pusillus OP 539: 18; MP 166: 50.
Hypogeophis OP 682: 2.
Hypopachus OP 187: 2; OP 555: 2, 12, MP 122: 43.
Hypopachus alboventer OP 555: 12.
Hypopachus aquae OP 555: 12; MP 122: 44; MP 166: 50.
Hypopachus barberi OP 555: 12; MP 122: 44; MP 166: 50; LVB 49: 54; LVB 68: 49.
Hypopachus caprimimus OP 555: 12.
Hypopachus championi OP 539: 18; OP 555: 12; MP 69: 43; MP 122: 44; MP 166: 50; LVB 65: 13; LVB 68: 49.
Hypopachus cuneus OP 388: 2, 12; MP 101: 55.
Hypopachus cuneus cuneus OP 555: 12; MP 101: 79.
Hypopachus cuneus nigroreticulatus OP 555: 12; MP 69: 43; MP 122: 44; LVB 75: 7, 9, 11, 18.
Hypopachus globulosus OP 555: 12.
Hypopachus inguinalis OP 292: 7; OP 555: 12; MP 29: 40; MP 69: 43; MP 122: 45; MP 166: 50; LVB 45: 22; LVB 68: 50.
Hypopachus maculatus OP 555: 12; LVB 65: 13; LVB 68: 50.
Hypopachus ovis OP 554: 9; OP 555: 12; MP 166: 50.
Hypopachus oxyrhinus OP 360: 7; OP 554: 8; OP 555: 12; OP 589: 9; 14; MP 166: 51.
Hypopachus pearsei OP 539: 18; OP 555: 13; MP 8: 50; MP 166: 51.
Hypopachus simus OP 471: 17; OP 539: 18; OP 555: 12; MP 69: 43; MP 122: 45; MP 166: 51.
Hypopachus variolosus OP 555: 12.
Hypopachus variolus inguinalis MP 69: 43.
Hypsiglena OP 363: 10; MP 101: 73.
Hypsiglena ochrorhyncha OP 259: 12.
Hypsiglena ochrorhynchus OP 289: 9.
Hypsiglena ochrorhynchus deserticola OP 539: 45; MP 167: 58.
Hypsiglena ochrorhynchus lorealis OP 539: 45; MP 167: 58.
Hypsiglena ochrorhynchus ochrorhynchus OP 243: 4.
Hypsiglena torquata OP 589: 15; MP 132: 15; MP 154: 23.
Hypsiglena torquata deserticola MP 167: 58.
Hypsiglena torquata loreala MP 167: 58.
Hypsiglena torquata torquata OP 560: 21.
Hysteropus MP 147: 148.
Hysteropus novae Hollandiae MP 147: 149.
Ichthyophiidae OP 687: 2, 13.
Ichthyophiinae OP 687: 14.
Ichthyophis OP 687: 11, 14.
Ichthyophis OP 682: 2; OP 687: 3.
Ichthyophis beddomei OP 687: 8.
Ichthyophis glutinosus OP 687: 8.
Ichthyophis kohtaoensis OP 687: 8.
Ichthyophis orthoplicatus OP 687: 8.
Ictiscincus OP 421: 7.
Iguana iguana OP 143: 7; MP 8: 59; MP 128: 18.
Iguana iguana rhinolopha OP 357: 11; OP 360: 10; OP 388: 15; OP 554: 12; OP 560: 10; OP 589: 16; MP 47: 14; MP 69: 53; MP 122: 68; LVB 45: 22.
Iguana rhinolophus MP 122: 68.
Iguana rhinolopus MP 69: 53.
Iguana (Hypsilophus) rhinolophus MP 122: 68.
Iguana (Ctenosaura) similis MP 122: 67.
Iguana tuberculata MP 122: 68.
Iguanidae MP 122: 59; MP 128: 13; MP 154: 14.
Imantodes MP 114: 13; MP 122: 100.
Imantodes cenchoa OP 292: 16; OP 357: MP 8: 67; 15; MP 29: 52; MP 101: 70.
Imantodes cenchoa cenchoa MP 128: 39.
Imantodes cenchoa leucomelas MP 69: 47; MP 69: 80; MP 101: 70; MP 122: 101; LVB 45: 24; LVB 75: 11, 26.
Imantodes gemmistratus OP 360: 23; OP 388: 18; MP 47: 24.
Imantodes gemmistratus gemmistratus OP 554: 24; MP 122: 101.
Imantodes gemmistratus luciodorsus MP 167: 58.
Imantodes gemmistratus oliveri OP 554: 23; OP 560: 21; OP 589: 15; MP 122: 101; MP 167: 58.
Imantodes gemmistratus splendidus OP 554: 24.
Imantodes gracillimus OP 589: 11.
Imantodes latistratus OP 589: 15; 18.
Imantodes luciodorsus OP 539: 45; OP 554: 24; MP 167: 58.
Imantodes splendidus oliveri OP 539: 45; OP 554: 23; MP 122: 101; MP 167: 59.
Imantodes tenuissimus MP 47: 24.
Iphisa OP 22: 1.
Iphisa elegans soini MP 167: 27.
Ischcognathus dekayi MP 69: 63; MP 122: 117.
Isocelis maculata MP 112: 36.
Japalura polygonata ishigakiensis OP 44: 4.
Japalura polygonata miyakensis OP 44: 4.
Kaloula borealis OP 539: 18; MP 166: 51.
Kaloula wolterstorffi OP 539: 18; MP 166: 51.
Kaokogecko MP 173: 44.
Kentropyx altamazonica MP 167: 27.
Kentropyx calcaratus OP 206: 2.
Kentropyx intermedius OP 206: 3.
Kentropyx paulensis OP 206: 3.
Kentropyx pelviceps OP 206: 2.
Kentropyx striatus OP 206: 2; MP 154: 26.

- Kentropyx viridistriga* OP 206: 2.
Kentropyx williamsoni OP 206: 1; OP 539: 33; MP 167: 27.
Kinixys MP 142: 36.
Kinixys erosa MP 142: 39, 59.
Kinosternidae OP 647: 10; MP 142: 52.
Kinosterninae OP 647: 11.
Kinosternon OP 647: 10; MP 122: 48; MP 142: 15, 37.
Kinosternon acutum MP 69: 44; MP 122: 48.
Kinosternon bauri OP 539: 54; MP 142: 27, 30.
Kinosternon baurii baurii MP 167: 81.
Kinosternon berendtianum OP 388: 20; MP 29: 55.
Kinosternon creaseri OP 277: 1; OP 539: 54; MP 167: 81.
Kinosternon cruentatum OP 388: 21; MP 29: 55; MP 47: 13; MP 69: 44.
Kinosternon cruentatum cruentatum MP 122: 48; LVB 68: 58.
Kinosternon flavescens OP 259: 15; OP 371: 1; OP 647: 11; MP 142: 39, 59.
Kinosternon flavescens arizonense MP 167: 81.
Kinosternon flavescens spooneri MP 167: 81.
Kinosternon flavescens flavescens OP 371: 3.
Kinosternon flavescens stejnegeri OP 371: 1; OP 539: 54; MP 167: 81.
Kinosternon hirtipes OP 589: 17.
Kinosternon hirtipes chapalaense MP 167: 82.
Kinosternon hirtipes murrayi MP 167: 82.
Kinosternon integrum OP 360: 8; OP 554: 10; OP 560: 8; OP 589: 14; 17; 19; MP 8: 42, 69; MP 97: 5.
Kinosternon leucostomum OP 292: 18; OP 388: 21; OP 471: 26; MP 29: 55; MP 69: 44; MP 122: 48; LVB 45: 22; LVB 75: 9, 11, 19.
Kinosternon murrayi OP 539: 54; MP 167: 82.
Kinosternon odoratum OP 117: 17.
Kinosternon scorpioides MP 128: 8.
Kinosternon scorpioides acuta MP 122: 48.
Kinosternon sonoriense OP 289: 10; OP 569: 12.
Kinosternon subrubrum subrubrum OP 117: 17; OP 328: 8.
Lacerta MP 154: 14.
Lacerta acanthura MP 122: 67.
Lacerta agilis MP 132: 28; MP 154: 22, 39.
Lacerta ameiva MP 122: 76.
Lacerta americana MP 122: 76.
Lacerta basiliscus MP 122: 66.
Lacerta erhardi OP 539: 33.
Lacerta erhardi milensis OP 211: 15;
Lacerta erhardi naxensis OP 211: 10;
Lacerta erhardi riveti OP 211: 10;
Lacerta erhardi ruthveni OP 211: 13; MP 167: 27;
Lacerta fasciata OP 387: 8;
Lacerta heroglyphica OP 211: 12;
Lacerta hyacinthina OP 387: 8;
Lacerta lineata OP 409: 4; MP 122: 79.
Lacerta quadrilineata OP 409: 4; MP 122: 79.
Lacerta taurica gagei OP 539: 34.
Lacerta mabouya MP 122: 75.
Lacerta major OP 211: 7.
Lacerta muralis MP 132: 28; MP 132: 32; MP 154: 22.
Lacerta muralis filfolensis OP 211: 15.
Lacerta sicula MP 132: 28.
Lacerta strigata OP 211: 7.
Lacerta taurica fiumana OP 211: 9.
Lacerta taurica gageae OP 211: 9; MP 167: 28.
Lacerta taurica ionica OP 211: 9.
Lacerta taurica naxensis OP 211: 10.
Lacerta taurica taurica OP 211: 8.
Lacerta viridis MP 132: 28.
Lacerta viridis major OP 211: 6.
Lacerta vivipara MP 132: 28; MP 154: 16, 28.
Lacertes mabouya MP 69: 55.
Lacertidae MP 154: 14.
Lachesis atrox MP 69: 87.
Lachesis aurifer MP 69: 88.
Lachesis brachystoma OP 390: 7; MP 69: 88.
Lachesis godmani LVB 49: 67.
Lachesis insularis MP 167: 59.
Lachesis lanceolatus MP 8: 65; MP 69: 87.
Lachesis muta noctivaga MP 167: 59.
Lachesis muta rombeata MP 167: 59.
Lachesis nummifer MP 69: 88.
Laemanctus alticornutus MP 101: 58.
Laemanctus deborrei MP 69: 52; MP 101: 58; MP 122: 68; LVB 45: 22; LVB 75: 9, 22.
Laemanctus longipes OP 589: 13; MP 69: 52; MP 101: 58.
Laemanctus serratus OP 388: 15; MP 101: 57; 79.
Lampropeltis OP 87: 1; OP 353: 1; MP 122: 102.
Lampropeltis alterna OP 87: 2.
Lampropeltis californiae californiae OP 87: 3.
Lampropeltis californiae nitida OP 87: 3.
Lampropeltis calligaster OP 87: 4; OP 189: 6; OP 539: 48; MP 154: 22.
Lampropeltis calligaster calligaster MP 167: 59.
Lampropeltis doliata abnorma MP 122: 102.
Lampropeltis doliata gaigae OP 539: 45.
Lampropeltis doliata nelsoni OP 554: 24; OP 589: 15.
Lampropeltis doliata oligozona MP 122: 102.
Lampropeltis doliata polyzona MP 122: 102.
Lampropeltis doliata schmidtii OP 539: 45.
Lampropeltis doliata taylori MP 167: 59.
Lampropeltis doliatus blanchardi OP 539: 45; OP 554: 24.
Lampropeltis doliatus triangulus OP 18: 5.
Lampropeltis elapsoides elapsoides OP 81: 2; OP 87: 7.
Lampropeltis elapsoides virginiana OP 81: 2; OP 87: 7.
Lampropeltis getulus MP 154: 23.
Lampropeltis getulus sp. OP 569: 10.
Lampropeltis getulus boylii OP 70: 6; OP 87: 3.
Lampropeltis getulus brooksi OP 87: 3.
Lampropeltis getulus conjuncta OP 70: 6; OP 87: 4.
Lampropeltis getulus floridana OP 70: 1; OP 87: 3.
Lampropeltis getulus getulus OP 70: 1; OP 87: 3; OP 328: 6.
Lampropeltis getulus holbrookii OP 87: 2; OP 117: 11; OP 189: 6.
Lampropeltis getulus niger OP 87: 2; OP 117: 11.
Lampropeltis getulus splendida OP 87: 2.
Lampropeltis getulus yumensis OP 70: 6; OP 87: 4.
Lampropeltis leonis OP 87: 4.
Lampropeltis mexicana OP 87: 7.
Lampropeltis micropholis OP 87: 5; OP 353: 1; MP 8: 66.
Lampropeltis micropholis oligozona OP 81: 6.
Lampropeltis multicincta OP 81: 8; OP 87: 5.
Lampropeltis polyzona OP 81: 6; OP 87: 4; OP 292: 5; OP 309: 5; OP 353: 1; MP 69: 70; MP 122: 102.
Lampropeltis polyzona blanchardi OP 309: 2; OP 539: 45; MP 167: 59.

- Lampropeltis polyzona polyzona* OP 309: 6; MP 29: 50.
Lampropeltis pyromelana MP 154: 8.
Lampropeltis pyromelana woodini MP 167: 59.
Lampropeltis pyrrhomelaena OP 87: 7.
Lampropeltis rhombomaculata OP 87: 4.
Lampropeltis ruthveni OP 81: 8; 87: 5.
Lampropeltis triangulum MP 154: 21.
Lampropeltis triangulum abnorma MP 69: 70; LVB 45: 23.
Lampropeltis triangulum amaura OP 87: 5.
Lampropeltis triangulum annulata OP 81: 6; OP 87: 5.
Lampropeltis triangulum blanchardi MP 167: 60.
Lampropeltis triangulum conanti MP 167: 60.
Lampropeltis triangulum gaigae OP 353: 9; OP 539: 45; MP 167: 60.
Lampropeltis triangulum gentilis OP 87: 6; OP 189: 6.
Lampropeltis triangulum hondurensis MP 167: 60.
Lampropeltis triangulum nelsoni OP 81: 6; OP 87: 5; OP 323: 1; OP 353: 1; OP 360: 20; MP 167: 60.
Lampropeltis triangulum oligozona MP 122: 102.
Lampropeltis triangulum polyzona OP 353: 1; MP 47: 22; MP 122: 102.
Lampropeltis triangulum schmidtii OP 323: 2; OP 539: 45; MP 167: 60.
Lampropeltis triangulum sinaloae MP 167: 60.
Lampropeltis triangulum smithi MP 167: 60.
Lampropeltis triangulum syspila OP 66: 3; OP 81: 4; OP 87: 7; OP 189: 6.
Lampropeltis triagulum taylori MP 167: 61.
Lampropeltis triangulum triangulum OP 81: 4; OP 87: 7; OP 328: 6.
Lampropeltis zonata MP 154: 8, 24.
Lampropholis OP 421: 7.
Lampropholis assatus OP 421: 12.
Lampropholis challengerii OP 691: 9.
Lampropholis delicata OP 691: 9.
Lampropholis guichenoti OP 691: 9.
Lampropholis mustelina OP 691: 9.
Lampropholis tetradactyla OP 691: 2; MP 167: 28.
Lamprosaurus guttulatus OP 201.
Lathrogecko OP 21: 1.
Lathrogecko santae-martae OP 21: 2; OP 129: 5; OP 539: 34; MP 8: 58; MP 167: 28.
Laticauda colubrina MP 154: 25.
Laticauda laticauda MP 154: 25.
Laticauda semifasciata MP 154: 26.
Leimadophis OP 251: 1.
Leimadophis albiventris MP 8: 66.
Leimadophis almadensis OP 251: 1.
Leimadophis bimaculatus MP 154: 26.
Leimadophis flavilata OP 251: 1.
Leimadophis melanotus MP 8: 66; MP 128: 40.
Leimadophis triscalis OP 143: 9.
Leimadophis zweifeli MP 128: 40.
Leiocephalus OP 715: 40.
Leiocephalus arenarius OP 715: 59.
Leiocephalus arenarius hyphantus MP 167: 28.
Leiocephalus barahonensis aureus MP 167: 28.
Leiocephalus carinatus helenae OP 539: 34.
Leiocephalus carinatus granti MP 167: 28.
Leiocephalus carinatus helenae MP 167: 29.
Leiocephalus carinatus hodsdoni MP 167: 29.
Leiocephalus erythrogaster MP 8: 59.
Leiocephalus greenwayi OP 539: 34; OP 715: 59; MP 167: 29.
Leiocephalus inaguae OP 715: 59.
Leiocephalus loxogrammus OP 715: 59.
Leiocephalus lunatus MP 167: 29.
Leiocephalus personatus aureus OP 539: 34.
Leiocephalus personatus aureus MP 167: 29.
Leiocephalus personatus lunatus MP 167: 29.
Leiocephalus personatus mentalis OP 539: 34; MP 167: 29.
Leiocephalus personatus scalaris OP 539: 34; MP 167: 29.
Leiocephalus psammodromus hyphantus MP 167: 29.
Leiocephalus psammodromus psammodromus MP 167: 29.
Leiocephalus punctatus OP 715: 59; MP 167: 29.
Leiopis belliana annamensis OP 539: 34.
Leiopis belliana guttata OP 539: 34.
Leiopisma OP 421: 7; OP 497: 14; MP 122: 74; MP 154: 14.
Leiopisma assatum OP 292: 13; OP 357: 11; OP 388: 17; MP 29: 47.
Leiopisma assatum assatum MP 122: 74.
Leiopisma assatum ixbaac OP 539: 34.
Leiopisma assatum taylori OP 360: 12; OP 421: 14; OP 539: 34; OP 554: 16; MP 167: 29.
Leiopisma assatus MP 122: 74.
Leiopisma caudaequinae MP 101: 64.
Leiopisma cherriei cherriei MP 122: 75.
Leiopisma cherriei ixaac MP 122: 75.
Leiopisma cherriei stuarti OP 539: 34.
Leiopisma fuscum MP 132: 28.
Leiopisma gemmingeri MP 47: 17.
Leiopisma gemmingeri forbesorum MP 101: 64.
Leiopisma incertum MP 122: 75.
Leiopisma laterale OP 117: 7; OP 328: 2; MP 101: 64.
Leiopisma laterale boettgeri 44: 5.
Leiopisma rhomboidalis MP 132: 28.
Leiopisma silvicolium MP 101: 63.
Leiopisma silvicolium caudaequinae MP 101: 64.
Leiopisma unicolor 328: 2.
Leiopisma vittigerum microcerum OP 539: 35.
Leiopisma zelandica MP 132: 28; MP 132: 41.
Leiopisma zeylandica MP 154: 28.
Leionotus maculatus OP 195: 8, 12.
Lepidoblepharis OP 704: 7; MP 183: 1.
Lepidoblepharis barbouri OP 539: 34; MP 167: 30.
Lepidoblepharis guianensis MP 128: 11.
Lepidoblepharis intermedius MP 8: 48, 58.
Lepidoblepharis lunulatus MP 128: 11.
Lepidoblepharis microlepis OP 191: 2; MP 183: 20.
Lepidoblepharis sanctaemartae MP 183: 20.
Lepidoblepharis sanctaemartae fugax MP 167: 30.
Lepidoblepharis sanctaemartae sanctaemartae MP 167: 30.
Lepidoblepharis sactae-martae OP 191: 1; OP 539: 35.
Lepidoblepharis sactae-martae fugax OP 191: 2; OP 539: 35.
Lepidoblepharis sanctae-martae sanctae-martae OP 539: 34.
Lepidoblepharis xanthostigma OP 191: 1.
Lepidochelys olivacea OP 589: 18.
Lepidochelys olivacea olivacea MP 122: 53.
Lepidodactylus MP 173: 44; MP 183: 1.
Lepidodactylus guppyi MP 183: 20.
Lepidodactylus lugubris MP 183: 20.
Lepidodactylus pumilus MP 183: 20.
Lepidophyma MP 101: 63.
Lepidophyma gaigeae OP 539: 35.
Lepidophyma flavimaculatum OP 292: 5; OP 357: 11; OP 564: 1; MP 101: 63; MP 69: 55.

- Lepidophyma flavomaculatum flavomaculatum* OP 564: 1; MP 69: 55; MP 122: 58; LVB 45: 23.
Lepidophyma flavimaculatum occulor OP 564: 5.
Lepidophyma flavomaculatum obscurum OP 564: 1.
Lepidophyma flavimaculatum smithi OP 564: 1; MP 122: 58.
Lepidophyma flavimaculatum tehuanae OP 564: 5.
Lepidophyma flavomaculatum tenebrarum OP 564: 1; MP 101: 63; MP 167: 30.
Lepidophyma gaigeae MP 167: 30.
Lepidophyma micropholis OP 564: 6; MP 167: 30.
Lepidophyma smithii MP 47: 16; MP 122: 58.
Lepidophyma smithii smithii MP 122: 58.
Lepidophyma (Gaigea) sylvaticum OP 564: 9.
Lepidophyma sylvaticum OP 564: 9.
Lepidosternon jugulare OP 669: 2.
Lepidosternon koppenfelsii OP 669: 2.
Lepidosternon magnipartitum OP 669: 16.
Lepidosternum dumerilii OP 669: 16.
Lepidosternum galeatum OP 669: 16.
Leposoma dispar MP 8: 63.
Leposoma guianense MP 167: 30.
Leposoma percarinatum MP 167: 31.
Leposoma southi OP 147: 1; OP 539: 35; MP 167: 31.
Leposoma percarinatum OP 539: 35.
Leposoma taeniata OP 539: 35; MP 167: 31.
Leptocalamus torquatus MP 8: 66.
Leptodactylidae MP 8: 55; MP 122: 27.
Leptodactylus albilabris OP 69: 5.
Leptodactylus bokermanni MP 166: 51.
Leptodactylus bolivianus OP 129: 10; MP 8: 54; MP 160: 74.
Leptodactylus caliginosus OP 69: 4; MP 69: 21.
Leptodactylus curtus MP 166: 51.
Leptodactylus echinatus MP 122: 32.
Leptodactylus hylaedactylus OP 69: 3.
Leptodactylus insularum OP 129: 10.
Leptodactylus labialis OP 292: 7; OP 388: 11; OP 560: 20; MP 29: 36; MP 47: 12; MP 69: 21; MP 101: 50; MP 122: 31; LVB 45: 22; LVB 68: 45; LVB 75: 16.
Leptodactylus labrosus MP 166: 51.
Leptodactylus marmoratus OP 539: 18.
Leptodactylus melanonotus OP 69: 5; OP 129: 10; OP 357: 5; OP 360: 4; OP 388: 11; OP 554: 5; OP 560: 5; OP 589: 14; MP 29: 36; MP 47: 12; MP 101: 51; MP 122: 31; LVB 45: 22; LVB 68: 46; LVB 75: 8, 11, 16.
Leptodactylus nanus OP 539: 18; MP 166: 51.
Leptodactylus [Rana] ocellata MP 148: 11.
Leptodactylus pentadactylus OP 129: 10; OP 357: 5; MP 8: 54.
Leptodactylus pentadactylus mattogrossensis MP 166: 51.
Leptodactylus rhodomystax OP 69: 4.
Leptodactylus typhonius OP 69: 3; MP 8: 54.
Leptodactylus validus OP 539: 19; MP 166: 52.
Leptodactylus wagneri MP 166: 52.
Leptodeira MP 114: 12; MP 122: 103.
Leptodeira albofusca MP 8: 67; MP 69: 81.
Leptodeira annulata OP 129: 13; OP 143: 9; OP 330: 1; MP 8: 67; MP 101: 70.
Leptodeira annulata ashmeadi MP 128: 42; MP 167: 61.
Leptodeira annulata cussiliris MP 167: 61.
Leptodeira annulata polysticta OP 292: 16; OP 360: 24; OP 589: 15; MP 29: 52; MP 69: 81; MP 122: 104; LVB 45: 24; LVB 68: 61; LVB 75: 8, 11, 27.
Leptodeira annulata pulchriceps MP 167: 61.
Leptodeira annulata rhombifera MP 122: 103.
Leptodeira bakeri OP 330: 1; OP 539: 46; MP 167: 61.
Leptodeira bressoni OP 554: 25; OP 589: 15; 18.
Leptodeira duellmani OP 554: 25; MP 167: 61.
Leptodeira frenata OP 570: 1.
Leptodeira frenata malleisi MP 122: 103; MP 167: 61.
Leptodeira larcorum MP 167: 61.
Leptodeira maculata OP 363: 11; OP 554: 28; OP 560: 21; OP 589: 15; MP 101: 48; 70; MP 154: 23; LVB 65: 18.
Leptodeira mystacina MP 47: 24.
Leptodeira nigrofasciata MP 122: 103.
Leptodeira personata MP 122: 104.
Leptodeira polysticta OP 388: 18; MP 69: 81; MP 122: 104.
Leptodeira rhombifera OP 313: 2; MP 122: 103; LVB 65: 18; LVB 68: 61.
Leptodeira rhombifera kugleri MP 167: 62.
Leptodeira septentrionalis OP 292: 16; OP 330: 2; OP 363: 12; MP 101: 54; 70; MP 154: 25.
Leptodeira septentrionalis larcorum MP 167: 62.
Leptodeira septentrionalis maculata OP 360: 24; MP 47: 25; LVB 65: 18.
Leptodeira septentrionalis polysticta MP 122: 104.
Leptodeira septentrionalis septentrionalis MP 101: 70.
Leptodeira septentrionalis yucatanensis OP 313: 1.
Leptodeira smithi OP 560: 15.
Leptodeira splendida bressoni MP 167: 62.
Leptodeira torquata OP 363: 10.
Leptodeira torquata ochrorhyncha OP 363: 11.
Leptodeira yucatanensis OP 330: 2; OP 570: 5.
Leptodeira yucatanensis frenata OP 570: 8; MP 122: 103.
Leptodeira yucatanensis malleisi OP 313: 1; OP 388: 9, 18; OP 539: 46; OP 570: 5; MP 29: 38; MP 29: 53; MP 167: 62.
Leptodeira yucatanensis yucatanensis OP 313: 2; OP 570: 5.
Leptodrymus MP 122: 104.
Leptodrymus clarki MP 122: 104.
Leptodrymus pulcherrimus MP 122: 104.
Leptognathinae MP 114: 12.
Leptognathus MP 114: 12, 13, 21.
Leptognathus sp. MP 114: 185.
Leptognathus affinis MP 114: 199.
Leptognathus albifrons MP 114: 121.
Leptognathus alternans MP 114: 127.
Leptognathus andiana MP 114: 92.
Leptognathus andrei MP 114: 212.
Leptognathus annulatus MP 114: 176.
Leptognathus anthracops MP 114: 180.
Leptognathus argus MP 114: 189.
Leptognathus articulata MP 114: 33.
Leptognathus atypicus MP 114: 158.
Leptognathus (Tropidodipsas) bernoullii MP 122: 124.
Leptognathus bicolor MP 114: 36.
Leptognathus boettgeri MP 114: 98.
Leptognathus boliviana MP 114: 98.
Leptognathus brevifacies MP 114: 38.
Leptognathus brevis MP 114: 213.
Leptognathus bucephalus MP 114: 67.
Leptognathus catesbyi MP 114: 56, 61.
Leptognathus catisbyi MP 114: 56.
Leptognathus copii MP 114: 58.
Leptognathus cuculliceps MP 69: 74.
Leptognathus (Tropidodipsas) cuculliceps MP 122: 124.

- Leptognathus dimidiata* MP 114: 185.
Leptognathus dimidiatus MP 69: 78; MP 114: 182.
Leptognathus (Dipsadomorus) cisticeps MP 114: 78.
Leptognathus elegans MP 114: 86.
Leptognathus ellipsifera MP 114: 87.
Leptognathus garmani MP 114: 148.
Leptognathus gracilis MP 114: 44.
Leptognathus (Asthenognathus) grandoculis MP 114: 185.
Leptognathus hammondii MP 114: 44.
Leptognathus inaequifasciatus MP 114: 146.
Leptognathus incertus MP 114: 127.
Leptognathus indicus MP 114: 67, 73.
Leptognathus intermedius MP 114: 165.
Leptognathus latifasciatus MP 114: 100.
Leptognathus latifrontalis MP 114: 103.
Leptognathus leucomelas MP 114: 199, 202.
Leptognathus longifrenis MP 114: 192.
Leptognathus maxillaris MP 114: 48.
Leptognathus mikani MP 114: 148, 154, 158, 165, 212.
Leptognathus mikani neuwiedi MP 114: 154.
Leptognathus mikanii MP 114: 86.
Leptognathus Mikanii MP 114: 92.
Leptognathus nigriceps MP 114: 112.
Leptognathus oreas MP 114: 92.
Leptognathus palmeri MP 114: 103.
Leptognathus pavonina MP 114: 58, 61.
Leptognathus pavoninus MP 114: 61.
Leptognathus peruana MP 114: 110.
Leptognathus pictiventris MP 114: 176.
Leptognathus polylepis MP 114: 96.
Leptognathus praeornata MP 114: 103.
Leptognathus Pratti MP 114: 112.
Leptognathus robusta MP 114: 132.
Leptognathus sancti-joannis MP 114: 115.
Leptognathus sancti-johannis MP 114: 115.
Leptognathus sanniola MP 114: 187.
Leptognathus schunckii MP 114: 119.
Leptognathus schunckii MP 114: 119.
Leptognathus semicinctus MP 69: 74; MP 122: 124.
Leptognathus sexscutatus MP 122: 124.
Leptognathus spurrelli MP 114: 50.
Leptognathus temporalis MP 114: 50.
Leptognathus torquatus MP 114: 38.
Leptognathus triseriatus MP 114: 112.
Leptognathus turgida MP 114: 158, 165.
Leptognathus vaga MP 114: 164.
Leptognathus vagus MP 114: 164.
Leptognathus variegata MP 114: 132.
Leptognathus variegatus MP 114: 132.
Leptognathus ventrimaculatus MP 114: 165.
Leptognathus viguieri MP 114: 54, 213.
Leptognathus [leptognathus] *brevifacies* MP 114: 38.
Leptognathus [leptognathus] *triseriata* MP 114: 112.
Leptophis OP 462: 1; MP 101: 54; MP 122: 104.
Leptophis ahaetulla ahaetulla OP 462: 1.
Leptophis ahaetulla bolivianus OP 462: 1; OP 539: 46; MP 167: 62.
Leptophis ahaetulla chocoensis MP 167: 62.
Leptophis ahaetulla coeruleodorsus MP 167: 62.
Leptophis ahaetulla nigromarginatus OP 462: 4.
Leptophis ahaetulla ortonii OP 462: 4.
Leptophis ahaetulla praestans MP 122: 105.
Leptophis bocourti OP 462: 15; MP 8: 40.
Leptophis coeruleodorsus OP 539: 46; MP 167: 62.
Leptophis copei OP 462: 7.
Leptophis depressirostris OP 462: 9; OP 357: 14.
Leptophis diplotropis OP 357: 15; OP 462: 9; OP 554: 28; OP 589: 15; 18; MP 47: 22.
Leptophis diplotropis diplotropis OP 560: 15.
Leptophis flagellum OP 462: 18.
Leptophis liocercus OP 462: 10.
Leptophis marginatus OP 462: 10.
Leptophis mexicanus OP 292: 15; OP 357: 14; OP 388: 17; OP 462: 10; OP 554: 7; MP 29: 50; MP 69: 67; MP 101: 70; MP 122: 105.
Leptophis mexicanus mexicanus OP 462: 10; MP 69: 67; MP 122: 105; LVB 75: 26.
Leptophis mexicanus yucatanensis OP 462: 10; OP 539: 46; MP 167: 62.
Leptophis modestus MP 122: 105.
Leptophis nebulosus OP 462: 12.
Leptophis occidentalis MP 8: 59, 66; MP 69: 58.
Leptophis occidentalis bocourti OP 462: 15.
Leptophis occidentalis chocoensis OP 462: 15; OP 539: 46; MP 167: 63.
Leptophis occidentalis occidentalis OP 292: 15; OP 357: 14; OP 462: 14; MP 29: 50.
Leptophis occidentalis praestans OP 462: 16; MP 69: 68; MP 122: 105.
Leptophis ortonii OP 462: 4.
Leptophis praestans OP 292: 5.
Leptophis riveti OP 462: 17.
Leptophis rostralis MP 8: 40.
Leptophis vertebralis OP 462: 18.
Leptosiphos MP 154: 14.
Leptotyphlops OP 329: 10.
Leptotyphlops albifrons OP 360: 18; MP 47: 17.
Leptotyphlops anthracinus OP 492: 1; OP 539: 46; MP 167: 63.
Leptotyphlops bakeswelli OP 360: 16; OP 539: 47; MP 167: 63.
Leptotyphlops bressoni OP 554: 20.
Leptotyphlops columbi OP 715: 59.
Leptotyphlops dugandi OP 492: 4.
Leptotyphlops dulcis OP 360: 18.
Leptotyphlops dulcis myopicus MP 167: 63.
Leptotyphlops goudotii phenops MP 167: 63.
Leptotyphlops humilis cahuilae OP 329: 10; OP 329: 16.
Leptotyphlops humilis dugesi OP 589: 16.
Leptotyphlops joshuai OP 492: 3.
Leptotyphlops macrolepis OP 492: 1; MP 8: 64.
Leptotyphlops macrorhynchus MP 167: 63.
Leptotyphlops myopica OP 360: 18.
Leptotyphlops myopicus MP 101: 67.
Leptotyphlops phenops MP 47: 17.
Leptotyphlops phenops bakewelli OP 539: 47; OP 554: 20; OP 560: 21; OP 589: 15.
Leptotyphlops phenops phenops MP 69: 60; MP 122: 85; LVB 45: 22; LVB 65: 20.
Leptotyphlops phillipsi OP 539: 47; MP 167: 63.
Lerista MP 154: 14.
Leurognathus intermedia OP 575: 1.
Leurognathus marmorata OP 575: 1.
Leurognathus marmorata aureata OP 575: 2.
Leurognathus marmorata intermedia OP 575: 1.
Leurognathus marmorata marmorata OP 364: 2; MP 166: 12.
Leurognathus marmorata melania OP 575: 6; MP 166: 12.
Leurognathus marmorata roborata OP 575: 4; MP 166: 12.
Leurognathus marmoratus MP 169: 3, 12; MP 166: 12.
Lialis MP 147: 45, 128; MP 173: 43; MP 183: 1.
Lialis bicaenata MP 147: 128.
Lialis burtonii concolor MP 147: 128.

- Lialis burtonis* MP 147: 128, 196; MP 152: 69; MP 183: 20.
Lialis jicari MP 147: 135, 201; MP 152: 69; MP 183: 20.
Lialis leptorhyncha MP 147: 128.
Lialis punctulata MP 147: 128.
Lialisidae MP 147: 45.
Lialisinae MP 152: 69.
Lialisini MP 152: 69.
Liasis amethystinus amethystinus OP 267: 3.
Liasis amethystinus kinghorni OP 267: 3.
Lichanura trivirgata MP 178: 57.
Limnodytes ulcerosus OP 539: 19; MP 166: 52.
Limnomedusa misionis MP 166: 52.
Liocephalus arenarius MP 167: 31.
Liolaemus MP 132: 32; MP 154: 14.
Liolaemus monticola MP 154: 39.
Liolaemus multiformis MP 132; 27; MP 154: 29.
Liopelmidae OP 372: 9.
Liopeltis vernalis OP 17: 5; OP 18: 5; OP 179: 2; OP 243: 3; MP 50: 10.
Liophis OP 251: 2.
Liophis breviceps canaima MP 167: 63.
Liophis canaima MP 167: 63.
Liophis cobella OP 251: 1.
Liophis elapoides aequalis MP 122: 110.
Liophis elapoides var. aequalis MP 69: 71.
Liophis elapoides diastema MP 122: 110.
Liophis flavitorquus MP 122: 98.
Liophis godmani LVB 49: 62.
Liophis imerinae MP 182: 2, 10.
Liophis lachrymans LVB 49: 62.
Liophis punctatus MP 182: 2.
Liophis putnamii MP 47: 26.
Liophis quinquelineatus MP 182: 2, 19.
Lipinia OP 421: 7.
Lipinia vittigera microcerca MP 167: 31.
Lithodytes gaigei OP 539: 19.
Lithodytes lineatus OP 69: 4.
Lithodytes podiciferus OP 539: 19; MP 166: 52.
Lithodytes rhodopis MP 122: 29.
Litoria becki MP 166: 52.
Loxocemus bicolor OP 360: 18; OP 554: 21; OP 560: 21; MP 47: 18; MP 122: 84; MP 178: 58.
Loxocemus sumichrasti OP 554: 21; OP 560: 21; OP 589: 15.
Loxopholis rugiceps MP 8: 46, 63.
Luperosaurus MP 173: 44.
Lycodon lyrophanes MP 122: 122.
Lycodon subcinctus MP 154: 25.
Lygisaurus OP 421: 8.
Lygodactylus MP 138: 42; MP 173: 44; MP 183: 1.
Lygodactylus capensis MP 183: 20.
Lygodactylus conraui MP 183: 20.
Lygodactylus kluzei MP 183: 20.
Lygodactylus picturatus MP 183: 20.
Lygodactylus picturatus mombasicus OP 539: 35; MP 167: 31.
Lygophis lachrymans OP 412: 6; MP 122: 113; LVB 49: 62.
Lygosaurus pellopleurus browni OP 44: 5.
Lygosoma OP 421: 1.
Lygosoma (Mocoa) assata MP 69: 56; MP 122: 75.
Lygosoma assatum MP 69: 56.
Lygosoma assatum assatum OP 421: 12.
Lygosoma assatum brevis OP 421: 13; MP 69: 56; MP 122: 75.
Lygosoma assatum cherriei OP 421: 13.
Lygosoma assatum ixbaac OP 421: 8; MP 122: 75; MP 167: 31.
Lygosoma assatum taylori OP 421: 14; OP 560: 20.
Lygosoma belliana guttata OP 539: 34.
Lygosoma cherriei cherriei MP 69: 55; MP 69: 62, 87; LVB 45: 23.
Lygosoma cherriei stuarti OP 539: 34; MP 69: 56; MP 167: 31.
Lygosoma formosensis OP 44: 2.
Lygosoma incertum OP 421: 10; MP 69: 56; MP 122: 75; LVB 45: 23.
Lygosoma incognita OP 44: 2.
Lygosoma indica OP 44: 2.
Lygosoma laterale OP 44: 3; MP 132: 28.
Lygosoma laterale var. ishigakiensis OP 44: 3.
Lygosoma (Mocoa) assata MP 122: 75.
Lygosoma okinavensis OP 44: 2.
Lygosoma stimpsonii OP 44: 2.
Lygosoma temminckii MP 154: 23.
Lygosoma vittigerum kronfanum OP 539: 35; MP 167: 32.
Lysoptychus lateralis OP 358: 2.
Mabuia longicaudata OP 44: 3.
Mabuia rhustrati OP 44: 3.
Mabuya MP 154: 14.
Mabuya agilis OP 292: 13; OP 554: 16; MP 8: 46; MP 29: 47, MP 122: 76.
Mabuya cochabambae MP 167: 32.
Mabuya dominicensis MP 122: 75.
Mabuya frenata cochabambae OP 539: 35; MP 167: 32.
Mabuya mabouya MP 122: 76.
Mabuya mabouya alliacea OP 554: 15; OP 560: 20; OP 589: 16; LVB 75: 23; LVB 68: 57.
Mabuya mabouya mabouya OP 357: 11; OP 360: 15; OP 388: 4, 16; OP 554: 16; MP 47: 17; MP 69: 55; MP 122: 76; MP 128: 34; LVB 45: 23.
Mabuya quinquetaeniata MP 154: 16.
Macrolemys OP 647: 7.
Magnadigita OP 567: 5; MP 122: 19.
Magnadigita cuchumatana OP 539: 5; MP 122: 20.
Magnadigita dunni OP 539: 5.
Magnadigita engelhardti OP 539: 5; MP 122: 20.
Magnadigita flavimembris OP 539: 5; MP 122: 20.
Magnadigita franklini OP 539: 5; 539: 6; MP 122: 21.
Magnadigita helmrichi OP 539: 5; MP 122: 21.
Magnadigita lincolni OP 539: 5; MP 122: 21.
Magnadigita nigroflavescens OP 539: 4; OP 539: 5.
Magnadigita morio MP 122: 21; LVB 49: 48.
Magnadigita omniumsanctorum MP 166: 12.
Magnadigita rostrata LVB 49: 49.
Magnadigita sp. LVB 68: 42.
Malaclemys OP 647: 7; MP 142: 15, 37, 41.
Malaclemys geographica MP 142: 39, 59.
Malaclemys terrapin MP 142: 39, 59.
Malaclemys terrapin tequesta MP 167: 82.
Malaclemys terrapin terrapin OP 328: 9.
Manculus quadridigitatus paludicolus OP 539: 5; MP 166: 13.
Manculus quadridigitatus remifer OP 451: 20.
Manolepis nasuta OP 360: 24; MP 47: 25.
Manolepis nasutus MP 47: 26.
Manolepis putnami OP 554: 28; OP 560: 21; OP 589: 15; MP 47: 25.
Mantidactylus ulcerosus OP 539: 19; MP 166: 52.
Masticophis OP 139: 1. OP: 284: 2; MP 122: 105.
Masticophis anthonyi OP 139: 2; MP 167: 63.
Masticophis aurigulus OP 139: 2.
Masticophis barbouri OP 139: 2.
Masticophis bilineatus bilineatus OP 589: 15.
Masticophis flagellum MP 101: 71; MP 132: 15; MP 154: 22; MP 158: 3.

- Masticophis flagellum flagellum* OP 139: 2.
Masticophis flagellum flavigularis OP 363: 4.
Masticophis flagellum lineatus OP 554: 28; OP 560: 16; OP 589: 15.
Masticophis flagellum testaceus MP 101: 71.
Masticophis flavigularis OP 139: 2.
Masticophis lateralis OP 139: 2; MP 154: 25.
Masticophis lineatus OP 139: 2; OP 284: 3; OP 360: 19; OP 363: 5; MP 47: 19.
Masticophis melanolomus MP 49: 88; MP 122: 94.
Masticophis mentovarius OP 388: 10; MP 29: 49; MP 47: 19; MP 69: 66.
Masticophis mentovarius mentovarius MP 69: 66; MP 122: 105; LVB 45: 23; LVB 65: 20; LVB 75: 7.
Masticophis ornatus MP 122: 105.
Masticophis piceus OP 139: 2; OP 259: 11.
Masticophis pulchriceps MP 49: 50.
Masticophis pulcherrimus MP 122: 104.
Masticophis ruthveni OP 139: 3; OP 539: 47; MP 47: 19; MP 167: 63.
Masticophis schotti OP 139: 3; OP 287: 1; MP 101: 71.
Masticophis semilineatus OP 139: 3; OP 259: 11.
Masticophis striolatus OP 598: 8.
Masticophis taeniatus MP 101: 71; MP 158: 3.
Masticophis taeniatus girardi OP 139: 2; OP 246: 15; OP 287: 5; OP 363: 5.
Masticophis taeniatus ruthveni OP 287: 5; OP 539: 47; MP 101: 71; MP 167: 64.
Masticophis taeniatus schotti OP 287: 5.
Masticophis taeniatus schotti x ruthveni OP 287: 16.
Masticophis taeniatus taeniatus OP 139: 2; OP 243: 3.
Mastigodryas boddaerti ruthveni OM 167: 64.
Mastigodryas melanolomus alternatus MP 167: 64.
Mastigodryas melanolomus stuarti MP 167: 64.
Mastigodryas melanolomus tehuanae MP 167: 64.
Maticora intestinalis MP 154: 25.
Meizodon MP 154: 15.
Melanoseps ater rondoensis MP 167: 32, 36.
Mertensophryne micranotis MP 166: 52.
Mesalina nitida garambensis MP 167: 32, 33.
Mesopeltis MP 114: 13, 169.
Mesopeltis dimidiatus MP 114: 182.
Mesopeltis longifrenis MP 114: 192.
Mesopeltis multifasciatus MP 114: 182.
Mesopeltis sanniolus MP 114: 169, 187.
Metoposaurus OP 82: 2.
Metoposaurus jonesi OP 82: 3.
Micrixalus diminutiva OP 539: 19; MP 166: 52.
Microbatrachylus oaxacae MP 166: 53.
Microbatrachylus pygmaeus MP 122: 32.
Microgecko MP 173: 44; MP 183: 1.
Microgecko persicus MP 183: 20.
Microgecko persicus euphorbiacola MP 167: 32.
Microhyla achatina OP 76: 2.
Microhyla annectens OP 76: 3.
Microhyla berdmorei OP 76: 2.
Microhyla boulengeri OP 76: 3.
Microhyla bungarana OP 76: 3.
Microhyla butleri OP 76: 3.
Microhyla elegans OP 388: 13.
Microhyla eremita OP 76: 3; OP 539: 19; MP 166: 53.
Microhyla fissipes OP 76: 2.
Microhyla hainanensis OP 76: 1.
Microhyla heymonsi OP 76: 3.
Microhyla inornata OP 76: 3.
Microhyla leucostigma OP 76: 3.
Microhyla okinavensis OP 76: 3.
Microhyla ornata OP 76: 1.
Microhyla palmipes OP 76: 3.
Microhyla picta OP 76: 3.
Microhyla pulchra OP 76: 1.
Microhyla pungarana OP 76: 3.
Microhyla rubra OP 76: 2.
Microhyla stejnegeri OP 76: 3.
Microhyla usta OP 360: 7; MP 47: 13.
Microhylidae MP 122: 42.
Microsalabotes MP 138: 42.
Micruroides euryxanthus neglectus MP 167: 64.
Micrurus MP 101: 69; 75; MP 122: 125.
Micrurus affinis alienus OP 388: 9, 19; OP 539: 47; MP 29: 54; MP 122: 126; LVP 75: 8, 9, 11, 28.
Micrurus affinis apiatus MP 69: 84; MP 122: 126; LVB 45: 24.
Micrurus affinis hippocrepis MP 69: 85.
Micrurus affinis mayensis OP 539: 47; MP 167: 64.
Micrurus affinis stantoni OP 292: 17; OP 388: 9; OP 539: 47; MP 167: 64.
Micrurus alleni MP 167: 64.
Micrurus annellatus annellatus MP 167: 64.
Micrurus annellatus montanus MP 167: 64.
Micrurus browni OP 539: 47; MP 167: 64.
Micrurus browni browni MP 167: 64.
Micrurus clarki MP 167: 65.
Micrurus columbianus MP 8: 40.
Micrurus corallinus MP 8: 40; MP 128: 45.
Micrurus diastema alienus MP 167: 65.
Micrurus diastema diastema OP 360: 25; OP 589: 17.
Micrurus diastema michoacanensis OP 560: 21.
Micrurus diastema sapperi MP 167: 65.
Micrurus dissoleucus OP 129: 15; .
Micrurus distans oliveri MP 167: 65.
Micrurus dumerilii MP 8: 68.
Micrurus dumerilii transandinus MP 167: 65.
Micrurus dunni OP 129: 15.
Micrurus elegans veraepacis MP 122; 126; LVB 45: 24.
Micrurus elegans verae-pacis MP 69: 86; MP 122: 126.
Micrurus frontalis MP 128: 45.
Micrurus frontalis brasiliensis MP 167: 65.
Micrurus fulvius MP 101: 77.
Micrurus hollandi OP 129: 16; MP 8: 69.
Micrurus isozonus MP 128: 49.
Micrurus laticollaris OP 589: 12; 17; 19.
Micrurus laticollaris maculirostris MP 167: 65.
Micrurus latifaciatus MP 122: 127.
Micrurus limbatus MP 167: 65.
Micrurus mipartitus MP 8: 68; MP 128: 46.
Micrurus mipartitus semipartitus MP 128: 45.
Micrurus nigrocinctus OP 129: 14.
Micrurus nigrocinctus alleni OP 357: 17; OP 539: 47; MP 167: 65.
Micrurus nigrocinctus mosquitoensis OP 539: 47; MP 167: 66.
Micrurus nigrocinctus zunilensis MP 122: 127.
Micrurus peruvianus OP 539: 47; MP 167: 66.
Micrurus spixii MP 122: 125.
Micrurus steindachneri MP 167: 66.
Micrurus stuarti MP 167: 66.
Micrurus transandinus OP 539: 47; MP 167: 66.
Micrurus tschudii OP 129: 15.
Micrurus wagneri MP 122: 127.
Millotisaurus MP 138: 42; MP 173: 44; MP 183: 1.
Millotisaurus mirabilis MP 167: 32; MP 183: 20.

- Mimometopon MP 122: 89.
 Mimometopon sapperi MP 69: 84; MP 122: 89.
 Mochlus MP 154: 14.
 Mocoa assata MP 122: 75.
 Mocoa cherriei OP 421: 13; MP 69: 55; MP 122: 75.
 Mocoa lateralis MP 69: 55.
 Moloch horridus MP 154: 25.
 Monopeltis OP 669: 1.
 Monopeltis boveei OP 669: 16.
 Monopeltis galeata OP 669: 16.
 Monopeltis guentheri OP 669: 30.
 Monopeltis jugularis OP 669: 2.
 Monopeltis (Phractogonus) jugularis OP 669: 2.
 Monopeltis magnipartita OP 669: 16.
 Monopeltis (Phractogonus) magnipartitus OP 669: 16.
 Monopeltis schoutedeni OP 669: 23.
 Monopeltis semipunctata OP 669: 2.
 Monopeltis uniostroalis OP 669: 16.
 Morelia albertisii MP 178: 57.
 Morelia amethistina MP 178: 57.
 Morelia boa MP 178: 57.
 Morelia childreni MP 178: 57.
 Morelia mackloti MP 178: 57.
 Morelia maculosa MP 178: 57.
 Morelia olivacea MP 178: 57.
 Morelia spilota MP 178: 57.
 Morelia viridis MP 178: 57.
 Myersiella OP 555: 16.
 Myersiella subnigra OP 555: 17.
 Nactus MP 173: 44; MP 183: 1.
 Nactus arnouxi MP 183: 20.
 Naja melanoleuca MP 154: 25.
 Naja naja MP 154: 24.
 Narudasia MP 173: 44; MP 183: 1.
 Narudasia festiva MP 183: 20.
 Natrix MP 154: 15.
 Natrix angustirostris OP 584: 3.
 Natrix chrysarga MP 154: 23.
 Natrix cyclopion OP 117: 11.
 Natrix cyclopion cyclopion OF 327: 1.
 Natrix cyclopion **floridana** OF 327: 1; MP 167: 66.
 Natrix cyclopion floridanus OP 539: 48.
 Natrix erythrogaster OP 117: 12.
 Natrix erythrogaster alta MP 167: 67.
 Natrix erythrogaster flavigaster OP 539: 48; MP 167: 67.
 Natrix erythrogaster neglecta OF 539: 48; MP 167: 67.
 Natrix fasciata OP 140: 2.
 Natrix fasciata **confluens** OF 140: 1; OP 539: 48; MP 167: 67.
 Natrix fasciata erythrogaster OF 346: 1.
 Natrix fasciata fasciata OP 140: 2.
 Natrix fasciata pictiventris OF 140: 4.
 Natrix grahamii OP 189: 6.
 Natrix harteri paucimaculata MP 167: 67.
 Natrix kirtlandi OP 539: 48.
 Natrix mutabilis MP 69: 68.
 Natrix natrix OP 211: 20; MP 154: 24.
 Natrix piscator MP 154: 24.
 Natrix regida sinicola MP 167: 67.
 Natrix rhombifera OP 117: 13; MP 101: 77; MP 154: 29.
 Natrix sipedon OP 18: 5.
 Natrix sipedon confluens OP 539: 48.
 Natrix sipedon **insularum** OP 346: 1; OP 539: 48; MP 167: 67.
 Natrix sipedon sipedon OP 117: 13; OP 189: 7; OP 328: 6; OP 346: 1.
 Natrix stolata MP 154: 20, 39.
 Natrix sulphurea MP 122: 111.
 Natrix subminiata MP 154: 23.
 Natrix tigrina MP 154: 20.
 Natrix triangulifera MP 154: 23.
 Natrix valida OP 363: 3.
 Natrix valida isabelleae OP 554: 34; OP 589: 17; MP 167: 67.
 Natrix valida valida OP 560: 21.
 Natrix vibakari MP 154: 21, 39.
 Natrix vittata MP 154: 21.
 Naultinus MP 173: 43; MP 183: 1.
 Naultinus elegans MP 183: 20.
 Naultinus gemmeus MP 183: 20.
 Naultinus stellatus MP 183: 20.
 Naultinus tuberculatus MP 183: 20.
 Nectocaecilia OP 716: 1.
 Nectodactylus OP 555: 11.
 Nectodactylus spinulosus OP 555: 11.
 Necturus beyeri OP 539: 6; MP 166: 13.
 Necturus maculosus OP 17: 4; OP 18: 3; OP 686: 11; MP 169: 3, 19.
 Necturus maculosus maculosus OP 451: 9; OP 470: 5.
 Necturus maculosus **stictus** OP 451: 9; OP 539: 6; MP 166: 13.
 Neopareas MP 114: 22.
 Neopareas bicolor MP 114: 36.
 Neopareas tricolor MP 114: 36.
 Neoparias MP 114: 22.
 Nephurus MP 173: 43; MP 183: 1.
 Nephurus asper MP 183: 20.
 Nephurus laevis MP 183: 20.
 Nephurus levis MP 183: 20.
 Nephurus levis occidentalis MP 167: 32.
 Nephurus vertebralis MP 167: 32.
 Nephurus wheeleri MP 183: 20.
 Nephurus milii MP 183: 20.
 Nephurus sphyrurus MP 183: 20.
 Nerodia cyclopion cyclopion MP 167: 68.
 Nerodia erythrogaster alta MP 167: 68.
 Nerodia erythrogaster flavigaster MP 167: 68.
 Nerodia erythrogaster neglecta MP 167: 68.
 Nerodia fasciata confluens MP 167: 68.
 Nerodia harteri paucimaculata MP 167: 68.
 Nerodia sipedon insularum MP 167: 68.
 Nerodia valida isabelleae MP 167: 68.
 Neusticurus apodemus MP 167: 32.
 Ninia MP 122: 106.
 Ninia atrata MP 128: 42.
 Ninia atrata sebae MP 69: 75.
 Ninia diademata MP 69: 74; MP 122: 106; LVB 45: 24.
 Ninia diademata diademata MP 122: 106.
 Ninia diademata labiosa MP 122: 106.
 Ninia diademata nietoi MP 122: 106; MP 167: 68; LVB 75: 24.
 Ninia maculata maculata MP 69: 75.
 Ninia maculata pavimentata MP 69: 75; MP 122: 107; LVB 45: 24.
 Ninia plorator MP 69: 74.
 Ninia psephota MP 131: 42.
 Ninia sebae OP 357: 15; MP 29: 51.
 Ninia sebae immaculata MP 167: 68.
 Ninia sebae morleyi OP 388: 19; OP 539: 48; MP 122: 107; MP 167: 68; LVB 75: 9, 11, 24.
 Ninia sebae punctulata MP 122: 107.
 Ninia sebae sebae MP 69: 75; MP 122: 107; LVB 45: 24; LVB 68: 60.
 Ninia sieboldi MP 131: 171.

- Nisara* MP 147: 76.
Noblella peruvianus OP 539: 19.
Norops auratus MP 8: 59.
Norops yucatanensis OP 292: 10.
Notochelys platynota MP 142: 30.
Notophis bicarinatus OP 195: 39.
Notophthalmus perstriatus MP 166: 13.
Notophthalmus viridescens OP 686: 13; MP 169: 11, 19, 23.
Notophthalmus viridescens piaropicola MP 166: 13.
Notophthalmus viridescens viridescens OP 117: 3.
Nototriton nasalis MP 166: 13.
- Oedipina elongata* MP 122: 22.
Oedipina ignea MP 122: 22.
Oedipina poelzi MP 166: 13.
Oedipina pseudouniformis MP 166: 14.
Oedipina taylori MP 122: 22; MP 166: 14.
Oedipus adspersus MP 8: 43, 49.
Oedipus bromeliacia OP 539: 4; 6; MP 56: 1; MP 122: 19; MP 166: 14.
Oedipus chiropterus OP 444: 3.
Oedipus cuchumatanus OP 539: 5 OP 471: 11; MP 56: 14; MP 122: 20; MP 166: 14.
Oedipus dofleini MP 56: 17; MP 69: 18; 72; LVB 45: 22.
Oedipus dunni OP 539: 5; OP 539: 6; MP 56: 1; MP 166: 14.
Oedipus elongatus MP 56: 19; MP 69: 18; MP 122: 22; LVB 45: 22.
Oedipus engelhardti OP 471: 11; OP 539: 6; MP 56: 1; MP 122: 20; MP 166: 14.
Oedipus flavimembris OP 539: 6; MP 56: 1; MP 122: 20; MP 166: 15.
Oedipus flaviventris MP 56: 1.
Oedipus franklini OP 539: 6; MP 56: 1; MP 122: 21; MP 166: 15.
Oedipus goebeli OP 539: 6; MP 56: 1; MP 122: 23; MP 166: 15.
Oedipus helmrichi OP 442: 4; OP 471: 11; OP 539: 7; MP 56: 15; MP 69: 19; MP 122: 21; MP 166: 15; LVB 45: 22.
Oedipus lincolni OP 471: 11; OP 539: 7; MP 122: 21; MP 166: 15.
Oedipus manni OP 539: 7; MP 166: 15.
Oedipus mexicanus MP 29: 35; MP 56: 1.
Oedipus mexicanus mulleri MP 69: 19; LVB 45: 22.
Oedipus mexicanus odonnelli MP 69: 19; 72; LVB 45: 22.
Oedipus morio MP 56: 1; MP 122: 21; LVB 49: 48.
Oedipus mosaueri OP 444: 2; OP 539: 4; 7; MP 166: 15.
Oedipus mulleri MP 56: 12; MP 69: 19.
Oedipus multidentata OP 444: 3; OP 539: 4, 7; MP 166: 16.
Oedipus nasalis OP 539: 4; OP 539: 7; MP 56: 1; MP 166: 16.
Oedipus occidentalis MP 56: 1.
Oedipus odonnelli OP 539: 4; 7; MP 56: 10; MP 69: 19; MP 122: 18; MP 166: 16.
Oedipus platydactylus OP 292: 5; MP 56: 14.
Oedipus rex OP 471: 12; MP 56: 19; MP 122: 23; LVB 49: 49.
Oedipus rostratus OP 471: 12; MP 56: 19; LVB 49: 49.
Oedipus rufescens MP 56: 20; MP 69: 20; LVB 45: 22.
Oedipus salvinii MP 56: 1; MP 122: 19.
Oedipus schmidtii MP 56: 1.
Oedipus smithi MP 166: 16.
- Oedipus yucatanus* OP 292: 5; MP 56: 1.
Oedura MP 173: 43; MP 183: 1.
Oedura castelnauxi MP 154: 23.
Oedura lesueuri MP 154: 23; MP 183: 20.
Oedura marmorata MP 154: 25; MP 183: 20.
Oedura monilis MP 183: 20.
Oedura robusta MP 183: 20.
Oedura tryoni MP 154: 22; MP 183: 20.
Onychodactylus japonicus MP 169: 18, 22, 25.
Ooeidozyga celebensis OP 539: 19; MP 166: 53.
Ooeidozyga diminutiva MP 166: 53.
Ooeidozyga semipalmata MP 166: 53.
Opheodrys aestivus OP 328: 5; MP 154: 21.
Opheodrys mayae OP 539: 45, 48; MP 47: 23.
Opheodrys vernalis MP 50: 10; MP 154: 8, 20, 39.
Opheodrys vernalis blanchardi MP 50: 11; OP 539: 48; MP 167: 68.
Ophibolus doliatus coccineus OP 81: 6.
Ophibolus evansii MP 167: 69.
Ophibolus Evansii OP 539: 48.
Ophibolus multistratus OP 81: 6.
Ophidiocephalus MP 147: 142; MP 152: 70; MP 173: 43.
Ophidiocephalus taeniatus MP 147: 142; MP 152: 70.
Ophiinae MP 114: 12.
Ophiomorus punctatissimus OP 211: 19.
Ophiophagus hannah MP 154: 24;
Ophiops elegans OP 211: 3.
Ophiops elegans ehrenbergi OP 211: 16.
Ophioseps MP 147: 48.
Ophioseps nasutus MP 147: 48, 57.
Ophioseps repens MP 147: 61.
Ophiopsisepidae MP 147: 45.
Ophiopsiseps MP 147: 45, 48.
Ophisaurus OP 211: 6.
Ophisaurus attenuatus MP 154: 25.
Opidiocephalus MP 152: 70.
Opidiocephalus taeniatus MP 152: 70.
Opiputer xestus MP 167: 33.
Oreolalax schmidtii MP 166: 53.
Oreosaurus OP 597: 1.
Oscaecilia OP 687: 3, 11.
Osteocephalus pearsoni MP 166: 53.
Otophryne OP 187: 6; OP 555: 1; .
Otophryne robusta OP 555: 3.
Oxybelis MP 122: 108.
Oxybelis acuminatus OP 360: 24; MP 8: 67; MP 29: 53; MP 47: 27; MP 122: 108.
Oxybelis aeneus MP 101; 71.
Oxybelis aeneus aeneus MP 122: 108; LVB 45: 24; LVB 68: 60; LVB 75: 7, 11, 27.
Oxybelis aeneus auratus OP 554: 29; OP 560: 21; OP 589: 11; OP 589: 17; MP 69: 81; MP 122: 108.
Oxybelis aeneus subsp. LVB 65: 20.
Oxybelis fulgidus OP 292: 17; MP 8: 40; MP 69: 82; MP 122: 108; LVB 45: 24.
Oxybelis microphthalmus OP 289: 9.
Oxyrhabdium modestum MP 131: 42.
Oxyrhopus doliatus aequifasciata MP 122: 109.
Oxyrhopus fitzingeri frizzelli MP 167: 69.
Oxyrhopus petola MP 128: 43.
Oxyrhopus petola aequifasciata LVB 45: 24.
Oxyrhopus petola aequifasciatus MP 69: 81; MP 122: 109; LVP 75: 9, 25.
Oxyrhopus petolarius MP 69: 81.
Oxyrhopus petolus MP 154: 25.
Oxyrhopus proximus MP 122: 90.
Oxyrhopus plumbeus MP 122: 90.
Oxyuranus scutellatus MP 154: 24.

- Pachydactylus* MP 173: 44; MP 183: 1.
Pachydactylus bibronii MP 183: 20.
Pachydactylus capensis MP 183: 20.
Pachydactylus geitje MP 183: 20.
Pachydactylus maculatus MP 183: 20.
Palmatogeocko MP 173: 44; MP 183: 1.
Palmatogeocko rangei MP 183: 20.
Paludicola pusilla OP 30: 1; OP 539: 19; MP 166: 53.
Paludicola pustulosa MP 122: 31.
Pantherophis OP 541: 1.
Pantodactylus schreibersii parkeri MP 167: 33.
Paradelma MP 147: 144; MP 152: 69; MP 173: 43.
Paradelma orientalis MP 147: 144, 202; MP 152: 69.
Paragehyra MP 173: 44; MP 183: 1.
Paragehyra gabriellae MP 183: 20.
Parageophis MP 131: 41.
Pararhadinaea MP 182: 28.
Pararhadinaea albignaci MP 182: 31.
Pararhadinaea melanogaster MP 182: 31.
Paroedura MP 173: 44; MP 183: 1.
Paroedura pictus MP 183: 20.
Pelamis platurus OP 706: 16; OP 589: 18; MP 122: 125; MP 178: 57.
Pelodytes 372: 9.
Pelophilus madagascariensis MP 178: 8.
Peltophryne OP 715: 40.
Peltophryne longinasa MP 166: 54.
Perochirus MP 173: 44; MP 183: 1.
Perochirus ateles MP 183: 20.
Peropodum MP 122: 85.
Peropodum guatemalensis MP 122: 85.
Petalognathus MP 114: 13, 169.
Petalognathus multifasciatus MP 69: 79; MP 114: 169, 182.
Petalognathus nebulata MP 114: 200.
Petalognathus nebulatus MP 69: 73; MP 114: 199.
Petrosaurus MP 145: 18, 19, 64.
Petrosaurus mearnsi mearnsi MP 145: 19.
Petrosaurus mearnsi selvini MP 145: 19.
Petrosaurus thalassinus MP 145: 19.
Pharyngodon MP 122: 42.
Pharyngodon petasatus MP 122: 42.
Phelsuma MP 173: 44; MP 183: 1.
Phelsuma abbotti MP 183: 20.
Phelsuma astriata MP 183: 20.
Phelsuma barbouri MP 183: 20.
Phelsuma cepediana MP 183: 20.
Phelsuma comorensis MP 183: 20.
Phelsuma dubia MP 183: 20.
Phelsuma guentheri MP 183: 20.
Phelsuma guimbeaui MP 183: 20.
Phelsuma laticauda MP 183: 20.
Phelsuma lineata MP 183: 20.
Phelsuma madagascariensis MP 183: 20.
Phelsuma ornata MP 183: 20.
Phelsuma sundbergi MP 183: 20.
Phelsuma v-nigra MP 183: 20.
Philautus hansenae OP 539: 19; MP 166: 54.
Philautus nongkhorensis OP 539: 19.
Philothamnus depressirostris OP 462: 9.
Philothamnus irregularis MP 154: 24.
Pholidobolus montium MP 154: 26.
Pholidolaemus MP 114: 12, 22.
Phyllorhynchus decurtatus nubilus MP 167: 69.
Phrynobatrachus bequaerti MP 166: 54.
Phrynocephalus MP 154: 14.
Phrynocephalus helioscopus MP 154: 21.
Phrynohyas MP 96: 7.
Phrynohyas hebes MP 96: 16.
Phrynohyas inflata OP 589: 14; MP 96: 19.
Phrynohyas ingens 96: 22; MP 166: 54.
Phrynohyas latifasciata MP 96: 24.
Phrynohyas modesta MP 96: 25; MP 122: 37.
Phrynohyas spilomma MP 101: 53; MP 122: 37.
Phrynohyas venulosa MP 160: 74; MP 166: 54.
Phrynohyas zonata MP 96: 35.
Phrynonax fasciatus MP 8: 65.
Phrynonax guentheri MP 8: 65.
Phrynonax lunulatus MP 8: 65; MP 122: 111.
Phrynonax poecilonotus MP 8: 45, 48, 65.
Phrynonax poecilonotus poecilonotus MP 29: 49.
Phrynopus peruvianus MP 166: 54.
Phrynosoma MP 154: 14.
Phrynosoma asio OP 360: 10; OP 554: 13; OP 560: 20; OP 589: 16; MP 47: 16.
Phrynosoma cornutum OP 189: 3; OP 246: 8; OP 569: 9; MP 101: 58; MP 132: 14; 27.
Phrynosoma cornutum jamesi OP 329: 15.
Phrynosoma douglasi MP 154: 8, 28.
Phrynosoma douglassi hernandesi OP 246: 9; OP 569: 9.
Phrynosoma douglassii ornatissimum OP 243: 3; OP 244: 30.
Phrynosoma douglassii ornatum OP 243: 3.
Phrynosoma hernandesi OP 8: 23.
Phrynosoma orbiculaire dugesi OP 589: 13.
Phrynosoma orbiculaire durangoensis MP 167: 33.
Phrynosoma platyrhinus OP 243: 3; OP 244: 30.
Phrynosoma platyrhinus calidarum OP 569: 9.
Phrynosoma solare OP 259: 10; MP 154: 22.
Phyllobates beatriciae OP 151: 5.
Phyllobates boulengeri OP 539: 19.
Phyllobates bromelicola OP 577: 6; MP 166: 54.
Phyllobates brunneus OP 577: 8.
Phyllobates flotator OP 539: 19; MP 166: 54.
Phyllobates kingsburyi OP 151: 7.
Phyllobates latinasus OP 151: 5.
Phyllobates lugubris OP 151: 5.
Phyllobates neblina OP 577: 8.
Phyllobates nubicola OP 151: 7; OP 539: 19; MP 166: 54.
Phyllobates subpunctatus MP 8: 45, 48, 49.
Phyllobates talamancae OP 151: 4.
Phyllobates trinitatis OP 539: 20; MP 8: 49; MP 166: 55.
Phyllobates zaparo MP 166: 55.
Phyllodactylus MP 122: 57; MP 138: 5; MP 173: 44; MP 183: 1.
Phyllodactylus davisi MP 167: 33; MP 183: 20.
Phyllodactylus duellmani MP 167: 33.
Phyllodactylus eduardofischeri LVB 68: 51.
Phyllodactylus essexi OP 539: 36; MP 167: 33.
Phyllodactylus homolepidurus MP 183: 20.
Phyllodactylus julieni OP 143: 3; OP 178: 1; MP 183: 20.
Phyllodactylus lanei OP 360: 9; OP 539: 36; OP 554: 11; OP 560: 9; OP 589: 16; MP 47: 13; MP 69: 45; MP 167: 34; MP 183: 20; LVB 45: 22.
Phyllodactylus lanei lanei MP 167: 34.
Phyllodactylus lanei rupinus MP 167: 34.
Phyllodactylus lanei X tuberculatus MP 183: 20.
Phyllodactylus lineatus essexi MP 167: 34.
Phyllodactylus magister OP 539: 36; MP 167: 34.
Phyllodactylus magnus MP 122: 57.
Phyllodactylus marmoratus MP 154: 25.
Phyllodactylus martini OP 143: 3; OP 178: 1; MP 183: 20.
Phyllodactylus muralis MP 167: 34; MP 183: 20.
Phyllodactylus muralis isthmus MP 167: 34.
Phyllodactylus muralis muralis MP 167: 34.
Phyllodactylus paucituberculatus MP 167: 34.

- Phyllodactylus porphyreus* MP 183: 20.
Phyllodactylus pulcher OP 143: 3; OP 178: 1; MP 122: 57.
Phyllodactylus reissi MP 167: 35.
Phyllodactylus siamensis MP 183: 20.
Phyllodactylus spatulatus OP 178: 1.
Phyllodactylus tuberculosus OP 259: 4; OP 560: 20; MP 69: 45; MP 122: 57; MP 183: 20.
Phyllodactylus tuberculosus magnus MP 122: 57.
Phyllodactylus tuberculosus tuberculosus MP 122: 57.
Phyllodactylus unctus MP 183: 20.
Phyllodactylus ventralis MP 8: 58.
Phyllodactylus xanti MP 183: 20.
Phyllodytes tuberculosus MP 166: 55.
Phyllomedusa burmeisteri MP 110: 31.
Phyllomedusa callidryas MP 110: 31.
Phyllomedusa callidryas taylori MP 122: 38.
Phyllomedusa guttata MP 110: 31.
Phyllomedusa helenae MP 110: 29.
Phyllomedusa hypochondrialis OP 69: 14.
Phyllomedusa moreleti MP 122: 38.
Phyllopezus MP 173: 44; MP 183: 1.
Phyllopezus pollicaris MP 183: 20.
Phyllorhynchus browni browni OP 569: 10.
Phyllorhynchus decurtatus decurtatus OP 329: 16.
Phyllorhynchus decurtatus nubilus OP 539: 49.
Phyllosira flavescens OP 571: 15.
Phyllurus MP 173: 43; MP 183: 1.
Phyllurus cornutus MP 183: 20.
Phyllurus platurus MP 183: 20.
Physalaemus centralis MP 166: 55.
Physalaemus cicada MP 166: 55.
Physalaemus jordanensis MP 166: 55.
Physalaemus maculiventris OP 539: 20; MP 166: 56.
Physalaemus obtectus MP 166: 56.
Physalaemus pustulosus MP 160: 74, 108, 121.
Pipa americana OP 69: 14.
Pipa parva OP 136: 1; OP 539: 20; MP 166: 56.
Pipidae OP 372: 9.
Pituophis OP 250: 1.
Pituophis catenifer annectens OP 250: 5.
Pituophis catenifer catenifer OP 250: 4.
Pituophis catenifer deserticola OP 8: 31; OP 243: 4; OP 250: 5.
Pituophis catenifer rutilus OP 250: 4.
Pituophis catenifer stejnegeri OP 250: 5.
Pituophis deppei brevilineata MP 167: 69.
Pituophis deppei deppei OP 250: 1; OP 363: 7.
Pituophis deppei gibsoni MP 122: 109; MP 167: 69.
Pituophis deppei jani OP 250: 2.
Pituophis deppei lineaticollis MP 122: 109; LVB 49: 62.
Pituophis lineaticollis OP 250: 2; OP 471: 23; MP 122: 109; LVB 49: 62.
Pituophis lineaticollis gibsoni MP 122: 109; MP 167: 70.
Pituophis lineaticollis lineaticollis MP 167: 70.
Pituophis lodingi OP 539: 49; MP 167: 70.
Pituophis melanoleucus OP 328: 5; MP 154: 24.
Pituophis melanoleucus lodingi OP 250: 3; OP 539: 49.
Pituophis melanoleucus loedingi MP 167: 70.
Pituophis melanoleucus melanoleucus OP 205: 1; 250: 2.
Pituophis melanoleucus mugitus OP 205: 1; OP 250: 3.
Pituophis melanoleucus ruthveni OP 205: 1; 250: 3.
Pituophis sayi OP 66: 2; OP 189: 6.
Pituophis sayi affinis OP 250: 4.
Pituophis sayi sayi OP 205: 3; OP 246: 15; OP 250: 3; OP 363: 7.
Pituophis vertebralis OP 250: 3; OP 329: 16.
Pityophis intermedius OP 541: 8.
Placosoma OP 606: 1.
Placosoma cordylinum OP 606: 3.
Placosoma cordylinum cordylinum OP 606: 3.
Placosoma cordylinum champsonotus OP 606: 9.
Placosoma glabellum OP 606: 11.
Platyhyla OP 555: 7.
Platypelis OP 555: 7.
Platysterninae OP 647: 5.
Platysternon OP 647: 7; MP 142: 41.
Platysternon megacephalum MP 142: 39, 59.
Plectrohyla OP 437: 1; OP 455: 1; MP 122: 38; MP 181: 1.
Plectrohyla "a" OP 438: 2.
Plectrohyla "b" OP 438: 5.
Plectrohyla acanthodes MP 181: 2.
Plectrohyla avia MP 122: 39; MP 181: 6; MP 166: 56.
Plectrohyla brachycephala MP 181: 14.
Plectrohyla cotzicensis OP 539: 20; OP 563: 5; MP 122: 39; MP 166: 56; LVB 49: 50; LVB 68: 48.
Plectrohyla crassa OP 455: 6.
Plectrohyla dasypus MP 181: 6.
Plectrohyla glandulosa MP 166: 56; MP 181: 6.
Plectrohyla guatemalensis OP 437: 1; OP 563: 5; MP 122: 39; MP 181: 6; LVB 49: 52; LVB 68: 48.
Plectrohyla hartwegi MP 181: 8; MP 166: 56.
Plectrohyla ixil OP 455: 4; OP 471: 15; OP 539: 20; MP 122: 39; MP 166: 56; MP 181: 10.
Plectrohyla lacertosa MP 181: 12.
Plectrohyla matudai OP 437: 5; OP 438: 1; OP 539: 20; MP 122: 40; MP 166: 56; MP 181: 14; LVB 68: 49.
Plectrohyla matudai matudai MP 122: 40.
Plectrohyla pokomchi MP 181: 14.
Plectrohyla pychnochila MP 181: 14.
Plectrohyla quecchi OP 455: 1; OP 471: 15; OP 539: 20; MP 69: 38; MP 122: 40; MP 166: 57; MP 181: 14; LVB 45: 22.
Plectrohyla sagorum OP 437: 2; OP 438: 1; OP 539: 20; MP 166: 57; MP 181: 14.
Plectrohyla tecunumani MP 181: 15.
Plectrohyla teuchestes MP 181: 15.
Plestiodon fasciatus OP 117: 7.
Plestiodon obsoletum OP 201: 2.
Plestiodon septentrionalis OP 66: 2.
Plethodon caddoensis OP 539: 7; MP 166: 16.
Plethodon cinereus OP 328: 3; OP 686: 13; MP 166: 16.
Plethodon cinereus cinereus OP 470: 9.
Plethodon cinereus polycentratus MP 166: 16.
Plethodon cinereus serratus OP 539: 7; MP 166: 16.
Plethodon clemsonae OP 451: 20.
Plethodon dunni MP 149: 75; MP 166: 17.
Plethodon ensatus MP 149: 6.
Plethodon erythronotus OP 17: 4; OP 18: 3.
Plethodon glutinosus OP 117: 3; OP 364: 3; OP 451: 18.
Plethodon glutinosus albagula OP 539: 8; MP 166: 17.
Plethodon gordonii MP 166: 17.
Plethodon huldae OP 539: 8; MP 166: 17.

- Plethodon jordani* OP 364: 6.
Plethodon jordani teyahalee OP 539: 8; MP 166: 17.
Plethodon larselli MP 149: 76.
Plethodon longicrus MP 166: 18.
Plethodon metcalfi OP 364: 6; OP 451: 20.
Plethodon neomexicanus MP 166: 18.
Plethodon richmondi OP 539: 8; MP 166: 18.
Plethodon richmondi popei MP 166: 18.
Plethodon richmondi shenandoah MP 166: 18.
Plethodon shenandoah MP 166: 18.
Plethodon shermani OP 364: 4; OP 451: 18.
Plethodon stormi MP 149: 75; MP 166: 18.
Plethodon vandykei MP 149: 76.
Plethodon vehiculum MP 149: 75.
Plethodon welleri OP 539: 8; MP 166: 19.
Plethodon yonahlossee OP 364: 2.
Plethodontidae MP 169: 3, 19.
Pletholax MP 147: 146; MP 152: 69; MP 173: 43; MP 183: 1.
Pletholax gracilis MP 147: 146, 202; MP 152: 69; MP 183: 20.
Pletholaxini MP 152: 69.
Pleurodeles waltl MP 169: 19.
Pleurodema brachyops MP 8: 53.
Pleurodema pusilla MP 8: 53.
Pliocercus MP 122: 110.
Pliocercus aequalis MP 69: 71; MP 122: 110.
Pliocercus elapoides OP 388: 18; MP 69: 71; MP 101: 71; 77; MP 122: 109.
Pliocercus elapoides celatus MP 101: 71.
Pliocercus elapoides diastemus MP 69: 71; MP 122: 110.
Pliocercus elapoides elapoides MP 69: 71.
Pliocercus elapoides laticollaris MP 69: 71; MP 122: 110.
Pliocercus elapoides salvini MP 122: 110.
Pliocercus elapoides salvinii MP 69: 71; MP 122: 110; LVB 45: 23.
Pliocercus euryzonus MP 69: 71.
Pliocercus euryzonus aequalis MP 69: 72; MP 122: 110; LVB 45: 23.
Pliocercus salvinii MP 69: 71; MP 122: 110.
Pliocercus sargii MP 69: 71; MP 122: 110.
Pliocercus schmidtii MP 69: 71.
Plistodon sumichrasti MP 69: 55; MP 122: 74.
Podarcis erhardii ruthveni MP 167: 35.
Polychroides peruvianus MP 167: 35.
Polychrus marmoratus MP 128: 17, 18.
Polychrus spurrelli MP 8: 46, 59.
Polydontophis annulatus MP 69: 62.
Polypedates owstoni OP 539: 21; MP 166: 57.
Potomotyphlus OP 716: 1.
Prionodactylus champsonotus OP 606: 9.
Prionodactylus marianus OP 103: 1; OP 539: 32; MP 167: 35.
Prionodactylus vertebralis OP 103: 4. MP 167: 35.
Pristurus MP 173: 44; MP 183: 1.
Pristurus carteri MP 183: 20.
Pristurus crucifer MP 183: 20.
Pristurus flavipunctatus MP 183: 20.
Pristurus flavipunctatus flavipunctatus MP 167: 35.
Pristurus percristatus MP 167: 35.
Pristurus sokotranus MP 183: 20.
Probreviceps macrodactylus loveridgei OP 539: 21; MP 166: 57.
Proctoporus OP 597: 1.
Proctoporus achlyens OP 597: 8; MP 128: 10, 20, 27, 32; MP 167: 35.
Proctoporus hypostictus OP 597: 12.
Proctoporus laevis OP 597: 6; MP 128: 32.
Proctoporus lividus OP 597: 7.
Proctoporus luctuosus OP 597: 3; MP 128: 32.
Proctoporus oculatus OP 597: 7; MP 128: 32.
Proctoporus pachyurus OP 597: 1.
Proctoporus shrevei OP 597: 8; MP 128: 32.
Proctoporus unicolor OP 597: 1.
Prostherapis boulengeri OP 539: 21; MP 166: 57.
Prostherapis femoralis OP 539: 21; MP 166: 58.
Prostherapis herminae OP 577: 5.
Prostherapis inguinalis OP 577: 6.
Prostherapis neblina OP 128: 38, 41; OP 577: 2; MP 166: 57.
Prostherapis subpunctatus OP 10: 1; OP 14: 3; MP 8: 65.
Prostherapis trinitatis OP 128: 38, 39, 41; OP 577: 3.
Prostherapis variabilis OP 10: 1.
Proteidae MP 169: 3, 19.
Proteus anguinus MP 169: 3, 19.
Psammophis sibilans OP 211: 20; MP 154: 26.
Psammophylax rhombeatus MP 154: 21, 29.
Pseudacris brachyphona OP 272: 5.
Pseudacris brimleyi OP 272: 2; OP 539: 21; MP 166: 58.
Pseudacris ocularis OP 272: 1.
Pseudacris nigrita feriarum OP 272: 1; OP 328: 3; OP 539: 21.
Pseudacris nigrita nigrita OP 272: 1.
Pseudacris nigrita triseriata OP 272: 2.
Pseudacris ornata OP 272: 1.
Pseudacris streckeri illinoensis MP 166: 58.
Pseudacris triseriata OP 66: 2; OP 117: 5; OP 686: 15.
Pseudacris triseriata feriarum MP 166: 58.
Pseudemys MP 122: 51.
Pseudemys cataspila OP 397: 1.
Pseudemys concinna OP 117: 17; OP 348: 1.
Pseudemys concinna concinna MP 167: 82.
Pseudemys elegans OP 117: 17.
Pseudemys floridana OP 348: 1.
Pseudemys floridana concinna OP 348: 3.
Pseudemys floridana floridana OP 348: 3.
Pseudemys floridana mobiliensis OP 348: 6.
Pseudemys floridana peninsularis OP 539: 54; MP 167: 82.
Pseudemys floridana suwanniensis OP 348: 4; OP 539: 55; MP 167: 82.
Pseudemys malonei MP 167: 83.
Pseudemys mobiliensis OP 348: 1.
Pseudemys nelsoni OP 539: 55; MP 167: 83.
Pseudemys ornata MP 29: 56.
Pseudemys ornata grayi MP 122: 51.
Pseudemys ornata ornata MP 122: 51.
Pseudemys rubriventris OP 328: 10; OP 348: 2.
Pseudemys scripta elegans MP 61: 7.
Pseudemys scripta galgae OP 397: 1; OP 539: 55; MP 167: 83.
Pseudemys scripta ornata MP 69: 44; MP 122: 51; LVB 45: 22; LVB 75: 11, 20.
Pseudemys scripta venusta MP 69: 44.
Pseudemys troostii OP 397: 1.
Pseudis fusca OP 539: 21; MP 166: 58.
Pseudis paradoxa OP 69: 3.
Pseudis paradoxus fuscus MP 166: 58.
Pseudoboa petola OP 357: 16.
Pseudobranchius striatus axanthus OP 539: 8; MP 166: 19.
Pseudobranchius striatus belli MP 166: 19.
Pseudobranchius striatus spheniscus OP 539: 8; MP 166: 19.
Pseudocerastes fieldi MP 154: 21, 39.

- Pseudodelma* MP 147: 76.
Pseudodelma impar MP 147: 76, 98.
Pseudoelaphe OP 541: 1.
Pseudoeurycea MP 101: 72; MP 122: 23.
Pseudoeurycea belli OP 567: 10; MP 101: 43; 76.
Pseudoeurycea brunnata MP 166: 19.
Pseudoeurycea cephalica OP 567: 5; MP 101: 45.
Pseudoeurycea cephalica manni OP 539: 8; MP 166: 19.
Pseudoeurycea cephalica rubrimembris OP 567: 6.
Pseudoeurycea exspectata MP 122: 23; MP 166: 19; LVB 68: 42.
Pseudoeurycea galeanae OP 539: 4, 9; OP 567: 5; MP 166: 20.
Pseudoeurycea goebeli OP 539: 9; MP 122: 23; MP 166: 20.
Pseudoeurycea nigromaculata OP 539: 4, 9; MP 166: 20.
Pseudoeurycea rex MP 122: 23; LVB 49: 49.
Pseudoeurycea rubrimembris OP 567: 7.
Pseudoeurycea scandens OP 567: 1; OP 587: 16; MP 101: 44; 73; 76; MP 166: 20.
Pseudoeurycea smithi MP 166: 20.
Pseudoficimia frontalis OP 554: 29; OP 589: 12; 17; MP 167: 70.
Pseudoficimia pulcherrima OP 539: 49; OP 560: 21; MP 167: 70.
Pseudogekko MP 173: 44.
Pseudogonatodes OP 19: 1; MP 183: 1.
Pseudogonatodes barbouri OP 539: 34; MP 128: 12; MP 167: 35; MP 183: 20.
Pseudogonatodes furvus OP 19: 2; MP 167: 36.
Pseudogonatodes guianensis MP 128: 12.
Pseudogonatodes lunulatus MP 128: 11; MP 183: 20.
Pseudogonatodes peruvianus MP 183: 20.
Pseudohymenochirus OP 472: 7.
Pseudoleptodeira latifasciata OP 560: 16; OP 589: 12; 17; 18.
Pseudopaludicola bolivianus OP 539: 21; MP 166: 58.
Pseudopaludicola blanchardi OP 539: 21.
Pseudopaludicola pusilla MP 166: 59.
Pseudopaludicola semimarmorata OP 539: 21.
Pseudopareas MP 114: 13, 141.
Pseudopareas atypicus MP 114: 158.
Pseudopareas spilogaster MP 114: 158.
Pseudopareas vagrans MP 114: 161.
Pseudopareas vagus MP 114: 164.
Pseudopareas vagus vagrans MP 114: 161.
Pseudopareas vagus vagus MP 114: 164.
Pseudophryne blanchardi MP 166: 59.
Pseudophryne semimarmorata MP 166: 59.
Pseudothecadactylus MP 173: 43; MP 183: 1.
Pseudothecadactylus australis MP 183: 20.
Pseudotriton flavissimus floridanus OP 539: 9.
Pseudotriton montanus MP 169: 3, 10.
Pseudotriton montanus diasticus OP 451: 14; OP 539: 9; MP 166: 20.
Pseudotriton montanus floridanus OP 539: 9; MP 166: 20.
Pseudotriton montanus montanus OP 451: 15.
Pseudotriton ruber OP 470: 9; MP 169: 10, 19.
Pseudotriton ruber ruber OP 117: 4; OP 328: 3.
Pseudotyphlonectes OP 716: 1.
Pseudoxyrhopus MP 182: 1.
Pseudoxyrhopus ambreensis MP 182: 3.
Pseudoxyrhopus ankafinaensis MP 182: 6.
Pseudoxyrhopus dubius MP 182: 2, 23.
Pseudoxyrhopus heterurus MP 182: 8.
Pseudoxyrhopus imerinae MP 182: 10.
Pseudoxyrhopus kely MP 182: 13.
Pseudoxyrhopus microps MP 182: 1, 15.
Pseudoxyrhopus occipitalis MP 182: 3.
Pseudoxyrhopus punctatus MP 182: 2.
Pseudoxyrhopus quinquelineatus MP 182: 19.
Pseudoxyrhopus sokosoko MP 182: 22.
Pseudoxyrhopus triataeniatus MP 182: 2, 23.
Pseudoxyrhopus occipitalis MP 182: 26.
Pseustes MP 122: 111.
Pseustes poecilonotus argus MP 122: 111.
Pseustes poecilonotus poecilonotus MP 122: 111; LVB 75: 26.
Pternohyla fodiens OP 259: 3; OP 589: 14.
Ptenopus MP 173: 44; MP 183: 1.
Ptenopus garrulus MP 183: 20.
Ptyas korros MP 154: 25.
Ptyas mucosus MP 154: 25.
Ptychodactylus hasselquistii MP 154: 23.
Ptychoglossus OP 592: 2.
Ptychoglossus bicolor OP 592: 2.
Ptychohyla OP 642: 14.
Ptychohyla euthysanota OP 642: 14; MP 122: 40.
Pternohyla fodiens OP 360: 5.
Ptychohyla ignicolor OP 642: 14; MP 166: 59.
Ptychohyla leonhardschultzei OP 642: 14.
Ptychohyla schmidtorum OP 642: 14; MP 122: 41; MP 166: 59.
Ptychohyla spinipollex OP 642: 14; MP 122: 41; LVB 68: 48.
Ptychozoon MP 173: 44; MP 183: 1.
Ptychozoon kuhli MP 154: 26; MP 183: 20.
Ptychozoon lionotum MP 183: 20.
Ptyodactylus MP 173: 44; MP 183: 1.
Ptyodactylus hasselquistii MP 183: 20.
Ptyodactylus oudrii MP 183: 20.
Pygopoda MP 147: 45.
Pygopodida MP 147: 45.
Pygopidae MP 147: 45.
Pygopodidae MP 147: 1, 45; MP 152: 1; MP 173: 43.
Pygopodinae MP 152: 1.
Pygopus MP 147: 45, 148; MP 152: 1; MP 173: 43; MP 183: 1.
Pygopus lepidopodus MP 147: 149, 202; MP 152: 69; MP 183: 20.
Pygopus longicaudatus MP 147: 149, 204; MP 152: 69.
Pygopus nigriceps MP 147: 153; MP 183: 20.
Pygopus schraderi MP 147: 153.
Pygopus squamiceps MP 147: 149.
Python sp. 154: 39.
Python anchietae MP 178: 57.
Python curtus MP 178: 58.
Python molurus MP 154: 23; MP 178: 58.
Python regius MP 154: 16; MP 178: 58.
Python reticulatus MP 154: 23; MP 178: 58.
Python sebae MP 154: 25; MP 178: 58.
Python timoriensis MP 178: 58.
Python sp. MP 178: 58.
Pythonines MP 178: 57.
Quedenfeldtia MP 173: 44; MP 183: 1.
Quedenfeldtia moerens MP 183: 20.
Rabdosoma MP 131: 33.
Rabdosoma badium MP 131: 33.
Rabdosoma crassicaudatum MP 131: 33.
Rabdosoma lineatum MP 131: 33.
Rabdosoma longicaudatum MP 131: 33.
Rabdosoma semidoliatum MP 131: 33; 133.
Rabdosoma torquatum MP 131: 33.
Rabdosoma zebrinum MP 131: 35.
Ramphotyphlops subocularis MP 167: 70.

- Rana* MP 148: 1.
Rana aquatica MP 148: 11.
Rana areolata OP 9: 1.
Rana areolata capito MP 166: 59.
Rana areolata sevosia MP 166: 59.
Rana berlandieri MP 148: 13, 25, 107.
Rana blairi MP 148: 26, 93; MP 166: 59.
Rana boans OP 688: 6.
Rana brachycephala MP 148: 13.
Rana brevipalmata rhoadsi OP 539: 21; MP 166: 59.
Rana burnsi MP 148: 16.
Rana cantabrigensis OP 17: 4; OP 18: 4; OP 237: 3.
Rana capito stertens MP 166: 60.
Rana cascadeae MP 149: 75.
Rana catesbeana OP 9: 6; OP 18: 4; OP 117: 5; OP 189: 3; OP 328: 4; OP 569: 4; OP 686: 15; MP 160: 108, 121.
Rana chiricahuensis MP 166: 60.
Rana clamata MP 69: 41.
Rana clamitans OP 17: 4; OP 18: 4; OP 117: 5; OP 237: 3; OP 328: 4; OP 686: 16; MP 160: 108, 121.
Rana fisheri MP 148: 13, 29.
Rana halecina MP 69: 42; MP 122: 46; MP 148: 11, 16; LVB 49: 52.
Rana halecina sphenoccephala MP 166: 60.
Rana holsti OP 44: 2, 4.
Rana johni MP 166: 60.
Rana kandyohi MP 148: 16.
Rana lecontei MP 122: 46.
Rana macroglossa OP 471: 17; MP 69: 41; MP 122: 45; LVB 45: 22; LVB 49: 52; LVB 68: 50.
Rana maculata MP 122: 45; LVB 49: 52.
Rana marina MP 69: 20; .
Rana melanostoma MP 69: 41; MP 122: 46.
Rana montezumae OP 569: 5.
Rana moorei OP 539: 21; MP 166: 60.
Rana nigriscens MP 69: 41.
Rana noblei MP 148: 16.
Rana onca MP 148: 13, 29, 109.
Rana ovalis OP 555: 14.
Rana oxyrhynchus MP 148: 13, 18.
Rana palmipes OP 129: 10; OP 357: 6; OP 388: 13; MP 29: 40; MP 69: 42; MP 122: 46; MP 166: 60; LVB 45: 22; LVB 68: 50.
Rana palustris OP 18: 4; OP 117: 6; OP 328: 4; OP 589: 19; OP 686: 17; MP 148: 101, 109.
Rana pipiens OP 8: 12; OP 17: 4; OP 18: 4; OP 66: 2; OP 189: 3; OP 237: 3; OP 243: 2; OP 246: 5; OP 289: 7; OP 292: 8; OP 357: 6; OP 360: 7; OP 388: 13; OP 471: 17; OP 554: 9; OP 560: 8; OP 569: 4; OP 584: 3; OP 589: 14; 19; OP 686: 17; MP 29: 40; MP 47: 13; MP 69: 42; MP 101: 55; MP 148: 1; 16, 91, 111; MP 166: 104 60; LVB 45: 22; LVB 49: 53; LVB 68: 51; LVB 75: 8, 11, 18.
Rana pipiens complex MP 148: 1.
Rana pipiens x R. utricularia MP 148: 88.
Rana pretiosa MP 166: 60.
Rana pretiosa luteiventris OP 8: 13; OP 539: 22; MP 166: 60.
Rana pueblae MP 166: 61.
Rana pustulosa OP 360: 7; OP 554: 9; OP 589: 14.
Rana ridibunda OP 211: 28.
Rana septentrionalis OP 17: 4.
Rana sevosia OP 539: 22; MP 166: 61.
Rana sierramadrensis OP 589: 10.
Rana signata grandocula MP 166: 61.
Rana sinaloae OP 589: 10; 14; 19.
Rana sphenoccephala OP 117: 6; OP 686: 17.
Rana subaspera OP 44: 2.
Rana sylvatica OP 328: 4; OP 686: 16; MP 160: 108, 121.
Rana tarahumarae OP 289: 8.
Rana tarahumare OP 569: 6.
Rana temporaria MP 160: 108, 121.
Rana utricularia sphenoccephala MP 166: 62.
Rana utricularius MP 148: 12, 18, 95, 120.
Rana utricularius x pipiens MP 148: 88.
Rana virescens MP 148: 12.
Rana virescens austriaca MP 148: 13.
Rana virescens brachycephala MP 148: 16.
Rana virescens sphenoccephala MP 148: 13, 18.
Rana virescens virescens MP 148: 18.
Rana virgatipes OP 328: 5.
Rana warschewitschii OP 357: 6; MP 110: 25, 33.
Rana yakani OP 539: 22; MP 166: 62.
Rana zeteki OP 357: 6.
Ranodon olympicus OP 40: 2; OP 539: 9; MP 166: 21.
Ranodon sibiricus OP 40: 1; MP 169: 33.
Regina kirtlandii OP 539: 48; MP 167: 70.
Regina leberis OP 18: 5.
Regina rigida sinicola MP 167: 70.
Relictovomer OP 555: 13.
Relictovomer pearsei OP 555: 13; MP 166: 62.
Rhabdosoma badius MP 112: 47.
Rhabdosoma bicolor MP 131: 55; 155.
Rhabdosoma brevifrenum MP 112: 39.
Rhabdosoma crassicaudatum MP 112: 53.
Rhabdosoma elaps MP 112: 39.
Rhabdosoma guttulatatum MP 131: 37; 42; 57.
Rhabdosoma longiceps MP 131: 42; 104.
Rhabdosoma maculatum MP 112: 36, 43, 47.
Rhabdosoma microrhynchum MP 112: 52.
Rhabdosoma moestum MP 131: 146.
Rhabdosoma multicinctum MP 112: 54.
Rhabdosoma multitorques MP 131: 42; 104.
Rhabdosoma nasale MP 131: 160.
Rhabdosoma occipitoalbum MP 112: 60.
Rhabdosoma poppigi MP 112: 39.
Rhabdosoma rostrale MP 131: 84.
Rhabdosoma semidoliatum MP 131: 40; 42; 133.
Rhabdosoma zebrinum MP 131: 121.
Rhabdotophis MP 182: 28.
Rhabdotophis subcaudalis MP 182: 28, 31.
Rhacodactylus MP 173: 43; MP 183: 1.
Rhacodactylus auriculatus MP 183: 20.
Rhacophorus schlegelii owstoni MP 166: 62.
Rhadinaea OP 251: 1; OP 412: 1; OP 442: 1; MP 122: 112.
Rhadinaea aemula OP 412: 4; OP 539: 49; MP 167: 70.
Rhadinaea calligaster OP 251: 2.
Rhadinaea crassa MP 101: 72.
Rhadinaea cuneata MP 167: 70.
Rhadinaea decorata OP 251: 1; MP 122: 112.
Rhadinaea decorata decorata OP 412: 7; MP 69: 72; LVB 45: 23; LVB 75: 8.
Rhadinaea decorata ignita OP 412: 8.
Rhadinaea flavilata OP 251: 1; OP 412: 16.
Rhadinaea fulvivittis OP 412: 10.
Rhadinaea gaigeae OP 412: 12; OP 539: 49; MP 101: 73; MP 167: 70.
Rhadinaea godmani OP 251: 2; OP 412: 16; OP 442: 6; MP 122: 112; LVB 49: 62.
Rhadinaea godmanii MP 122: 112.
Rhadinaea hannsteini MP 167: 71.
Rhadinaea hempsteadae OP 442: 2; OP 539: 49; MP 69: 73; MP 122: 113; MP 167: 71; LVB 45: 23.

- Rhadinaea hesperia* OP 412: 8; OP 539: 49; MP 167: 71.
Rhadinaea hesperia hesperia OP 539: 49; OP 554: 29; OP 560: 16.
Rhadinaea hesperia hesperioides OP 554: 29; OP 589: 17.
Rhadinaea kinkelini OP 251: 2; MP 167: 71.
Rhadinaea lachrymans OP 412: 15; OP 442: 6; MP 122: 113; LVB 49: 62.
Rhadinaea laureata OP 412: 5.
Rhadinaea loreata OP 412: 5.
Rhadinaea montana MP 101: 73.
Rhadinaea omitemana OP 412: 13.
Rhadinaea pachyura OP 251: 1.
Rhadinaea pilonaorum MP 167: 71.
Rhadinaea pulveriventris OP 251: 2.
Rhadinaea quinquelineata OP 412: 11.
Rhadinaea serperastra OP 251: 2.
Rhadinaea stadelmani OP 442: 4; OP 539: 49; MP 122: 113; MP 167: 71.
Rhadinaea taeniata OP 412: 14.
Rhadinaea taeniata aemula MP 167: 71.
Rhadinaea veraepacis OP 442: 9; OP 539: 49; MP 69: 73; MP 122: 122; MP 167: 71; LVB 45: 23.
Rhadinaea vermiculaticeps OP 251: 2.
Rhadinaea vittata OP 360: 20; OP 412: 4.
Rhamphophryne acrolopha MP 166: 62.
Rhegnops sargii MP 122: 89.
Rhegnops visoninus MP 69: 78; MP 122: 89.
Rhegnops zebrinus MP 131: 35.
Rhegnops zebrinus MP 131: 121.
Rhinatrema OP 682: 2; OP 687: 11.
Rhinatrematidae OP 682: 1, 3.
Rhinobothryum MP 114: 12.
Rhinocheilus lecontei OP 289: 9; OP 363: 8; MP 101: 73; MP 132: 15; MP 154: 24.
Rhinocheilus lecontei clarus OP 569: 11.
Rhinocheilus lecontei lecontei OP 569: 11.
Rhinoclemys OP 647: 6; MP 142: 39.
Rhinoclemys rubida MP 142: 39, 59.
Rhinoclemmys rubida perixantha MP 167: 83.
Rhinophrynidae OP 372: 1; MP 110: 7.
Rhinophrynus OP 372: 1.
Rhinophrynus dorsalis OP 292: 6; OP 388: 10; OP 472: 1; OP 554: 3; OP 560: 20; MP 29: 35; MP 29: 48; MP 47: 11; MP 101: 47; MP 110: 7; MP 122: 24; LVP 75: 9, 11, 16.
Rhinophrynus mexicanus OP 554: 3.
Rhinophrynus rostratus OP 472: 3.
Rhinostoma guianense MP 8: 40.
Rhoptropus MP 173: 44; MP 183: 1.
Rhoptropus afer MP 183: 20.
Rhoptropus bradfieldi MP 183: 20.
Rhoptropella MP 183: 1.
Rhoptropella ocellata MP 183: 20.
Rhyacosiredon MP 169: 18.
Rhyacotriton olympicus OP 539: 9; MP 149: 73; MP 166: 21; MP 169: 9, 10, 18, 22, 25.
Rhynchoedura MP 173: 43; MP 183: 1.
Rhynchoedura ornata MP 183: 20.
Ribeirina OP 555: 4.
Riopa MP 154: 14.

Saiphos equalis MP 154: 20, 39.
Salamandra dorsalis OP 451: 2.
Salamandra symmetrica OP 451: 2.
Salamandridae MP 169: 19.
Salvadora deserticola MP 167: 71.
Salvadora grahamiae MP 154: 25.
Salvadora grahamiae grahamiae OP 246: 15.
Salvadora grahamiae hexalepis OP 329: 16.
Salvadora grahamiea MP 158: 3.

Salvadora hexalepis deserticola OP 539: 50; OP 569: 10; MP 167: 71.
Salvadora hexalepis hexalepis OP 569: 10.
Salvadora hexalepis klauberi OP 539: 50; MP 167: 71.
Salvadora hexalepis mojaviensis OP 539: 50; MP 167: 71.
Salvadora intermedia OP 539: 50; MP 167: 72.
Salvadora intermedia intermedia MP 167: 72.
Salvadora lemniscata MP 47: 20.
Salvadora lineata MP 101: 73.
Salvadora mexicana OP 360: 19; OP 554: 30; OP 560: 16; OP 589: 17; OP 598: 8.
Saurodactylus MP 173: 44; MP 183: 1.
Saurodactylus fasciatus MP 183: 20.
Saurodactylus mauritanicus MP 183: 20.
Sauromalus obesus OP 539: 32; MP 167: 36.
Scaphiodontophis MP 122: 113.
Scaphiodontophis albonuchalis MP 122: 114.
Scaphiodontophis annulatus annulatus MP 69: 56, 62; MP 122: 114; LVB 45: 23.
Scaphiodontophis carpincinlus MP 122: 114; LVB 75: 9.
Scaphiodontophis cyclurus MP 101: 73.
Scaphiodontophis nothus MP 122: 114.
Scaphiodontophis zeteki nothus MP 122: 114.
Scaphiopus bombifrons OP 569: 2.
Scaphiopus couchi OP 259: 2; OP 569: 2; MP 101: 47.
Scaphiopus hammondii OP 8: 15; OP 243: 2; OP 289: 2.
Scaphiopus holbrookii holbrookii OP 328: 3.
Sceloporus OP 497: 14; MP 122: 69; MP 154: 14.
Sceloporus acanthinus MP 69: 53; MP 122: 70; LVB 68: 53.
Sceloporus acanthinus acanthinus MP 122: 70.
Sceloporus acanthinus lunaei MP 122: 70.
Sceloporus adleri MP 167: 36.
Sceloporus aeneus OP 361: 6; MP 154: 16.
Sceloporus aeneus aeneus OP 361: 6.
Sceloporus aeneus bicanthalis OP 361: 6; OP 539: 36; MP 167: 36.
Sceloporus asio OP 560: 20.
Sceloporus bicanthalis MP 167: 36.
Sceloporus biseriatus OP 8: 18; OP 8: 19.
Sceloporus bulleri OP 589: 13.
Sceloporus carinatus MP 122: 70; LVB 65: 14.
Sceloporus cautus OP 387: 2; OP 539: 36; MP 167: 36.
Sceloporus chrysostictus OP 186: 4; OP 358: 7; OP 388: 4, 15; MP 29: 45; MP 122: 70; LVB 75: 7.
Sceloporus clarkii OP 259: 8; MP 154: 39.
Sceloporus cochranae OP 358: 7.
Sceloporus consobrinus OP 172: 1; OP 387: 10.
Sceloporus couchii OP 358: 2.
Sceloporus cozumelae OP 186: 1; OP 358: 3; OP 388: 3.
Sceloporus cupreus OP 358: 6; LVB 65: 15.
Sceloporus cyanogenys MP 101: 60; MP 126: 29; MP 132: 27; MP 154: 28.
Sceloporus delicatissimus OP 358: 2.
Sceloporus dugesi dugesi OP 589: 13.
Sceloporus edwardtaylori OP 356: 7; MP 47: 15.
Sceloporus elongatus OP 179: 1; OP 243: 2; OP 244: 29; OP 387: 15.
Sceloporus floridanus OP 387: 7.
Sceloporus formosus OP 186: 7; OP 589: 13; MP 69: 53.
Sceloporus formosus smaragdinus OP 471: 19; MP 69: 54; LVB 49: 56.
Sceloporus gadoviae OP 358: 1; OP 560: 10.

- Sceloporus garmani* OP 387: 14.
Sceloporus goldmani OP 361: 5; OP 539: 36; MP 167: 36.
Sceloporus graciosus OP 8: 21; MP 132: 27; MP 154: 8, 24.
Sceloporus graciosus gracilis MP 128: 30.
Sceloporus graciosus graciosus OP 241: 1; OP 243: 3; OP 244: 30.
Sceloporus grammicus MP 101: 59; MP 132: 27.
Sceloporus grammicus disparilis MP 101: 59.
Sceloporus grammicus microlepidotus OP 589: 13.
Sceloporus horridus oligoporus OP 360: 10; OP 554: 13; OP 560: 10; OP 589: 16; OP 598: 8.
Sceloporus insignis MP 167: 36.
Sceloporus internasalis MP 167: 37.
Sceloporus jalapae OP 361: 2.
Sceloporus jarrovi OP 289: 10; MP 101: 61; MP 132: 27; MP 154: 29.
Sceloporus jarrovi erythrocyaneus MP 101: 62.
Sceloporus jarrovi immucronatus MP 101: 61.
Sceloporus jarrovi lineolateralis MP 167: 37.
Sceloporus jarrovi minor MP 101: 62.
Sceloporus jarrovi oberon MP 167: 37.
Sceloporus lineolateralis MP 167: 37.
Sceloporus longipes OP 539: 36; MP 167: 37.
Sceloporus lunaei MP 69: 53; MP 122: 70; LVB 68: 53.
Sceloporus lundelli gaigeae OP 388: 4.
Sceloporus lundelli lundelli OP 539: 37; OP 388: 16; MP 122: 70; MP 167: 37; LVB 75: 8, 22.
Sceloporus macedougalli MP 167: 37.
Sceloporus maculosus OP 358: 1.
Sceloporus magister OP 179: 1; OP 243: 3; MP 158: 3.
Sceloporus magister rufidorsum OP 329: 9; OP 329: 15.
Sceloporus malachiticus MP 154: 29.
Sceloporus malachiticus acanthinus MP 122: 70.
Sceloporus malachiticus internasalis MP 167: 37.
Sceloporus malachiticus malachiticus LVB 68: 53.
Sceloporus malachiticus smaragdinus OP 471: 19; OP 649: 7; MP 122: 71; LVB 49: 55; LVB 68: 53.
Sceloporus malachiticus taeniocnemis OP 471: 20; MP 69: 53; MP 122: 71; LVB 45: 23.
Sceloporus marmoratus OP 358: 10.
Sceloporus melanorhinus OP 356: 8; OP 360: 10; MP 47: 15.
Sceloporus melanorhinus calligaster OP 539: 37; OP 554: 13; OP 560: 20; OP 589: 16; MP 167: 37.
Sceloporus melanorhinus stuarti OP 539: 37; MP 122: 71; MP 167: 38.
Sceloporus merriami MP 132: 27; MP 158: 1.
Sceloporus merriami annulatus OP 539: 37; MP 167: 38.
Sceloporus nelsoni OP 539: 37; MP 167: 38.
Sceloporus nelsoni nelsoni MP 167: 38.
Sceloporus occidentalis OP 387: 16; MP 132: 27.
Sceloporus occidentalis biseriatus OP 387: 7; OP 539: 36.
Sceloporus occidentalis longipes MP 167: 38.
Sceloporus olivaceus MP 101: 59; MP 128: 30; MP 132: 27; MP 154: 23.
Sceloporus orcutti MP 132: 27.
Sceloporus ornatus caeruleus MP 167: 38.
Sceloporus parvus OP 358: 3; MP 101: 62.
Sceloporus parvus parvus OP 358: 3.
Sceloporus parvus scutulatus OP 358: 4.
Sceloporus poinsetti MP 154: 29.
Sceloporus prezygus MP 122: 71.
Sceloporus pyrocephalus OP 554: 13; OP 560: 10; OP 589: 16; OP 598: 8.
Sceloporus pyrrocephalus OP 360: 11.
Sceloporus salvini MP 122: 71.
Sceloporus scalaris OP 186: 3; OP 361: 2; MP 101: 62; MP 154: 22, 39.
Sceloporus scalaris samcolemani MP 167: 38.
Sceloporus scalaris scalaris OP 361: 2; MP 101: 63.
Sceloporus scalaris salvini OP 361: 3; OP 539: 37; MP 101: 63; MP 167: 38.
Sceloporus scalaris unicanthalis OP 361: 4.
Sceloporus schmidtii OP 186: 4.
Sceloporus serrifer MP 101: 58; 59; 79; MP 122: 72.
Sceloporus serrifer cariniceps OP 543: 1; MP 167: 38.
Sceloporus serrifer plioporus MP 69: 53; MP 101: 59.
Sceloporus serrifer serrifer OP 388: 4, 15; OP 543: 1; MP 122: 72.
Sceloporus siniferus OP 356: 6; OP 359: 3; MP 47: 15; MP 122: 72; LVB 65: 14.
Sceloporus siniferus siniferus OP 554: 14; OP 560: 20; MP 122: 72.
Sceloporus smaragdinus MP 122: 71; LVB 49: 55.
Sceloporus spinosus OP 387: 7.
Sceloporus spinosus apicalis MP 167: 39.
Sceloporus spinosus floridanus OP 387: 7.
Sceloporus spinosus spinosus OP 387: 5.
Sceloporus squamosus MP 122: 72; LVB 65: 14; LVB 68: 54.
Sceloporus taeniocnemis MP 69: 53.
Sceloporus taeniocnemis hartwegi MP 167: 39.
Sceloporus teapensis OP 358: 6; OP 388: 15; OP 471: 20; MP 69: 54; MP 122: 72; LVB 45: 23; LVB 75: 7.
Sceloporus thayerii OP 172: 1; OP 387: 8.
Sceloporus thayerii tristichus OP 172: 2.
Sceloporus torquatus OP 589: 13; MP 101: 60.
Sceloporus torquatus binocularis MP 101: 61.
Sceloporus torquatus melanogaster MP 101: 60.
Sceloporus torquatus poinsetti OP 246: 7.
Sceloporus torquatus serrifer MP 29: 45.
Sceloporus torquatus torquatus MP 101: 60.
Sceloporus tristichus OP 387: 15.
Sceloporus undulata parva LVB 49: 57.
Sceloporus undulatus OP 117: 6; OP 328: 5; OP 387: 8; MP 132: 27; MP 154: 20; MP 158: 3.
Sceloporus undulatus consobrinus OP 387: 8, 10.
Sceloporus undulatus elongatus OP 387: 15.
Sceloporus undulatus fasciatus OP 387: 7.
Sceloporus undulatus floridanus OP 387: 7.
Sceloporus undulatus garmani OP 387: 14.
Sceloporus undulatus thayerii OP 246: 8.
Sceloporus undulatus tristichus OP 387: 15; OP 569: 8.
Sceloporus undulatus undulatus OP 387: 7.
Sceloporus undulatus virgatus OP 387: 11; OP 539: 37; MP 167: 39.
Sceloporus utiformis OP 360: 12; OP 554: 14; OP 560: 20; OP 589: 16.
Sceloporus variabilis OP 358: 9; MP 29: 45; MP 69: 54; MP 101: 62; MP 122: 73; MP 154: 16.
Sceloporus variabilis var. B, MP 122: 72.
Sceloporus variabilis marmoratus OP 358: 10.
Sceloporus variabilis olloporus OP 358: 11; OP 539: 38; MP 69: 54; MP 122: 73; MP 167: 39; LVB 49: 57; LVB 65: 15; LVB 68: 54.

- Sceloporus variabilis smithi* OP 539: 38; OP 356: 1; OP 358: 10; MP 47: 15; MP 167: 40.
Sceloporus variabilis variabilis OP 356: 2; OP 358: 9; OP 471: 20; OP 649: 7; MP 122: 73; MP 167: 40; LVB 65: 15.
Sceloporus virgatus MP 154: 39; MP 167: 40.
Scelotes ater rondoensis OP 539: 36.
Schistometropum OP 682: 2; OP 687: 11.
Schoutedenella muta OP 539: 22; MP 166: 62.
Scincella MP 154: 14.
Scincella assata assata MP 122: 75; LVB 68: 58.
Scincella assata taylori OP 589: 16; MP 167: 40.
Scincella cherriei cherriei MP 122: 75; LVB 68: 57.
Scincella cherriei ixbaac MP 122: 75; MP 167: 40; LVB 75: 11, 23.
Scincella cherriei stuarti MP 167: 40.
Scincella incerta LVB 68: 58.
Scincella laterale MP 154: 20.
Scincella (=Leiolopisma) silvicolum MP 101: 64.
Scincidae MP 122: 73; MP 128: 34; MP 154: 14.
Scincus officinalis cucullata OP 539: 38; MP 167: 40.
Scincus officinalis laterimaculata OP 539: 38; MP 167: 40.
Scincus officinalis lineolata OP 539: 38; MP 167: 40.
Scincus pavimentatus MP 122: 73.
Scincus scincus cucullatus MP 167: 40.
Scincus scincus laterimaculatus MP 167: 40.
Scincus scincus scincus OP 539: 38; MP 167: 41.
Scincus telfairii MP 122: 74.
Scolecophoridae OP 682: 3; OP 713: 1.
Scolecormorphus OP 682: 3; OP 687: 11; OP 713: 1, 12.
Scolecormorphus attenuatus OP 713: 23.
Scolecormorphus convexus OP 713: 15.
Scolecormorphus kirkii OP 713: 7, 15, 45.
Scolecormorphus kirkii attenuatus OP 713: 22.
Scolecormorphus kirkii kirkii OP 713: 15.
Scolecormorphus kirkii uluguruensis OP 713: 23.
Scolecormorphus lamottei MP 166: 4.
Scolecormorphus uluguruensis OP 539: 3; OP 713: 22, 45; MP 166: 4.
Scolecormorphus vittatus OP 713: 7, 45.
Scolecophis MP 122: 114.
Scolecophis atrocinctus MP 122: 114.
Scotophis OP 541: 1.
Scotophis confinis OP 541: 4.
Scotophis laetus OP 541: 4.
Scotophis lindheimeri OP 541: 6.
Scotophis mutabilis MP 69: 68.
Scotophis vulpinus OP 541: 4.
Scutiger schmidtii MP 166: 62.
Scytophis hebes MP 96: 16.
Scytophis venulosus MP 96: 28.
Seminatrix MP 76: 6.
Seminatrix pygaea MP 76: 12.
Seminatrix pygaea cyclas MP 76: 14; OP 539: 50; MP 167: 72.
Seminatrix pygaea paludis MP 76: 12; OP 539: 50.
Seminatrix pygaea pygaea MP 76: 7.
Seps murinus MP 122: 78.
Sheltopusik novae-hollandiae MP 147: 149.
Sibon MP 114: 13, 168; MP 122: 115.
Sibon annulata MP 114: 176.
Sibon argus MP 114: 189.
Sibon brevifacies MP 114: 38.
Sibon carri MP 114: 194.
Sibon dimidiata MP 114: 20, 169.
Sibon dimidiata dimidiata MP 114: 182; MP 122: 115; LVP 75: 9, 11, 28.
Sibon dimidiata grandoculis MP 114: 185; MP 122: 115.
Sibon dimidiatus MP 114: 182.
Sibon dunni MP 114: 196; MP 167: 72.
Sibon longifrenis MP 114: 192.
Sibon nebulata MP 114: 20, 197; LVP 75: 8, 11, 28.
Sibon nebulata hartwegi MP 114: 200; MP 167: 72.
Sibon nebulata leucomelas MP 114: 202.
Sibon nebulata nebulata MP 114: 199; MP 122: 116.
Sibon nebulata popayanensis MP 114: 203.
Sibon nebulatus OP 554: 30; OP 560: 21; OP 589: 12; 17; MP 69: 73; MP 114: 199; MP 122: 116; LVB 45: 23.
Sibon nicholsi MP 114: 137.
Sibon sanniola MP 114: 187.
Sibon sanniolus MP 114: 187.
Sibon sibon OP 357: 16; MP 29: 52; MP 114: 50, 182, 199, 202.
Sibon temporalis MP 114: 50.
Sibon viguieri MP 114: 54.
S[ibon] annulata MP 114: 176.
Sibynomorphus MP 114: 13, 141.
Sibynomorphus andianus MP 114: 92.
Sibynomorphus anthracops MP 114: 180.
Sibynomorphus barbouri MP 114: 128.
Sibynomorphus boettgeri MP 114: 98.
Sibynomorphus brevifacies OP 360: 23; MP 114: 38.
Sibynomorphus catesbeji MP 114: 56.
Sibynomorphus catesbyei MP 114: 56.
Sibynomorphus catesbyi MP 114: 56.
Sibynomorphus caucanus MP 114: 116.
Sibynomorphus dimidiatus MP 114: 182.
Sibynomorphus elegans MP 114: 48, 86.
Sibynomorphus ellipsifer MP 114: 87.
Sibynomorphus garbei MP 114: 128.
Sibynomorphus galgale OP 360: 22; MP 114: 42; MP 167: 72.
Sibynomorphus hammondi MP 114: 44.
Sibynomorphus inaequifasciatus MP 114: 146.
Sibynomorphus latifasciatus MP 114: 100.
Sibynomorphus latifrontalis MP 114: 103.
Sibynomorphus leucomelas MP 114: 200, 202.
Sibynomorphus longifrenis MP 114: 192.
Sibynomorphus macedoi MP 114: 56.
Sibynomorphus macrostomus MP 114: 44.
Sibynomorphus mikani MP 8: 69, 148.
Sibynomorphus mikani neuwiedi MP 114: 154.
Sibynomorphus mikanii MP 114: 110.
Sibynomorphus mikanii fasciatus MP 114: 148, 154.
Sibynomorphus mikanii mikanii MP 114: 148.
Sibynomorphus mikanii oreas MP 114: 92.
Sibynomorphus mikanii peruanus MP 114: 98, 100, 110, 116, 119.
Sibynomorphus nicholsi MP 114: 137.
Sibynomorphus palmeri MP 114: 103.
Sibynomorphus pavoninus MP 114: 61.
Sibynomorphus peruanus MP 114: 110.
Sibynomorphus ruthveni MP 114: 180.
Sibynomorphus sancti-joannis MP 114: 116.
Sibynomorphus sanniolus MP 114: 187.
Sibynomorphus schunkii MP 114: 119.
Sibynomorphus spurrelli MP 114: 50.
Sibynomorphus triseriatus MP 114: 112.
Sibynomorphus turgidus MP 114: 148, 158, 165.
Sibynomorphus vagrans MP 114: 161.

- Sibynomorphus vagus* MP 114: 164.
Sibynomorphus variegatus MP 114: 132.
Sibynomorphus ventrimaculatus MP 114: 165.
Sibynomorphus viguieri MP 114: 54.
S[ibynomorphus] alternans MP 114: 128.
S[ibynomorphus] annulata MP 114: 176.
S[ibynomorphus] argus MP 114: 189.
S[ibynomorphus] articulata MP 114: 33.
S[ibynomorphus] bicolor MP 114: 33.
S[ibynomorphus] bolivianus MP 114: 98.
S[ibynomorphus] brevis MP 114: 213.
S[ibynomorphus] gracilis MP 114: 44.
S[ibynomorphus] incertus MP 114: 127.
S[ibynomorphus] pictiventris MP 114: 176.
Sibynon MP 114: 168.
Sibynon nebulatus MP 114: 199.
Siderolamprus enneagrammus MP 69: 60.
Siphlophis cervinus cervinus MP 114: 94.
Siphonops OP 687: 11.
Siphonops oligozonus MP 69: 18.
Siphonops paulensis OP 687: 8.
Siren intermedia OP 686: 13; MP 169: 3.
Siren intermedia nettingi OP 539: 9; MP 166: 21.
Sirenidae MP 169: 3.
Sistrurus catenatus OP 18: 5; MP 154: 28.
Sistrurus miliarius OP 322: 1.
Sistrurus miliarius barbouri OP 322: 2.
Sistrurus miliarius streckeri OP 322: 4; OP 539: 50; MP 167: 73.
Smilisca baudini OP 554: 7; OP 560: 8; MP 101: 53; MP 122: 41; LVB 75: 8, 11, 17.
Smilisca baudinii baudinii MP 122: 41.
Smilisca phaeota MP 160: 74.
Smilisca phaeota cyanosticta MP 122: 42.
Sminthillus peruvianus OP 539: 19; OP 539: 22; MP 166: 62.
Sonora OP 329: 11.
Sonora aequalis OP 539: 50.
Sonora episcopa OP 363: 8; MP 154: 23.
Sonora michoacanensis michoacanensis OP 554: 30; OP 560: 21.
Sonora occipitalis OP 329: 12.
Sonora semiannulata MP 167: 73.
Sonora semiannulata blanchardi OP 539: 50.
Sonora semiannulata gloydi OP 539: 51; MP 167: 73.
Sordellina brandonjonesii MP 182: 2.
Sordellina pauloensis MP 182: 2.
Sordellina punctata MP 182: 2.
Spelerpes attitlanensis MP 122: 19.
Spelerpes bocourti MP 122: 21; LVB 49: 48.
Spelerpes dofleini MP 56: 17; MP 69: 18; MP 122: 17.
Spelerpes morio MP 69: 19; MP 122: 21.
Spelerpes mulleri MP 56: 12; MP 59: 18; MP 122: 17.
Spelerpes rostratus MP 56: 19; MP 122: 22; LVB 49: 49.
Spelerpes variegatus MP 69: 19; MP 122: 19.
Sphaerodactylidae MP 122: 55; MP 128: 9.
Sphaerodactylus OP 704: 1; MP 183: 1.
Sphaerodactylus argivus MP 183: 20.
Sphaerodactylus argus OP 706: 45; MP 183: 20.
Sphaerodactylus argus argus MP 167: 41.
Sphaerodactylus argus continentalis OP 706: 18.
Sphaerodactylus argus henriquesi OP 539: 38; MP 167: 41.
Sphaerodactylus beattyi OP 539: 38; MP 167: 41; MP 183: 20.
Sphaerodactylus boettgeri OP 704: 11.
Sphaerodactylus buergeri OP 704: 11.
Sphaerodactylus calcosensis OP 715: 59; MP 183: 20.
Sphaerodactylus casicolus OP 704: 7; OP 709: 9.
Sphaerodactylus cinereus OP 132: 3; OP 704: 23; MP 183: 20.
Sphaerodactylus continentalis OP 706: 4.
Sphaerodactylus copei MP 183: 20.
Sphaerodactylus copei cataplexis MP 167: 41.
Sphaerodactylus copii OP 704: 22.
Sphaerodactylus corticola OP 715: 59; MP 183: 20.
Sphaerodactylus corticola aporrox MP 167: 41.
Sphaerodactylus danforthi OP 539: 39; MP 167: 41.
Sphaerodactylus decoratus porrasi MP 167: 41.
Sphaerodactylus difficilis MP 183: 20.
Sphaerodactylus dunni OP 706: 42.
Sphaerodactylus elegans OP 132: 3.
Sphaerodactylus elegantulus MP 183: 20.
Sphaerodactylus fantasticus OP 704: 22.
Sphaerodactylus festus MP 167: 41.
Sphaerodactylus flavicaudus MP 167: 42.
Sphaerodactylus gaigeae OP 539: 39; MP 167: 42; MP 183: 20.
Sphaerodactylus glaucus OP 292: 8; OP 388: 13; OP 706: 27; MP 29: 41; MP 47: 14; MP 69: 46; MP 122: 55; MP 183: 20; LVB 45: 22.
Sphaerodactylus glaucus glaucus OP 706: 27; MP 122: 55; LVP 68: 51; LVP 75: 11, 20.
Sphaerodactylus glaucus inornatus OP 706: 28.
Sphaerodactylus glaucus torquatus OP 706: 28.
Sphaerodactylus goniorhynchus MP 183: 20.
Sphaerodactylus graptolaemus OP 706: 4; MP 167: 42.
Sphaerodactylus heliconiae OP 704: 3; OP 706: 51; MP 167: 42; MP 183: 20.
Sphaerodactylus homolepis OP 704: 10; OP 706: 38; MP 183: 20.
Sphaerodactylus homolepis carinatus OP 706: 38.
Sphaerodactylus imbricatus OP 706: 39.
Sphaerodactylus inaguae OP 715: 59; MP 183: 20.
Sphaerodactylus inornatus OP 706: 28.
Sphaerodactylus intermedius OP 132: 3.
Sphaerodactylus klauberi OP 539: 39; MP 167: 42; MP 183: 20.
Sphaerodactylus lineolatus OP 292: 9; OP 357: 8; OP 704: 7; OP 706: 9; MP 69: 46; MP 122: 56; MP 183: 20; LVB 45: 22; LVB 75: 11, 20.
Sphaerodactylus lineolatus imbricatus OP 706: 39.
Sphaerodactylus macrolepis MP 183: 20.
Sphaerodactylus macrolepis macrolepis MP 167: 42.
Sphaerodactylus mariguanae OP 715: 59; MP 183: 20.
Sphaerodactylus mertensi OP 706: 39.
Sphaerodactylus microlepis MP 183: 20.
Sphaerodactylus millepunctatus OP 706: 17; MP 167: 42; MP 183: 20.
Sphaerodactylus molei OP 704: 11; OP 706: 51; MP 183: 20.
Sphaerodactylus monensis MP 183: 20.
Sphaerodactylus nicholsi OP 539: 39; MP 167: 43; MP 183: 20.
Sphaerodactylus nigropunctatus MP 183: 20.
Sphaerodactylus nigropunctatus flavicaudus MP 167: 43.
Sphaerodactylus nigropunctatus porrasi MP 167: 43.
Sphaerodactylus notatus OP 704: 22; OP 706: 51; MP 183: 20.

- Sphaerodactylus notatus amaurus* MP 167: 43.
Sphaerodactylus notatus atactus MP 167: 43.
Sphaerodactylus nicholsi OP 539: 39.
Sphaerodactylus oliveri OP 539: 39; MP 167: 43.
Sphaerodactylus oliveri oliveri MP 167: 44.
Sphaerodactylus omoglaux MP 167: 44.
Sphaerodactylus oxyrhinus MP 183: 20.
Sphaerodactylus pacificus OP 706: 10; MP 183: 20.
Sphaerodactylus parkeri OP 539: 39; MP 167: 45; MP 183: 20.
Sphaerodactylus punctatissimus OP 704: 23.
Sphaerodactylus richardsoni MP 183: 20.
Sphaerodactylus richardsoni gossei OP 539: 39; MP 167: 45.
Sphaerodactylus roosevelti OP 539: 39; MP 167: 45.
Sphaerodactylus rosaurae OP 706: 50; MP 183: 20.
Sphaerodactylus scapularis OP 704: 18; 706: 51.
Sphaerodactylus sputator OP 132: 2; OP 704: 23.
Sphaerodactylus streptophorus sphenophanes MP 167: 45.
Sphaerodactylus testus OP 539: 39.
Sphaerodactylus torquatus OP 706: 27.
Sphaerodactylus torrei OP 704: 23.
Sphaerodactylus torrei ocujal MP 167: 45.
Sphaerodactylus townsendi OP 539: 40; MP 167: 45.
Sphaerodactylus venezuelanus OP 704: 11.
Sphaerodactylus vincenti festus MP 167: 45.
Sphaerodactylus underwoodi OP 715: 59.
Sphaenorhynchus bromelicola MP 166: 62.
Sphaenorhynchus surdus MP 166: 62.
Sphenomorphus OP 421: 7; MP 154: 14.
Sphenomorphus boulengeri OP 44: 4.
Sphenomorphus coxi divergens MP 167: 45.
Sphenomorphus indicus formosensis OP 44: 5.
Sphenomorphus jagori divergens OP 539: 40; MP 167: 45.
Sphenomorphus quoyi MP 154: 29.
Spilotes argus MP 122: 111.
Spilotes auribundus MP 122: 116.
Spilotes corais MP 69: 67.
Spilotes var. 1, MP 122: 95.
Spilotes corais melanurus MP 122: 95.
Spilotes corais var. *melanurus* MP 69: 67.
Spilotes lunulatus MP 122: 111.
Spilotes melanurus MP 69: 67; MP 122: 95.
Spilotes microlepis MP 122: 116.
Spilotes poecilonotus MP 122: 111.
Spilotes pullatus MP 8: 40; MP 101: 73; MP 178: 57.
Spilotes pullatus mexicanus OP 292: 14; OP 388: 10; MP 69: 66; MP 101: 73; MP 122: 116; LVB 45: 23; LVB 75: 7, 9, 11, 26.
Spilotes pullatus mexicanus x Spilotes pullatus Sargisiformis MP 69: 66.
Spilotes salvini MP 69: 66; MP 122: 116.
Stanzinia MP 178: 10.
Stanzinia madagascariensis MP 178: 10, 57.
Staurotypinae OP 647: 11.
Staurotypus OP 647: 10; MP 122: 49; MP 142: 47.
Staurotypus salvini MP 122: 49.
Staurotypus salvinii MP 47: 13; MP 69: 43.
Staurotypus triporcatus OP 292: 5; MP 69: 43; MP 122: 50; LVB 45: 22.
Stellio undulatus OP 387: 7.
Stenodactylus MP 173: 44; MP 183: 1.
Stenodactylus petrii MP 183: 20.
Stenodactylus sthenodactylus MP 183: 20.
Stenorrhina MP 122: 116.
Stenorrhina degenhardtii OP 292: 5; MP 8: 68; MP 29: 54; MP 47: 28; MP 69: 83.
Stenorrhina degenhardtii var. MP 69: 83.
Stenorrhina degenhardtii kennicottiana MP 122: 117.
Stenorrhina degenhardtii ocellata MP 122: 117.
Stenorrhina freminvillei MP 122: 117.
Stenorrhina quinquelineata MP 122: 117.
Stenorrhina ventralis MP 69: 83; MP 122: 116.
Stenorrhina degenhardtii MP 69: 83; MP 122: 117.
Stenorrhina degenhardtii degenhardtii MP 122: 117.
Stenorrhina degenhardtii MP 122: 116; LVB 45: 24.
Stenorrhina degenhardtii mexicana MP 122: 117.
Stenorrhina freminvillei MP 122: 117; LVB 65: 20; LVB 68: 62.
Stenorrhina freminvillei apiata MP 122: 117; MP 131: 42.
Stenorrhina freminvillei lactea MP 122: 117.
Stenostoma dulce MP 122: 85.
Stenostoma macrolepis OP 554: 20.
Stenostoma myopicum MP 167: 73.
Stenostoma phenops MP 69: 60; MP 122: 85.
Stereocyclops OP 555: 2.
Stereocyclops incrassatus OP 555: 4.
Sternothaerus OP 647: 10; MP 142: 15.
Sternothaerus carinatus OP 647: 11; MP 142: 30.
Sternothaerus depressus OP 647: 12.
Sternotherus minor OP 539: 55; OP 647: 12; MP 142: 22, 30.
Sternotherus minor minor OP 647: 12; MP 167: 83.
Sternotherus minor peltifer OP 647: 12.
Sternotherus odoratus OP 328: 7; OP 647: 12; MP 142: 39.
Stilosoma extenuatum multistictum MP 167: 73.
Storeria dekayi OP 18: 5; OP 189: 7; OP 292: 5; OP 328: 6; MP 69: 63; MP 101: 75; MP 122: 117; MP 154: 29.
Storeria dekayi temporalineata MP 101: 75.
Storeria dekayi tropica MP 69: 63; LVB 45: 23; LVB 68: 58.
Storeria dekayi wrightorum OP 539: 51; MP 167: 73.
Storeria occipito-maculata OP 66: 3; OP 328: 7.
Storeria occipitomaculata OP 17: 4; MP 101: 75.
Storeria occipitomaculata hidalgoensis MP 101: 75.
Storeria tropica OP 292: 5; MP 69: 63; MP 122: 117.
Storeria tropica tropica MP 122: 117.
Stremmatognathus MP 114: 22.
Stremmatognathus catesbyi MP 114: 56.
Streptophorus atratus punctulatus MP 122: 107.
Streptophorus atratus sebae MP 122: 107.
Streptophorus collaris MP 122: 107.
Streptophorus drozii MP 122: 107.
Streptophorus fasciatus MP 122: 107.
Streptophorus labiosus MP 122: 106.
Streptophorus maculata var. *pavimentata* MP 69: 75.
Streptophorus maculatus pavimentatus MP 122: 107.
Streptophorus sebae MP 69: 75; MP 122: 107.
Streptophorus sebae collaris MP 122: 107.
Streptophorus sebae punctulatus MP 122: 107.
Strophurus MP 183: 1.
Strophurus ciliaris MP 183: 20.
Strophurus elderi MP 183: 20.
Strophurus michaelsoni MP 183: 20.
Strophurus spinigerus MP 183: 20.

- Storphurus storphurus* MP 183: 20.
Storphurus williamsi MP 183: 20.
Swanka maculata MP 122: 49.
Symphimus leucostomus MP 47: 23.
Symphimus mayae MP 167: 73.
Synapturanus OP 555: 17.
Synapturanus microps OP 555: 18.
Synapturanus mirandaribeiroi MP 166: 62.
Synapturanus salseri MP 166: 62.
Syncope antenori MP 166: 63.
Syrrhophus OP 594: 1.
Syrrhophus campi MP 101: 50.
Syrrhophus cystignathoides MP 101: 48; 49.
Syrrhophus dennisi MP 166: 63.
Syrrhophus gaigeae OP 539: 22; MP 101: 49.
Syrrhophus interorbitalis OP 594: 10.
Syrrhophus juninensis OP 539: 22.
Syrrhophus latodactylus OP 587: 16; MP 101: 48; 52.
Syrrhophus leprus OP 594: 8; MP 122: 32; LVP 75: 9, 11, 17.
Syrrhophus marnocki MP 101: 49; MP 166: 63.
Syrrhophus modestus OP 589: 8; 14.
Syrrhophus modestus modestus OP 594: 5.
Syrrhophus modestus pallidus OP 594: 5; MP 166: 63.
Syrrhophus nebulosus MP 122: 32.
Syrrhophus pallidus MP 166: 63.
Syrrhophus pipilans nebulosus OP 594: 9; MP 122: 32.
Syrrhophus pipilans pipilans OP 594: 8.
Syrrhophus rubrimaculatus OP 594: 7.
Syrrhophus smithi MP 101: 48.
Syrrhophus teretistates OP 594: 10; MP 166: 63.
Syrrhophus verrucipes MP 166: 63.
Syrrhophus caryophyllaceus MP 166: 63.
Syrrhophus gaigeae MP 166: 64.
Syrrhophus juninensis MP 166: 64.

Tachydromus formosanus OP 44: 2.
Tachydromus tadkydromoides MP 132: 28.
Tachymenis peruviana melanura MP 167: 73.
Tachymensis fissidens MP 69: 79; MP 122: 91.
Tachymensis chilensis melanura MP 167: 73.
Tachymensis taeniata OP 362: 3.
Taeniophis vermiculaticeps MP 122: 112.
Takydromus sexlineatus MP 154: 22.
Takydromus stejnegeri OF 44: 5.
Tantilla OP 486: 1; MP 122: 118.
Tantilla armillata MP 122: 118.
Tantilla bairdi OP 452: 1; OF 539: 51; MP 69: 82; MP 122: 118; MP 167: 74; LVB 45: 24.
Tantilla bocourti OP 486: 7.
Tantilla bogerti OP 486: 1.
Tantilla brevis LVP 75: 27.
Tantilla calamarina OP 360: 24; OP 486: 8; OP 554: 30; OP 560: 21; OP 589: 17.
Tantilla canula MP 122: 118; LVP 75: 9, 11, 27.
Tantilla coronadoi OP 486: 4; OP 539: 51; MP 167: 74.
Tantilla coronata OP 117: 15; MP 122: 118.
Tantilla deppei OP 486: 5.
Tantilla deviatix OP 486: 7.
Tantilla flavilineata MP 167: 74.
Tantilla gracilis OP 189: 8; OP 539: 51; MP 154: 25; MP 167: 74.
Tantilla jani MP 122: 118.
Tantilla lintoni MP 122: 119.
Tantilla longifrontale MP 8: 68.
Tantilla martindelcampoi OP 554: 31.
Tantilla melanocephala MP 8: 68.
Tantilla mexicana OP 486: 5; MP 122: 118.

Tantilla moesta MP 122: 119; LVB 75: 9, 11, 28.
Tantilla moestum OP 292: 5.
Tantilla morgani OP 486: 5; OP 539: 51; MP 167: 74.
Tantilla oolitica MP 167: 74.
Tantilla petrsi MP 167: 74.
Tantilla phrenitica OP 471: 24; MP 69: 82; LVB 45: 24.
Tantilla relictta neilli MP 167: 74.
Tantilla rubra OP 486: 7; MP 47: 28; MP 101: 67; 73.
Tantilla schistosa MP 69: 82; LVB 45: 24.
Tantilla schistosa schistosa MP 122: 119.
Tantilla semicinctum MP 8: 68.
Tantilla striata MP 47: 28.
Tantilla taeniata MP 122: 119.
Tantillita MP 122: 119.
Tantillita lintoni MP 122: 120.
Tarbophis obtusus OP 211: 20.
Tarbophis fallax OP 211: 24.
Tarentola MP 138: 42; MP 173: 44; MP 183: 1.
Tarentola americana MP 138: 42; MP 183: 20.
Tarentola annularis MP 138: 42; MP 183: 20.
Tarentola delalandii MP 138: 42.
Tarentola ehippiata MP 138: 42.
Tarentola mauritanica MP 138: 42; MP 183: 20.
Tarentola neglecta MP 138: 42; MP 183: 20.
Taricha granulosa MP 166: 21; MP 169: 13, 19, 25.
Taricha rivularis MP 149: 74; MP 169: 19, 22.
Taricha torosa MP 149: 74; MP 169: 19, 22.
Taudactylus eungellensis MP 166: 64.
Taudactylus rheophilus MP 166: 64.
Teiidae MP 122: 76; MP 128: 19.
Telmatobius culeus OP 539: 22; MP 166: 64.
Telmatobius jelskii MP 166: 64.
Telmatobius juninensis MP 166: 64.
Telmatobius marmoratus MP 166: 64.
Telmatobius rimac MP 166: 64.
Telmatobius sanborni MP 166: 64.
Telmatobius walkeri OP 539: 22; MP 166: 64.
Teratohyla spinosa MP 110: 17.
Teratolepis MP 173: 44; MP 183: 1.
Teratolepis albofasciatus MP 183: 20.
Teratolepis fasciata MP 183: 20.
Teratoscincus MP 173: 44; MP 183: 1.
Teratoscincus microlepis MP 183: 20.
Teratoscincus przewalskii MP 183: 20.
Teratoscincus scincus MP 183: 20.
Terrapene OP 647: 7; MP 142: 15, 37, 41, 47.
Terrapene carolina OP 18: 6; 328: 9; OP 647: 9; MP 61: 7; MP 142: 10, 29, 30, 39, 59.
Terrapene coahuila OP 647: 9; MP 142: 29, 30; MP 167: 83.
Terrapene ornata OP 189: 8; OP 289: 10; OP 647: 9; MP 142: 39, 59.
Terrapene mexicana MP 101: 78.
Terrapene triporcata MP 69: 43; MP 122: 50.
Testudinidae OP 647: 5; MP 142: 52.
Testudininae OP 647: 5.
Testudo caretta MP 122: 52.
Testudo concinna MP 122: 51.
Testudo coriacea MP 122: 54.
Testudo denticulata MP 8: 69.
Testudo elephantina OP 647: 2.
Testudo ibera OP 211: 2.
Testudo imbricata MP 122: 53.
Testudo graeca OP 211: 3; OP 647: 2.
Testudo marginata OP 211: 2.
Testudo mydas MP 122: 53.
Testudo scorpioides MP 122: 48.
Testudo serpentina MP 122: 47.

- Testudo spengleri* MP 122: 50.
Thalerophis coeruleodorsus OP 539: 46; OP 539: 51.
Thalerophis mexicanus mexicanus MP 69: 67; LVB 45: 23.
Thalerophis mexicanus yucatanensis OP 539: 46; OP 539: 51.
Thalerophis occidentalis chocoensis OP 539: 46; OP 539: 51.
Thalerophis occidentalis praestans LVB 45: 23.
Thalerophis richardii bolivianus OP 539: 46; OP 539: 51.
Thamnocenchris aurifer MP 69: 88; MP 122: 130.
Thamnodynastes MP 114: 12.
Thamnophis MP 122: 120.
Thamnophis angustirostris OP 569: 11; OP 584: 3.
Thamnophis brachystoma MP 154: 8.
Thamnophis butleri MP 154: 28.
Thamnophis couchii hydrophilus MP 167: 75.
Thamnophis cyrtopsis MP 101: 76.
Thamnophis cyrtopsis cyclides OP 554: 34; MP 101: 76.
Thamnophis cyrtopsis cyrtopsis OP 569: 12; MP 101: 76.
Thamnophis cyrtopsis fulvus LVB 68: 59.
Thamnophis cyrtopsis postremus OP 560: 21.
Thamnophis cyrtopsis salvini MP 122: 120.
Thamnophis cyrtopsis sumichrasti MP 122: 120.
Thamnophis eques OP 243: 4; OP 246: 16; OP 289: 9; OP 363: 2; OP 584: 3; LVB 49: 60.
Thamnophis eques eques OP 554: 35.
Thamnophis eques fulvus MP 69: 62; LVB 45: 23; LVB 49: 60.
Thamnophis eques virgatenuis MP 167: 75.
Thamnophis marciana OP 363: 2; OP 390: 3.
Thamnophis marcianus MP 101: 76.
Thamnophis marcianus marcianus MP 167: 75.
Thamnophis marcianus nigrolateris OP 569: 12.
Thamnophis megalops OP 363: 2; OP 390: 3.
Thamnophis melanogaster OP 584: 6.
Thamnophis melanogaster canescens OP 589: 13.
Thamnophis melanogaster chihuahuensis MP 167: 75.
Thamnophis mendax MP 101: 43; 76; MP 167: 75.
Thamnophis multimaculatus OP 584: 3.
Thamnophis nigronuchalis OP 584: 1; MP 167: 75.
Thamnophis ordinoides MP 154: 8.
Thamnophis ordinoides annectens OP 539: 52.
Thamnophis ordinoides elegans OF 8: 32; OP 243: 4.
Thamnophis ordinoides hydrophila OF 539: 51; MP 167: 76.
Thamnophis ordinatus ordinatus OP 539: 45.
Thamnophis proximus proximus MP 167: 76.
Thamnophis radix OP 66: 3; MP 154: 8.
Thamnophis rufipunctatus OP 584: 3.
Thamnophis ruthveni OP 390: 1; OP 539: 51; MP 47: 19; MP 167: 76.
Thamnophis saurita faireyi MP 122: 121.
Thamnophis sauritus MP 101: 77.
Thamnophis sauritus chalceus MP 122: 121.
Thamnophis sauritus proximus OP 189: 7; OP 363: 3; OP 388: 6.
Thamnophis sauritus rutiloris OP 388: 5, 17; MP 122: 121.
Thamnophis sauritus sauritus OP 117: 14; OP 328: 7.
Thamnophis scalaris LVB 49: 60.
Thamnophis sirtalis OP 17: 5; OP 18: 5; MP 154: 28.
Thamnophis sirtalis annectens OP 539: 52; MP 167: 76.
Thamnophis sirtalis parietalis OP 66: 3; OP 189: 7; OP 243: 4.
Thamnophis sirtalis sirtalis OP 328: 7.
Thamnophis sumichrasti OP 471: 21.
Thamnophis sumichrasti cerebrosus MP 122: 120.
Thamnophis sumichrasti fulvus OP 471: 22; MP 122: 121; LVB 49: 60.
Thamnophis sumichrasti salvini MP 122: 120.
Thamnophis sumichrasti sumichrasti MP 122: 121.
Thamnophis marcianus MP 101: 76.
Thecadactylus MP 173: 44; MP 183: 1.
Thecadactylus rapicauda OP 128: 9; MP 183: 20.
Thecadactylus rapicaudus OP 143: 3; MP 8: 58; MP 69: 46; MP 122: 57; LVB 45: 22; LVB 75: 8, 20.
Thorius pulmonaris MP 166: 21.
Thrasops praestans OP 462: 16; MP 69: 68; MP 122: 105.
Thrasops (Ahaetulla) sargii MP 69: 68; MP 122: 105.
Toluca conica OP 539: 43; MP 167: 76.
Toluca lineata wetmorei OP 539: 43; MP 167: 76.
Tomodactylus sp. OP 554: 5.
Tomodactylus angustidigitorum OP 560: 7.
Tomodactylus dilatus MP 166: 65.
Tomodactylus grandis MP 166: 65.
Tomodactylus macrotypanum MP 166: 65.
Tomodactylus nitidus OP 560: 7.
Tomodactylus nitidus orarius MP 166: 65.
Tomodactylus nitidus petersi MP 166: 65.
Tomodactylus petersi OP 560: 5; OP 589: 8; 14; MP 166: 65.
Tomodactylus rufescens MP 166: 66.
Tomodactylus syristes MP 166: 66.
Trachemys malonei MP 167: 83.
Trachemys scripta gaigeae MP 167: 83.
Trachyboa boulengeri MP 178: 58.
Trachyboa gularis MP 178: 58.
Trachycephalus MP 96: 7.
Trachycephalus atlas MP 166: 66.
Trachycephalus nigromaculatus MP 96: 7.
Trachyderma MP 122: 83.
Trachyderma horridum MP 122: 83.
Tretanorhinus MP 122: 121.
Tretanorhinus lateralis MP 122: 121.
Tretanorhinus nigroluteus MP 122: 121.
Tretanorhinus nigroluteus lateralis MP 122: 121.
Tretanorhinus nigroluteus mertensi MP 167: 76.
Tretanorhinus nigroluteus nigroluteus MP 122: 121.
Tretanorhinus variabilis MP 122: 121; MP 154: 21, 39.
Tretanorhinus variabilis binghami MP 167: 77.
Tretioscincus OP 22: 1.
Tretioscincus agilis MP 167: 45.
Tretioscincus bifasciatus OP 143: 9; MP 8: 63; MP 128: 33.
Tretioscincus bifasciatus kugleri MP 128: 33.
Tretioscincus laevicaudus OP 409: 5.
Tribolonotus MP 154: 14.
Trionocephalus asper MP 69: 86; MP 122: 129.
Trionocephalus schlegelii MP 122: 131.
Trimeresurus OP 390: 5; MP 154: 15.
Trimeresurus atrox OP 388: 20; MP 122: 129.
Trimeresurus aurifera MP 122: 130.
Trimeresurus bicolor MP 122: 129.
Trimeresurus brachystoma MP 69: 88; MP 122: 130.

- Trimeresurus dunni* OP 390: 6; OP 539: 42; MP 47: 29; MP 167: 77.
Trimeresurus godmani MP 122: 129; LVB 49: 67.
Trimeresurus flavoviridis MP 154: 21.
Trimeresurus lansbergii OP 390: 7.
Trimeresurus monticola MP 154: 39.
Trimeresurus nummifer MP 122: 130.
Trimeresurus okinavensis MP 154: 16.
Trimeresurus ophryomegas MP 122: 131.
Trimetopon MP 122: 112.
Trimetopon barbouri OP 539: 52; MP 167: 77.
Trimetopon hannsteini OP 539: 52; MP 122: 122; MP 167: 77.
Trimetopon pilonaorum MP 122: 122; MP 167: 77.
Trimetopon posadasi MP 122: 122.
Trimetopon veraepacis OP 539: 52; MP 122: 122.
Trimorphodon biscutatus OP 360: 20; MP 47: 24; MP 69: 80; MP 122: 123.
Trimorphodon biscutatus biscutatus OP 560: 16; OP 589: 17.
Trimorphodon biscutatus quadruplex MP 69: 80; MP 122: 123; LVB 45: 24.
Trimorphodon biscutatus semirutus OP 539: 52; OP 554: 32; OP 560: 18; MP 167: 77.
Trimorphodon fasciolata OP 554: 32.
Trimorphodon latifascia OP 554: 32; OP 589: 12; 17; 18.
Trimorphodon lyrophanes OP 289: 10.
Trimorphodon tau MP 101: 74.
Trimorphodon vanderbergi MP 154: 25.
Trionychidae OP 647: 14; MP 142: 52.
Trionyx OP 510: 12; OP 647: 13; MP 142: 15, 37, 41, 47.
Trionyx carinatus OP 510: 13.
Trionyx coromandelicus OP 510: 12.
Trionyx egyptiacus OP 510: 13.
Trionyx euphraticus OP 510: 13.
Trionyx ferox emoryi OP 569: 13.
Trionyx georgianus OP 510: 13.
Trionyx granosa OP 510: 14.
Trionyx javanicus OP 510: 13.
Trionyx muticus MP 142: 30, 39, 59.
Trionyx spinifer MP 142: 23, 30, 39, 59.
Trionyx spinifer pallidus MP 167: 83.
Trionyx spiniferus guadalupensis MP 167: 83, 84.
Trionyx spiniferus hartwegi MP 167: 84.
Trionyx spiniferus pallidus MP 167: 84.
Trionyx stellatus OP 510: 13.
Trionyx subplanus OP 510: 13.
Tripanurgus MP 114: 13.
Tripurion MP 122: 42.
Tripurion petesatus OP 388: 2; MP 29: 37; MP 122: 42; LVB 75: 7.
Triton ensatus MP 149: 4, 6.
Triturus alpestris MP 169: 19.
Triturus cristatus MP 169: 12.
Triturus granulosus granulosus OP 451: 18.
Triturus granulosus twittyi OP 451: 16; OP 539: 9; MP 166: 21.
Triturus helveticus MP 169: 12, 19.
Triturus hypoxanthus OP 451: 15.
Triturus perstriatus OP 451: 3; OP 539: 10; MP 166: 22.
Triturus viridescens OP 451: 1; OP 470: 2.
Triturus viridescens dorsalis OP 451: 3.
Triturus viridescens louisianensis OP 451: 1; OP 470: 2.
Triturus viridescens symmetrica OP 451: 1.
Triturus viridescens viridescens OP 328: 2; OP 451: 1; OP 470: 2.
Triturus vulgaris MP 169: 12, 19.
Tropidoclonium annulatum OP 471: 25; MP 122: 123; LVB 49: 64.
Tropiocolotes MP 173: 44; MP 183: 1.
Tropiocolotes persicus euphorbiacola MP 167: 45.
Tropiocolotes steudneri MP 183: 20.
Tropiocolotes tripolitanus MP 183: 20.
Tropidoclonium lineatum OP 189: 7.
Tropidodactylus onca MP 8: 48, 59.
Tropidodipsas annulata LVB 49: 64.
Tropidodipsas MP 122: 123.
Tropidodipsas anthracops MP 114: 180.
Tropidodipsas brevifacies MP 114: 38.
Tropidodipsas carri MP 114: 194.
Tropidodipsas dumerlii MP 69: 74; MP 122: 124.
Tropidodipsas fasciata OP 471: 25; MP 101: 74; MP 122: 123.
Tropidodipsas fasciata subannulata MP 167: 78.
Tropidodipsas fischeri OP 471: 24; MP 122: 123; LVB 49: 64.
Tropidodipsas kidderi OP 539: 53; MP 69: 73; MP 122: 123; MP 167: 78; LVB 45: 23.
Tropidodipsas longicaudata MP 114: 94.
Tropidodipsas leucomelas MP 114: 97.
Tropidodipsas occidentala OP 360: 20; OP 539: 53; OP 554: 34; OP 589: 17; MP 167: 78.
Tropidodipsas occidentalis MP 167: 78.
Tropidodipsas philippi OP 589: 17.
Tropidodipsas polylepis MP 114: 96.
Tropidodipsas sartori sartori MP 122: 124.
Tropidodipsas sartorii OP 292: 16; OP 471: 25; MP 69: 74; MP 101: 75; MP 122: 124.
Tropidodipsas sartorii annulatus MP 101: 75; MP 122: 124.
Tropidodipsas sartorii sartorii MP 69: 74; MP 122: 124; LVB 45: 24; LVB 75: 9, 25.
Tropidodipsas semicincta MP 122: 124.
Tropidodipsas semicinctus MP 69: 74.
Tropidodipsas spilogasster MP 114: 158.
Tropidolepis formosus MP 69: 53.
Tropidonotus cyclopion OP 327: 6.
Tropidonotus natrix var. *moreoticus* OP 211: 21.
Tropidonotus obliquus OP 140: 1.
Tropidonotus ordinatus MP 122: 120.
Tropidonotus pygaeus MP 76: 7.
Tropidonotus sipedon fasciatus OP 140: 2.
Tropidophiines MP 178: 58.
Tropidophis OP 195: 1.
Tropidophis bucculenta OP 195: 36.
Tropidophis cana OP 195: 28.
Tropidophis conjunctus OP 195: 14, 16.
Tropidophis distinctus OP 195: 9.
Tropidophis greenwayi OP 715: 59.
Tropidophis haetiana OP 195: 16.
Tropidophis maculata OP 195: 12, 14.
Tropidophis maculata haetiana OP 195: 14.
Tropidophis maculatus OP 195: 8; 24.
Tropidophis maculatus haetianus OP 195: 10, 14.
Tropidophis maculatus jamaicensis OP 195: 12.
Tropidophis maculatus maculatus OP 195: 8.
Tropidophis maculatus pilsbryi MP 167: 78.
Tropidophis maculatus pilsbryi OP 539: 53.
Tropidophis melanura OP 195: 37.
Tropidophis melanurus OP 195: 39; MP 178: 58.
Tropidophis melanurus parkeri OP 539: 53.
Tropidophis moreletii OP 195: 45.
Tropidophis nigriventris OP 539: 53; MP 167: 78.
Tropidophis nigriventris hardyi MP 167: 78.
Tropidophis nigriventris nigriventris MP 167: 78.

- Tropidophis pardalis* OP 195: 13, 23, 31, 34; MP 178: 58.
Tropidophis pardalis androsi OP 195: 34.
Tropidophis pardalis bucculentus OP 195: 36.
Tropidophis pardalis canus OP 195: 28.
Tropidophis pardalis curtus OP 195: 30.
Tropidophis pardalis pardalis OP 195: 23.
Tropidophis parkeri OP 539: 53.
Tropidophis paucisquamis OP 195: 19.
Tropidophis pilsbryi galacelidus MP 167: 78.
Tropidophis pilsbryi pilsbryi MP 167: 78.
Tropidophis semicincta OP 195: 45.
Tropidophis semicinctus OP 195: 45.
Tropidophis taczanowskyi OP 195: 21.
Tropidophis wrighti OP 195: 38.
Tropidophorus hainanus OP 539: 40; MP 167: 46.
Tropidophorus laotus OP 539: 40; MP 167: 46.
Tropidophorus robinsoni OP 539: 40; MP 167: 46.
Tropidurus torquatus hispidus MP 128: 19.
Tupinambis nigropunctatus MP 8: 46, 60.
Tylostotriton verrucosus MP 169: 19.
Typhlonectes OP 682: 3; OP 687: 11; OP 716: 1.
Typhlonectidae OP 682: 3; OP 716: 1.
Typhlops MP 122: 85.
Typhlopidae MP 154: 15.
Typhlops MP 154: 15.
Typhlops basimaculatus MP 69: 61.
Typhlops bergi OP 508: 1; OP 539: 53; MP 167: 79.
Typhlops braminus OP 554: 19; MP 154: 21.
Typhlops diardi MP 154: 16, 39.
Typhlops granti OP 307: 2; OP 539: 53; MP 167: 79.
Typhlops infralabialis OP 508: 3.
Typhlops jamaicensis OP 307: 4.
Typhlops lumbricalis OP 307: 4.
Typhlops microstomus OP 307: 3.
Typhlops monensis OP 307: 3.
Typhlops nigricans MP 122: 85.
Typhlops perditus MP 69: 61; MP 122: 86.
Typhlops platycephalus OP 307: 4.
Typhlops praelongus MP 69: 61.
Typhlops psittacus OP 307: 3.
Typhlops richardii OP 307: 4.
Typhlops reticulatus MP 69: 61.
Typhlops rostellatus OP 307: 3.
Typhlops schlegelii MP 154: 21, 39.
Typhlops solomonis OP 508: 3.
Typhlops tenuis OP 307: 3; MP 69: 61; MP 122: 86; LVB 45: 23.
Typhlops vermicularis OP 211: 19.
Typhlotriton nereus OP 539: 10; MP 166: 22.
Typhlotriton spelaeus MP 166: 22.
Uma OP 329: 8.
Uma exsul MP 167: 46.
Uma inornata MP 132: 27.
Uma notata OP 329: 5; MP 132: 27.
Uma scoparia MP 132: 27.
Umbrivaga mertensi MP 128: 43; MP 167: 79.
Ungalia sp. OP 195: 19.
Ungalia braziliensis OP 195: 19.
Ungalia bucculenta OP 195: 36.
Ungalia cana OP 195: 28.
Ungalia conjuncta OP 195: 14.
Ungalia curta OP 195: 30.
Ungalia dipsadina OP 195: 9.
Ungalia haetiana OP 195: 14.
Ungalia maculata OP 195: 9, 12, 14, 24, 28, 31.
Ungalia maculata var. *semicincta* OP 195: 45.
Ungalia melanura OP 195: 39.
Ungalia moreletii OP 195: 45.
Ungalia pardalis OP 195: 12, 23, 31, 34.
Ungalia paucisquamis OP 195: 19.
Ungalia semicincta OP 195: 45.
Ungalia taezanowskyi OP 195: 21.
Ungaliophis MP 122: 85.
Ungaliophis continentalis MP 122: 85; MP 178: 58.
Uperoleia russelli MP 166: 66.
Uraeotyphlinae OP 687: 14.
Uraeotyphlus OP 682: 2; OP 687: 1, 11.
Uraeotyphlus malabaricus OP 687: 1.
Uraeotyphlus menoni OP 687: 1.
Uraeotyphlus narayani OP 687: 1.
Uraeotyphlus oxyurus OP 687: 1.
Urocotyledon MP 173: 44; MP 183: 1.
Urocotyledon inexpectata MP 183: 20.
Uroplatus MP 173: 44; MP 183: 1.
Uroplatus fimbriatus MP 183: 20.
Uropeltidae MP 154: 15.
Urosaura OP 606: 1.
Urosaurus MP 145: 19.
Urosaurus bicarinatus anonymorphus OP 554: 15.
Urosaurus bicarinatus bicarinatus OP 554: 14.
Urosaurus bicarinatus tuberculatus OP 554: 14; OP 589: 16.
Urosaurus gadowi OP 598: 8.
Urosaurus graciosus MP 145: 19.
Urosaurus irregularis OP 554: 15.
Urosaurus ornatus MP 158: 1.
Uro-saurus MP 145: 19.
Urotheca dimidiata OP 357: 16.
Urotheca elapoides var. B MP 69: 72.
Urotheca elapoides aequalis MP 69: 72.
Urotheca lateristriga multilineata MP 128: 44.
Urotheca williamsi MP 128: 44.
Uta MP 145: 1, 20.
Uta antiqua MP 167: 46.
Uta antiquus OP 656: 1; MP 145: 24; MP 167: 46.
Uta bicarinata MP 47: 15.
Uta bicarinata bicarinata OP 560: 20.
Uta concinna MP 145: 29.
Uta elegans MP 145: 29.
Uta gadovi OP 560: 11.
Uta levis OP 243: 2.
Uta mannophorus MP 145: 29.
Uta martinensis MP 145: 30.
Uta nolascensis OP 656: 4; MP 145: 25.
Uta ornata linearis OP 569: 8.
Uta ornata lateralis OP 259: 8.
Uta ornata ornata OP 246: 5.
Uta palmeri OP 656: 5; MP 145: 27.
Uta parva OP 329: 15; MP 145: 29.
Uta squamata MP 145: 28.
Uta stansburiana OP 8: 18; OP 329: 8; OP 329: 15; OP 656: 5; MP 132: 1; MP 145: 20, 22, 34; MP 154: 24; MP 158: 3.
Uta stansburiana elegans OP 8: 18; MP 145: 24, 29, 37.
Uta stansburiana hesperis MP 145: 29.
Uta stansburiana klauberi MP 145: 40.
Uta stansburiana martinensis MP 145: 30.
Uta stansburiana nevadensis OP 8: 18; OP 539: 40; MP 145: 34; MP 167: 46.
Uta stansburiana stansburiana OP 241: 1; OP 243: 2; OP 244: 29; OP 539: 40; OP 656: 5; MP 145: 34; MP 167: 47.
Uta stansburiana stansburiana x s. elegans MP 145: 37.
Uta stansburiana stejnegeri MP 145: 37.
Uta stansburiana stellata MP 145: 43.
Uta stansburiana taylori MP 145: 40; MP 167: 47.


- Uta stellata* OP 656: 4; MP 145: 43.
Uta taylori MP 145: 40; MP 167: 47.
Uta thalassina MP 145: 19.
- Varanus exanthematicus* MP 154: 26.
Vibrissaphora liui MP 166: 66.
Vipera MP 154: 15.
Vipera ammodytes OP 211: 28.
Vipera ammodytes meridionalis OP 211: 25.
Vipera aspis MP 154: 29.
Vipera berus MP 154: 28.
Vipera bornmuelleri OP 211: 28.
Vipera lebetina OP 211: 28.
Vipera xanthia MP 154: 21.
Viperidae MP 122: 127; MP 128: 49; MP 154: 15.
Virginia fasciata OP 471: 24.
Virginia striatula MP 154: 28.
Virginia valeriae elegans OP 117: 14.
- Wetmorena haetiana* OP 539: 40; MP 167: 47.
Wetmorena haetiana haetiana MP 167: 47.
- Xantusia vigilis* MP 132: 28; MP 132: 41; MP 154: 29.
Xantusiidae MP 154: 15.
Xenoboa MP 178: 10.
Xenoboa cropanii MP 178: 10, 57.
Xenodermus javanicus MP 154: 16, 24.
Xenodon colubrinus OP 292: 15; MP 29: 51.
Xenodon mexicanus MP 122: 124; LVB 75: 8, 11, 25.
Xenodon punctatus MP 182: 2;
Xenodon severus angustirostris MP 122: 124.
Xenodon rabdocephalus OP 357: 16; MP 122: 124.
Xenodon rabdocephalus mexicanus MP 122: 124.
Xenodontidae MP 114: 13.
Xenodontinae MP 114: 13.
Xenopeltis unicolor MP 178: 58.
Xenopus OP 472: 4.
Xenopus mulleri OP 472: 6.
Xenosauridae MP 154: 15.
Xenosaurus fasciatus MP 122: 83.
Xenosaurus grandis rackhami MP 167: 47.
Xenosaurus newmanorum MP 101: 67.
Xenosaurus platyceps MP 167: 47.
Xenosaurus rackhami OP 539: 40; MP 69: 60; MP 122: 83; MP 167: 47; LVB 45: 23.
Xilophus stenorhynchus MP 131: 42.
Xiphosoma annulatum MP 178: 9.
Xiphosoma madagascariense MP 178: 10.
- Zachaenus sanctaecatharinae* MP 166: 66.
Zamensis bitaeniatus MP 122: 104.
Zamensis flavigularis MP 122: 105.
Zamensis schottii OP 287: 5.
Zamensis taeniatus OP 287: 5.
Zamensis taeniatus taeniatus OP 287: 5.
Zamensis stejnegerianus MP 122: 90.
Zaocys dhumnades MP 154: 39.

QL
640
S666
REPT

**BIBLIOGRAPHY AND SCIENTIFIC NAME INDEX
TO AMPHIBIANS AND REPTILES IN THE
GREAT BASIN NATURALIST
VOLUMES 1-50, 1939-1990**



Ernest A. Liner
Houma, Louisiana



**SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 115**

1997

**SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE**

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

INTRODUCTION

The present numbered alphabetical listing by author(s) covers all the papers of a herpetological interest that have been published in Volumes 1-50, 1939-1990 of the *Great Basin Naturalist*. The journal consists of four numbers a year, occasionally some numbers combined.

All the junior authors are listed alphabetically and cross referenced to the senior author. All articles with original names are preceded by an *.

In the scientific name index all scientific names of amphibians and reptiles are listed alphabetically and referenced to the numbered article (s) they are used in. All original spellings are maintained even though it is known they are misspelled. No scientific names in bibliographies or literature cited are used. When names appeared with both *i* or *ii* then *ii* is used for both. All original names are **boldfaced**.

The author wishes to thank C. Gans for suggesting this project. For suggesting the addition of a scientific name index: C. R. Zug and W. R. Heyer.

BIBLIOGRAPHY

1. Andersen, B. B. and F. H. Emmerson. 1970. The rattlesnake Crotalus atrox in southern Nevada. 30: 107.
2. Anderson, Stanley H., Wayne A. Hubert, Craig Patterson, Alan J. Redder and David Duvall. 1987. Distribution of vertebrates of the Bighorn Canyon National Recreation Area. 47: 512-521.
3. Andre, John B. and James A. MacMahon. 1980. Reproduction in three sympatric lizard species from west-central Utah. 40: 68-72.
 Arndt, Rudolf G. *see* Medica, Philip A. and James R. Dixon, 1975; Medica, Philip A., 1976.
 Arthur, W. John, *see* Reynolds, Timothy D., John W. Connelly and Douglas K. Halford, 1986.
 Arvizo, Edward R., *see* Worthington, Richard D., 1973.
4. Atwood, N. Duane, Clyde L. Pritchard, Richard D. Porter and Benjamin W. Wood. 1980. Terrestrial vertebrate fauna of the Kalparowits Basin. 40: 303-350.
5. *Avery, David F. and Wilmer W. Tanner. 1970. Speciation in the Fijian and Tongan iguana Brachylophus (Sauria, Iguanidae) with the description of a new species. 30: 166-172.
 Avery, David F., *see* Fanghella, Charles and Wilmer W. Tanner, 1975; Tanner, Wilmer W., 1982.
6. Bakewell, George, Joseph M. Chopek and Gary L. Burkholder. 1983. Notes on reproduction of the side-blotched lizard Uta stansburiana stansburiana in south-west Idaho. 43:477-482.
7. Banta, Benjamin H. and Wilmer W. Tanner. 1964. A brief historical resume of herpetological studies in the Great Basin of the western United States. Part I. The reptiles. 24: 37-57.
8. *----- and ----- . 1968. The systematics of Crotaphytus wislizeni, the leopard lizards (Sauria: Iguanidae). Part II. A review of the status of the Baja California peninsular populations and a description of a new subspecies from Cedros Island. 28: 183-194.
 Banta, Benjamin H., *see* Tanner, Wilmer W., 1962; 1963; 1966; 1977; Powers, Arnold L., 1974.
9. Barnum, Andrew H. 1970. Tribute to Dr. Vasco M. Tanner. 30: 211-212.
 Beatty, Joseph J., *see* Whitaker, John O., Jr., Chris Maser and Robert M. Storm, 1986.
10. Bee, James W. 1970. Vasco M. Tanner--A diversified career. 30: 216-217.
 Benton, Bob, *see* Hovingh, Peter and Dave Bornholdt, 1985.
11. Best, Troy L. and A. L. Gennaro. 1985. Food habits of the western whiptail lizard Cnemidophorus tigris in southeastern New Mexico. 45: 527-534.
 Black, Andrew H., *see* Black, Jeffrey H., 1987.
12. Black, Jeffrey Howard. 1976. Observations on courtship behavior of the deseret tortoise. 36: 467-470.
13. ----- and Andrew H. Black. 1987. Western painted turtle in

- Grant County, Oregon. 47: 344.
14. ----- and Royal Bruce Brunson. 1971. Breeding behavior of the boreal toad, Bufo boreas boreas (Baird & Girard), in western Montana. 31: 109-113.
 15. ----- and Robert M. Storm. 1970. Notes on the herpetology of Grant County, Oregon. 30: 9-12.
 16. Blazzard, John E. 1970. Some memories and impressions of my association with Vasco M. Tanner. 30: 207-208.
Bornholdt, Dave, **see** Hovingh, Robert and Bob Benton, 1985.
 17. Bragg, Arthur N. 1941. Some observations on amphibia at and near Las Vegas, New Mexico. 2: 109-117.
 18. ----- . 1943. Observations on the ecology and natural history of anura. XV. The hylids and microhylids in Oklahoma. 4: 62-80.
 19. ----- . 1946. Some salientian adaptations. 7: 11-16.
 20. ----- . 1955. The amphibia of Greer County, Oklahoma. 15: 27-31.
 21. ----- and Harold A. Dundee. 1949. Reptiles collected in the vicinity of Las Vegas, New Mexico. 9: 55-57.
 22. ----- and W. F. Hudson. 1951. New county records of salientia and a summary of known distribution of Caudata in Oklahoma. 11: 87-90.
 23. ----- and Charles C. Smith. 1942. Observations on the ecology and natural history of anura. IX. Notes on breeding behavior in Oklahoma. 3: 33-50.
Brame, Arden H., Jr., **see** Tanner, Wilmer W., 1961.
 24. *Brown, Walter C. and Vasco M. Tanner. 1949. Rediscovery of the genus Pseudogecko with description of a new species from the Solomon Islands. 9: 41-45.
Brunson, Royal Bruce, **see** Black, Jeffrey Howard, 1971.
 25. Bullock, Robert E. 1971. Cannibalism in captive rattlesnakes. 31: 49-50.
Burkholder, Gary L., **see** Bakewell, George and Joseph M. Chopek, 1983.
 26. Calder, J. Hamilton. 1970. Vasco M. Tanner--A dedicated public servant. 30: 197-199.
Chopek, Joseph M., **see** Bakewell, George and Gary L. Burkholder, 1983.
Cochran, Philip A., **see** Somme, Louis A., 1989.
Connelly, John W., **see** Reynolds, Timothy D., Douglas K. Halford and W. John Arthur, 1986.
 27. Cottam, Clarence. 1970. Vasco M. Tanner--A great teacher. 30: 200-202.
 28. Cottam, Walter P. 1970. Vasco M. Tanner--A pioneer in conservation. 30: 203-204.
 29. Cox, Douglas C. and Wilmer W. Tanner. 1977. Osteology and myology of the head and neck region of Callisaurus, Cophosaurus, Holbrookia, and Uta (Reptilia: Iguanidae). 37: 35-56.
 30. ----- and ----- . 1989. Hyobranchial apparatus of the Cryptobranchioidea (Amphibia). 49: 482-490.
Cox, Douglas C., **see** Tanner, Wilmer W., 1981.
 31. Cox, Mike K. and William L. Franklin. 1989. Terrestrial vertebrates of Scotts Bluff National Monument, Nebraska.

49: 597.

32. *Dasmann, Merlene M. and Hobart M. Smith. 1974. A new sceloporine lizard from Oaxaca, Mexico. 34: 231-237.
33. Diller, Lowell V. and Richard L. Wallace. 1981. Additional distribution records and abundance of three species of snakes in southwestern Idaho. 41: 154-157.
Dixon, James R., *see* Tanner, Wilmer W. and Herbert S. Harris, Jr., 1972; Medica, Philip A. and Rudolf G. Arndt, 1975.
34. Dixon, Verl G. 1970. Vasco M. Tanner--A participating citizen. 30: 196.
35. Duke, Kenneth L. 1970. Vasco M. Tanner--An inspiring teacher. 30: 209-210.
Dundee, Harold A., *see* Bragg, Arthur N., 1949.
Duvall, David, *see* Anderson, Stanley H., Wayne A. Hubert, Craig Patterson and Alan J. Redder, 1987.
36. Emmerson, Frederick H. 1982. Western diamondback rattlesnake in southern Nevada: A correction and comments. 42: 350.
Emmerson, F. H. *see* Andersen, B. B., 1970.
37. Fanghella, Charles, David F. Avery and Wilmer W. Tanner. 1975. Urosaurus and its phylogenetic relationships to Uta as determined by osteology and myology (Reptilia: Iguanidae). 35: 245-268.
38. Fawcett, James D. and Hobart M. Smith. 1971a. The lizard Leiolopisma smithi Cochran a junior secondary homonym of Mocoa smithii Gray. 31: 135-137.
39. ----- and ----- . 1971b. Nomenclatural problems concerning the generic and familial names for the New Zealand and American ribbed frogs. 31: 261-264.
40. Ferguson, Denzel E., K. Ellsworth Payne and Robert M. Storm. 1958. Notes on the herpetology of Baker County, Oregon. 18: 63-65.
41. Feuer, Robert C. and Hobart M. Smith. 1972. The contributions of the 1822 works of Jarocki and Fleming to herpetological nomenclature. 32: 55-60.
Fisher, D. Lowell, *see* Tanner, Wilmer W. and Thomas J. Willis, 1971.
42. Fouquette, M. J., Jr. 1968. Remarks on the type specimen of Bufo alvarius Girard. 28: 70-72.
Franklin, William L., *see* Cox, Mike K., 1989.

Gennaro, A. L., *see* Best, Troy L., 1985.
43. Germano, David J. and C. Roger Hungerford. 1981. Reptile population changes with manipulation of Sonoran Desert shrub. 41: 129-138.
44. ----- and David N. Lawhead. 1986. Species diversity and habitat complexity: Does vegetation organize vertebrate communities in the Great Basin? 46: 711-720.
45. Glenn, James L., Richard C. Straight and Jack W. Sites, Jr. 1990. A plasma protein marker for population genetic studies of the desert tortoise (Gopherus agassizi). 50:1-

8.

46. Grogan, William L. and Wilmer W. Tanner. 1974. Range extension of the long-nosed snake, Rhinocheilus lecontei, into east-central Utah. 34: 238-240.
Guibe, Jean., see Smith, Hobart M. and Rozella B. Smith, 1975.
47. Guyer, Craig and Allan D. Linder. 1985. Thermal ecology and activity patterns of the short-horned lizard (Phrynosoma douglassi) and the sagebrush lizard (Sceloporus graciosus) in southeastern Idaho. 45: 607-614.
48. Halford, Douglas K. and Jere B. Millard. 1978. Vertebrate fauna of a radioactive leaching pond complex in southeastern Idaho. 38: 64-70.
Halford, Douglas K., see Reynolds, Timothy D., John W. Connelly and W. John Arthur, 1986.
Hall, William P., see Smith, Hobart M., 1974.
49. Hansen, George H. 1970. Vasco M. Tanner--Colleague and friend. 30: 218.
Harris, Herbert S., Jr., see Tanner, Wilmer W. and James R. Dixon, 1972.
50. Harrison, Bertrand F. 1970. Tribute to Vasco Tanner. 30: 205-206.
51. Hayward, C. Lynn. 1945. Biotic communities of the southern Wasatch and Uinta Mountains, Utah. 6: 1-124.
52. ----- 1970. Vasco M. Tanner, with bibliography. 30: 181-189.
Heringhi, H. L., see Nickerson, Max A., 1966.
53. Holomuzki, Joseph R. 1983. Predatory behavior of larval Ambystoma tigrinum nebulosum on Limnephilus (Trichoptera) larvae. 43: 475-476.
54. Hovingh, Peter. 1986. Biogeographic aspects of leeches, mollusks, and amphibians in the intermountain region. 46: 736-744.
55. -----, Bob Benton and Dave Bornholdt. 1985. Aquatic parameters and life history observations of the Great Basin spadefoot toad in Utah. 45: 22-30.
Hovingh, Peter, see Worthylake, Kathleen Muriel, 1989.
Hubert, Wayne A., see Anderson, Stanley H., Craig Patterson, Alan J. Redder and David Duvall, 1987.
Hudson, W. F., see Bragg, Arthur N., 1951.
Hungerford, C. Roger, see Germano, David J., 1981.
56. Kay, Fenton R. 1969. An albino Pacific treefrog, Hyla regilla, from Death Valley, California. 29: 111.
57. ----- 1970. Leptotyphlops humulus in Death Valley, California. 30: 91-93.
58. ----- 1970. Environmental responses of active lizards at Saratogo Springs, Death Valley, California. 30: 146-165.
Krogh, John E., see Tanner, Wilmer W., 1973.
Larsen, John H., Jr., see Miller, Brian T., 1986.
59. Larsen, Kenneth. 1970. A fossil turtle from the Green River formation in Utah. 30: 13-15.
60. ----- and Wilmer W. Tanner. 1974. Numeric analysis of the lizard genus Sceloporus with special reference to cranial

- osteology. 34: 1-41.
61. ----- and -----. 1975. Evolution of the sceloporine lizards (Iguanidae). 35: 1-20.
Larsen, Kenneth R., *see* Smith, Hobart M., 1973, 1974a, 1974b.
 62. Laurance, William F. and Timothy D. Reynolds. 1984. Confirmation and expansion of the reported distribution of two species of Idaho herptiles. 44: 313-316.
Laurance, William F., *see* Reynolds, Timothy D., 1985.
Lawhead, David N., *see* Germano, David J., 1986.
Linder, Allan D., *see* Guyer, Craig, 1985.
 63. Loomis, Richard B. 1964. A new species of chigger (Acarina, Trombiculidae) from lizards of western North America. 24: 13-17.
Loveless, Earl C., *see* Roby, Carlos Y., 1977.
Lowe, Charles H., *see* Tanner, Wilmer W., 1989.
 - MacMahon, James A., *see* Andre, John B., 1980.
 64. McMorris, J. Robert. 1970. Herpetological distribution and life history notes for Hawaii and western North America. 30: 106-107.
Maser, Chris, *see* Whitaker, John O., Jr., Robert M. Storm and Joseph J. Beatty, 1986.
 65. Medica, Philip A. and Rudolf G. Arndt. 1976. Opportunistic feeding in Sceloporus horridus from Jalisco, Mexico. 36: 108-110.
 66. -----, ----- and James R. Dixon. 1975. Additional records of reptiles from Jalisco, Mexico. 35: 317-318.
Medica, Philip A., *see* Smith, Donald D. and Sherburn R. Sanborn, 1987.
Millard, Jere B., *see* Halford, Douglas K., 1978.
 67. Miller, Brian T. and John H. Larsen, Jr. 1986. Feeding habits of metamorphosed Ambystoma tigrinum melanostictum in ponds of high pH (>9). 46: 299-301.
 68. Miller, Wade E. 1976. Late Pleistocene vertebrates of the Silver Creek local fauna from northcentral Utah. 36: 387-424.
 69. Morris, Ronald L. and Wilmer W. Tanner. 1969. The ecology of the western spotted frog, Rana pretiosa Baird and Girard. A life history study. 29: 45-81.
 70. Mullen, David A. and Robert C. Stebbins. 1978. An addition to the amphibian fauna of California. 38: 429-437.
Murphy, Robert W., *see* Ottley, John R. and Geoffrey V. Smith, 1980.
 71. Nickerson, Max A. and H. L. Heringhi. 1966. Three noteworthy colubrids from southern Sonora, Mexico. 26: 136-140.
 72. *Ottley, John R. 1978. A new subspecies of the snake Lichanura trivirgata from Cedros Island Mexico. 38: 411-416.
 73. -----, Robert W. Murphy and Geoffrey V. Smith. 1980. The taxonomic status of the rosy boa Lichanura roseofusca (Serpentes: Boidae). 40: 59-62.

74. *----- and Victor M. Velazques Solis. 1989. An extant indigenous tortoise population in Baja California Sur, Mexico, with the description of a new species of Xerobates (Testudines: Testudinidae). 49: 496-502.
75. *----- and Wilmer W. Tanner. 1978. New range and new subspecies for the snake Eridiphas sleveni. 38: 406-410. Ottley, John R., see Tanner, Wilmer W., 1981.
76. Pack, Lloyd C., Jr. 1973. Notes on reproduction in Lampropeltis triangulum and Coluber constrictor in Utah. 33: 202.
77. *----- and Wilmer W. Tanner. 1970. A taxonomic comparison of Uta stansburiana of the Great Basin and the upper Colorado River Basin in Utah, with a description of a new subspecies. 30: 71-90.
Patterson, Craig, see Anderson, Stanley H., Wayne A. Hubert, Alan J. Redder and David Duvall, 1987.
Payne, K. Ellsworth, see Ferguson, Denzel F. and Robert M. Storm, 1958.
78. Pearce, Richard C. and Wilmer W. Tanner. 1973. Helminths of Sceloporus lizards in the Great Basin and upper Colorado Plateau. 33: 1-18.
79. Pendlebury, George B. 1976. Second occurrence of the long-nosed snake, Rhinocheilus lecontei lecontei, in Idaho. 36:56.
80. Perez-Higareda, Gonzalo and Hobart M. Smith. 1988. Courtship behavior in Rhinoclemmys areolata from western Tabasco, Mexico (Testudines: Emydidae). 48: 263-266.
Pimentel, Richard A., see Storm, Robert M., 1949.
Porter, Richard D., see Atwood, N. Duane, Clyde L. Pritchett and Benjamin W. Wood, 1980.
81. *Powers, Arnold L. and Benjamin H. Banta. 1974. Description of a new Phyllorhynchus from Cerralvo Island, Gulf of California, Mexico. 34: 241-244.
Pritchett, Clyde L., see Atwood, N. Duane, Richard D. Porter and Benjamin W. Wood, 1980.
82. Rampton, Calvin L. 1970. Vasco M. Tanner--A public servant. 30: 195.
Redder, Alan L., see Anderson, Stanley, H., Wayne H. Hubert, Craig Patterson and David Duvall, 1987.
83. Reynolds, Timothy D. 1979. Response of reptile populations to different land management practices on the Idaho National Engineering Laboratory site. 39: 255-262.
84. -----, John D. Connelly, Douglas K. Halford and W. John Arthur. 1986. Vertebrate fauna of the Idaho National Environmental Research Park. 46: 513-527.
84. ----- and William F. Laurance. 1985. Addendum to the distribution of two herptiles in Idaho. 45: 291-292.
85. ----- and Trent D. Stephens. 1984. Multiple ectopic limbs in a wild population of Hyla regilla. 44: 166-169.
Reynolds, Timothy D., see Laurance, William F., 1984.
Robison, W. Gerald, Jr., see Tanner, Wilmer W., 1959.
86. Roby, Carlos Y. and Earl C. Loveless. 1977. Range extension of Trionyx spiniferus emoryi into Utah

- (Reptilia). 37: 259.
 Roueche, William L., **see** Webb, Robert G., 1971.
- Sanborn, Sherburn R., **see** Smith, Donald D. and Philip A. Medica, 1987.
- Sawin, H. Lewis, **see** Smith, Hobart M. and Rozella B. Smith, 1975.
87. Schultz, Vincent. 1965. References on Nevada Test Site ecological research. 26: 79-86.
 - Sites, Jack W., Jr., **see** Thompson, Pamela, 1986; Glenn, James L. and Richard C. Straight, 1990.
 - Smith, Charles C., **see** Bragg, Arthur N., 1942.
 88. Smith, Donald D., Philip A. Medica and Sherburn R. Sanborn. 1987. Ecological comparison of sympatric populations of sand lizards (Cophosaurus texanus and Callisaurus draconoides). 47: 175-185.
 - Smith, Geoffrey Y., **see** Ottley, John R. and Robert W. Murphy, 1980.
 89. Smith, Hobart M. 1971. Additions to the knowledge of the herpetofauna of Oaxaca, Mexico. 31: 138-139.
 90. ----- . 1971. The snake genus Amastridium in Oaxaca, Mexico. 31: 254-255.
 91. *----- . 1972. The Sonoran subspecies of the lizard Ctenosaura hemilopha. 32: 104-111.
 92. ----- . 1988. Rozella Pearl Beverly Blood Smith, 1911-1987. 48: 180-187.
 93. *----- and William P. Hall. 1974. Contributions to the concepts of reproductive cycles and the systematics of the scalaris group of the lizard genus Sceloporus. 34: 97-104.
 94. ----- and Kenneth R. Larsen. 1973. The nominal snake genera Masticodryas Amaral, 1934, and Dryadophis Stuart, 1939. 33: 276.
 95. ----- and ----- . 1974a. The generic name of North American musk turtles. 34: 42-44.
 96. ----- and ----- . 1974b. The name of the Baja California cape wormsnake. 34: 94-96.
 97. -----, Rozella B. Smith and Jean Guibe. 1975. The identity of Bocourt's lizard Eumeces capito 1879. 35: 109-112.
 98. -----, ----- and H. Lewis Sawin. 1975. The authorship and date of publication of Siren intermedia (Amphibia: Caudata). 35: 100-102.
 - Smith, Hobart M., **see** Fawcett, James D., 1971a, 1971b; Feuer, Robert C., 1972; Dasmann, Merlene M., 1974; Waddick, James W., 1974; Perez-Higareda, Gonzalo, 1988.
 99. Smith, Nathan M. 1974. Observation of voice in the western collared lizard Crotaphytus collaris bicinctores. 34: 276.
 100. *----- and Wilmer W. Tanner. 1972. Two new subspecies of Crotaphytus (Sauria: Iguanidae). 32: 25-34.
 - Smith, Rozella B., **see** Smith, Hobart M. and H. Lewis Sawin, 1975; Smith, Hobart M. and Jean Guibe, 1975.
 - Solis, Victor M. Velazques, **see** Ottley, John R., 1989.
 101. Somma, Louis A. 1987. Reproduction of the prairie skink, Eumeces septentrionalis, in Nebraska. 47: 373-374.
 102. ----- . 1987. Maternal care of neonates in the prairie skink, Eumeces septentrionalis. 47: 536-537.

103. ----- and Philip A. Cochran. 1989. Bibliography and subject index of the prairie skink, Eumeces septentrionalis (Baird) (Sauria: Scincidae). 49: 525-534.
Stebbins, Robert C., see Mullen, David A., 1978.
Stephens, Trent D., see Reynolds, Timothy D., 1984.
104. Storm, Robert M. and Richard A. Pimentel. 1949. Herpetological notes from Malheur County, Oregon. 9: 59-63.
Storm, Robert M., see Ferguson, Denzel E. and K. Ellsworth Payne, 1958; Black, Jeffrey Howard, 1970; Whitaker, John O., Jr., Chris Maser and Joseph J. Beatty, 1986.
Straight, Richard C., see Glenn, James L. and Jack W. Sites, Jr., 1990.
105. Sullivan, Brian K. 1985. Sexual selection and mating system variation in anuran amphibians of the Arizona-Sonora Desert. 45: 688-696.
106. ----- . 1986. Advertisement call variation in the Arizona treefrog, Hyla wrightorum Taylor, 1938. 46: 378-381.
107. ----- . 1990. Natural hybrid between the Great Plains toad (Bufo cognatus) and the red-spotted toad (Bufo punctatus) from central Arizona. 50: 371-372.
108. Tanner, Annie Atkin. 1970. "I do" included a zoo. 30:190-194.
109. Tanner, Vasco M. 1939. A study of the genus Scaphiopus. The spade-foot toads. 1: 3-23.
110. ----- . 1940. A chapter on the natural history of the Great Basin, 1800 to 1855 (1). 1: 33-61.
111. ----- . 1940. A biotic study of the Kaiparowits region of Utah. 1: 97-126.
112. ----- . 1942. Sheldon P. Hayes collects cold-blooded vertebrates in Arizona. 3: 59.
113. ----- . 1942. Notes on the birth and growth of horned lizards. 3: 60.
114. *----- . 1948. Pacific island herpetology No. I, Mariana Islands-A new species of Typhlops. 9: 1-20.
115. ----- . 1949. Pacific island herpetology No. II, the Philippine Islands. 9: 25-39.
116. ----- . 1949. Amphibians and reptiles contributed to Brigham Young University by Owen Bryant. 9: 47-49.
117. ----- . 1949. Notes on the number, length, and weight of young garter snakes. 9: 51-54.
118. *----- . 1950. Pacific island herpetology No. III. Morotai Island. 10: 1-30.
119. ----- . 1951. Pacific island herpetology No. IV. Admiralty Islands. 11: 1-10.
120. *----- . 1951. Pacific islands herpetology, No. V, Guadalcanal, Solomon Islands. A checklist of species. 11: 53-86.
121. ----- . 1952. Pacific islands herpetology No. VI. Tahiti and Marquesas Islands, New Guinea and Australia. 12: 1-12.
122. ----- . 1953. Pacific islands herpetology No. VII, Ulu Langat, State of Selangor, Malay. 13: 1-7.

123. ----- . 1953. Pacific islands herpetology No. VIII, Korea. 13: 67-73.
124. ----- . 1957. Joseph Richard Slevin (1881-1957). 17: 56-58.
125. ----- . 1959. Carl Linnaeus' contributions and collections. 19: 27-35.
126. ----- . 1965. Angus Nunn Woodbury, 1886-1964. with bibliography. 25: 81-88.
127. ----- . 1971. A comprehensive index to the Great Basin Naturalist, Volumes 1-30 inclusive. 31: 1-34.
128. ----- and Wilmer W. Tanner. 1939. Notes on Charina bottae in Utah: Reproduction. 1: 27-30.
Tanner, Vasco M., see Brown, Walter C., 1949.
129. Tanner, Wilmer W. 1940. Herpetological specimens added to the Brigham Young University vertebrate collection during 1939. 1: 138-146.
130. ----- . 1941. A study of the variation in the less common snakes of Utah. 2: 16-28.
131. ----- . 1941. The reptiles and amphibians of Idaho No. 1. 2: 87-97.
132. *----- . 1943. Two new species of Hypsiglena from western North America. 4: 49-54.
133. ----- . 1943. Notes on the life history of Eumeces skiltonianus skiltonianus. 4: 81-88.
134. *----- . 1944. A taxonomic study of the genus Hypsiglena. 5: 25-92.
135. *----- . 1950. A new genus of plethodontid salamander from Mexico. 10: 37-44.
136. ----- . 1952. Diadophis regalis regalis (B. & G.) found in Nevada. 12: 63-64.
137. *----- . 1953. A study of taxonomy and phylogeny of Lampropeltis pyromelana (Cope). 13: 47-66.
138. *----- . 1955. A new Sceloporus magister from eastern Utah. 15: 32-34.
139. *----- . 1957. Notes on a collection of amphibians and reptiles from southern Mexico, with a description of a new Hyla. 17: 52-56.
140. *----- . 1957. A taxonomic and ecological study of the western skink (Eumeces skiltonianus). 17: 59-94.
141. *----- . 1957. A new skink of the multivirgatus group from Chihuahua. 17: 111-117.
142. *----- . 1958. Two new skinks from Durango, Mexico. 18: 57-62.
143. ----- . 1969. New records and distributional notes for reptiles of the Nevada Test Site. 29: 31-34.
144. ----- . 1970. A catalogue of the fish, amphibians, and reptile types in the Brigham Young University Museum of Natural History. 30: 219-226.
145. *----- . 1981. A new Hypsiglena from Tiburon Island, Sonora, Mexico. 41: 139-142.
146. ----- . 1982. Herpetological notes from the Nevada Test Site. 42: 219-222.
147. ----- . 1984. Reptiles and amphibians of Idaho, No. 2. 44: 111-112.
148. *----- . 1985. Snakes of western Chihuahua. 45: 615-676.

149. *----- . 1987. Lizards and turtles of western Chihuahua. 47: 383-421.
150. *----- . 1988. Status of Thamnophis sirtalis in Chihuahua, Mexico (Reptilia: Colubridae). 48: 499-507.
151. ----- . 1989. Amphibians of western Chihuahua. 49: 38-84.
152. ----- . 1989. Status of Spea stagnalis Cope (1875), Spea intermontanus Cope (1889), and a systematic review of Spea hammondi Baird (1839) (Amphibia: Anura). 49: 503-510.
153. ----- and David F. Avery. 1982. Buccal floor of reptiles, a summary. 273-349.
154. ----- and Benjamin H. Banta. 1962. The distribution of Tantilla utahensis Blanchard. 22: 116-118.
155. *----- and ----- . 1963. The systematics of Crotaphytus wislizeni, the leopard lizards. Part I. A redescription of Crotaphytus wislizeni wislizeni Baird and Girard, and a description of a new subspecies from the upper Colorado River Basin. 23: 129-148.
156. ----- and ----- . 1966. A systematic review of the Great Basin reptiles in the collection of Brigham Young University and the University of Utah. 26: 87-135.
157. *----- and ----- . 1977. The systematics of Crotaphytus wislizeni, the leopard lizards. Part III. The leopard lizards of the Great Basin and adjoining areas, with a description of a new subspecies from the Lahontan Basin. 37: 225-240.
158. *----- and Arden H. Brame, Jr. 1961. Description of a new species of salamander from Panama. 21: 23-26.
159. ----- and Douglas C. Cox. 1981. Reproduction in the snake Lampropeltis pyromelana. 41: 314-316.
160. *-----, James R. Dixon and Herbert S. Harris, Jr. 1972. A new subspecies of Crotalus lepidus from western Mexico. 32: 16-24.
161. -----, D. Lowell Fisher and Thomas J. Willis. 1971. Notes on the life history of Ambystoma tigrinum nebulosum Hallowell in Utah. 31: 213-222.
162. ----- and John E. Krogh. 1973. Ecology of Sceloporus magister at the Nevada Test Site, Nye County, Nevada. 33: 133-146.
163. *----- and Charles H. Lowe. 1989. Variations in Thamnophis elegans with descriptions of new subspecies. 49: 511-516.
164. ----- and John R. Ottley. 1981. Reproduction in Hypsiglena. 41: 310.
165. *----- and W. Gerald Robison, Jr. 1959. A collection of herptiles from Urique, Chihuahua. 19: 75-82.
Tanner, Wilmer W., see Tanner, Vasco M., 1939; Banta, Benjamin H., 1964, 1968; Morris, Ronald L., 1969; Pack, Lloyd E., Jr., 1970; Avery, David F., 1979; Smith, Nathan N., 1972; Pearce, Richard C., 1973; Larsen, Kenneth R., 1974, 1975; Grogan, William L., 1974; Fanghella, Charles and David F. Avery, 1975; Cox, Douglas C., 1977, 1989; Ottley, John R., 1978.
166. Thompson, Pamela and Jack W. Sites, Jr. 1986. Two aberrant karyotypes in the sagebrush lizard (Sceloporus

- graciosus): Triploidy and a "supernumeray" oddity. 46: 224-227.
167. Tibbetts, Ted. 1954. Two new laelaplid snake mites from Korea. 14: 67-72.
 168. Turner, Frederick B. and Roland H. Wauer. 1963. A survey of the herpetofauna of the Death Valley area. 23: 119-128.
 169. Waddick, James W. and Hobart M. Smith. 1974. The significance of scale characters in evaluation of the lizard genera Gerrhonotus, Elgaria, and Barisia. 34: 257-266.
Wallace, Richard L., see Diller, Lowell V., 1981.
Wauer, Roland H., see Turner, Frederick B., 1963.
 170. Webb, Robert G. and William L. Roueche. 1971. Life history aspects of the tiger salamander (Ambystoma tigrinum mavortium) in the Chihuahuan Desert. 31: 193-212.
 171. Werschkul, David F. 1982. Species-habitat relationships in an Oregon cold desert lizard community. 42: 380-384.
 172. Whitaker, John O., Jr., Chris Maser, Robert M. Storm and Joseph J. Beatty. 1986. Food habits of clouded salamanders (Aneides ferreus) in Curry County, Oregon (Amphibia: Caudata: Plethodontidae). 46: 228-240.
Willis, Thomas J., see Tanner, Wilmer W. and D. Lowell Fisher, 1971.
Wood, Benjamin W., see Atwood, N. Duane, Clyde L. Pritchett and Richard D. Porter, 1980.
 173. Worthington, Richard D. and Edward R. Arvizo. 1973. Density, growth, and home range of the lizard Uta stansburiana stejnegeri in southern Dona Ana County, New Mexico. 33:124-128.
 174. Worthylake, Kathleen Muriel and Peter Hovingh. 1989. Mass mortality of salamanders (Ambystoma tigrinum) by bacteria (Acinetobacter) in an oligotrophic seepage mountain lake. 49: 364-372.
 175. Zug, G. R. 1969. Fossil chelonians, Chrysemys and Clemmys, from the Upper Pliocene of Idaho. 29: 82-87.

SCIENTIFIC NAME INDEX

- Ablepharus 153.
 Ablepharus boutonii metallicus 121.
 Ablepharus boutonii poecilopleysus 121.
 Abronia aurita 169.
 Abronia bogerti 169.
 Abronia deppei 169.
 Abronia fimbriata 169.
 Abronia fuscolabialis 169.
 Abronia lythrochila 169.
 Abronia matudai 169.
 Abronia mixteca 169.
 Abronia oaxaca 169.
 Abronia ochoterenai 169.
 Abronia reidi 169.
 Abronia taeniata 169.
 Abronia vasconcelosi 169.
 Acanthodactylus 153.
 Acanthophis 41; 153.
 Achalinus 153.
 Achrochordus 153.
 Acontias 41; 153.
 Acontophiops 153.
 Acris crepitans 18; 20; 23.
 Acris gryllus crepitans 18.
 Acrochordus 41.
 Acrochordus granulatus 115.
 Adelphicus 153.
 Agama 41.
 Agama agama 153.
 Agama agama lionotus 149.
 Agama cornuta 149.
 Agkistrodon blomhoffii brevicaudus 123.
 Agkistrodon piscivorus 153.
 Ahaetulla calligaster 120.
 Ahaetulla calligaster calligaster 118.
 Ahaetulla diplotropis 148.
 Aipysurus 153.
 Aipysurus laevis 41.
 Alligator 41; 153.
 Alopoglossus 153.
 Amastridium sapperi 90.
 Amastridium veliferum sapperi 90.
 Amastridium veliferum veliferum 90.
 Amblycephalus kuangtungensis 153.
 Amblyrhynchus cristatus 37.
 Amblyrhynchus 153.
 Ambystoma annulatum 22.
 Ambystoma fluvinatum 151.
 Ambystoma macrodactylum 15; 40; 67; 70; 131.
 Ambystoma maculatum 22; 67.
 Ambystoma mexicanum 41.
 Ambystoma opacum 22.
 Ambystoma rosaceum nigrum 151.
 Ambystoma rosaceum rosaceum 151.
 Ambystoma rosaceum sonoraensis 151.
 Ambystoma talpoideum 22.
 Ambystoma texanum 22.
 Ambystoma tigrinum 2; 31; 54; 84; 111; 129; 174.
 Ambystoma tigrinum californiense 70.
 Ambystoma tigrinum marvortium 20; 22.
 Ambystoma tigrinum mavortium 17; 67; 70; 161; 170.
 Ambystoma tigrinum melanostictum 62; 67; 70.
 Ambystoma tigrinum nebulosum 4; 53; 62; 67; 79; 116; 131; 151; 161.
 Ambystoma tigrinum slateri 131.
 Ambystoma tigrinum tigrinum 22; 151.
 Ambystoma tigrinum velasci 151.
 Ameiva 41.
 Ameiva tessellata 149.
 Ameiva undulata parva 153.
 Amphibolurus 153.
 Amphibolurus barbatus 121.
 Amphibolurus nobbi 166.
 Amphisbaena 41; 153.
 Amphisbaenia cornuta 153.
 Amphisbaenia kingi 153.
 Amphiuma means tridactylum 22.
 Amyda 153.
 Anadia 153.
 Anarbylus 75.
 Andrias davidianus 30.
 Aneides ferreus 172.
 Anguis 41; 153.
 Anguis platyrus 120.
 Anguis 41.
 Anilius 153.

- Anniella 153.
 Anniella geronimensis 72.
 Anniella pulchra 72.
 Anolis 58; 60.
 Anolis biporcatus 139.
 Anolis carolinensis 116; 153.
 Anolis compressicauda 139.
 Anolis nebuloides 149; 165.
 Anolis nebulosus 149; 165.
 Anoliis 41.
 Anomalepis 159.
 Anopsibaena 153.
 Aparallactus 153.
 Aphaniotis fusca 122.
 Apneymona anguina 41.
 Apostolepis 153.
 Aristelliger 153.
 Arizona elegans 168.
 Arizona elegans candida 156.
 Arizona elegans eburnata 156.
 Arizona elegans elegans 148.
 Arizona elegans expolita 148.
 Arizona elegans occidentalis 112; 130.
 Arizona elegans philipi 4; 148.
 Ascalabotes 41.
 Ascaphus truei 15; 39; 40; 131.
 Ascolabotes 153.
 Aspidelaps 153.
 Aspidites 153.
 Aspis 153.
 Atheris 153.
 Atomarchus multimaculatus 148.
 Atractaspis 153.
 Atretium 153.
 Axolotus pisciformis 41.
 Azemiops 153.

 Bachia 153.
 Barbourula busuengensis 115.
 Barisia 32; 153.
 Barisia antauges 169.
 Barisia gadovi levigata 89.
 Barisia imbricata 169.
 Barisia imbricatus 149.
 Barisia levicollis 149.
 Barisia lugoi 169.
 Barisia modesta 169.
 Barisia paucicarinatus 169.
 Basiliscus 41; 153.
 Batrachemys 153.
 Batrachoseps 135.
 Batrachoseps attenuatus attenuatus 116.
 Batrachuperus mustersi 30.
 Batrachylodes vertebralis 120.
 Bipes 41; 153.
 Bitis 153.
 Blanus 153.
 Boa 41.
 Boa constrictor 153.
 Boiga 153.
 Boiga irregularis 120.
 Boiga irregularis irregularis 118.
 Bolitoglossa marmorea 144.
 Bolitoglossa platydactylus 135.
 Bombina bombina 115.
 Bombina maxima 115.
 Bombina orientalis 115; 123.
 Bombina variegata 115.
 Bothrops 153.
 Bothrops mexicanus 139.
 Brachylophus **brevicephalus** 5; 144; 153.
 Brachylophus fasciatus 5; 37.
 Brachylopus fasciatus 5.
 Brachylopus faciatus 37.
 Brachymeles bonitae 115.
 Brachymeles burski 115.
 Brooksesia 153.
 Bufo 41; 134.
 Bufo alvarius 42; 105; 107.
 Bufo americanus 107.
 Bufo americanus americanus 23.
 Bufo boreas 2; 15; 54; 70; 107.
 Bufo boreas boreas 14; 40; 104; 111; 129; 131.
 Bufo bufo asiaticus 123.
 Bufo californicus 151.
 Bufo cognatus 4; 19; 20; 22; 23; 31; 54; 105; 107; 151.
 Bufo columbiensis 151.
 Bufo compactilis 23.
 Bufo compactilis speciosus 20; 151.
 Bufo debilis 105; 170.
 Bufo debilis debilis 20.
 Bufo debilis insidiosus 151.
 Bufo dipternus 151.
 Bufo frontosus 151.
 Bufo horribilis 151.
 Bufo insidiosus 23.
 Bufo intermedius 151.

- Bufo marinus* 114; 120; 151.
Bufo mazatlanensis 151.
Bufo mazatlanensis mazatlanensis 165.
Bufo mazatlanensis nayaritensis 165.
Bufo melanostictus 122.
Bufo microscaphus 54; 88; 105.
Bufo microscaphus mexicanus 151.
Bufo nayaritensis 144.
Bufo punctatus 4; 20; 23; 54; 105; 107; 111; 151; 165; 168.
Bufo retiformis 105.
Bufo simus 151.
Bufo speciosus 151.
Bufo terrestris americanus 19; 22.
Bufo terrestris charlesmithi 22.
Bufo valliceps 139.
Bufo woodhousei 2; 4; 40; 54; 105.
Bufo woodhousei australis 151.
Bufo woodhousei microscaphus 151.
Bufo woodhousei woodhousei 17; 20; 104; 151.
Bufo woodhousii 31; 111; 129.
Bufo woodhousii fowleri 23.
Bufo woodhousii woodhousii 19; 23.
Bungarus 41; 153.

Cabrita 153.
Caiman sclerops 153.
Calabaria 153.
Calamaria gervaisii gervaisii 115.
Calliophis 153.
Callisaurus 7; 37; 60; 61; 78; 153.
Callisaurus carmenensis 29.
Callisaurus crinitus 29.
Callisaurus draconoides 43; 58; 63; 88; 146.
Callisaurus draconoides brevipes 29.
Callisaurus draconoides gabbii 29; 168.
Callisaurus draconoides inusatus 29.

Callisaurus draconoides myurus 29.
Callisaurus draconoides rhodostictus 29; 156.
Callisaurus draconoides splendidus 29.
Callisaurus draconoides ventralis 29.
Callisaurus rhodostictus 29.
Callisaurus ventralis 157.
Callisaurus ventralis gabbii 29.
Callisaurus ventralis inusitatus 29.
Callisaurus ventralis myurus 29.
Callopistes 153.
Calotes 41; 153.
Calotes cristatellus 122.
Calotes cristatellus moluccanus 118.
Caretta 153.
Carphophis 153.
Catodon dugesii 148.
Caudisona 41.
Caudisona lepida 148.
Caudisona scutulata 148.
Causus 153.
Cecilie 41.
Celestus rozellae 92.
Centropyx 153.
Ceptodactylus 85.
Cerastes 41; 153.
Ceratobatrachus guentheri 120.
Ceratophora 153.
Cerberus 153.
Cercosaura 153.
Chalarodon 153.
Chalarodon madagascarensis 37.
Chalcides 41.
Chalcides ocellatus 153.
Chamaeleo 153.
Chamaeleo chamaeleon 41.
Chamaeleo parisiensium 41.
Chamaeleolis 153.
Chamaeleon brevicarnis 153.
Chamaeleon brevicornis 153.
Chamaeleon carcaratus 153.
Chamaeleon namagyensis 153.
Chameleon 41.
Chamydosaurus 153.
Charina 132.

- Charina bottae* 2; 15; 40; 84;
 128; 129; 131; 153.
Charina bottae utahensis 156.
Chelodina 153.
Chelonia 41; 153.
Chelonura 41.
Chelus 153.
Chelydra serpentina 2; 41;
 153.
Chelys 41.
Chersea vulgaris 41.
Chersodromus 153.
Chersydrus 153.
Chersydrus granulatus 120.
Chilopoma rufipunctatum 148.
Chilorhinophis 153.
Chilomeniscus 8.
Chionactis occipitalis
occipitalis 156; 168.
Chionactis occipitalis
talpina 146; 156.
Chiropterotriton 135.
Chiropterotriton abscondens
 144.
Chiropterotriton arborea 144.
Chiropterotriton bromeliacia
 144.
Chirotres 41.
Chlamydosaurus 153.
Chondropython 153.
Chrysemys 153.
Chrysemys floridana 175.
Chrysemys idahoensis 175.
Chrysemys picta 2; 31; 40;
 58.
Chrysemys picta belli 4; 13;
 149.
Chrysopelea 153.
Chrysopelea ornata 115.
Cistuda 41.
Cistudo 41.
Cistudo ornata 149.
Clelia 153.
Clemmys 153.
Clemmys insculpta 175.
Clemmys guttata 175.
Clemmys marmorata 15.
Clemmys marmorata marmorata
 13; 175.
Clemmys muhlenbergi 175.
Clemmys owyheensis 175.
Cnemaspis 153.
Cnemidophorus 145.
Cnemidophorus burtti
stictogrammus 149.
Cnemidophorus costatus
barrancorum 149.
Cnemidophorus deppii deppii
 139.
Cnemidophorus exsanguis 43;
 149.
Cnemidophorus gularis 11.
Cnemidophorus gularis rauni
 98.
Cnemidophorus gularis scalaris
 149.
Cnemidophorus gularis
semiannulatus 98.
Cnemidophorus gularis
septemvittatus 149.
Cnemidophorus inornatus
arizonae 149.
Cnemidophorus inornatus
heptagrammus 149.
Cnemidophorus inornatus
paululus 149.
Cnemidophorus marmoratus
marmoratus 149.
Cnemidophorus marmoratus
pulcher 149.
Cnemidophorus marmoratus
reticuloriens 149.
Cnemidophorus neomexicanus
 149.
Cnemidophorus perplexus 129.
Cnemidophorus sacki
barrancorum 165.
Cnemidophorus sacki
neomexicana 144.
Cnemidophorus sexlineatus
 129.
Cnemidophorus sexlineatus
perplexus 4; 111; 116.
Cnemidophorus sonora 43;
 171.
Cnemidophorus tessellatus 104;
 149.
Cnemidophorus tessellatus
tessellatus 110.
Cnemidophorus tessellatus
tessellatus 111; 129; 131.
Cnemidophorus tigris 11; 15;
 43; 44; 58; 63; 77; 88; 110;
 153; 162; 171; 173.
Cnemidophorus tigris
marmoratus 149.
Cnemidophorus tigris pulcher
 149.
Cnemidophorus tigris
septentrionalis 4.

- Cnemidophorus tigris tigris* 3; 4; 40; 146; 156; 168.
Cnemidophorus uniparens 149.
Cnemidophorus velox 4.
Cobra 41.
Coecilia 41.
Coleonyx brevis 149.
Coleonyx elegans nemoralis 66.
Coleonyx variegatus 45; 99; 153.
Coleonyx variegatus bogerti 149.
Coleonyx variegatus utahensis 144; 146; 156.
Coleonyx variegatus variegatus 156; 168.
Coloptychon rhombifer 169.
Coluber 134; 153.
Coluber constrictor 2; 15; 31; 84.
Coluber constrictor morman 40; 76; 104; 129; 131; 156.
Coluber flagellum 148.
Coluber flagellum frenatus 129.
Coluber gramineus 41.
Coluber haemachata 41.
Coluber irregularis 120.
Coluber morman 110.
Coluber striolatus 148.
Coluber subocularis 148.
Coluber taeniatus girardi 148.
Coluber taeniatus taeniatus 104; 111; 129; 131.
Coluber triaspis 148.
Coluber vernalis 148.
Comastes ornata 134.
Comastes quincunciatus 134.
Conepsis 153.
Coniophanes 153.
Conolophus 153.
Conolophus pallidus 37.
Conophis 153.
Conopsis nasus labialis 144; 148.
Constrictor 153.
Cophosaurus 37; 153.
Cophosaurus texanus 61; 88.
Cophosaurus texanus scitula 29.
Cophosaurus texanus scitulus 149.
Cophosaurus texanus texanus 29.
Cophotis 153.
Cordylus 41; 153.
Coriudo 41.
Cornufer corrugatus 120.
Cornufer guppyi 120.
Cornufer neckeri 120.
Coronella 153.
Corucia zebrata 120.
Crocodylus 41.
Crocodylus niloticus 153.
Crocodylus porosus 120.
Crotalus 41.
Crotalus atrox 1; 36; 148.
Crotalus basiliscus 148.
Crotalus cerastes 45; 168.
Crotalus cerastes cerastes 156; 168.
Crotalus exsul 8; 72.
Crotalus lannomi 144.
Crotalus lepidus klauberi 148; 160.
Crotalus lepidus lepidus 148; 160.
Crotalus lepidus maculosus 148; 160.
Crotalus lepidus maculosus 145.
Crotalus lepidus morulus 160.
Crotalus lepidus palmeri 160.
Crotalus lepidus semicornutus 160.
Crotalus mitchelli 36; 88.
Crotalus mitchelli angelensis 8.
Crotalus mitchelli stephensi 156; 168.
Crotalus molossus molossus 129; 148.
Crotalus molossus nigrescens 148.
Crotalus pricei pricei 148.
Crotalus scutulatus 36; 45.
Crotalus scutulatus scutulatus 148.
Crotalus semicornutus 148.
Crotalus triseriatus 148.
Crotalus viridis 2; 31; 48; 77; 83; 84; 93; 173.
Crotalus viridis caliginis 140.
Crotalus viridis concolor 4.
Crotalus viridis decolor 111; 129.
Crotalus viridis lutosus 4; 15; 40; 104; 111; 129; 131; 140; 153; 156.

- Crotalus viridis nuntius* 4.
Crotalus viridis oreganus 15;
 40; 131; 134.
Crotalus viridis viridis 21;
 25; 112; 131; 148.
Crotalus willardi amabilis
 148.
Crotalus willardi obscurus
 98; 148.
Crotalus willardi silus 148.
Crotaphopeltis 153.
Crotaphytus 37; 60; 78; 153.
Crotaphytus auriceps 149.
Crotaphytus baileyi 100.
Crotaphytus bicinctores 171.
Crotaphytus collaris 40; 63;
 77; 155.
Crotaphytus collaris auriceps
 4; 100; 144; 149.
Crotaphytus collaris baileyi
 4; 100; 104; 111; 129; 131;
 149; 156; 168.
Crotaphytus collaris
bicinctores 3; 4; 99; 100;
 146; 157.
Crotaphytus collaris collaris
 100; 149.
Crotaphytus collaris
dickersonae 100; 149.
Crotaphytus collaris fuscus
 100; 149.
Crotaphytus collaris nebrius
 149.
Crotaphytus copeii 8; 155.
Crotaphytus dickersonae 100.
Crotaphytus fasciatus 155.
Crotaphytus fasciolatus 155.
Crotaphytus gambeli 155.
Crotaphytus insularis 44.
Crotaphytus insularis
insularis 100.
Crotaphytus insularis
vestigium 100.
Crotaphytus reticulatus 155.
Crotaphytus silus 155.
Crotaphytus wislizeni copei 8;
 157.
Crotaphytus wislizeni
maculosus 157.
Crotaphytus wislizeni
neseotes 8; 72; 157.
Crotaphytus wislizeni
punctatus 4; 144; 155; 157.
Crotaphytus wislizeni silus
 155; 157.
Crotaphytus wislizenii 40; 63;
 77; 99; 104; 111; 129; 131;
 146; 155; 156; 173.
Crotaphytus wislizenii
wislizenii 9; 149; 155; 157;
 168.
Cryptobranchus alleganiensis
alleganiensis 30.
Cryptobranchus alleganiensis
bishopi 30.
Ctenosaura 37.
Ctenosaura 153.
Ctenosaura hemilopha 165.
Ctenosaura hemilopha
conspicua 91.
Ctenosaura hemilopha hemilopha
 91.
Ctenosaura hemilopha insulana
 91.
Ctenosaura hemilopha
interrupta 91.
Ctenosaura hemilopha
macrolopha 91; 149.
Ctenosaura hemilopha
nolascensis 91.
Ctenosaura interrupta 91.
Ctenosaura pectinata 37; 91;
 165.
Cuora 153.
Cuora trifasciata 95.
Custa 41.
Cyclagras 153.
Cyclura 153.
Cyclura hemilopha 91; 149.
Cyclura maccleyi 37.
Cyclura nuchalis 37.
Cylindrophis maculatus 153.
Cylindrophis rufus 153.
Dactyloa nebulosa 149.
Dasia samaragdinum perviridis
 119.
Dasia smaragdinum 115.
Dasia smaragdinum moluccarum
 118.
Dasia smaragdinum perviri
 120.
Dasia smaragdinum
philippinicum 118.
Dasypeltis 153.
Deirochelys 153.
Demansia 153.
Dendrobates auratus 64.
Dendrophidion 153.
Dendrophis calligaster 120.

- Dendrophis salomonis* 120.
Dendrospis 153.
Denisonia 153.
Denisonia melanurus 120.
Denisonia par 120.
Denisonia woodfordii 120.
Dermatemys mawi 153.
Dermochelys 41; 153.
Dermochelys coriacea 41.
Desmognathus fuscus
brimleyorum 22.
Diadophis 153.
Diadophis amabilis
occidentalis 131.
Diadophis punctatus arnyi 21.
Diadophis punctatus dugesii
148.
Diadophis punctatus regalis
143; 148.
Diadophis regalis regalis 129;
130; 131; 136; 140; 156.
Dibamua 153.
Dibamus 153.
Dicamptodon 70.
Dicamptodon eusatus 131.
Dicrodon 153.
Diemictylus viridescens
louisianensis 22.
Dipsadamorphus irregularis
120.
Dipsadomorphus 153.
Dipsadotoa 153.
Dipsas dimidiatus 139.
Dipsosaurus 60; 61; 78; 153.
Dipsosaurus dorsalis 37; 45;
58.
Dipsosaurus dorsalis dorsalis
143; 156; 168.
Discodeles bufoniformis 120.
Discodeles guppyi 120.
Dispholidus 153.
Dogania 153.
Doliophis 153.
Dracaena 41; 153.
Draco 41; 153.
Draco bimaculatus 115.
Draco melanopogon 122.
Draco quinquefasciatus 122.
Draco spilopterus 115.
Drocoena 41.
Dromophis 153.
Dryadophis 94.
Dryadophis cliftoni 71.
Dryadophis fasciatus 71.
Dryinus aeneus 148.
Dryinus auratus 148.
Drymarchon 153.
Drymarchon corais rubidus
148; 165.
Drymobius 153.
Dryophis 153.

Echis 153.
Echmatemys aegle 59.
Echmatemys cyane 59.
Echmatemys lativertebralis 59.
Echmatemys ocyrrhoe 59.
Echmatemys shaughnessiana 59.
Echmatemys stevensoniana 59.
Elaphe 153.
Elaphe dione 123; 167.
Elaphe erythrura 115.
Elaphe guttata 46.
Elaphe guttata emoryi 148.
Elaphe rosaliae 75.
Elaphe subocularis 148.
Elaphe triaspis intermedia
148.
Elapomorphus 153.
Elapops 153.
Elaps 41; 153.
Elaps distans 148.
Elaps euryxanthus 148.
Elapsoidea 153.
Eleutherodactylus augusti
cactorum 151.
Eleutherodactylus
tarahumaraensis 148; 151.
Elgaria 153.
Elgaria coerulea shastensis
169.
Elgaria kingii kingii 149.
Elgaria scincicauda 140.
Emoia atrocostata 119.
Emoia baudinii baudinii 119;
121.
Emoia caeruleocauda 119; 121.
Emoia caeruleocauda
reimschiisseli 118.
Emoia cyanogaster 119; 120.
Emoia cyanura 119; 120; 121.
Emoia flavigularis 120.
Emoia iridescens 119.
Emoia kordoana 121.
Emoia kuekenthali 118.
Emoia manni 120.
Emoia mivarti 119.
Emoia nigrum 120.
Emoia sanfordi 120.
Emoia sorex 118.

- Emoia tropidolepis 121.
 Emoia werneri 120.
 Emoia whitneyi 120.
 Emydoidea 175.
 Emydura 153.
 Emys 41; 153.
 Emys bellii 149.
 Engystoma olivaceum 151.
 Enhydrus 153.
 Ensatina exchscholtzii
 xanthoptica 116.
 Enulius 153.
 Enyaliosaurus 153.
 Enygrus 153.
 Engyrus asper 120.
 Enygrus australis 120.
 Enygrus bibronii 120.
 Enygrus carinatus 118; 120.
 Eopelobates grandis 152.
 Epicrates 153.
 Erelophis asper 120.
 Eremias argus 123.
 Eretmochelys 153.
 Eridiphas slevini **narcosensis**
 75.
 Erix 41.
 Ernoia caernleacauda
 reimachiiseli 144.
 Erpeton 41.
 Eryx 114; 153.
 Eublepharis 153.
 Eumeces 78.
 Eumeces brevilineatus 149.
 Eumeces brevirostris 151.
 Eumeces brevirostris
 bilineatus 142; 149.
 Eumeces brevirostris indubitus
 66.
 Eumeces callicephalus 148;
 149.
 Eumeces capito 97.
 Eumeces chinensis 97.
 Eumeces coreensis 97.
 Eumeces dugesii 142.
 Eumeces elegans 97.
 Eumeces fasciatus 97; 129.
 Eumeces gaigei 140; 141.
 Eumeces gilberti 88; 140; 153.
 Eumeces gilberti rubricaudatus
 156; 168.
 Eumeces humilis 141; 149.
 Eumeces indubitus 142.
 Eumeces inexpectatus 97.
 Eumeces lagunensis 140.
 Eumeces lynxe 149.
 Eumeces lynxe **durangoensis**
 142.
 Eumeces lynxe furcirostris
 142.
 Eumeces lynxe lynxe 142.
 Eumeces **multilineatus** 141;
 144; 149.
 Eumeces multivirgatum 149.
 Eumeces multivirgatus 140;
 149.
 Eumeces multivirgatus gaigei
 46; 141.
 Eumeces multivirgatus
 mexicanus 149.
 Eumeces multivirgatus
 multivirgatus 141.
 Eumeces multivirgatus taylori
 141.
 Eumeces niger 120.
 Eumeces obsoletus 149.
 Eumeces parviariculatus 141;
 149.
 Eumeces parvulus 141; 149.
 Eumeces pekinensis 97.
 Eumeces quadrilineatus 140.
 Eumeces septentrionalis 101;
 102.
 Eumeces septentrionalis
 obtusirostris 103.
 Eumeces septentrionalis
 pallidus 103.
 Eumeces septentrionalis
 septentrionalis 103.
 Eumeces skiltonianus 15; 84;
 104; 141; 147; 171.
 Eumeces skiltonianus
 amblygrammus 140.
 Eumeces skiltonianus
 interparietalis 140.
 Eumeces skiltonianus
 lagunensis 140.
 Eumeces skiltonianus
 skiltonianus 40; 129; 131;
 133; 140.
 Eumeces skiltonianus **utahensis**
 4; 140; 144; 156.
 Eumeces tamdaoensis 97.
 Eumeces taylori 141.
 Eumeces tetragrammus
 brevilineatus 149.
 Eumeces tetragrammus
 callicephalus 149.
 Eumeces tunganus 97.
 Eumeces xanthi 97.
 Eunectes 153.

- Eurepes smithii* 38.
Eurycea griseogaster 22.
Eurycea longicauda melanopleura 22.
Eurycea multiplicata 22.
Eurycea tynerensis 22.
Eutaenia angustirostris 148.
Eutaenia cyrtopsis 148.
Eutaenia dorsalis 148; 150.
Eutaenia marciana 148.
Eutaenia megalops 148.
Eutaenia ornata 148.

Farancia 153.
Ficimia 153.
Ficimia cana 148.
Fimbrios 153.
Furina 153.

Gambelia wislizenii 44; 84; 171.
Gambelia wislizenii wislizenii 21; 149; 155.
Gastrophryne olivacea 18; 151.
Gavial 41.
Gaviala 41.
Gavialis 153.
Gavialis gangeticus 41.
Gecko 41.
Gecko frenatus 115.
Gecko gecko 115.
Gecko mutilata 115.
Gehyra 153.
Gehyra marginata 118.
Gehyra mutilata 64; 120; 121.
Gehyra oceanica 118; 119; 120; 121.
Gehyra variegata 58.
Gehyra vorax 120.
Gekko 153.
Gekko gecko 122.
Gekko verticillatus 122.
Gekko vittatus 118; 120.
Geocalamus 153.
Geochelone elegans 153.
Geophis 153.
Geophis aquilonaris 148.
Geophis tarascae 66.
Gerrhonotus 78; 153.
Gerrhonotus cedroensis 72.
Gerrhonotus coerroleus principis 131.
Gerrhonotus coeruleus utahensis 169.
Gerrhonotus imbricatus levicollis 149.
Gerrhonotus kingii ferrugineus 149.
Gerrhonotus kingii kingii 149.
Gerrhonotus liocephalus austrinus 139.
Gerrhonotus liocephalus infernalis 169.
Gerrhonotus liocephalus liocephalus 139.
Gerrhonotus liocephalus taylori 149.
Gerrhonotus multicarinatus scincicauda 129.
Gerrhonotus panamintinus 168.
Gerrhosaurus 153.
Glauconia 153.
Glauconia boettgeri 96.
Gonocephalus 41.
Gonocephalus godeffroyi 120.
Gonyocephalus borneensis 122.
Gonyocephalus grandis 122.
Gopherus agassizi 12; 74; 153; 168.
Gopherus flavomarginatus 74.
Gopherus polyphemus 74.
Graptemys 153.
Gyalopion canum 148.
Gyalopion canus 148.
Gymnodactylus 153.
Gymnodactylus loriae 120.
Gymnodactylus louisianensis 120.
Gymnodactylus olivii 120.
Gymnodactylus pelagicus 118; 120.

Haldea 153.
Haplopeltura boa 153.
Haptoglossa 135.
Hardella 153.
Helminthophis 153.
Heloderma suspectum 45; 153.
Heloderma suspectum cinctum 144.
Hemachatus 153.
Hemachatus haemachatus 41.
Hemachatus vulgaris 41.
Hemibungarus 153.
Hemidactylus 153.
Hemidactylus frenatus 64; 114; 115; 118.
Hemidactylus garnetii 121.
Hemidactylus garnoti 64.

- Hemiphyllodactylus
 leucostictus 121.
 Heterodon 153.
 Heterodon kennerlyi 148.
 Heterodon nasicus 31.
 Heterodon nasicus kennerlyi
 148.
 Heteronota binoei 121.
 Heteropus luctuosus 119.
 Holbrookia 37; 58; 60; 88.
 Holbrookia approximans 149.
 Holbrookia bunkerii 29.
 Holbrookia dickersonae 29.
 Holbrookia elegans elegans
 29.
 Holbrookia elegans thermophila
 29.
 Holbrookia lacerata 29.
 Holbrookia lacerata
 subcaudalis 29.
 Holbrookia maculata 31; 43;
 63; 149; 153.
 Holbrookia maculata
 approximans 4; 21; 29; 149.
 Holbrookia maculata bunkerii
 29; 149.
 Holbrookia maculata campi 29.
 Holbrookia maculata
 dickersonae 29.
 Holbrookia maculata flavilenta
 29.
 Holbrookia maculata lacerata
 29.
 Holbrookia maculata maculata
 21; 29.
 Holbrookia maculata perspicua
 29.
 Holbrookia maculata pulchra
 29.
 Holbrookia maculata ruthveni
 29.
 Holbrookia maculata
 thermophila 29.
 Holbrookia propinqua piperata
 29.
 Holbrookia propinqua propinqua
 29.
 Holbrookia propinqua stonei
 29.
 Holbrookia pulchra 29.
 Holbrookia texana 29; 61.
 Holbrookia texana scitula 29;
 149.
 Holbrookia thermophila 29.
 Homalopsis 153.
 Hoplocephalus elapoides 120.
 Hoplocephalus melanurus 120.
 Hoplocephalus par 120.
 Hoplocephalus woodfordii 120.
 Hurria 41.
 Hydromedusa 153.
 Hydrophis 41; 153.
 Hydrophis cyanocinctus 120.
 Hydrophus auspisurus 41.
 Hydrosaurus 153.
 Hydrus 41.
 Hydrus colubrinus 120.
 Hydrus platura 120.
 Hyla 41; 148.
 Hyla affinis 151.
 Hyla arenicolor 4; 54; 88;
 111; 116; 129; 134; 151.
 Hyla cinerea cinerea 18.
 Hyla copii 151.
 Hyla crucifer crucifer 18.
 Hyla darlingi 139.
 Hyla eximia 106.
 Hyla eximia wrightorum 151.
 Hyla gracilipes 151.
 Hyla infrafenata infrafenata
 118; 119.
 Hyla lutea 120.
 Hyla macrop 120.
 Hyla **macrotypanum** 139.
 Hyla regilla 15; 40; 54; 56;
 70; 85; 104; 106. 131; 168.
 Hyla rozellae 92.
 Hyla solomonis 120.
 Hyla thesaurensis 120.
 Hyla versicolor versicolor
 18; 19; 23.
 Hyla wrightorum 106; 151.
 Hynobius dunni 30.
 Hynobius keyserlingii 30.
 Hynobius naevius 30.
 Hynobius nebulosus 30.
 Hynobius peropus 30.
 Hynobius tsuensis 30.
 Hyperodapedon 153.
 Hypsiglena affinis 134.
 Hypsiglena chlorophaea 134;
 148.
 Hypsiglena discolor 134.
 Hypsiglena dunklei 134.
 Hypsiglena latifasciata 134.
 Hypsiglena **nuchalatus** 132;
 134.
 Hypsiglena ochrorhyncha 104;
 148.

Hypsiglena ochrorhyncha deserticola 148.
Hypsiglena ochrorhyncha texana 148.
Hypsiglena ochrorhyncha venusta 148.
Hypsiglena ochrorhynchus 129.
Hypsiglena ochrorhynchus chlorophaea 134.
Hypsiglena ochrorhynchus deserticola 134.
Hypsiglena ochrorhynchus janii 134.
Hypsiglena ochrorhynchus klauberi 134.
Hypsiglena ochrorhynchus lorealis 134.
Hypsiglena ochrorhynchus nuchulatus 134.
Hypsiglena ochrorhynchus ochrorhynchus 131; 134.
Hypsiglena ochrorhynchus texana 134.
Hypsiglena ochrorhynchus tortugaensis 134.
Hypsiglena ochrorhynchus unaocularis 134.
Hypsiglena ochrorhynchus venusta 134.
Hypsiglena ornata 134.
Hypsiglena slevini 75; 132; 134.
Hypsiglena tanzeri 145.
Hypsiglena texana 134; 148.
Hypsiglena torquata 15; 40; 62; 77; 84; 164; 165.
Hypsiglena torquata baueri 72; 145.
Hypsiglena torquata catalinae 144.
Hypsiglena torquata chlorophaea 148.
Hypsiglena torquata deserticola 4; 33; 140; 143; 144; 145; 148; 156; 168.
Hypsiglena torquata dunklei 134.
Hypsiglena torquata klauberi 148.
Hypsiglena torquata loreala 4; 144.
Hypsiglena torquata nuchulata 144; 145.
Hypsiglena torquata nuchalatus 134.

Hypsiglena torquata ochrorhyncha 148.
Hypsiglena torquata ochrorhynchus 132; 134; 145.
Hypsiglena torquata tiburonensis 145.
Hypsiglena torquata torquata 134; 145; 148.
Hypsiglena torquata venusta 134; 145; 148.
Hypsiglena torquatus 134.
Hypsiglena venusta 134.
Hypsirana heffernani 120.

Ichthyophis youngorum 144.
Iguana 41; 153.
Iguana fasciata 5.
Iguana iguana 37.

Jguana 41.

Kalophrynus stellatus 115.
Kaloula borealis 123.
Kaloula picta 115.
Kerilia 153.
Kinosternon 153; 175.
Kinosternon flavescens flavescens 149.
Kinosternon hirtipes murrayi 149.
Kinosternon murrayi 149.
Kinosternon sonorensis 88.
Kinosternon sonoriensis 149.
Kinosternon subrubrum 95.

Lacerta 153.
Lacerta dracaena 41.
Lacerta dracoena 41.
Lacerta gangetica 41.
Lacerta orbicularis 41; 149.
Lacerta scutata 41.
Lacerta superciliosa 41.
Lacerta teguexin 41.
Lacerta teguixin 41.
Lacertus 41.
Lachesis 153.
Lampropeltis 153.
Lampropeltis doliata taylori 140; 144; 156.
Lampropeltis doliata utahensis 156.
Lampropeltis elapsoides 137.
Lampropeltis getulus 145.
Lampropeltis getulus boylii 111; 129; 137.

- Lampropeltis getulus*
californiae 4; 46; 150; 156;
 168.
Lampropeltis getulus nigrita
 148.
Lampropeltis getulus splendida
 148.
Lampropeltis getulus
splendidus 148.
Lampropeltis knoblochi 137;
 148.
Lampropeltis mexicana 137.
Lampropeltis pyromelana 130.
Lampropeltis pyromelana
infralabialis 137; 144; 156;
 159.
Lampropeltis pyromelana
knoblochi 137; 148.
Lampropeltis pyromelana
pyromelana 137; 148.
Lampropeltis pyromelana
woodini 137; 144.
Lampropeltis pyrrhomelaena
 148.
Lampropeltis pyrrhomelaena
celaenops 137.
Lampropeltis pyrrhomelaena
multicincta 137.
Lampropeltis pyrrhomelaena
pyrrhomelaena 137.
Lampropeltis ruthveni 137.
Lampropeltis splendida 148.
Lampropeltis thayeri 137.
Lampropeltis triangulum 2; 31.
Lampropeltis triangulum
annulata 137.
Lampropeltis triangulum
arcifera 137.
Lampropeltis triangulum
gentilis 129; 130; 137.
Lampropeltis triangulum
nelsoni 137; 148.
Lampropeltis triangulum
polyzona 137.
Lampropeltis triangulum
sinaloae 148.
Lampropeltis triangulum
taylori 46; 76.
Lampropeltis zonata
multicincta 137.
Lampropholis smithii 38.
Langaha nasuta 41.
Langaia nasuta 41.
Lanthanotus borneensis 153.
Lapemis 153.
Laticauda 153.
Laticauda colubrina 120.
Leiolepis 153.
Leiolopisma 38.
Leiolipisma 38.
Leiolopisma anolis 120.
Leiolopisma eunice 38.
Leiolopisma fuscum fuscum
 118.
Leiolopisma fuscum luctuosum
 119.
Leiolopisma novaeguineae 118.
Leiolopisma smithi 38.
Leiopelma archeyi 39.
Leiopelma hamiltoni 39.
Leiopelma hochstetteri 39.
Leiosaurus hallowellii 155.
Lepidodactylus guppyi 24;
 120.
Lepidodactylus lugubris 24;
 64; 114; 118; 120; 121.
Lepidodactylus woodfordii
 120.
Leptodeira 75; 134; 153.
Leptodeira annulata 134.
Leptodeira annulata polysicta
 139.
Leptodeira bressoni 134.
Leptodeira discolor 134.
Leptodeira ehippiata 148.
Leptodeira eppipitiata 134.
Leptodeira guilleni 134.
Leptodeira latifasciata 134.
Leptodeira maculata 134; 139.
Leptodeira mystacina 134.
Leptodeira nigrofasciata 134.
Leptodeira pacidicia 134.
Leptodeira smithi 134.
Leptodeira splendida 134.
Leptodeira splendida
ehippiata 148.
Leptodeira torquata
ochrorhynchus 134.
Leptodeira torquata torquata
 134.
Leptodeira torquata venusta
 134.
Leptodeira torquatus 134.
Leptognathus 153.
Leptomicrurus 153.
Leptophis 153.
Leptophis diplotropis
diplotropis 148.
Leptosternon 153.
Leptotyphlops 153.

- Leptotyphlops albifrons 148.
 Leptotyphlops dulcis dissectus 148.
 Leptotyphlops dulcis dulcis 148.
 Leptotyphlops dulcis **supraocularis** 148.
 Leptotyphlops humilis boettgeri 96.
 Leptotyphlops humilis cahuila 57; 96.
 Leptotyphlops humilis **chihuahuaensis** 148.
 Leptotyphlops humilis dugesi 96; 148.
 Leptotyphlops humilis humilis 57; 96; 143; 168.
 Leptotyphlops humilis levitoni 148.
 Leptotyphlops humilis lindsayi 148.
 Leptotyphlops humilis segregus 148.
 Leptotyphlops humilis slevini 96.
 Leptotyphlops humilis tenuiculus 148.
 Leptotyphlops humilis utahensis 114; 143; 144.
 Leptotyphlops labialis 96.
 Leptotyphlops latifrons 96.
 Leptotyphlops scutifrons 96.
 Lialis burtonis 121.
 Liasis 153.
 Lichanura 75.
 Lichanura roseofusca 153.
 Lichanura roseofusca gracia 72; 73; 168.
 Lichanura roseofusca roseofusca 72.
 Lichanura roseofusca trivirgata 72.
 Lichanura trivirgata **bostici** 72; 73.
 Lichanura trivirgata roseofusca 73.
 Lichanura trivirgata trivirgata 73.
Lineatriton 135; 148.
 Lineatriton lineola 135.
 Liolaemus 153.
 Liolaemus multiformis 58.
 Liolepisma smithii 38.
 Liolopisma smithii 38.
 Liopelma 39.
 Liophis janii 134.
 Liotyphlops 153.
 Lipinia anolis 120.
 Lissemys 153.
 Lophura godeffroyi 120.
 Lophura weberi 118.
 Lophurus scutata 41.
 Lophyrus 41.
 Loxocemus 153.
 Luperosaurus compresicorpus 24.
 Luperosaurus macgregori 24.
 Lycodon aulicus 115.
 Lygosoma 153.
 Lygosoma acutus schodei 118.
 Lygosoma anolis 120.
 Lygosoma bignelli 120.
 Lygosoma concinnatum 120.
 Lygosoma consobrinum consobrinum 118.
 Lygosoma cranei 120.
 Lygosoma cyanogaster 120.
 Lygosoma cyanurum 118; 120.
 Lygosoma fasciolatus fasciolatus 121.
 Lygosoma fuscum 121.
 Lygosoma fuscum fuscum 118.
 Lygosoma fuscum luctuosum 119; 121.
 Lygosoma jagovii palustris 115.
 Lygosoma metallicum 64.
 Lygosoma minutum 118.
 Lygosoma miotis 121.
 Lygosoma nigrum 120.
 Lygosoma noctua 120.
 Lygosoma noctua noctua 64; 118; 121.
 Lygosoma novaeguineae 118.
 Lygosoma peronnii 121.
 Lygosoma smithii 38.
 Lygosoma solomonis 120.
 Lygosoma solomonis brevipes 118.
 Lygosoma solomonis schodei 121.
 Lygosoma striato-fasciatum 120.
 Lygosoma taylori 120.
 Lygosoma tenuis brachysoma 121.
 Lygosoma trilineata 121.
 Lygosoma variegatus jobiense 118.

- Lygosoma variegatum stickeli* 121.
Lygosoma vittigerum 122.
Lygosoma wernerii 120.
Lygosoma wolffi 120.
Lygosoma woodfordi 120.
Lygosomella aestuosa 38.
Lyriocephalus 41; 153.
Lysioptychus 37; 149.
Lysioptychus lateralis 61.

Mabuya 153.
Mabuya multifasciata multifasciata 118.
Mabuya multifasciatus multifasciatus 118.
Mabuyia multifasciata multifasciata 115.
Macrochelys 153.
Magnadigita cerroensis 158.
Magnadigita marmorea 158.
Magnadigita pesrubra 158.
Magnadigita subpalmata 158.
Magnadigita torresi 158.
Malachemys 153.
Malaclemys 153.
Malaclemys geographica 175.
Manolepis 153.
Masticophis 153.
Masticophis bilineatus 88.
Masticophis flagellum 168; 173.
Masticophis flagellum cingulum 148.
Masticophis flagellum lineatulus 148.
Masticophis flagellum piceus 148; 156.
Masticophis flagellum testaceus 148.
Masticophis mentovarium striolatus 148.
Masticophis ornatus 148.
Masticophis striolatus striolatus 148.
Masticophis taeniatus 15; 40; 44; 84.
Masticophis taeniatus girardi 148.
Masticophis taeniatus ornatus 148.
Masticophis taeniatus taeniatus 4; 143; 156; 168.
Masticodryas danieli 94.
Mastigura spinipes 41.

Maticora 153.
Megalobatrachus japonicus 30.
Megalophrys nasuta 122.
Mehelya 153.
Microhyla carolinensis 18.
Microhyla carolinensis carolinensis 19.
Microhyla carolinensis olivacea 19; 20; 22.
Microhyla olivacea 18; 23; 151.
Micropechis elapoides 120.
Micruroides 153.
Micruroides euryxanthus 112.
Micruroides euryxanthus australis 148.
Micruroides euryxanthus euryxanthus 148.
Micrurus 153.
Micrurus diastema distans 148.
Micrurus distans distans 148.
Micrurus distans zweifeli 148.
Mocoa smithii 38.
Mocoa zeylandica 38.
Monitor 41.
Monopeltis 153.
Monopeltis 153.

Naja 41; 153.
Naja naja samarensis 115.
Nardoana 153.
Natrix 41.
Natrix angustirostris 148.
Natrix piscator 153.
Natrix spilogaster 115.
Natrix tigrina lateralis 123; 167.
Necturus 30; 70.
Necturus maculosus maculosus 22.
Nerodia cycloprion 153.
Nerodia harteri 148.
Nessia 153.
Neusticurus 153.
Ninia 153.
Ninia sebae sebae 139.
Norbea isolata 38.
Notechis 153.
Nothopsis 153.
Notophthalmus viridescens 70.

Oedipina alfaroi 135.
Oedipina collaris 135.

- Oedipina complex* 135.
Oedipina elongatus 135.
Oedipina lineola 135.
Oedipina parvipes 135.
Oedipina serpens 135.
Oedipina syndactyla 135.
Oedipina uniformis 135.
Oedipus 135.
Oedopinola 135.
Oedura 153.
Oedura lesueurii 121.
Ogmodon 153.
Onychodactylus japonicus 30.
Opheodrys 153.
Opheodrys aestivus 129.
Opheodrys varnalis 129; 149.
Opheodrys vernalis 129.
Opheodrys vernalis blanchardi 148; 156.
Ophibolus pyromelana 148.
Ophibolus pyromenlamus 137.
Ophibolus splendidus 148.
Ophichelone 41.
Ophiomorus 153.
Ophiophagus 153.
Ophiosaurus 153.
Ophisaurus 41; 153.
Ophisops 153.
Oplurus 153.
Oplurus sebae 37.
Otocryptis 153.
Oxybelis 153.
Oxybelis aeneus auratus 148.
Oxybelis potosiensis 148.
Oxyglossus laevis 115.
Oxyrhabdium 153.

Pachymedusa dacnicolor 151.
Palmatogecko 153.
Palmarorappia solomonis 120.
Palmatotriton 98.
Parapistocalamus hedigeri 120.
Parvimolge 135.
Pediporus blanchardi 120.
Pediporus schmidtii 120.
Pelamis 41; 153.
Pelamydrus platurus 120.
Pelusios 153.
Pelusios subniger 95.
Pentodactylus 153.
Petrosaurus 37; 60; 61.
Pholodobolus 153.
Phrynocephalus 29; 153.
Phrynosoma 29; 32; 37; 41; 58; 60; 61.
Phrynosoma asio 139.
Phrynosoma cerroense 72.
Phrynosoma cornutum 21; 47; 149; 173.
Phrynosoma douglassii 2; 31; 40; 44; 47; 48; 83; 84; 110; 149; 171.
Phrynosoma douglassii brachycercus 149.
Phrynosoma douglassii hernandesi 4; 21; 129; 149; 156.
Phrynosoma douglassii ornatissimum 21; 104; 111; 129; 131.
Phrynosoma douglassii ornatum 129; 113; 131; 156.
Phrynosoma modestum 149.
Phrynosoma orbiculare bradti 149.
Phrynosoma orbiculare durangoensis 149.
Phrynosoma orbiculare orbiculare 149; 165.
Phrynosoma platyrhinos 15; 44; 46; 63; 78; 110; 129; 131; 146; 153; 171.
Phrynosoma platyrhinos calidiarum 4; 168.
Phrynosoma platyrhinos platyrhinos 40; 104; 156.
Phrynosoma solare 47.
Phyllodactylus 153.
Phyllodactylus muralis muralis 144.
Phyllodactylus tuberculosus saxatilis 144; 149.
Phyllorhynchus arenicola 81.
Phyllorhynchus browni browni 81.
Phyllorhynchus browni lucidus 81.
Phyllorhynchus decurtatus 45.
Phyllorhynchus decurtatus decurtatus 81.
Phyllorhynchus decurtatus norrisi 81.
Phyllorhynchus decurtatus nubilis 81.
Phyllorhynchus decurtatus perkinsi 81; 143; 156; 168.
Phyllorhynchus decurtatus porelli 81.
Phymatolepis 61.

- Phymatolepsis 37.
 Physignathus 37; 153.
 Piceoerpeton 30.
 Pipa 41.
 Pituophis 132.
 Pituophis catenifer 31.
 Pituophis catenifer
 deserticola 40; 104; 111;
 129; 130; 131; 156; 168.
 Pituophis catenifer stejnegeri
 156.
 Pituophis melanoleucus 15; 48;
 83; 84.
 Pituophis melanoleucus affinis
 148.
 Pituophis melanoleucus
 deserticola 4; 153.
 Pituophis melanoleucus
 insulanus 72.
 Pituophis melanoleucus sayi 2.
 Pityophis affinis 148.
 Pityophis intermedius 148.
 Platurus 41.
 Platurus colubrinus 120.
 Platydactylus 114; 153.
 Platymantis corrugatus
 papuensis 119.
 Platymantis myersi 120.
 Platymantis papuensis weberi
 119; 120.
 Platymantis solomonis 120.
 Platyplectrurus 153.
 Platysternon 153.
 Platythyra flavescens 149.
 Platyurus platyurus 122.
 Plectrurus 153.
 Plestidon skiltonianum 140.
 Plestidon skiltonianus 140.
 Plestiodon lagunensis 140.
 Plestiodon obsoletum 149.
 Plestiodon skiltonianus
 lagunensis 140.
 Plethodon cinereus
 anausticlavus 22.
 Plethodon cinereus serratus
 22.
 Plethodon glutinosus
 glutinosus 22.
 Plethodon idahoensis 131.
 Plethodon ouachitae 22.
 Pliocercus elapsoides
 elapsoides 139.
 Podocnemis 153.
 Polychrus 41; 153.
 Polyodontophis 153.
 Prionodactylus 153.
 Proteus anguinus 41.
 Pructoporus 153.
 Psamnodynastes 153.
 Pseudacris clarkii 18; 19;
 20; 22; 23.
 Pseudacris nigrita 18; 40.
 Pseudacris nigrita triseriata
 20; 69; 129; 131.
 Pseudacris ornata 23.
 Pseudacris streckeri 18; 19;
 22; 23.
 Pseudacris triseriata 2; 17;
 18; 22; 23; 31; 54; 111.
 Pseudechis 153.
 Pseudelaps 153.
 Pseudemys idahoensis 175.
 Pseudemys scripta 74; 153.
 Pseudoboa 41.
 Pseudocerastes 153.
 Pseudodipsas 134.
 Pseudodipsas fallax 134.
 Pseudoeurycea 135.
 Pseudoeurycea belli
 sierraoccidentalis 151.
 Pseudoeurycea smithi 144.
 Pseudogecko compresicorpus
 24; 120.
 Pseudogecko **shebae** 24; 120;
 144.
 Pseudoleptodeira discolor
 134.
 Pseudoleptodeira latifasciata
 134.
 Pseudoleptodeira ornata 134.
 Pseudopus 153.
 Pseudothecadactylus 24.
 Ptychohyla euthysanota
 euthysanota 92.
 Ptychozoon 153.
 Pygopus 153.
 Python 41.
 Python sebae 153.
 Rana 19; 41.
 Rana aerolata aerolata 23.
 Rana aurora aurora 129.
 Rana boylei 151.
 Rana boylei boylei 129.
 Rana brachycephala 17; 22.
 Rana catesbeiana 15; 22; 20;
 23; 31; 40; 85; 131; 151;
 168.
 Rana clamitans 22; 68.
 Rana esculenta ridibunda 85.

Rana fisheri 54.
Rana holbrookii 109.
Rana japonica 123.
Rana kreffti 120.
Rana kuhli 122.
Rana leyteensis 115.
Rana luteiventris 69.
Rana marina 151.
Rana moodiei 115.
Rana nigromaculata 123.
Rana onca 54.
Rana papua novaebritanniae 120.
Rana papua papua 118; 120.
Rana pipiens 2; 31; 54; 68; 84; 104; 111; 129; 131; 151; 165.
Rana pipiens berlandieri 20.
Rana pipiens brachycephala 4; 20; 40; 69.
Rana pipiens pipiens 17.
Rana pretiosa 15; 54.
Rana pretiosa luteiventris 40; 69.
Rana pretiosa pretiosa 69; 129.
Rana sphenoccephala 17; 23.
Rana sylvatica 174.
Rana sylvatica cantabrigensis 116.
Rana tarahumarae 151.
Rana vittigera 115.
Ranodon sibericus 30.
Rhacophorus leucomystax 115.
Rhadinaea 153.
Rhadinaea hesperia hesperioides 148.
Rhadinella 153.
Rhadinella schistosa 89.
Rhineura 153.
Rhinocheilus 153.
Rhinocheilus lecontei 129; 130; 131.
Rhinocheilus lecontei clarus 168.
Rhinocheilus lecontei lecontei 4; 33; 46; 79; 156.
Rhinocheilus lecontei tessellatus 148.
Rhinoclemmys areolata 80.
Rhinoclemmys funerea 80.
Rhinoclemmys pulcherrima incisa 80.
Rhinophis 153.
Riopa 153.

Riopa albofasciolata 120.
Riopa mentovarium 118.

Salamandra 41.
Salvadora 153.
Salvadora bairdi 148.
Salvadora deserticola 148.
Salvadora grahamiae bairdi 148.
Salvadora grahamiae grahamiae 148.
Salvadora grahamiae hexalepis 112; 129; 130.
Salvadora hexalepis deserticola 148.
Salvadora hexalepis hexalepis 168.
Salvadora hexalepis mojaviensis 4; 144; 156.
Sanzinia 153.
Sator 37.
Sator grandaevus 61.
Sauromalus 61; 78.
Sauromalus obesus 46; 77; 88; 111; 129; 153.
Sauromalus obesus multiforaminatus 4; 37; 144.
Sauromalus obesus obesus 146; 156; 168.
Sauromalus varius 8.
Scaphiophis 153.
Scaphiopus bombifrons 2; 17; 19; 20; 23; 105; 109.
Scaphiopus couchii 20; 23; 105; 107; 109; 151; 152.
Scaphiopus hammondii 4; 15; 17; 20; 23; 40; 109; 131; 151; 170.
Scaphiopus hammondii hammondii 116.
Scaphiopus hammondii multiplicatus 151.
Scaphiopus holbrookii 151.
Scaphiopus holbrookii albus 109.
Scaphiopus hurterii 19; 23; 109; 151.
Scaphiopus intermontanus 4; 48; 54; 55; 109; 111; 129; 131.
Scaphiopus multiplicatus 105.
Scaphiopus solitarius 109.
Scaptochelys agassizii 74.
Scaptochelys berlandieri 74.
Sceloparus 134.

- Sceloperus* 134.
Sceloporus 29; 128; 159.
Sceloporus acanthinus 60; 61.
Sceloporus aeneus 61.
Sceloporus aeneus aeneus 60; 93.
Sceloporus aeneus bicanthalis 93.
Sceloporus aeneus slevini 93.
Sceloporus aeneus subniger 93.
Sceloporus asper 60; 61.
Sceloporus bicanthalis 93.
Sceloporus boulengeri 162.
Sceloporus bulleri 60; 61.
Sceloporus carinatus 60; 61.
Sceloporus cautus 60; 61.
Sceloporus chrysostictus 60; 61.
Sceloporus clarki boulengeri 149; 165.
Sceloporus clarki uriquensis 144; 149; 165.
Sceloporus clarkii 61; 162.
Sceloporus clarkii clarkii 60; 149; 165.
Sceloporus consobrinus 149.
Sceloporus couchi 60; 61; 149.
Sceloporus cozumelae 60; 61.
Sceloporus cryptus 32; 60; 61.
Sceloporus cyanogenys 60; 61.
Sceloporus disparilis 149.
Sceloporus dugesi 61.
Sceloporus dugesi dugesi 60.
Sceloporus edwardtaylori 60; 61.
Sceloporus exsul 60.
Sceloporus formosus formosus 60.
Sceloporus formosus malachiticus 60; 61.
Sceloporus gadoviae 60; 61; 149.
Sceloporus goldmani 60; 61; 93.
Sceloporus graciosus 2; 15; 44; 47; 48; 61; 77; 78; 83; 84; 110; 162; 166; 171.
Sceloporus graciosus gracilis 65; 129; 168.
Sceloporus graciosus graciosus 4; 21; 40; 60; 65; 104; 111; 116; 129; 130; 131; 143; 156.
Sceloporus grammicus 61; 166.
Sceloporus grammicus disparilis 60; 149.
Sceloporus grammicus microlepidotus 60.
Sceloporus heterolepsis 60; 61.
Sceloporus horridus 61; 65; 162.
Sceloporus horridus albiventris 149; 165.
Sceloporus horridus horridus 60.
Sceloporus insignis 60; 61.
Sceloporus jalapae 60; 61.
Sceloporus jarrovii 61; 149.
Sceloporus jarrovii jarrovii 60; 149.
Sceloporus jarrovi jarrovi 64.
Sceloporus lineolateralis 60; 61.
Sceloporus lunaei 60; 61.
Sceloporus lundelli 61.
Sceloporus lundelli lundelli 60.
Sceloporus macdougalli 60; 61.
Sceloporus maculosus 60; 61.
Sceloporus magister 7; 43; 47; 61; 63; 65; 77; 78; 88; 111; 129; 143; 153; 157; 162; 168.
Sceloporus magister bimaculosus 138; 149.
Sceloporus magister cephaloflavus 4; 138; 144.
Sceloporus magister magister 60; 149.
Sceloporus magister uniformis 138; 156.
Sceloporus magister zosteromus 60.
Sceloporus malachitichus 65.
Sceloporus malachiticus 61.
Sceloporus malachiticus malachiticus 60.
Sceloporus malachiticus taeniocnemis 129.
Sceloporus megalepidurus 60; 61.
Sceloporus megalepidurus halli 32.
Sceloporus megalepidurus megalepidurus 32.

- Sceloporus megalepidurus pictus* 32.
Sceloporus melanorhinus 61.
Sceloporus melanorhinus calligaster 60.
Sceloporus merriami 61; 149.
Sceloporus merriami australis 144.
Sceloporus merriami merriami 60.
Sceloporus microlepidotus 60; 93.
Sceloporus mucronatus 61.
Sceloporus mucronatus omiltemanus 60.
Sceloporus nelsoni 61.
Sceloporus nelsoni barrancorum 60; 144; 149.
Sceloporus nelsoni coeruleus 149; 165.
Sceloporus nelsoni nelsoni 149; 165.
Sceloporus occidentalis 7; 15; 40; 44; 58; 61; 63; 78; 143; 146; 166; 171.
Sceloporus occidentalis biseriatus 60; 104; 129; 131; 168.
Sceloporus occidentalis longipes 65; 156; 162.
Sceloporus occidentalis occidentalis 65.
Sceloporus ochoterrenai 60; 61.
Sceloporus olivaceus 60; 61; 65; 162.
Sceloporus omiltemanus 61.
Sceloporus orcutti 61; 162.
Sceloporus orcutti licki 60.
Sceloporus orcutti orcutti 60.
Sceloporus ornatus 61.
Sceloporus ornatus caeruleus 60.
Sceloporus parvus 61.
Sceloporus parvus parvus 60.
Sceloporus parvus scutulatus 60.
Sceloporus pictus 60; 61.
Sceloporus pictus halli 32.
Sceloporus pleurostictus 60.
Sceloporus poinsetti macrolepis 144; 149.
Sceloporus poinsetti polylepis 149.
Sceloporus poinsetti robinsoni 149.
Sceloporus poinsettii 61; 65; 149.
Sceloporus poinsettii poinsettii 60; 149.
Sceloporus prezygous 60.
Sceloporus pyrocephalus 37; 60; 61.
Sceloporus scalaris 61.
Sceloporus scalaris colemani 93.
Sceloporus scalaris samcolemani 93.
Sceloporus scalaris scalaris 60.
Sceloporus scalaris slevini 93; 116; 149.
Sceloporus scalaris unicanthalis 93.
Sceloporus serrifer 61.
Sceloporus serrifer plioporus 60.
Sceloporus shannonrum 60; 61.
Sceloporus siniferus 61.
Sceloporus siniferus cupreus 60.
Sceloporus siniferus siniferus 139.
Sceloporus slevini 149.
Sceloporus spinosus 61; 162.
Sceloporus spinosus apicalis 144.
Sceloporus spinosus caeruleopunctatus 60.
Sceloporus squamosus 60; 61.
Sceloporus stejnegeri 60.
Sceloporus subpictus 32; 60.
Sceloporus teapensis 60; 61.
Sceloporus torquatus 61; 65.
Sceloporus torquatus melanogaster 60.
Sceloporus undulatus 31; 61; 78; 173.
Sceloporus undulatus consobrinus 60; 129; 149.
Sceloporus undulatus elongatus 4; 60; 129; 149; 155; 156.
Sceloporus undulatus graciosus 149.
Sceloporus undulatus hyacinthinus 116.
Sceloporus undulatus tristichus 21; 65; 149.

- Sceloporus undulatus undulatus* 116.
Sceloporus undulatus virgatus 149.
Sceloporus undulatus woodi 149.
Sceloporus uniformis 60; 61.
Sceloporus variabilis 61.
Sceloporus variabilis olloporus 60.
Sceloporus variabilis variabilis 60; 139.
Sceloporus virgatus 60; 61; 149.
Sceloporus woodi 60; 61.
Scincus 41; 153.
Scincus cyanogaster 120.
Scolecossaurus 153.
Scotophis emoryi 148.
Scytale 41.
Scytalus 41.
Shinosaurus 153.
Siagonodon humilis 129.
Sibon 134.
Sibon nebulata nebulata 89.
Sibynomorphus 153.
Silybura 153.
Siren intermedia 98.
Siren intermedia nettingi 22.
Siren lacertina 98.
Siren pisciformis 41.
Siren striata 98.
Sistrurus 153.
Sitana 153.
Sonora 153.
Sonora aemula 71.
Sonora miniata miniata 131.
Sonora semiannulata 145; 150.
Sonora semiannulata blanchardi 148.
Sonora semiannulata isozona 4; 33; 148; 156; 168.
Sonora semiannulata linearis 168.
Sonora semiannulata semiannulata 104; 129; 131.
Spea bombifrons 22; 109; 151; 152.
Spea hammondi stagnalis 151; 152.
Spea hammondii 22.
Spea hammondii bombifrons 109; 151.
Spea hammondii hammondii 109; 151.
Spea hammondii intermontana 109; 151; 152.
Spea hammondii multiplicata 151; 152.
Spea intermontana 84; 151; 152.
Spea intermontanus 109; 151.
Spea multiplicata 151.
Spea multiplicatus 109; 151.
Spea neuter 152.
Spea stagnalis 151.
Spelerpes lineola 135.
Sphaerodactylus decoratus granti 144.
Sphaerodactylus torrie spielmani 144.
Sphenodon 93.
Sphenodon punctatum 153.
Sphenomorphus concinnatum 120.
Sphenomorphus consobrinum consobrinum 118.
Sphenomorphus minutum 118.
Sphenomorphus variegatum jobiense 118.
Stegonotus batjanensis 118.
Stellio spinipes 41.
Stenodactylus 153.
Sternothaerus bosci 95.
Sternothaerus leachianus 95.
Sternothaerus trifasciatus 95.
Sternotherus carinatus 95.
Sternotherus odorata 95.
Sternotherus odoratus 95; 153.
Sternotherus pennsylvanica 95.
Storeria storeriodes 148.
Streptosaurus 37; 60; 61.
Sypholis lippiens lippiens 71.
Sympholis lippiens rectilimbus 71; 148.
Takydromus amurensis 123.
Takydromus wolteri 123.
Tantilla 7; 75; 153.
Tantilla atriceps 154.
Tantilla eiseni 154.
Tantilla hobartsmithi 148.
Tantilla nigriceps 154.
Tantilla nigriceps eiseni 130.
Tantilla nigriceps nigriceps 148.
Tantilla phrenitica 144.
Tantilla planiceps 46.

- Tantilla planiceps utahensis* 4; 143; 144; 156.
Tantilla utahensis 129; 130; 154; 156; 168.
Tantilla utanensis 130.
Tantilla wilcoxi 112; 148.
Tantilla yaquia 148.
Tantillita lintoni rozellae 92.
Tapaya hernandesi 149.
Tarentola annularis 153.
Teius 153.
Terrapene 153; 175.
Terrapene carolina 41.
Terrapene ornata 21; 31.
Terrapene ornata luteola 149.
Testudo 153.
Testudo carolina 41.
Testudo coriacea 41.
Testudo serpentina 41.
Thalasophina 153.
Thamnophis 153.
Thamnophis angustirostris 148.
Thamnophis cyrtopsis 88; 150.
Thamnophis cyrtopsis collaris 148.
Thamnophis cyrtopsis cyclides 148.
Thamnophis cyrtopsis cyrtopsis 4; 148.
Thamnophis dorsalis 150.
Thamnophis elegans 2; 48; 84; 149.
Thamnophis elegans arizonae 163.
Thamnophis elegans errans 148; 163.
Thamnophis elegans vagrans 4; 15; 21; 40; 140; 148; 156; 163.
Thamnophis elegans vascotanneri 163.
Thamnophis eques 112; 129; 130.
Thamnophis eques megalops 148.
Thamnophis eques virgatenuis 144; 148.
Thamnophis errans errans 149.
Thamnophis macrostemma megalops 148.
Thamnophis marciana 148.
Thamnophis marcianus 112.
Thamnophis marcianus marcianus 148.
Thamnophis marcianus praeocularis 92.
Thamnophis melanogaster 151.
Thamnophis melanogaster canescens 148.
Thamnophis melanogaster chihuahuaensis 144; 148.
Thamnophis melanogaster melanogaster 148.
Thamnophis multimaculatus 148.
Thamnophis nigronuchalis 148.
Thamnophis ordinoides 163.
Thamnophis ordinoides errans 148.
Thamnophis ordinoides ordinoides 129.
Thamnophis ordinoides vagrans 104; 111; 117; 129; 131; 133.
Thamnophis ornata 150.
Thamnophis radix 2; 31; 93.
Thamnophis radix haydenii 21.
Thamnophis rozellae 92.
Thamnophis rufipunctatus nigronuchalis 148.
Thamnophis rufipunctatus rufipunctatus 148.
Thamnophis rufipunctatus unilabialis 148.
Thamnophis sirtalis 2; 31; 70; 93; 149.
Thamnophis sirtalis concinnus 129; 131.
Thamnophis sirtalis dorsalis 148; 150.
Thamnophis sirtalis fitchi 15; 40; 156.
Thamnophis sirtalis lowei 150.
Thamnophis sirtalis ornata 148; 150.
Thamnophis sirtalis parietalis 117; 129; 131; 148; 150; 156.
Thamnophis sirtalis sirtalis 148.
Thamnophis sirtalis tetrataenia 131.
Thecadactylus 24.
Thecodactylus 153.
Thorius pulmonaris 144.
Tiliqua 153.
Tiliqua scincoides gigas 118.
Toluca 153.
Tortrix 41.
Trachemys rubriventris 175.

- Trachemys scripta* 175.
Trachyboa 153.
Trachysaurus 153.
Trachysaurus rugosus 121.
Trapelus 41.
Tretioscincus 153.
Tribolonotus blanchardi 120.
Tribolonotus ponceleti 120.
Tribolonotus schmidtii 120.
Trigonocephalus 41.
Trimeresura 41.
Trimeresurus 41; 153.
Trimeresurus gramineus 41.
Trimeresurus viridis 41.
Trimesurus 41.
Trimorphodon 153.
Trimorphodon biscutatus
biscutatus 148.
Trimorphodon biscutatus lambda
lambda 148.
Trimorphodon biscutatus
vilkinsoni 148.
Trimorphodon lambda 143; 156.
Trimorphodon lambda
paucimaculata 148.
Trimorphodon lyrophanes 129;
130; 156.
Trimorphodon tau tau 148.
Trimorphodon vandenburghi
168.
Trimorphodon wilkinsoni 148.
Trionyx 41.
Trionyx 41.
Trionyx spinifera 153.
Trionyx spinifer emoryi 86.
Trionyx spiniferus 2; 31.
Triton 41.
Triviale 120.
Trogonophis 153.
Tropidoclonion storerioides
148.
Tropidonotus 153.
Tropidonotus collaris 148.
Tropidonotus melanogaster 148.
Tropidonotus truncatus 118.
Tropidurus 61; 153.
Tropidurus torquatus 60.
Tupinambis 153.
Tupinambis teguixin 14.
Tupinambis indicus 120.
Tygosoma mivarti 119.
Tympanocryptis 29.
Typhlops 41.
Typhlops adamsi 120.
Typhlops aluensis 114; 120.
Typhlops beeki 114; 120; 144.
Typhlops bergi 114; 120.
Typhlops blanfordi lestradei
153.
Typhlops braminus 114; 115.
Typhlops cumingii mansuetus
114; 120.
Typhlops diversus 114; 121.
Typhlops flaviventer 114; 118.
Typhlops infralabialis 114;
120.
Typhlops lineatus 122.
Typhlops lumbricalis 114; 153.
Typhlops olivaceus reduncus
114; 120.
Typhlops philococos 114.
Typhlops platycephalus 153.
Typhlops pusillus 153.
Typhlops reticulatus 153.
Typhlops solomonis 114; 120.
Typhlosaurus 153.
Typhlotriton nereus 22.
Typhlotriton spelaeus 22.
Ultocalamus 153.
Uma 37; 61; 153.
Uma exsul 29.
Uma inornata 29.
Uma notata cowlesi 29.
Uma notata inornata 29.
Uma notata notata 29.
Uma notata rufopunctata 29.
Uma notata scoparia 168.
Uma paraphygas 144.
Uma paraphygus 29.
Uma rufopunctata 29.
Uma scoparia 29.
Uranoscodon 41.
Uromastix 153.
Uromastix spinipes 41.
Uromastyx 41.
Uromastyx hardwicki 153.
Uropeltis 153.
Uroplatus 41; 153.
Urosaurus 29; 60; 153.
Urosaurus bicarinatus 61.
Urosaurus bicarinatus
tuberculatus 149; 165.
Urosaurus graciosus 61.
Urosaurus inornata 43.
Urosaurus ornata caeruleus
149.
Urosaurus ornata lateralis
37.
Urosaurus ornata linearis 37.

- Urosaurus ornata schottii 37.
 Urosaurus ornata symmetrica 37.
 Urosaurus ornata wrighti 4; 37.
 Urosaurus ornatus 61; 63; 77; 88.
 Urosaurus ornatus caeruleus 149.
 Urosaurus ornatus linearis 116; 149.
 Urosaurus ornatus schmidtii 149.
 Urosaurus ornatus schottii 149.
 Urosaurus unicus 149; 165.
 Uta 60; 78; 145; 153.
 Uta concinna 8.
 Uta elegans 77.
 Uta graciosa 168.
 Uta levis 111; 129.
 Uta mearnsi 61.
 Uta ornata 37.
 Uta ornata symmetrica 129.
 Uta ornatus schmidtii 149.
 Uta palmeri 8.
 Uta schottii 149.
 Uta stansburiana 11; 15; 40; 44; 58; 61; 63; 110; 146; 171.
 Uta stansburiana elegans 77.
 Uta stansburiana hesperis 77.
 Uta stansburiana nevadensis 77.
 Uta stansburiana stansburiana 3; 6; 37; 77; 104; 111; 129; 131; 134; 156.
 Uta stansburiana stejnegeri 77; 149; 156; 168; 173.
 Uta stansburiana **uniformis** 4; 77; 144.
 Uta symmetrica 37.
 Uta thalassina 37; 61.
 Uta tuberculatus 149.
 Uta undulatus elongatus 111.

 Varanus 37.
 Varanus indicus 118; 120; 153.
 Varanus monitor 153.
 Vipera aspis 41; 93; 153.
 Vipera berus 93.
 Vipera viridis 41.
 Vipera vulgaris 41.


 Walterinnesia 153.

 Xantusia 159.
 Xantusia vigilis 46; 77; 153; 168.
 Xantusia vigilis utahensis 4; 144.
 Xantusia vigilis vigilis 156.
 Xenochrophis 153.
 Xenodermus 153.
 Xenodon 153.
 Xenodon rabdocephalus mexicanus 89.
 Xenopeltis 153.
 Xenosaurus 153.
 Xerobates agassizii 45; 74.
 Xerobates berlandieri 74.
 Xerobates laticunea 74.
 Xerobates **lepidcephalus** 74.

 Zonurus 153


DL
640
S666
REPT

BIBLIOGRAPHY
OF
SAUROMALUS (DUMÉRIL 1856), THE CHUCKWALLAS



Kent R. Beaman¹, Bradford D. Hollingsworth², Howard E. Lawler³
and Charles H. Lowe⁴

¹Section of Herpetology, Natural History Museum Los Angeles; ²Department of
Natural Science, Loma Linda University; ³Tucson, AZ; ⁴Department of Ecology and
Evolutionary Biology, University of Arizona



SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 116

1997

SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

Introduction

The lizard genus *Sauromalus* consists of a diverse group of diurnal herbivores inhabiting the deserts of southwestern United States and northwestern México, including more than 26 islands in the Gulf of California. Commonly known as chuckwallas, these large iguanids generally live on volcanic or granitic substrates, although some species also prefer nearby arroyo bottoms. Chuckwallas display a wide array of color patterns that undergo a degree of ontogenetic transformation, sometimes becoming sexually dichromatic. Body size varies from large to small, although when compared to other iguanid lizards, chuckwallas are approximately one half the size of the largest members in the family. Some species exceed an impressive snout-vent length of more than 300 mm, while others reach 220 mm or less.

The genus is well supported as a natural group within Iguanidae based on numerous morphological novelties (de Queiroz 1987). These unique features are associated with chuckwallas preference for rocky habitats and their ability to retreat into rock crevices to seek shelter. Their dorsoventrally compressed body results from a compression of both the pectoral and pelvic girdles, a more slender mandible, reduced neural spines, and the absence of a mid-dorsal scale row. Once inside a crevice, chuckwallas inflate their lungs if harassed, effectively wedging them into place and making extraction difficult.

As many as nine species have been described within *Sauromalus*, although only seven species are recognized at present (Table 1). In recent years, many authors have called into question the number species within the genus and the geographical boundaries in which they occur (Robinson 1972; Case 1982; Stebbins 1985; de Queiroz 1987). These taxonomic controversies are primarily the result of outdated systematic methodologies, insufficient diagnoses, and the absence of a reported type locality for the holotype, *Sauromalus ater*. The last taxonomic study of the entire genus was completed by Shaw (1945). Currently, the only formal phylogenetic analysis of the chuckwalla species is a unpublished Master's thesis (Hollingsworth, 1995) that is being edited for publication.

As this bibliography shows, chuckwallas have been the focus of numerous biological pursuits. *Sauromalus obesus* has been the main focus of investigation in studies requiring large sample sizes and long-term observation. Their wide-use in research is primarily the result of their accessibility from the United States. Some researchers have undertaken the extra effort in documenting the diet, behavior, ecology, and evolution of the insular endemics, *S. hispidus* and *S. varius*, which are found on the Mexican islands in the mid-rift region of the Gulf of California. Other species, such as, *S. ater*, *S. klauberi*, *S. slevini* and *S. australis* have received less attention. The sporadic literature on these species is most likely due to their inaccessibility on small islands in the Gulf of California and the remoteness of Baja California.

This bibliography provides the essential references for all those interested in these fascinating lizards. It was assembled with information from a variety of sources, relying most heavily on Zoological Record through December 1996. Every technical and popular article dealing with new information or syntheses of previous knowledge are included. The cover illustration of *Sauromalus obesus* is from Baird (1859).

We thank the following institutions for their help in compiling this bibliography: Section of Herpetology, Los Angeles County Museum of Natural History, Department of Biology, San Diego State University; Tierra Madre Consultants, Del Webb Memorial Library, Loma Linda University, Department of Natural Science, Loma Linda University, and Department of Biology, La Sierra University

Table 1. Various Classifications of *Sauromalus*.

Van Denburgh, 1922:

Sauromalus ater
Sauromalus interbrachialis
Sauromalus townsendi
Sauromalus hispidus
Sauromalus slevini
Sauromalus varius

Schmidt, 1922:

Sauromalus ater
Sauromalus hispidus
Sauromalus obesus
Sauromalus townsendi
Sauromalus varius

Shaw, 1945:

Sauromalus ater
Sauromalus australis
Sauromalus hispidus
Sauromalus klauberi
Sauromalus slevini
Sauromalus obesus townsendi
S. obesus tumidus
S. obesus obesus

Etheridge, 1982:

Sauromalus ater ater
S. ater klauberi
S. ater shawi
Sauromalus australis
Sauromalus hispidus
Sauromalus obesus multiforminatus
S. obesus townsendi
S. obesus tumidus
S. obesus obesus
Sauromalus slevini
Sauromalus varius

Consensus of various authors as of 1996:

Sauromalus ater ater
S. ater shawi
Sauromalus australis
Sauromalus klauberi
Sauromalus hispidus
Sauromalus obesus multiforminatus
S. obesus townsendi
S. obesus tumidus
S. obesus obesus
Sauromalus slevini
Sauromalus varius

Index

Behavior

23, 58, 59, 84, 89, 99, 100, 101, 102, 103, 117, 158, 159, 203, 250, 290, 295, 298, 359, 369, 431, 455, 527, 531, 574, 581.

Captive Management

47, 63, 64, 78, 91, 95, 117, 155, 161, 186, 200, 215, 219, 245, 248, 249, 273, 284, 285, 294, 316, 317, 318, 319, 320, 322, 351, 352, 353, 387, 423, 424, 425, 426, 427, 442, 488, 507, 508, 523, 524, 551, 598, 618, 625.

Conservation

17, 60, 86, 89, 161, 175, 176, 204, 205, 206, 214, 316, 318, 319, 320, 322, 409, 417, 418, 432, 515, 598.

Diet

44, 58, 59, 62, 64, 186, 267, 292, 298, 311, 360, 397, 399, 400, 448, 456, 476, 496, 502, 518, 519, 524, 534, 535, 537, 552, 553.

Disease

14, 35, 40, 48, 73, 129, 131, 217, 220, 223, 224, 225, 274, 279, 293, 310, 325, 330, 338, 348, 349, 351, 352, 408, 473, 562, 565, 566, 573, 602, 604, 616.

Distribution

7, 8, 9, 10, 11, 12, 13, 24, 34, 37, 38, 44, 45, 60, 65, 66, 67, 69, 71, 72, 74, 81, 82, 86, 92, 94, 97, 104, 105, 106, 116, 119, 120, 123, 132, 135, 136, 138, 140, 141, 145, 165, 168, 172, 173, 174, 177, 178, 181, 189, 195, 213, 216, 222, 226, 229, 230, 234, 237, 240, 253, 254, 255, 256, 257, 258, 265, 268, 270, 271, 276, 277, 278, 296, 302, 303, 304, 314, 321, 328, 329, 333, 334, 335, 337, 340, 341, 342, 347, 355, 364, 365, 366, 368, 370, 371, 374, 379, 381, 382, 383, 389, 391, 392, 393, 407, 410, 416, 444, 461, 464, 468, 482, 497, 498, 499, 500, 511, 512, 513, 514, 514, 516, 528, 529, 530, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 545, 555, 556, 557, 558, 560, 561, 563, 575, 576, 577, 583, 584, 585, 586, 587, 588, 589, 590, 592, 593, 594, 597, 599, 600, 601, 612, 614, 615, 619, 620, 628.

Ecology

1, 2, 6, 15, 22, 25, 27, 43, 54, 58, 59, 62, 80, 89, 99, 101, 102, 108, 109, 110, 112, 114, 115, 144, 159, 178, 179, 182, 185, 201, 203, 297, 216, 228, 236, 241, 251, 252, 256, 280, 286, 287, 288, 290, 296, 298, 305, 311, 315, 354, 355, 370, 381, 389, 397, 403, 435, 443, 457, 462, 470, 472, 476, 477, 480, 489, 494, 495, 498, 504, 517, 518, 519, 521, 525, 531, 532, 534, 535, 537, 546, 552, 553, 554, 578, 581, 595, 603, 605, 616, 623.

Evolution

6, 20, 21, 23, 29, 30, 61, 84, 93, 98, 114, 119, 128, 143, 163, 164, 166, 191, 196, 218, 231, 244, 256, 257, 275, 313, 323, 324, 344, 354, 363, 378, 390, 411, 421, 430, 446, 467, 468, 490, 491, 492, 493, 498, 529, 591, 609, 610, 617.

General Interest

31, 36, 39, 63, 67, 68, 85, 88, 118, 154, 169, 171, 202, 211, 212, 226, 232, 246, 259, 283, 289, 301, 336, 350, 357, 422, 434, 439, 445, 478, 484, 526, 549, 550, 621, 622, 628.

Genetics

30, 161, 233, 242, 243, 244, 263, 313, 388, 438, 446, 468, 469, 492, 505, 610.

Life History

1, 2, 3, 4, 58, 64, 95, 96, 155, 182, 210, 266, 298, 316, 317, 345, 355, 361, 397, 458, 462, 472, 481, 501, 551, 552, 596, 609, 625.

Morphology

20, 21, 22, 23, 25, 28, 29, 32, 41, 46, 61, 72, 77, 90, 93, 98, 123, 124, 134, 139, 140, 160, 162, 163, 165, 166, 180, 181, 183, 187, 188, 192, 193, 194, 196, 199, 209, 230, 242, 243, 262, 264, 266, 272, 275, 281, 291, 292, 314, 315, 323, 326, 327, 343, 344, 346, 356, 372, 373, 380, 414, 419, 420, 421, 428, 429, 436, 437, 441, 459, 465, 466, 468, 469, 481, 482, 490, 491, 492, 500, 511, 520, 532, 533, 544, 547, 558, 559, 564, 568, 585, 606, 607, 608, 624.

Paleontology

81, 82, 163, 189, 190, 269, 275, 367, 410, 592, 593, 594, 612.

Physiology

15, 16, 27, 41, 42, 43, 49, 50, 51, 52, 53, 53, 55, 56, 57, 70, 79, 80, 83, 107, 108, 121, 128, 130, 143, 146, 147, 148, 149, 150, 151, 152, 153, 156, 157, 160, 166, 167, 184, 185, 197, 198, 207, 209, 227, 228, 235, 247, 252, 261, 262, 263, 282, 286, 288, 297, 299, 300, 306, 307, 308, 331, 344, 358, 362, 375, 376, 377, 384, 385, 386, 395, 396, 398, 399, 400, 401, 402, 403, 404, 405, 406, 412, 414, 433, 440, 447, 448, 449, 450, 451, 452, 453, 460, 471, 474, 475, 485, 486, 487, 494, 503, 505, 506, 517, 519, 520, 522, 525, 546, 554, 567, 568, 569, 570, 571, 572, 578, 579, 580, 582, 611, 613, 623.

Taxonomy

18, 19, 33, 44, 64, 69, 75, 76, 87, 93, 119, 120, 122, 123, 125, 126, 127, 133, 134, 137, 142, 165, 168, 170, 172, 173, 180, 190, 192, 195, 199, 218, 238, 239, 243, 256, 258, 260, 275, 309, 321, 324, 328, 332, 339, 342, 363, 389, 392, 416, 438, 454, 468, 469, 479, 482, 483, 497, 498, 509, 510, 512, 514, 529, 534, 535, 537, 538, 558, 561, 585.

Thermoregulation

26, 27, 42, 43, 70, 80, 83, 107, 111, 121, 143, 144, 146, 147, 152, 157, 207, 208, 235, 238, 239, 261, 362, 384, 394, 413, 415, 447, 522.

1. Abts, M.L. 1985. The life history strategy of the saxicolous desert lizard, *Sauromalus obesus*. Ph.D. Diss., Portland State Univ., Portland, Oregon. [Ecology; Life History]
2. _____. 1987. Environment and variation in life history traits of the chuckwalla, *Sauromalus obesus*. Ecol. Monogr. 57(3):215-232. [Ecology; Life History]
3. _____. 1988. Reproduction in the saxicolous desert lizard, *Sauromalus obesus*: The female reproductive cycle. Copeia 1988(2):382-393. [Life History]
4. _____. 1988. Reproduction in the saxicolous desert lizard, *Sauromalus obesus*: The male reproductive cycle. Herpetologica 44(4):404-415. [Life History]
5. _____. 1997. *Sauromalus obesus*. Cat. Amer. Amphib. Rept. In Press.
6. Alberts, A.C. 1991. Phylogenetic and adaptive variation in lizard femoral gland secretions. Copeia 1991(1):69-79. [Ecology; Evolution]
7. Alcérreca, A., Carlos, J.J.C.D., Flores, O.V., Carbonell, D.G., Ariza, E.H., Zuercher, M.H., Salcido, R.P., Gomez, J.M.R., Davila, V.S.C. 1988. Fauna silvestre y areas naturales protegidas. México, Funcaión Universo Veintiuno. 1993 pp. [Distribtution]
8. Alvarez, J.R. 1989. Diccionario Enciclopédico de Baja California. Compañía editora de Enciclopedias de México, S.A. de C.V. Instituto de Cultura de Baja California, Ciudad de México. [Distribution]
9. Alvarez Cárdenas, S. 1990. Distribución de la herpetofauna en la Sierra de la Laguna, Baja California Sur, México. Simp. Intern. Vida Silv. 2:292-306. [Distribution]
10. _____, Tessaro, P.G., Romero, A.G., and Rubio, A.O. 1989. Herpetofauna. In: L. Arriaga and A. Ortega (eds.), La Sierra de La Laguna de Baja California Sur. Centro de Investigaciones Biológicas de Baja California Sur, La Paz, Baja California Sur, México. [Distribution]
11. Alvarez Solórzano, T. and de Lachica, F. 1974. Zoogeografía de los vertebrados de México. pp. 219-302. In: J.L. Lorenzo (ed.), El Escenario Geográfico. México, Méx., Inst. Nac. Antropol. Hist. (México: panorama historico y cultural, vol. 2). [Distribution]
12. _____ and Escamilla, M.G. 1987. Atlas cultural de México. Fauna. México, Inst. Nac. Antropol. Hist. 191 pp. [Distribution]
13. Ambía Molina, V. 1969. Sonora: principales especies faunísticas. México, D.F., Dir. Gen. Fauna Silv., Subsecr. For. Fauna. 26 pp. [Distribution]
14. Amrein, Y.U. 1952. A new species of *Nyctotherus* (*N. woodi*) from southern California lizards. J. Parasitol. 38(3):266-270. [Disease]
15. Andrews, R.M. 1982. Patterns of growth in reptiles. pp. 273-320. In: C. Gans and F.H. Pough (eds.), Biology of the Reptilia, Vol. 13, Physiology D: Physiological Ecology, Academic Press, London. [Ecology; Physiology]
16. _____ and Pough, F.H. 1985. Metabolism of squamate reptiles: allometric and ecological relationships. Physiol. Zool. 58(2):214-231. [Ecology; Physiology]
17. Anonymous. 1979. San Esteban Island chuckwalla under review. Endang. Spec. Tech. Bull. 4(3):6. [Conservation]
18. Applegarth, J.S. 1977. Index to the genera of living families of Reptila. Sauria (Lacertilia and Amphisbaenia). Privately Printed. 53 pp. [Taxonomy]

19. _____. 1983. Index to the genera of Reptilia - a device to assist curators. Sauria (Lacertilia and Amphisbaenia). 3rd ed. Privately Printed. 54 pp. [Taxonomy]
20. Arnold, E.N. 1984. Variation in the cloacal and hemipenial muscles of lizards and its bearing on their relationships. pp. 57-85. In: M.J. Ferguson (ed.), The Structure, Development, and Evolution of Reptiles. Symp. Zool. Soc., London. [Evolution; Morphology]
21. _____. 1984. Evolutionary aspects of tail shedding in lizards and their relatives. J. Nat. Hist. 18(1):127-169. [Evolution; Morphology]
22. _____. 1988. Caudal autotomy as a defense. pp. 235-273. In: C. Gans and R.B. Huey (eds.), Biology of the Reptilia, Vol. 16, Ecology B: Defense and Life History, Alan R. Liss, Inc., New York. [Ecology; Morphology]
23. _____. 1994. Investigating the origins of performance advantage: adaptation, exaptation, and lineage effects. pp. ??????. In: P. Eggleton and R.I. Vane-Wright (eds.), Phylogenetics and Ecology, Linnean Society Symposium Series. [Behavior; Evolution; Morphology]
24. Atsatt, S.R. 1913. The reptiles of the San Jacinto area of southern California. Univ. California Publ. Zool. 12(3):31-50. [Distribution]
25. _____. 1939. Color changes as controlled by temperature and light in the lizards of the desert region of southern California. Publ. Univ. California (Los Angeles) Biol. Sci. 1(11):237-276. [Ecology; Morphology]
26. Avery, R.A. 1979. Lizards - a study in thermoregulation. Inst. Biol. Studies Biol. (109):1-56. [Thermoregulation]
27. _____. 1982. Field studies of body temperatures and thermoregulation. pp. 93-166. In: C. Gans and F.H. Pough (eds.), Biology of the Reptilia, Vol. 12, Physiology C: Physiological Ecology, Academic Press, London. [Ecology; Physiology; Thermoregulation]
28. Avery, D.F. and Tanner, W.W. 1964. The osteology and myology of the head and thorax regions of the *obesus* group of the genus *Sauromalus* Dumeril (Iguanidae). Brigham Young Univ. Sci. Bull., Biol. Ser. 5(3):1-30. [Morphology]
29. _____. and Tanner, W.W. 1971. Evolution of iguanine lizards (Sauria, Iguanidae) as determined by osteological and myological characters. Brigham Young Univ. Sci. Bull., Biol. Ser. 12(3):1-79. [Evolution; Morphology]
30. Avise, J.C., Bowen, B.W., and Lamb, T. 1989. DNA fingerprints from hypervariable mitochondrial genotypes. Mol. Biol. Evol. 6(3):258-269. [Evolution; Genetics]
31. Bailey, V. 1930. The chuckwalla, one of the largest lizards of our southwestern deserts. Nature Mag. 16:100-102. [General Interest]
32. Baird, I. 1970. The anatomy of the reptilian ear. pp. 193-275. In: C. Gans and T.S. Parsons (eds.), Biology of the Reptilia, Vol. 2, Morphology B, Academic Press, London. [Morphology]
33. Baird, S.F. 1858 [1859]. Description of new genera and species of North American lizards in the museum of the Smithsonian Institution. Proc. Acad. Nat. Sci. Philadelphia 7:253-256. [Taxonomy]

34. _____. 1859. Reptiles of the boundary, with notes by the naturalists on the survey. United States and Mexican Boundary Survey under the order of Lieut. Col. W.H. Emory, Washington, D.C., 1859. U.S. and Mex. Bound. Surv., II., Zool. Rept. 3:1-35. (Reprinted *In: Herpetological Explorations of the Great American West*, K. Adler (ed.), Arno Press, New York, 1978, Vol. 1). [Distribution]
35. Baker, M.R. 1987. Synopsis of the Nematoda parasitic in amphibians and reptiles. *Mem. Univ. Newfoundland, Occ. Pap. Biol.* (11):1-325. [Disease]
36. Banta, B.H. 1957. A simple trap for collecting desert reptiles. *Herpetologica* 13(3):174-176. [General Interest]
37. _____. 1962. A preliminary account of the herpetofauna of the Saline Valley Hydrographic Basin, Inyo County, California. *Wasmann J. Biol.* 20(2):161-251. [Distribution]
38. _____. 1965. A distributional check list of the recent reptiles inhabiting the State of Nevada. *Occas. Pap. Biol. Soc. Nevada* (5):1-8. [Distribution]
39. Barhe, C. 1983. Human impact: The midriff islands. pp. 159-209. *In: T.J Case and M.L. Cody (eds.), Island Biogeography in the Sea of Cortéz*, University of California Press, Berkeley, California. [Ecology]
40. Barker, I.K. and Cranfield, M.R. 1989. *Schellackia (Lainsonia)* sp. infection in chuckwallas (*Sauromalus obesus*). *Am. Assoc. Zoo Vet. Ann. Proc.* 1989:61. [Disease]
41. Barnitt, A.E., Jr. and Goertemiller, C.C. 1985. Nasal salt-secreting glands of normal and hyperkalemically stressed *Sauromalus obesus*: histology and cytology. *Copeia* 1985(2):403-409. [Morphology; Physiology]
42. Bartholomew, G.A. 1963. The roles of physiology and behaviour in the maintenance of homeostasis in the desert environment. *Symp. Proc. Exp. Biol.* 18:7-29. [Physiology; Thermoregulation]
43. _____. 1982. Physiological control of body temperature. pp. 167-211. *In: C. Gans and F.H Pough (eds.), Biology of the Reptilia*, Vol. 12, Physiology C: Physiological Ecology, Academic Press, London. [Ecology; Physiology; Thermoregulation]
44. Behler, J.L. and King, F.W. 1979. *The Audubon Society Field Guide to North American Reptiles and Amphibians*. Alfred A. Knopf, New York. [Diet; Distribution; Taxonomy]
45. Belding, L. 1887. Reptiles of the Cape Region of Lower California. *West Am. Sci.* 3(24):93-99. [Distribution]
46. Bellairs, A.d'A. and Bryant, S.V. 1985. Autotomy and regeneration in reptiles. pp. 301-410. *In: C. Gans and F. Billett (eds.), Biology of the Reptilia*, Vol. 15, Development B, John Wiley & Sons, New York. [Morphology]
47. Beltz, E. 1989. Care in captivity: husbandry techniques for amphibians and reptiles. *Chicago Herpetol. Soc.* 88 pp. [Captive Management]
48. Benes, E.S. 1985. Helminth parasitism in some central Arizona lizards. *Southwest. Nat.* 30:467-473. [Disease]
49. Bennett, A.F. 1971. Oxygen transport and energy metabolism in two species of lizards, *Sauromalus hispidus* and *Varanus gouldii*. Ph.D. Diss., Univ. of Michigan, Ann Arbor, Michigan. [Physiology]

50. _____. 1972. The effect of activity on oxygen consumption, oxygen debt, and heart rate in the lizards *Varanus gouldii* and *Sauromalus hispidus*. J. Comp. Physiol. 79(3):259-280. [Physiology]
51. _____. 1972. A comparison of activities of metabolic enzymes in lizards and rats. Comp. Biochem. Physiol. 42B(4):637-647. [Physiology]
52. _____. 1973. Blood physiology and oxygen transport during activity in two lizards, *Varanus gouldii* and *Sauromalus hispidus*. Comp. Biochem. Physiol. 46(4):259-280. [Physiology]
53. _____. 1973. Ventilation in two species of lizards during rest and activity. Comp. Biochem. Physiol. 46(4):653-671. [Physiology]
54. _____. 1982. The energetics of reptilian activity. pp. 155-199. In: C. Gans and F.H. Pough (eds.), Biology of the Reptilia, Vol. 13, Physiology D: Physiological Ecology, Academic Press, London. [Ecology; Physiology]
55. _____. and Dawson, W.R. 1976. Metabolism. pp. 127-223. In: C. Gans and W.R. Dawson (eds.), Biology of the Reptilia, Vol. 5, Physiology A, Academic Press, London. [Physiology]
56. Bentley, P.J. 1976. Osmoregulation. pp. 365-412. In: C. Gans and W.R. Dawson (eds.), Biology of the Reptilia, Vol. 5, Physiology A, Academic Press, London. [Physiology]
57. _____. and Schmidt-Nielsen, K. 1966. Cutaneous water loss in reptiles. Science 151:1547-1549. [Physiology]
58. Berry, K.H. 1972. The ecology and social behavior of the chuckwalla, *Sauromalus obesus*. Ph.D. Diss., University of California, Berkeley. 140 pp. [Behavior; Diet; Ecology; Life History]
59. _____. 1974. The ecology and social behavior of the chuckwalla, *Sauromalus obesus obesus* Baird. Univ. California Publ. Zool. 101:1-60. [Behavior; Diet; Ecology; Life History]
60. _____. , E. Wessman, and J. Aardahl. 1976. Unit resource analysis for East Mojave Planning Unit: Wildlife (Fish, Amphibians, Reptiles, and Mammals). U.S. Dept. Int., Bureau of Land Management, California Desert Program, Riverside, California. Draft Report. [Conservation; Distribution]
61. Beuchat, C.A. 1986. Phylogenetic distribution of the urinary bladder in lizards. Copeia 1986(2):512-517. [Evolution; Morphology]
62. Bjorndal, K.A. 1985. Nutritional ecology of sea turtles. Copeia 1985(3):736-751. [Diet; Ecology]
63. Blair, D.W. 1994. Chuckwallas. Reptiles: Guide to Keeping Reptiles and Amphibians. 1(3):16-18, 20, 22. [Captive Management; General Interest]
64. Blair, D.W. 1995. Chuckwallas. Iguana Times 4(2):31-36. [Captive Management; Diet; Life History; Taxonomy]
65. Bocourt, M.F. 1874. Deux notes sur quelques sauriens de l'Amérique méridionale. Ann. Sci. Nat. Paris (5) 19(4):5 pp. [Distribution]
66. Bogert, C.M. 1930. An annotated list of the amphibians and reptiles of Los Angeles County, California. Bull. So. California Acad. Sci. 29(1):3-14. [Distribution]
67. _____. 1930. Saurians of the Southwest. Nature Mag. 16:356-359. [Distribution; General Interest]
68. _____. 1939. Reptiles under the sun. Nat. Hist. 44:26-37. [General Interest]

69. _____. 1954. *Amphibians and Reptiles of the World*. The Animal Kingdom, Doubleday & Co., Garden City, New York. [Distribution; Taxonomy]
70. _____. 1959. How reptiles regulate their body temperature. *Sci. Amer.* 210(4):105-120. [Physiology; Thermoregulation]
71. _____. and Oliver, J.A. 1945. A preliminary analysis of the herpetofauna of Sonora. *Bull. Am. Mus. Nat. Hist.* 83(6):1-425. [Distribution]
72. Bostic, D.L. 1971. Herpetofauna of the Pacific Coast of north central Baja California, Mexico, with description of a new subspecies of *Phyllodactylus xanti*. *Trans. San Diego Soc. Nat. Hist.* 16(10):237-263. [Distribution; Morphology]
73. _____. 1971. Observations on the tumor-like growths in the chuckwalla, *Sauromalus varius*. *J. Herpetol.* 5(1-2):76-78. [Disease]
74. _____. 1975. A natural history guide to the Pacific coast of north central Baja California and adjacent islands. *Biol. Educ. Exped.*, Vista, California. 184 pp. [Distribution]
75. Boulenger, G.A. 1885. *Catalogue of Lizards in the British Museum (Natural History)*. 2nd ed. Vol. II. Taylor and Francis, London. p. xiii-497. [Taxonomy]
76. _____. 1890. First report on additions to the lizard collection in the British Museum (Natural History). *Proc. Zool. Soc. London* 1:77-86. [Taxonomy]
77. Boundy, J. and Balgooyen, T.G. 1988. Record lengths for some amphibians and reptiles from the western United States. *Herpetol. Rev.* 19(2):26-27. [Morphology]
78. Bowler, J.K. 1977. Longevity of Reptiles and Amphibians in North American Collections. SSAR *Herpetol. Circular No. 6*. Lawrence, Kansas. [Captive Management]
79. Boyer, D.R. 1967. Interaction of temperature and hypoxia on respiratory and cardiac responses in the lizard, *Sauromalus obesus*. *Comp. Biochem. Physiol.* 20:437-447. [Physiology]
80. Bradshaw, S.D. 1986. *Ecophysiology of Desert Reptiles*. Academic Press, Australia. [Ecology; Physiology; Thermoregulation]
81. Brattstrom, B.H. 1954. Amphibians and reptiles from Gypsum Cave, Nevada. *Bull. So. California Acad. Sci.* 53(1):8-12. [Distribution; Paleontology]
82. _____. 1958. New records of Cenozoic amphibians and reptiles from California. *Bull. So. California Acad. Sci.* 57(1):5-12. [Distribution; Paleontology]
83. _____. 1965. Body temperatures of reptiles. *Am. Midl. Nat.* 73(2):376-422. [Physiology; Thermoregulation]
84. _____. 1974. The evolution of reptilian social behavior. *Am. Zool.* 14(1):35-49. [Behavior; Evolution]
85. Breen, J.F. 1974. *Encyclopedia of Reptiles and Amphibians*. T.F.H. Publications, Inc. Neptune City, New Jersey. [General Interest]
86. Brown, T.W. 1983. Fishes, amphibians, and reptiles of the lower Mojave River system. Report submitted to the U.S. Bureau of Land Management, Contract 060-CT8-000046. [Conservation; Distribution]
87. Brygoo, E.R. 1989. Les types d'Iguanidés (Reptiles, Sauriens) du Muséum national d'Histoire naturelle Catalogue critique. *Bull. Mus. Natl. Hist. Nat. Paris* (Ser. 4) 11:1-112. [Taxonomy]

88. Buettner, G. 1982. (ed.). The Audubon Society Encyclopedia of Animal Life. Chanticleer Press, Inc., New York. [General Interest]
89. Burghardt, G.M. and Rand, A.S. (eds.). 1982. Iguanas of the World: Their Behavior, Ecology and Conservation. Noyes Publ., Park Ridge, New Jersey. [Behavior; Conservation; Ecology]
90. Burggren, W.W. 1987. Form and function in reptilian circulations. Am. Zool. 27:5-19. [Morphology]
91. Bustard, R. 1961. Collared lizards and the chuckawallas. Aquarist & Pondkpr. 26:134-135. [Captive Management]
92. Camp, C.L. 1916. Notes on the local distribution and habits of the amphibians and reptiles of southeastern California in the vicinity of the Turtle Mountains. Univ. California Publ. Zool. 12:503-544. [Distribution]
93. _____. 1923. Classification of the lizards. Bull. Am. Mus. Nat. Hist. 48:289-481. [Evolution; Morphology; Taxonomy]
94. Cardénas, S.A., Tessaro, P.G., Romero, A.G., and Rubio, A.O. 1988. Capitulo 11, Herpetofauna. pp. 1-237. In: L. Arriaga and A. Ortega (eds.), La Sierra de la Laguna de Baja California Sur. Centro de Investigaciones Biologicas de Baja California Sur. La Paz, Baja California Sur. [Distribution]
95. Carl, G. 1978. Spiny chuckwallas bred at the Fort Worth Zoo. Herpetol. Rev. 9(2):57. [Captive Managment; Life History]
96. _____ and Jones, J.P. 1979. The eggs and hatchlings of *Sauromalus hispidus*. J. Herpetol. 13(3):293-296. [Life History]
97. Carlquist, S. 1965. Island Life: A Natural History of the Islands of the World. Natural History Press, Garden City, New Jersey. 451 pp. [Distribution]
98. Carothers, J.H. 1984. Sexual selection and sexual dimorphism in some herbivorous lizards. Am. Nat. 124(2):244-254. [Evolution; Morphology]
99. Carpenter, C.C. 1967. Aggression and social structure in iguanid lizards. pp. 87-105. In: W.W. Milstead (ed.), Lizard Ecology, A Symposium. Univ. of Missouri, Columbia, Missouri. [Behavior; Ecology]
100. _____. 1970. Miscellaneous notes on Galapagos lava lizards (*Tropidurus-Iguanidae*). Herpetologica 26(3):377-386. [Behavior]
101. _____. 1977. A survey of stereotyped reptilian behavioral patterns. pp. 335-403. In: C. Gans and D.W. Tinkle (eds.), Biology of the Reptilia, Vol. 7, Ecology and Behavior A, Academic Press, London. [Behavior; Ecology]
102. _____. 1982. The aggressive displays of iguanine lizards. pp. 215-231. In: G.M. Burghardt and A.S. Rand (eds.), Iguanas of the World: Their Behavior, Ecology, and Conservation. Noyes Publications, Park Ridge, New Jersey. [Behavior; Ecology]
103. _____. 1986. An inventory of the display-action-patterns in lizards. Smith. Herpetol. Inf. Serv. (69):1-18. [Behavior]
104. Casas Andreu, G. 1979. Ejemplares tipo de la colección herpetológica del Instituto de Biología, UNAM. An. Inst. Biol. Univ. Nal. Autón. México, Ser. Zool. 50(1):647-650. [Distribution]
105. _____ and McCoy, C.J. 1979. Anfibios y reptiles de México. Limusa, México. 87 pp. [Distribution]

106. _____ and Oscar Sánchez Herrera. 1978. La colección herpetológica de la Universidad Nacional Autónoma de México. Congreso Nac. Zool., México 1:166-175. [Distribution]
107. Case, T.J. 1972. Thermoregulation and evaporative cooling in the chuckwalla, *Sauromalus obesus*. Copeia 1972(1):145-150. [Physiology; Thermoregulation]
108. _____. 1975. Species numbers, density compensation, and colonizing ability of lizards on islands in the Gulf of California. Ecology 56(1):3-18. [Ecology]
109. _____. 1976. Ecological and physiological studies of desert lizards. Diss. Abstr. Int. (B) 35(9):4330. [Ecology; Physiology]
110. _____. 1976. Body size differences between populations of the chuckwalla, *Sauromalus obesus*. Ecology 57(2):313-323. [Ecology]
111. _____. 1976. Seasonal aspects of thermoregulatory behavior in the chuckwalla, *Sauromalus obesus* (Reptilia, Lacertilia, Iguanidae). J. Herpetol. 10(2):85-95. [Thermoregulation]
112. _____. 1978. A general explanation for insular body size trends in terrestrial vertebrates. Ecology 59(1):1-18. [Ecology]
113. _____. 1979. Optimal body size and animal's diet. Acta Biotheor. 18:54-67. [Ecology]
114. _____. 1982. Ecology and evolution of the insular gigantic chuckwallas, *Sauromalus hispidus* and *Sauromalus varius*. pp. 184-212. In: G.M. Burghardt and A.S. Rand (eds.), Iguanas of the World: Their Behavior, Ecology, and Conservation. Noyes Publications, Park Ridge, New Jersey. [Ecology; Evolution]
115. _____. 1983. Reptiles: Ecology. pp. 159-209. In: T.J. Case and M.L. Cody (eds.), Island Biogeography in the Sea of Cortez. Univ. of California Press, Berkeley, California. [Ecology]
116. Castillo, J.E.G. (ed.). 1988. Ildas del Golfo de California. Secretaría de Gobernación/UNAM, Talleres Gráficos de la Nación, Canal de Norte Núm. 80, México. [Distribution]
117. Castillo, S.C. 1989. Behavior and social organization in *Sauromalus varius* Dickerson (Reptilia, Sauria, Iguanidae) in captivity. Abst. 1st World Cong. Herpetol:261. [Behavior; Captive Management]
118. Chace, G.E. 1982. The World of Lizards. Dodd, Mead, New York. 144 pp. [General Interest]
119. Cliff, F.S. 1954. Variation and evolution of the reptiles inhabiting the islands in the Gulf of California, Mexico. Ph.D. Diss., Stanford University, Stanford, California. [Distribution; Evolution; Taxonomy]
120. _____. 1958. A new species of *Sauromalus* from Mexico. Copeia 1958(4):259-261. [Distribution; Taxonomy]
121. Cloudsley-Thompson, J.L. 1963. The mechanism of heat death. New Scient. 18(338):330-332. [Physiology; Thermoregulation]
122. Cochran, D.M. 1961. Type specimens of reptiles and amphibians in the United States National Museum. Bull. U.S. Natl. Mus. (220):1-291. [Taxonomy]
123. _____ and Goin, C.J. 1970. The New Field Book of Reptiles and Amphibians. G.P. Putnam's Sons, New York. [Distribution; Morphology; Taxonomy]

124. Cole, C.J. and Van Devender, T. 1976. Surface structure of fossil and recent epidermal scales from North American lizards of the genus *Sceloporus* (Reptilia: Iguanidae). Bull. Am. Mus. Nat. Hist. 156:451-514. [Morphology]
125. Collins, J.T. 1982. (3rd ed.). Standard common and current scientific names for North American amphibians and reptiles. SSAR Herpetol. Circular No. 19. pp. 1-45. [Taxonomy]
126. ———, Huheey, J.E., Knight, J.L., and Smith, H.M. 1978. (1st ed.). Standard common and current scientific names for North American amphibians and reptiles. SSAR Herpetol. Circular No. 7. pp 1-36. [Taxonomy]
127. ———, Conant, R., Huheey, J.E., Knight, J.L., Rundquist, E.M., and Smith, H.M. 1982. (2nd ed.). Standard common and current scientific names for North American amphibians and reptiles. SSAR Herpetol. Circular No. 12. pp. 1-32. [Taxonomy]
128. Congdon, J.D. 1989. Proximate and evolutionary constraints on energy relations of reptiles. Physiol. Zool. 62(2):356-373. [Evolution; Physiology]
129. Conti, L.F. and Crowley, J.H. 1939. A new bacterial species isolated from the chuckwalla (*Sauromalus varius*). J. Bacteriol. 37(6):647-653. [Disease]
130. Cooper, E.L., Klempau, A.E., and Zapata, A.G. 1985. Reptilian immunity. pp. 599-678. In: C. Gans, F. Billett, and P.F.A. Maderson (eds.), Biology of the Reptilia, Vol. 14, Development A, John Wiley & Sons, New York. [Physiology]
131. Cooper, J.E. 1981. Bacteria. pp. 165-191. In: J.E. Cooper and O.F. Jackson (eds.), Diseases of the Reptilia, Academic Press, New York. [Disease]
132. Cooper, J.G. 1870. The fauna of California and its geographical distribution. Proc. California Acad. Sci. 4:61-81. [Distribution]
133. Cope, E.D. 1864. Contributions to the herpetology of tropical America. Proc. Acad. Nat. Sci. Philadelphia 16:166-181. [Taxonomy]
134. ———. 1864. On the characters of the higher groups of Reptilia Squamata and especially of the Diploglossa. Proc. Acad. Nat. Sci., Philadelphia 16:224-231. [Morphology; Taxonomy]
135. ———. 1866. On the reptilia and batrachia of the Sonoran Province of the nearctic region. Proc. Acad. Nat. Sci. Philadelphia 18:300-314. [Distribution]
136. ———. 1875. Checklist of North American batrachia and reptilia with a systematic list of the higher groups, and an essay on geographical distribution based on specimens contained in the U.S. National Museum. Washington, D.C., U.S. GPO. (1):1-104. [Distribution]
137. ———. 1886. On the species of Iguaninae. Proc. Am. Philos. Soc. 23:261-271. [Taxonomy]
138. ———. 1887. Catalogue of batrachians and reptiles of Central America and Mexico. Bull. U.S. Natl. Mus. 32:7-98. [Distribution]
139. ———. 1892. The osteology of the Lacertilia. Proc. Am. Philos. Soc. 30:185-221. [Morphology]
140. ———. 1900. The crocodilians, lizards, and snakes of North America. Rept. U.S. Natl. Mus. 1898:153-1270. [Distribution; Morphology]

141. Coues, E. 1875. Synopsis of the reptiles and batrachians of Arizona; with critical and field notes, and on extensive synonymy. Rept. Geog. Geol. Explor. Surv. West 100th Merid. by Geo. M. Wheeler. 5:585-633. (Reprinted In: Herpetological Explorations of the Great American West, K. Adler (ed.), Arno Press, New York, 1978, Vol. 1). [Distribution]
142. Cowles, R.B. 1920. A list and some notes on the lizards and snakes in the Pomona College Museum. J. Ent. Zool., Pomona College 12(3):63-66. [Taxonomy]
143. _____. 1958. Possible origin of dermal temperature regulation. Evolution 12:347-357. [Evolution; Physiology; Thermoregulation]
144. _____. and Bakker, E.S. 1977. Desert Journal: Reflections of a Naturalist. University of California Press, Berkeley, California. [Ecology; Thermoregulation]
145. _____. and Bogert, C.M. 1936. The herpetology of the Boulder Dam region (Nev., Ariz., Utah). Herpetologica 1(2):33-42. [Distribution]
146. _____. and Bogert, C.M. 1944. A preliminary study of the thermal requirements of desert reptiles. Bull. Am. Mus. Nat Hist. 82(5):265-296. [Physiology; Thermoregulation]
147. Crawford, E.C. 1972. Brain and body tempratures in a panting lizard. Science 177(4047):431-433. [Physiology; Thermoregulation]
148. _____. and Barber, B.J. 1974. Effects of core, skin, and brain temperature on panting in the lizard *Sauromalus obesus*. Am. J. Physiol. 226(3):569-573. [Physiology; Thermoregulation]
149. _____. and Gatz, R.N. 1973. Acid-base status of the blood of a desert lizard at different temperatures. Pflügers Arch. 343(Suppl.), R3. [Physiology]
150. _____. and Gatz, R.N. 1974. Carbon dioxide tension and pH of the blood of the lizard *Sauromalus obesus* at different temperatures. Comp. Biochem. Physiol. 47(2):529-534. [Physiology]
151. _____. and Gatz, R.N. 1974. Respiratory alkalosis in a panting lizard (*Sauromalus obesus*). Experientia 30(6):638-639. [Physiology]
152. _____. and Kampe, G. 1971. Physiological responses of the lizard *Sauromalus obesus* to changes in ambient temperature. Am. J. Physiol. 220:1256-1260. [Physiology; Thermoregulation]
153. _____. and Schultetus, R.R. 1970. Cutaneous gas exchange in the lizard *Sauromalus obesus*. Copeia 1970:179-180. [Physiology]
154. Crooks, W. 1980. The chuckwalla (*Sauromalus obesus*). Herptile 25(4):29-31. [General Interest]
155. Crooks, B. 1983. The care and breeding of *Sauromalus obesus obesus* in captivity. Bull. Brit. Herpetol. Soc. (7):68-71. [Captive Management; Life History]
156. Dantzler, W.H. 1976. Renal function (with special emphasis on nitrogen excretion). pp. 447-503. In: C. Gans and W.R. Dawson (eds.), Biology of the Reptilia, Vol. 5, Physiology A, Academic Press, London. [Physiology]
157. Dawson, W.R. 1967. Interspecific variation in physiological responses of lizards to temperature. pp. 230-257. In: W.W. Milstead (ed.), Lizard Ecology, A Symposium, Univ. Missouri Press, Columbia, Missouri. [Physiology; Thermoregulation]

158. Deban, S.M., O'Reilly, J.C. and Theimer, T. 1994. Mechanism of defensive inflation in the chuckwalla, *Sauromalus obesus*. J. Exp. Zool. 270(5):451-459. [Behavior]
159. De Fazio, A., Simon, C.A., Middendorf, G.A., and Romano, D. 1977. Iguanid substrate licking: A response to novel situations in *Sceloporus jarrovi*. Copeia 1977(4):706-709. [Behavior; Ecology]
160. DeLisle, H.F. 1985. Why do lizards have a third eye? Herpetology 15(2):1-17. [Morphology; Physiology]
161. Densmore, L.D., III, Pliler, E.D., and Lawler, H.E. 1994. A molecular approach for determining genetic variation in captive and natural populations of the piebald chuckwalla (*Sauromalus varius*). pp. 343-351. In: J.B. Murphy, K. Adler and J.T. Collins (eds.), Captive Management and Conservation of Amphibians and Reptiles, Society for the Study of Amphibians and Reptiles, Ithaca (New York), Contributions to Herpetology, Vol. 11. [Captive Management; Conservation; Genetics]
162. De Piceis Polver, P. 1968. Studio istomorfologico ed istochimico sulle ghiandole nasali di alcuni Lacertillii. Boll. Zool. 35:375-376. [Morphology]
163. de Queiroz, K. 1987. Phylogenetic systematics of iguanine lizards: A comparative osteological study. Univ. California Publ. Zool. 118:1-203. [Evolution; Morphology; Paleontology]
164. _____. 1987. A new spiny-tailed iguana from Honduras, with comments on relationships within *Ctenosaura* (Squamata: Iguania). Copeia 1987(4):892-902. [Evolution]
165. _____. 1995. Checklist and key to the extant species of Mexican iguanas (Reptilia: Iguaninae). Publ. Esp. Mus. Zool. No. 9:1-48. [Distribution; Morphology; Taxonomy]
166. Dessauer, H.C. 1970. Blood chemistry of reptiles: Physiological and evolutionary aspects. pp. 1-72. In: C. Gans and T.S. Parsons (eds.), Biology of the Reptilia, Vol. 3, Morphology C, Academic Press, London. [Evolution; Morphology; Physiology]
167. _____., Fox, W. and Hartwig, Q.L. 1962. Comparative study of transferrins of amphibia and reptilia using starch-gel electrophoresis and autoradiography. Comp. Biochem. Physiol. 5(1):17-29. [Physiology]
168. Dickerson, M.C. 1919. Diagnosis of twenty three new species and one new genus of lizards from Lower California. Bull. Am. Mus. Nat. Hist. 41(10):461-477. [Distribution; Taxonomy]
169. Dickey, K.J. 1983. A natural history guide to Baja California. Privately Printed, Chula Vista, California. [General Interest]
170. Dill, D.B., Edwards, H.T., Bock, A.V., and Talbott, J.H. 1935. Properties of reptilian blood. III. The chuckwalla (*Sauromalus obesus* Baird). J. Cell. Comp. Physiol. 6:37-42. [Physiology]
171. Ditmars, R.L. 1907. The Reptile Book: A comprehensive popularized work on the structure and habits of the turtles, tortoises, crocodilians, lizards and snakes which inhabit the United States and northern Mexico. Doubleday Page, New York. [General Interest]

172. _____. 1910. Reptiles of the World: Tortoises and turtles, crocodilians, lizards and snakes of the eastern and western hemispheres. Sturgis and Walton Co., New York. [Distribution; Taxonomy]
173. _____. 1936. The Reptiles of North America: A review of the crocodilians, lizards, snakes, turtles and tortoises inhabiting the United States and northern Mexico. Doubleday & Co., New York. [Distribution; Taxonomy]
174. Dixon, J.R. 1967. Amphibians and reptiles of Los Angeles County California. Los Angeles Co. Mus. Nat. Hist., Sci. Ser. 23, Zool. No. 10:1-63. [Distribution]
175. Dodd, C.K., Jr. 1979. Review of the status of the San Esteban Island chuckwalla. Federal Register 44(45):12391. [Conservation]
176. _____. 1980. Final rule on listing with endangered status of five species of foreign reptiles. Federal Register. 45(56):18009. [Conservation]
177. Downs, T., Howard, H., Clements, T., and Smith, G.A. 1959. Quaternary animals from Schuiling Cave in the Mohave Desert, California. Contr. Sci. Los Angeles Co. Mus. 29:1-21. [Distribution]
178. Driscoll, A. 1987. High elevation reptiles and amphibians in the Granite Mountains of the Mojave Desert, California. B.S. Thesis, Univ. California Santa Cruz, Santa Cruz, California. [Distribution; Ecology]
179. Dugan, B. and Wienwandt, T.V. 1982. Socio-ecological determinants of mating strategies in Iguanine lizards. pp. 303-319. In: G.M. Burghardt and A.S. Rand (eds.), Iguanas of the World: Their Behavior, Ecology, and Conservation. Noyes Publications, Park Ridge, New Jersey. [Ecology; Life History]
180. Duméril, A. 1856. Descriptions des Reptiles Nouveaux ou Imparfaitement Connus de la Collection du Museum d'Histoire Naturelle et Remarques sur la Classification et les Caracteres des Reptiles. Arch. Mus. Nat. Hist. Paris 8:437-588. [Morphology; Taxonomy]
181. _____, Bocourt, M.F., and Mocquard, F. 1870-1909. Mission scientifique au Mexique et dans l'Amérique Centrale...Recherches zoologiques. Troisième partie. Première Etudes sur les Reptiles. xiv + 1012 pp. (17 livraisons) Paris: Imprimerie Nationale. [Distribution; Morphology]
182. Dunham, A.R., Miles, D.B., and Reznick, D.N. 1988. Life history patterns in squamate reptiles. pp. 441-522. In: C. Gans and R.B. Huey (eds.), Biology of the Reptilia, Vol. 16, Ecology B, Defense and Life History, Alan R. Liss, Inc., New York. [Ecology; Life History]
183. _____, Tinkle, D.W. and Gibbons, J.W. 1978. Body size in island lizards: cautionary tale. Ecology 59(6):1230-1238. [Morphology]
184. Dunson, W.A. 1976. Salt glands in reptiles. pp. 413-445. In: C. Gans and W.R. Dawson (eds.), Biology of the Reptilia, Vol. 5, Physiology A, Academic Press, London. [Physiology]
185. Duvall, D., Guillette, L.J., Jr., and Jones, R.E. 1982. Environmental control of reptilian reproductive cycles. pp. 201-231. In: C. Gans and F.H. Pough (eds.), Biology of the Reptilia, Vol. 13, Physiology D: Physiological Ecology, Academic Press, London. [Ecology; Physiology]
186. Dziwiewa, T. 1963. Mealworms in the diet of the chuckwalla. Bull. Philadelphia Herpetol. Soc. 11(3-4):57. [Captive Management; Diet]

187. Edmund, A.G. 1960. Tooth replacement phenomena in the lower vertebrates. Contrib. R. Ontario Mus. Zool. No. 52, 190 pp. [Morphology]
188. _____. 1969. Dentition. pp. 117-200. In: C. Gans, A.d'A. Bellairs, and T.S. Parsons (eds.), Biology of the Reptilia, Vol. 1, Morphology A, Academic Press, London. [Morphology]
189. Estes, R. 1983. The fossil record and early distribution of lizards. pp. 365-398. In: A.G.J. Rhodin and K. Miyata (eds.), Advances in Herpetology and Evolutionary Biology: Essays in honor of Ernest E. Williams. Mus. Comp. Zool., Harvard Univ., Cambridge, Massachusetts. [Distribution; Paleontology]
190. _____. 1983. Sauria terrestria, Amphisbaenia. pp. 1-249. In: P. Wellnhofer (ed.), Handbuch der Paläoherpetologie, Teil 10A, Gustav Fischer Verlag, Stuttgart, New York. [Paleontology; Taxonomy]
191. _____. Gauthier, J., and de Queiroz, K. 1988. Phylogenetic relationships within Squamata. pp. 119-282. In: R. Estes and G. Pregill (eds.), Phylogenetic Relationships of Lizard Families: Essays commemorating Charles L. Camp. Stanford Univ. Press, Stanford, California. [Evolution]
192. Etheridge, R.E. 1964. The skeletal morphology and systematic relationships of sceloporine lizards. Copeia 1964(4):610-631. [Morphology; Taxonomy]
193. _____. 1965. The abdominal skeleton of lizards in the family Iguanidae. Herpetologica 21(3):161-168. [Morphology]
194. _____. 1967. Lizard caudal vertebrae. Copeia 1967(4):699-721. [Morphology]
195. _____. 1982. Checklist of the iguanine and Malagasy iguanid lizards. pp. 7-37. In: G.M. Burghardt and A.S. Rand (eds.), Iguanas of the World: Their Behavior, Ecology, and Conservation. Noyes Publications, Park Ridge, New Jersey. [Distribution; Taxonomy]
196. _____. and de Queiroz, K. 1988. A phylogeny of Iguanidae. pp. 283-368. In: R. Estes and G. Pregill (eds.), Phylogenetic Relationships of Lizard Families: Essays commemorating Charles L. Camp. Stanford Univ. Press, Stanford, California. [Evolution; Morphology]
197. Evans, E.E. 1963. Antibody response in Amphibia and Reptilia. Fedn. Proc. Fedn. Am. Soc. Exp. Biol. 22:1132-1137. [Physiology]
198. _____. Kent, S.P., Attleberger, M.H., Seibert, C., Bryant, R.E., and Booth, B. 1965. Antibody synthesis in poikilothermic vertebrates. Ann. New York Acad. Sci. 126:629-646. [Physiology]
199. Fanghella, C., Avery, D.F. and Tanner, W.W. 1975. *Urosaurus* and its phylogenetic relationship to *Uta* as determined by osteology and myology (Reptilia: Iguanidae). Grt. Basin Nat. 35(3):245-268. [Morphology; Taxonomy]
200. Feldner, J.J. and Feldner, M.J. 1990. A method of enticing desert lizards to drink water. Herpetology 20(1):21-22. [Captive Management]
201. _____. and _____. 1991. Unusual habitats occupied by chuckwallas. Herpetology 21(2):24-28. [Ecology]
202. Felger, R.S. and Moser, M.B. 1985. People of the Desert and Sea. University of Arizona Press, Tucson, Arizona. [General Interest]

203. Ferguson, G.W. 1977. Social displays of reptiles. pp. 405-554. *In*: C. Gans and D.W. Tinkle (eds.), *Biology of the Reptilia*, Vol. 7, Ecology and Behavior A, Academic Press, London. [Behavior; Ecology]
204. Finnley, D. 1979. San Esteban Island chuckwalla under review. *Endang. Spec. Tech. Bull.* 4(2):6. [Conservation]
205. _____. 1979. Rulemaking actions. November 1979. Five foreign reptiles proposed as endangered. *Endang. Spec. Tech. Bull.* 4(12):8. [Conservation]
206. _____. 1980. Five foreign reptiles listed as endangered. *Endang. Spec. Tech. Bull.* 5(4):13. [Conservation]
207. Firth, B.T. and Turner, J.S. 1982. Sensory, neural, and hormonal aspects of thermoregulation. pp. 213-274. *In*: C. Gans and F.H. Pough (eds.), *Biology of the Reptilia*, Vol. 12, Physiology C:Physiological Ecology, Academic Press, London. [Ecology; Physiology; Thermoregulation]
208. _____, Turner, J.S., and Ralph, C.L. 1989. Thermoregulatory behavior in two species of iguanid lizards (*Crotaphytus collaris* and *Sauromalus obesus*): Diel variation and the effect of pinealectomy. *J. Comp. Physiol. B Biochem. Syst. Environ. Physiol.* 159(1):13-20. [Physiology; Thermoregulation]
209. Fitch, H.S. 1981. Sexual size differences in reptiles. *Univ. Kansas Mus. Nat. Hist. Misc. Publ.* (70):1-72. [Morphology]
210. _____. 1985. Variation in clutch and litter size in New World reptiles. *Univ. Kansas Mus. Nat. Hist. Misc. Publ.* (76):1-76. [Life History]
211. Flores Villela, O. 1990. Iguana del desierto. p. 301. *In*: J. Rogelio Alvarez (ed.), *Diccionario enciclopédico de Baja California*. Cia. Edit. Encicl. México, México. [General Interest]
212. _____. 1990. Reptiles. p. 425. *In*: J. Rogelio Alvarez (ed.), *Diccionario enciclopédico de Baja California*. Cia. Edit. Encicl. México, México. [General Interest]
213. _____. 1993. Herpetofauna Mexicana: annotated list of the species of amphigians and reptiles of Mexico, recent taxonomic changes, and new species. *Carnegie Mus. Nat. Hist. Spec. Publ.* (17):1-73. [Distribution]
214. _____ and Patricia Gerez Fernández. 1988. Conservación en México: síntesis sobre vertebrados terrestres, vegetación y uso del suelo. *Inst. Nal. Invest. Recursos Bióticos*, Zalapa, Veracruz, México. 302 pp. [Conservation]
215. Flower, S.M. 1929. List of the species of reptiles that have been exhibited alive in the gardens of the Zoological Society of London in the century ending 31st December, 1927. pp. 1-272. *In*: *List of the Vertebrand Animals Exhibited in the Gardens of the Zoological Society of London, 1828-1927*. Vol. III. Zool. Soc. London, London. [Captive Management]
216. Ford, R.S. 1983. Reptiles and amphibians. pp. 123-130. *In*: R.D. Stone and V.A. Sumida (eds.), *The Kingston Range of California: A Resource Survey; Natural and Cultural Values of Kingston Range, Eastern Mojave Desert, California*. *Env. Field Prog. Publ.* #10, Univ. California Santa Cruz, Santa Cruz, California. [Distribution; Ecology]
217. Frankenberg, E. 1984. Non-hemoparasitic protozoans. pp. 259-384. *In*: G.L. Hoff, F.L. Frye and E.R. Jacobson (eds.), *Diseases of Amphibians and Reptiles*. Plenum, New York. [Disease]

218. Frost, D.R. and Etheridge, R.E. 1989. A phylogenetic analysis and taxonomy of iguanian lizards (Reptilia: Squamata). Univ. Kansas Mus. Nat. Hist., Misc. Publ. (81):1-65. [Evolution; Taxonomy]
219. Frye, F.L. 1981. Biomedical and Surgical Aspects of Captive Reptile Husbandry. Vet. Med. Publ., Edwardsville, Kansas. 456 pp. [Captive Management]
220. _____. 1983. Urinary calculosis and cystotomy in a lizard. Vet. Med. Small Anim. Clin. 78(3):431-433. [Disease]
221. Funk, R.S. 1967. A new colubrid snake of the genus *Chionactis* from Arizona. Southwest. Nat. 12:180-188. ???
222. Galina, T., Alvarez, C., González, R., and Gallina, T. 1991. Aspectos generales sobre la fauna de vertebrados. pp. 177-209. In: A. Ortega and L. Arriga (eds.), La Reserva de la Biosfera el Vizcaino en la Peninsula de Baja California. Centro De Investigaciones Biológicas de Baja California Sur, A.C., La Paz, Baja California Sur. [Distribution]
223. Gambino, J.J. 1957. *Cyrtosomum penneri* n. sp. (Oxyuroidea; Atractidae). J. Parasitol. 43(1):76-80. [Disease]
224. _____. 1958. *Cyrtosomum readi* n. sp. and *Cyrtosomum heynemani* n. sp. (Oxyuroidea; Atractidae) two new pinworms of iguanids. J. Parasitol. 44(4):439-445. [Disease]
225. _____. and Heyneman, D. 1960. Specificity and speciation in the genus *Cyrtosomum* (Nematoda: Atractidae). Amer. Midl. Nat. 63:365-382. [Disease]
226. Gans, C. 1975. Reptiles of the World. Bantam Books, New York. 159 pp. [Distribution; General Interest]
227. _____. and Dawson, W.R. 1976. Reptilian physiology: An overview. pp. 1-17. In: C. Gans and W.R. Dawson (eds.), Biology of the Reptilia, Vol. 5, Physiology A, Academic Press, London. [Physiology]
228. _____. and F.H. Pough. 1982. Physiological ecology: Its debt to reptilian studies, its value to students of reptiles. pp. 1-13. In: C. Gans and F.H. Pough (eds.), Biology of the Reptilia, Vol. 12, Physiology C: Physiological Ecology, Academic Press, London. [Ecology; Physiology]
229. Gates, G.O. 1957. A study of the herpetofauna in the vicinity of Wickenburg, Maricopa County, Arizona. Trans. Kansas Acad. Sci. 60(4):403-418. [Distribution]
230. _____. 1968. Geographical distribution and character analysis of the iguanid lizard *Sauromalus obesus* in Baja California, Mexico. Herpetologica 24(4):285-288. [Distribution; Morphology]
231. Gauthier, J.A., Estes, R. and de Queiroz, K. 1988. Phylogenetic analysis of Lepidosauromorpha. pp. 15-98. In: R. Estes and G. Pregill (eds.), Phylogenetic Relationships of the Lizard Families. Stanford University Press, Stanford, California. [Evolution]
232. Gehlbach, F.R. 1981. Mountain islands and desert seas. A natural history of the U.S.-Mexican borderlands. Texas A & M Press, College Station, Texas. 298 pp. [General Interest]

233. Gilboa, I. 1975. Karyotypes of amphibians and reptiles: a bibliographic review. pp. 91-156. *In*: H.G. Dowling (ed.), 1974 Yearbook in Herpetology, N.Y. Herpetol. Inf. Search Syst. [Genetics]
234. Glaser, H.S.R. 1970. The distribution of amphibians and reptiles in Riverside County, California. Nat. Hist. Ser. No. 1, Riverside Museum Press, pp. 1-40. [Distribution]
235. Gleeson, T.T. 1981. Preferred body temperature, aerobic scope, and activity capacity of the monitor lizard, *Varanus salvator*. *Physiol. Zool.* 54(4):423-429. [Physiology; Thermoregulation]
236. Glinski, T.H. and Krekorian, C.O. 1985. Individual recognition in free-living adult male desert iguanas, *Dipsosaurus dorsalis*. *J. Herpetol.* 19(4):541-544. [Ecology]
237. Gloyd, H.K. 1937. A herpetological consideration of faunal areas in southern Arizona. *Bull. Chicago Acad. Sci.* 5(5):79-136. [Distribution]
238. Goin, C.J., Goin, O.B. and Zug, G.R. 1962. Introduction to Herpetology. W.H. Freeman and Co., San Francisco, California. 340 pp. [Taxonomy; Thermoregulation]
239. Goin, C.J., Goin, O.B. and Zug, G.R. 1978. Introduction to Herpetology. 3rd ed. W.H. Freeman and Co., San Francisco, California. 378 pp. [Taxonomy; Thermoregulation]
240. Gonzalez Romero, A. and Alvarez Cardenas, S. 1989. Herpetofauna de la region del Pinacate, Sonora, Mexico: un inventario. *Southwest. Nat.* 34:519-526. [Distribution]
241. ———, Ortega, A. and Barbault, R. 1989. Habitat partitioning and spatial organization in a lizard community of the Sonoran Desert, Mexico. *Amphibia-Reptilia* 10(1):1-11. [Ecology]
242. Gorman, G.C. 1973. The chromosomes of the reptilia, a cytotaxonomic interpretation. pp. 349-424. *In*: A.B. Chiarelli and E. Capanna (eds.), *Cytotaxonomy and Vertebrate Evolution*. Academic Press, London. [Genetics; Morphology]
243. ———, Atkins, L., and Holzinger, T. 1967. New karyotypic data on 15 genera of lizards in the family Iguanidae, with a discussion of taxonomic and cytological implications. *Cytogenetics* 6(3-4):286-299. [Genetics; Morphology; Taxonomy]
244. ———, Wilson, A.C., and Nakanishi, M. 1971. A biochemical approach towards the study of reptilian phylogeny: evolution of serum albumin and lactic dehydrogenase. *Syst. Zool.* 20(?):167-185. [Evolution; Genetics]
245. Gowan, R. 1991. AFH interview: Howard Lawler. *Vivarium* 2(6):7, 30-31. [Captive Management]
246. Grant, C. 1947. Dr. Charles Haskins Townsend (obituary). *Herpetologica* 4(1):38-40. [General Interest]
247. Gratzer, W.B. and Allison, A.C. 1960. Multiple haemoglobins. *Biol. Rev.* 35:459-506. [Physiology]
248. Gray, R.L. 1995. San Esteban chuckwalla *Sauromalus varius*: An Arizona-Sonora Desert Museum delight. *The Vivarium* 6(4):52-54. [Captive Management]
249. Greek, T. 1990. Outdoor cages. *North. California Herpetol. Soc.* 9(5):3-5. [Captive Management]

250. Greenberg, N.B. and MacLean, P.D. (eds.) 1978. Behavior and neurology of lizards: an interdisciplinary colloquium. U.S. Dept. of Health, Education, and Welfare, Rockville, Maryland. 352 pp. [Behavior]
251. Greene, H.W. 1988. Antipredator mechanisms in reptiles. pp. 1-152. In: C. Gans and R.B. Huey (eds.), Biology of the Reptilia, Vol. 16, Ecology B: Defense and Life History, Alan R. Liss, Inc., New York. [Ecology]
252. Gregory, P.T. 1982. Reptilian hibernation. pp. 53-154. In: C. Gans and F.H. Pough (eds.), Biology of the Reptilia, Vol. 13, Physiology D: Physiological Ecology, Academic Press, London. [Ecology; Physiology]
253. Grenot, C., Barbault, R. and Maury, M.E. 1978. Contribution a la connaissance de l'herpétocénose du Bolsón de Mapimí (Désert de Chihuahua, Mexique). Compte Rendu Seances Soc. Biogéogr. 54(476):67-84. [Distribution]
254. Grinnell, J. and Camp, C.L. 1917. A distributional list of the amphibians and reptiles of California. Univ. California Publ. Zool. 17:127-208. [Distribution]
255. Grismer, L.L. 1990. The reptiles and amphibians of Baja California. Tucson Herpetol. Soc. Newsl. 3(1):2-6. [Distribution]
256. _____. 1994. The evolutionary and ecological biogeography of the herpetofauna of Baja California and the Sea of Cortés. Ph.D. Diss., Loma Linda University, Loma Linda, California. [Distribution; Ecology; Evolution; Taxonomy]
257. _____. 1994. Ecogeography of the peninsular herpetofauna of Baja California, México and it utility in historical biogeography. pp. 89-125. In: P.R. Brown and J.W. Wright (eds.), Herpetology of the North American Deserts, Proceedings of a Symposium, Southwest. Herpetol. Soc., Van Nuys, California. [Distribution; Evolution]
258. _____. , Beaman, K.R., and Lawler, H.E. 1995. *Sauromalus hispidus*. Cat. Am. Amph. Rept. 615.1-615.4. [Distribution; Taxonomy]
259. Grizmek, H.C. Bernhard (ed.). 1975. Grizmek's Animal Life Encyclopedia. Vol. 6. Reptiles. Van Nostrand Reinhold, New York. [General Interest]
260. Guibé, J. 1954. Catalogue des types de lézards du Muséum National d'Histoire Naturelle. Bayeux: Imp. Colas. [Taxonomy]
261. _____. 1954. Tolerance thermique and thermoregulation chez les reptiles. Scientia 89(1):23-27. [Physiology; Thermoregulation]
262. Gundy, G.C. and Wurst, G.Z. 1976. The occurrence of parietal eyes in recent Lacertilia (Reptilia). J. Herpetol. 10(2):113-121. [Morphology; Physiology]
263. Guttman, S.I. 1971. An electrophoretic analysis of the hemoglobins of Old and New World lizards. J. Herpetol. 5(1):11-16. [Genetics; Physiology]
264. Haas, G. 1973. Muscles of the jaws and associated structures in the Rhynchocephalia and Squamata. pp. 285-490. In: C. Gans and T.S. Parsons (eds.), Biology of the Reptilia, Vol. 4, Morphology D, Academic Press, London. [Morphology]
265. Hale, S.F. 1989. Alamos field trip 1989: trip notes. Tucson Herpetol. Soc. Newsl. 2(9):76-77. [Distribution]

266. Hamilton, P. 1995. Environmental and geographic influences on the expression of sexual dimorphism in the chuckwalla, *Sauromalus obesus*. M.A. Thesis, Univ. of California, Riverside, California. [Morphology; Life History]
267. Hansen, R.M. 1974. Dietary of the chuckwalla, *Sauromalus obesus*, determined by dung analysis. *Herpetologica* 30(2):120-123. [Diet]
268. Hayward, C.L., Beck, D.E. and Tanner, W.W. 1958. Zoology of the Upper Colorado River Basin. 1. The biotic communities. Brigham Young Univ. Sci. Bull. Biol. Ser. 1(3):1-74. [Distribution]
269. Hevly, R.H., Heuett, M.L., and Olsen, S.J. 1978. Paleoecological reconstruction from an upland Patayan rock shelter, Arizona. *J. Arizona-Nevada Acad. Sci.* 13:67-78. [Paleontology]
270. Heymann, M.M. 1975. Reptiles and Amphibians of the American Southwest. Doubleshoe, Scottsdale, Arizona. 77 pp. [Distribution]
271. Hill, H.R. 1948. Amphibians and reptiles of Los Angeles County. Los Angeles Co. Mus. Sci. Ser. 12(5):5-30. [Distribution]
272. Hiller, U. and Dieterich, H.J. 1989. Vergleichende TEM/REM-Untersuchungen an Geweben unterschiedlichen Erhaltungszustands. *Verh. Anat. Ges.* 81(2):669-670. [Morphology]
273. Hoevers, L.G.A. and Roon, E.M. van. 1960. Woestijnbewoners in het terrarium [Reptilian inhabitants of the desert in terrarium]. *Lacerta* 18(7):52-56. [Captive Management]
274. Hoff, G.L. and Hoff, D.M. 1984. *Salmonella* and Arizona. pp. 69-82. In: G.L. Hoff, F.L. Frye and E.R. Jacobson (eds.), *Diseases of Amphibians and Reptiles*. Plenum, New York. [Disease]
275. Hollingsworth, B. 1995. The phylogenetic systematics, taxonomy, geographic variation, and historical biogeography of the chuckwalla lizards (Iguanidae: *Sauromalus*) and the evolution of other iguanids. M.S. Thesis, San Diego State University, San Diego, California. [Evolution; Morphology; Paleontology; Taxonomy]
276. _____. and L.L. Grismer. 1996. *Sauromalus ater ater*. *Herpetol. Rev.* 27(1):33. [Distribution]
277. _____., Mahrtdt, C.R., Grismer, L.L., and Banta, B.H. 1995. The occurrence of *Sauromalus varius* on a satellite islet of Isla Salsipuedes, Gulf of California, México. *San Bernardino Co. Mus. Assoc. Quart.* 42(2):32. (Abstract from Proc. 1995 Desert Res. Symp.) [Distribution]
278. _____., Mahrtdt, C.R., Grismer, L.L., Banta, B.H., and C.K. Sylber. 1997. The occurrence of *Sauromalus varius* on a satellite islet of Isla Salsipuedes, Gulf of California, México. *Herpetol. Rev.* (In Press). [Distribution]
279. Honigberg, B.M. 1955. Structure and morphogenesis of two new species of *Hexamastix* from lizards. *J. Parasitol.* 41:1-17. [Disease]
280. Hoofien, J.H. 1962. An unusual congregation of the gekkonid lizard *Tarentola annularis* (Geoffroy). *Herpetologica* 18(1):54-56. [Ecology]
281. Hotton, N., III. 1955. A survey of adaptive relationships of dentition to diet in the North American Iguanidae. *Am. Midl. Nat.* 53(1):88-114. [Morphology]

282. Howell, B.J. and Rahn, H. 1976. Regulation of acid-base balance in reptiles. pp. 335-363. *In*: C. Gans and W.R. Dawson (eds.), *Biology of the Reptilia*, Vol. 5, Physiology A, Academic Press, London. [Physiology]
283. Howes, P.G. 1954. The giant cactus forest and its world. New York, pp. 1-258. [General Interest]
284. Hubert, C. June 29, 1983. Curator helping eighteen chuckwallas stay in and multiply at museum. *Forked Tongue* 9(2):7-8. [Captive Management]
285. Hudson, R. 1983. The reptile reproduction program at the Fort Worth Zoo. *Ann. Rept. Symp. Capt. Propag. Husb.* 6:328-349. [Captive Management; Life History]
286. Huey, R.B. 1982. Temperature, physiology, and the ecology of reptiles. pp. 25-91. *In*: C. Gans and F.H. Pough (eds.), *Biology of the Reptilia*, Vol. 12, Physiology C: Physiological Ecology, Academic Press, London. [Ecology; Physiology]
287. Hunsaker, D. and Burrage, B.R. 1969. The significance of interspecific social dominance in iguanid lizards. *Am. Midl. Nat.* 81(2):500-511. [Ecology]
288. Hutchison, V.H. and Larimer, J.L. 1960. Reflectivity of the integument of some lizards from different habitats. *Ecology* 41:199-209. [Ecology; Physiology]
289. Irvine, F.R. 1960. Lizards and crocodiles as food for man. *Brit. J. Herpetol.* 2:197-202. [General Interest]
290. Iverson, J.B. 1979. Behavior and ecology of the rock iguana *Cyclura carinata*. *Bull. Florida St. Mus. Biol. Sci.* 24(3):176-358. [Behavior; Ecology]
291. _____. 1980. Colic modifications in iguanine lizards. *J. Morphol.* 163(1):79-93. [Morphology]
292. _____. 1982. Adaptations for herbivory in iguanine lizards. pp. 60-76. *In*: G.M. Burghardt and A.S. Rand (eds.), *Iguanas of the World: Their Behavior, Ecology, and Conservation*. Noyes Publications, Park Ridge, New Jersey. [Diet; Morphology]
293. Jacobson, E.R. 1984. *Pseudomonas*. pp. 37-47. *In*: G.L. Hoff, F.L. Frye and E.R. Jacobson (eds.), *Diseases of Amphibians and Reptiles*. Plenum, New York. [Disease]
294. Jarvis, C. 1966. A survey of recent longevity records for reptiles and amphibians in zoos. *Int. Zoo Yb.* 6:487-493. [Captive Management]
295. Jenssen, T.A. 1978. Display diversity in anoline lizards and problems of interpretation. pp. 269-285. *In*: N.B. Greenberg and P.D. MacLean (eds.), *Behavior and neurology of lizards: an interdisciplinary colloquium*. U.S. Dept. of Health, Education, and Welfare, Rockville, Maryland. [Behavior]
296. Johnson, D.H., M.D. Bryant, and A.H. Miller. 1948. Vertebrate animals of the Providence Mountains area of California. *Univ. Calif. Publ. Zool.* 48:221-375. [Distribution; Ecology]
297. Johnson, R.N. and Lillywhite, H.B. 1979. Digestive efficiency of the omnivorous lizard *Klauberina riversiana*. *Copeia* 1979(3):431-437. [Diet; Physiology]
298. Johnson, S.R. 1965. An ecological study of the chuckwalla, *Sauromalus obesus* Baird in the western Mojave Desert. *Am. Midl. Nat.* 73(1):1-29. [Behavior; Diet; Ecology; Life History]

299. Karasov, W.H., Solberg, D.H., and Diamond, J.M. 1985. What transport adaptations enable mammals to absorb sugars and amino acids faster than reptiles? *Am. J. Physiol.* 249(2):G271-G283. [Physiology]
300. ———, Petrossian, E., Rosenberg, L., and Diamond, J.M. 1986. How do food passage rates and assimilation differ between herbivorous lizards and nonruminant mammals? *J. Comp. Physiol. (B)* 156(4):599-609. [Physiology]
301. Kastle, W. and Klemmer, K. 1975. The iguanids, family Iguanidae. pp. 177-202. *In: B.H. Grizmek (ed.), Animal Life Encyclopedia Vol. 6. Reptiles.* Van Nostrand Reinhold, New York. [General Interest]
302. Kattinger, E. 1975. Zoologische Streifzüge in Mexico südlich des Trópico de Cancer. *Ber. Naturf. Ges. Bamberg* (50):89-169. [Distribution]
303. Kay, F. and Bradley, W.G. 1968. The occurrence and distribution of the eastern fence lizard (*Sceloporus undulatus*) in southern Nevada. *Herpetologica* 24(1):72-76. [Distribution]
304. Klauber, L.M. 1934. Annotated list of the amphibians and reptiles of the southern border of California. *Bull. Zool. Soc. San Diego* (11):1-28. [Distribution]
305. ———. 1939. Studies of reptile life in the arid southwest. *Bull. Zool. Soc. San Diego.* (14):1-100. [Ecology]
306. Kline, L.W. 1982. An age-dependent response to synthetic salmon calcitonin in the chuckwalla *Sauromalus obesus*. *Can. J. Zool.* 60(6):1359-1361. [Physiology]
307. ———. 1985. A hypocalcemic response to calcitonin in young chuckwallas, *Sauromalus obesus*. pp. 847-848. *In: B. Lofts and W.N. Holmes (eds.), Current trends in comparative endocrinology. Proc. 9th Int. Symp. Comp. Endocr., Hong Kong, Univ. Press, Hong Kong.* [Physiology]
308. ———. 1985. Calcitonin-induced body mass loss in the lizard *Sauromalus obesus*. *Can. J. Zool.* 63(12):2780-2782. [Physiology]
309. Kluge, A.G. 1984. Type-specimens of reptiles in the University of Michigan Museum of Zoology. *Misc. Publ. Mus. Zool. Univ. of Michigan* (167):1-85. [Taxonomy]
310. Kollias, G.V., Jr. 1984. Immunological aspects of infectious diseases. pp. 661-691. *In: G.L. Hoff, F.L. Frye and E.R. Jacobson (eds.), Diseases of Amphibians and Reptiles.* Plenum, New York. [Disease]
311. Krekorian, C.O. 1976. Home range size and overlap and their relationship to food abundance in the desert iguana, *Dipsosaurus dorsalis*. *Herpetologica* 32(4):405-412. [Diet; Ecology]
312. ———. 1989. Field and laboratory observations on chemoreception in the desert iguana, *Dipsosaurus dorsalis*. *J. Herpetol.* 23(3):267-273. [Ecology]
313. Lamb, T., Jones, T.R., and Avise, J.C. 1992. Phylogenetic histories of representative herpetofauna of the southwestern United States.: Mitochondrial DNA variation in the desert iguana (*Dipsosaurus dorsalis*) and the chuckwalla (*Sauromalus obesus*). *J. Evol. Biol.* 5(3):465-480. [Evolution; Genetics]
314. Lang, M. 1989. Phylogenetic and biogeographic patterns of basiliscine iguanians (Reptilia: Squamata: "Iguanidae"). *Bonner Zool. Monogr.* (28):1-172. [Distribution; Morphology]

315. Lara Gongora, G., Lawler, H.E., R. Molina F., and C. Castillo S. 1987. Dimorfismo sexual en la iguana de la isla de San Esteban, *Sauromalus varius*. Abstract. In: Proc. of the Joint Annual Meeting of SSAR and HL, and Comité Herpetológico Nacional, Veracruz, Mexico. [Ecology; Morphology]
316. Lawler, H.E. 1982. Captive breeding and conservation: New horizons at the desert museum. *Sonorensis* 4(2):5. [Captive Management; Conservation; Life History]
317. _____. 1983. Record hatch of endangered San Esteban Island Chuckwallas at ASDM. *AAZPA Newsletter*:10. [Captive Management; Life History]
318. _____. 1984. Captive management of the endangered Isla San Esteban chuckwalla, *Sauromalus varius* (Sauria: Iguanidae) at the Arizona-Sonora Desert Museum. Abstract. In: Proc. of the Joint Meeting of ASIH, SSAR, and HL. Univ. of Oklahoma, Norman, Oklahoma. [Captive Management; Conservation]
319. _____. 1994. Applications of field herpetology in captive management programs for endangered herpetofauna. pp. 273-280. In: P.R. Brown and J.W. Wright (eds.), *Herpetology of the North American Deserts*, Proceedings of a Symposium, Southwest. Herpetol. Soc., Van Nuys, California. [Captive Management; Conservation]
320. _____. and Jarchow, J.L. 1986. A captive management plan for large iguanine lizards using the Isla San Esteban chuckwalla *Sauromalus varius* Dickerson as a model. pp. 138-164. In: S. McKeown, F. Caporaso and K.H. Peterson (eds.), *9th International Herpetological Symposium on Captive Propagation and Husbandry*. Univ. of San Diego, San Diego, California. [Captive Management; Conservation]
321. _____. , Beaman, K.R., and Grismer, L.L. 1995. *Sauromalus varius*. *Cat. Am. Amph. Rep.* 616.1-616.4. [Distribution; Taxonomy]
322. _____. , Van Devender, T.R., and Jarchow, J.L. 1994. Ecological and nutritional management of the endangered piebald chuckwalla (*Sauromalus varius*) in captivity. pp. 333-341. In: J.B. Murphy, K. Adler and J.T. Collins (eds.), *Captive Management and Conservation of Amphibians and Reptiles*, Society for the Study of Amphibians and Reptiles, Ithaca (New York), *Contributions to Herpetology*, Vol. 11. [Captive Management; Conservation]
323. Lazell, J.D. 1973. The lizard genus *Iguana* in the Lesser Antilles. *Bull. Mus. Comp. Zool.* 145(1):1-28. [Evolution; Morphology]
324. _____. 1989. Book Review: *Phylogenetic Systematics of Iguanine Lizards*. *Copeia* 1989(3):807-809. [Evolution; Taxonomy]
325. Lefcort, H. and Blaustein, A.R. 1991. Parasite load and brightness in lizards; an interspecific test of the Hamilton and Zuk hypothesis. *J. Zool. (Lond.)* 224(Part 3):491-499. [Disease]
326. Lemire, M. 1978. Une voie singulière d'élimination ionique: la glande nasale (à sels) chez les lézards déserticoles herbivores. *Compte. R. Congr. Nat. Soc. Sav. Paris Sect. Sci.* 103(3):187-199. [Morphology]
327. _____. 1985. Contribution a l'étude des fosses nasales des sauriens. Anatomie fonctionnelle de la glande "a sels" des lezards deserticoles. *Mem. Mus. Natl. d'Hist. Nat., Ser. A, Zool.* 135:1-119. [Morphology]

328. Leviton, A.E. 1972. Reptiles and Amphibians of North America. Doubleday and Co., New York. 250 pp. [Distribution; Taxonomy]
329. ———. and Banta, B.H. 1964. Midwinter reconnaissance of the herpetofauna of the Cape region of Baja California, Mexico. Proc. California Acad. Sci., 4th Ser., 30:127-156. [Distribution]
330. Lewis, J.E. and Wagner, E.D. 1964. *Hepatozoon sauromali* sp. n., a Hemogregarine from the chuckwalla (*Sauromalus* spp.) with notes on the life history. J. Parasitol. 50(1):11-14. [Disease]
331. Lillywhite, H.B. and Maderson, P.F.A. 1982. Skin structure and permeability. pp. 397-442. In: C. Gans and F.H. Pough (eds.), Biology of the Reptilia, Vol. 12, Physiology C: Physiological Ecology, Academic Press, London. [Physiology]
332. Liner, E.A. 1994. Scientific and common names for the amphibians and reptiles of Mexico in English and Spanish. SSAR Herpetol. Circ. (23):1-113. [Taxonomy]
333. Lindsay, G.E. 1962. The Belvedere Expedition to the Gulf of California. Trans. San Diego Soc. Nat. Hist. 13(1):1-44. [Distribution]
334. Linsdale, J.M. 1932. Amphibians and reptiles of Lower California. Univ. California Publ. Zool. 38(6):345-386. [Distribution]
335. ———. 1940. Amphibians and reptiles in Nevada. Proc. Amer. Acad. Arts Sci. 73:197-257. [Distribution]
336. Littell, D. 1984. Weathering the seasons chuckwalla style. Zoonooz 57(5):9-13. [General Interest]
337. Little, E.L. 1940. Amphibians and reptiles of the Roosevelt Reservoir area, Arizona. Copeia 1940(4):260-265. [Distribution]
338. Loomis, R.B. 1981. Zoogeography of ectoparasites and their reptilian hosts in Baja California. Abstr. ASIH Mtgs., Corvallis, Oregon:57. [Disease]
339. Lowe, C.H. 1955. A new subspecies of *Urosaurus graciosus* Hallowell with a discussion of relationships within the genus *Urosaurus*. Herpetologica 11(2):96-101. [Taxonomy]
340. ———. (ed.) 1964. The Vertebrates of Arizona: with major section on Arizona habitats. University of Arizona Press, Tucson, Arizona. [Distribution]
341. ———. 1994. An overview of the herpetofauna of the Sonoran Desert. pp. 71-78. In: P.R. Brown and J.W. Wright (eds.), Herpetology of the North American Deserts, Proceedings of a Symposium, Southwest. Herpetol. Soc., Van Nuys, California. [Distribution]
342. ———. and Norris, K.S. 1955. Analysis of the herpetofauna of Baja California, Mexico. III. New and revived reptilian subspecies of Isla de San Esteban, Gulf of California, Sonora, Mexico, with notes on other satellite islands of Isla Tiburon. Herpetologica 11(2):89-96. [Distribution; Taxonomy]
343. ———., McCord, R.D., Lawler, H.E., Robinson, M.D., and Keasey, M.S. Natural gene exchange between chuckwallas (*Sauromalus*) on Isla Alcatraz in the Gulf of California, Mexico. Unpublished ms. [Morphology]
344. Luke, C.A. 1994. Evolution of color change in desert lizards. pp. 143-157. In: P.R. Brown and J.W. Wright (eds.), Herpetology of the North American Deserts, Proceedings of a Symposium, Southwest. Herpetol. Soc., Van Nuys, California. [Evolution; Morphology; Physiology]

345. Lynch, H.S. 1985. Variation in clutch and litter size in New World reptiles. Univ. Kansas Mus. Nat. Hist. Misc. Publ. No. 76:1-76. [Life History]
346. Lynn, W.G., O'Brien, M.C., and Herhenreader, M. 1966. Thyroid morphology in lizards of the families Iguanidae and Agamidae. *Herpetologica* 22(2):90-93. [Morphology]
347. Macey, J.R. and Papenfuss, T.J. 1984. Reptiles. pp. 291-360. In: C.A. Hall, Jr. (ed.), *Natural History of the White-Inyo Range, Eastern California*. University of California Press, Berkeley, California. [Distribution]
348. Mader, D.R., Houston, R.S., and Frye, F.L. 1986. *Hirstiella trombidiiformis* infestation in a colony of chuckwallas. *J. Am. Vet. Med. Assoc.* 189(9):1138-1139. [Disease]
349. ———, Stor, B., and McWherter, M. 1987. 1,1,1-trichloroethane poisoning the two chuckwallas. p. 513. In: *Proc. First Int. Conf. Zool. Avian Med. Assoc. Avian Vet. and Am. Assoc. Zoo Vet.* [Disease]
350. Malkin, B. 1962. Seri ethnozoology. *Occas. Pap. Idaho St. College Mus.* 7:1-59. [General Interest]
351. Mahaney, P.A. 1995. A simple method of mite control. *Herpetol. Rev.* 26(3):140-141. [Captive Management; Disease]
352. Macrus, L.C. 1980. Bacterial infections in reptiles. pp. 211-221. In: J.B. Murphy and J.T. Collins (eds.), *Reproductive Biology and Diseases of Captive Reptiles*. SSAR Contr. Herpet. (1):1-277. [Captive Management; Disease]
353. ———. 1981. *Veterinary Biology and Medicine of Captive Amphibians and Reptiles*. Lea and Febiger, Philadelphia. 239 pp. [Captive Management]
354. Mares, M.A., Blair, W.F., Enders, F.A., Greigor, D., Hulse, A.C., Hunt, J.H., Otte, D., Sage, R.D., and Tomoff, C.S. 1977. The strategies and community patterns of desert animals. pp. 107-163, 267-271. In: G.H. Oriens and O.T. Solbrig (eds.), *Convergent Evolution in Warm Deserts*. Hutchinson and Ross, Stroudsburg, Pennsylvania. 333 pp. [Ecology; Evolution]
355. Marlow, R.W. 1988. Chuckwalla: *Sauromalus obesus*. pp. 114-115. In: D.C. Zeiner, W.F. Laudenslayer, Jr., and K.E. Mayer, *California's Wildlife*. Vol. 1. *Amphibians and Reptiles*. Department of Fish and Game, Sacramento, California. [Distribution; Ecology; Life History]
356. Marx, B.H. 1950. Dentition morphology in some North American families of lizards. M.S. Thesis, Univ. of Illinois, Urbana, Illinois. [Morphology]
357. Mattison, C. 1989. *Lizards of the World*. Facts on File, New York. [General Interest]
358. Mautz, W.J. 1982. Patterns of evaporative water loss. pp. 443-481. In: C. Gans and F.H. Pough (eds.), *Biology of the Reptilia*, Vol. 12, *Physiology C: Physiological Ecology*, Academic Press, London. [Physiology]
359. Mayhew, W.W. 1963. Observations on captive *Amphibolurus pictus* an Australian agamid lizard. *Herpetologica* 19(2):81-88. [Behavior]
360. ———. 1963. Some food preferences of captive *Sauromalus*. *Herpetologica* 19(1):10-16. [Diet]
361. ———. 1971. Reproduction in the desert iguana *Dipsosaurus dorsalis*. *Herpetologica* 27(1):57-77. [Life History]

362. McGinnis, S.M. and Falkenstein, M. 1971. Thermoregulatory behaviour in three sympatric species of iguanid lizards. *Copeia* 1971(3):552-554. [Physiology; Thermoregulation]
363. McGuire, J.A. 1994. Phylogenetic systematics and evolutionary biology of Crotaphytid lizards. M.S. Thesis, San Diego State University, San Diego, California. [Evolution; Taxonomy]
364. McGuire, J.A. 1994. A new species of collared lizard (Iguania: Crotaphytidae) from northeastern Baja California, México. *Herpetologica* 50(4):438-450. [Distribution]
365. McKee, E.D. and Bogert, C.M. 1934. The amphibians and reptiles of Grand Canyon National Park. *Copeia* 1934(4):178-180. [Distribution]
366. McLain, R.B. 1899. Critical notes on a collection of reptiles, from the western coast of the United States. *Occas. Pap. California Acad. Sci.* 5:1-13. [Distribution]
367. Mead, J.I. and Phillips, A.M., III. 1981. The Late Pleistocene and Holocene fauna and flora of Vulture Cave, Grand Canyon, Arizona. *Southwest. Nat.* 26:257-288. [Paleontology]
368. Meek, S.E. 1905. An annotated list of a collection of reptiles from southern California and northern Lower California. *Field Mus. Zool. Ser.* 7(1):1-19. [Distribution]
369. Mertens, R. 1946. Die Warn-und Droh-Reaktionen der Reptilien. *Abh. Senck. Naturf. Ges.* 47:1-108. [Behavior]
370. Miller, A.H. and Stebbins, R.C. 1964. The lives of desert animals in Joshua Tree National Monument. Univ. of California Press, Berkeley, California. [Distribution; Ecology]
371. Miller, D.M., Young, R.A., Gatlin, T.W., and Richardson, J.A. 1982. Amphibians and reptiles of the Grand Canyon. *Grand Canyon Nat. Hist. Assoc. Monogr.* (4):1-144. [Distribution]
372. Miller, M.R. 1966. The cochlear duct of lizards. *Proc. California Acad. Sci.* 33(11):255-359. [Morphology]
373. _____. 1981. Scanning electron microscope studies of the auditory papillae of some iguanid lizards. *Am. J. Anat.* 162:55-72. [Morphology]
374. Minden, L. 1979. Reptiles and amphibians. pp. 122-134. *In: B.A. Stein and S.F. Warrick (eds.), Granite Mountains Resource Survey. Univ. Field Prog. Publ. #1, Univ. California Santa Cruz, Santa Cruz, California.* [Distribution; Ecology]
375. Minnich, J.E. 1972. Excretion of urate salts by reptiles. *Comp. Biochem. Physiol.* 41:535-549. [Physiology]
376. _____. 1982. The use of water. pp. 325-395. *In: C. Gans and F.H Pough (eds.), Biology of the Reptilia, Vol. 12, Physiology C: Physiological Ecology, Academic Press, London.* [Physiology]
377. _____. and Piehl, P.A. 1972. Spherical precipitates in the urine of reptiles. *Comp. Biochem. Physiol.* 41:551-554. [Physiology]
378. Mittleman, M.B. 1942. A summary of the iguanid genus *Urosaurus*. *Bull. Mus. Comp. Zool.* 91(2):1-181. [Evolution]

379. Mocquard, M.F. 1899. Contribution a la Faune Herpetologique de la Basse-Californie. *Nouv. Arch. Mus. Hist. Nat. Paris* Vol. 1(Ser. 4):297-344. (Reprinted *In: Herpetological Explorations of the Great American West*. K. Adler (ed), Arno Press, New York, 1978, Vol. 2). [Distribution]
380. Montanucci, R.R. 1968. Comparative dentition in four iguanid lizards. *Herpetologica* 24(4):305-315. [Morphology]
381. Moon, B. 1988. Biogeography of a desert mountain herpetofauna: the Providence Mountains, eastern Mojave Desert, California. B.S. Thesis, Univ. of California, Santa Cruz, Santa Cruz, California. [Distribution; Ecology]
382. Mosauer, W. 1936. The reptilian fauna of sand dune areas of the Vizcaino Desert and of northwestern Lower California. *Occas. Pap. Mus. Zool., Univ. Michigan* 329:1-21. [Distribution]
383. _____. 1938. An addition to the reptile fauna of California: *Sonora semiannulata*. *Copeia* 1938(1):48. [Distribution]
384. Muchlinski, A.E., Hogan, J.M., and Stoutenburgh, R.J. 1990. Body temperature regulation in a desert lizard, *Sauromalus obesus*, under undisturbed field conditions. *Comp. Biochem. Physiol. A Comp. Physiol.* 95(4):579-585. [Physiology; Thermoregulation]
385. _____. Stoutenburgh, R.J., and Hogan, J.M. 1989. Fever response in laboratory-maintained and free-ranging chuckwalla (*Sauromalus obesus*). *Am. J. Physiol.* 257(1):R150-R155. [Physiology]
386. Mullen, R.K. 1967. Comparative electrocardiography of the squamata. *Physiol. Zool.* 40(2):114-126. [Physiology]
387. Murphy, J.B. 1979. Herpetology at the Dallas Zoo. *Herpetol. Rev.* 10(4):111-112. [Captive Management]
388. Murphy, R.W. 1982. The genetic relationships and biogeography of the Baja California herpetofauna. *Diss. Abstr. Int.* B43(4):1005. [Genetics]
389. _____. 1983. Paleobiogeography and genetic differentiation of the Baja California herpetofauna. *Occas. Pap. California Acad. Sci.* No. 137:1-48. [Distribution; Evolution; Taxonomy]
390. _____. 1983. The reptiles: Origins and evolution. pp. 130-158. *In: T.J. Case and M.L. Cody (eds.), Island Biogeography in the Sea of Cortez*. Univ. of California Press, Berkeley, California. [Evolution]
391. _____. 1983. A distributional checklist of the reptiles and amphibians on the islands in the Sea of Cortez. pp. 429-437. *In: T.J. Case and M.L. Cody (eds.), Island Biogeography in the Sea of Cortez*. Univ. of California Press, Berkeley, California. [Distribution]
392. _____. and Ottley, J.R. 1984. Distribution of amphibians and reptiles on islands in the Gulf of California. *Ann. Carnegie Mus.* 53(8):207-230. [Distribution; Taxonomy]
393. Murray, K.F. 1955. Herpetological collections from Baja California. *Herpetologica* 11(1):33-48. [Distribution]
394. Muth, A. 1977. Thermoregulatory postures and orientation to the sun: a mechanistic evaluation for the zebra-tailed lizard, *Callisaurus draconoides*. *Copeia* 1977(4):710-720. [Thermoregulation]

395. Nagy, K.A. 1971. Seasonal metabolism of water, energy, and electrolytes in a field population of desert lizards, *Sauromalus obesus*. Ph.D. Diss., Univ. of California, Riverside, Riverside, California. [Physiology]
396. _____. 1972. Water and electrolyte budgets of a free living desert lizard, *Sauromalus obesus*. J. Comp. Physiol. 79(1):39-62. [Physiology]
397. _____. 1973. Behavior, diet and reproduction in a desert lizard, *Sauromalus obesus*. Copeia 1973(1):93-102. [Diet; Ecology; Life History]
398. _____. 1975. Water and energy budgets of free-living animals: Measurement, using isotopically labeled water. pp. 227-245. In: N.F. Hadley (ed.), Environmental Physiology of Desert Organisms. Dowden, Hutchinson & Ross, Inc., Stroudsburg, Pennsylvania. 1975:1-283. [Physiology]
399. _____. 1975. Nitrogen requirement and its relation to dietary water and potassium content in the lizard *Sauromalus obesus*. J. Comp. Physiol. 104(1):49-58. [Diet; Physiology]
400. _____. 1977. Cellulose digestion and nutrient assimilation in *Sauromalus obesus*, a plant-eating lizard. Copeia 1977(2):355-361. [Diet; Physiology]
401. _____. 1982. Energy requirements of free-living lizards. pp. 49-59. In: G.M Burghardt and A.S. Rand (eds.), Iguanas of the World: Their Behavior, Ecology, and Conservation. Noyes Publications, Park Ridge, New Jersey. [Physiology]
402. _____. 1982. Field studies of water relations. In: C. Gans and F.H. Pough (eds.), Biology of the Reptilia, Vol. 12, Physiological Ecology, Academic Press, London. [Physiology]
403. _____. 1983. Ecological energetics. pp. 24-54. In: R.B. Huey, E.R. Pianka, and T.W. Schoener (eds.), Lizard Ecology: Studies of a Model Organism. Harvard University Press, Cambridge, Massachusetts. [Ecology; Physiology]
404. _____. 1988. Seasonal patterns of water and energy balance in desert vertebrates. J. Arid. Environ. 14(2):201-210. [Physiology]
405. _____. and Shoemaker, V.H. 1975. Energy and nitrogen budgets of the free-living desert lizard *Sauromalus obesus*. Physiol. Zool. 48(3):252-262. [Physiology]
406. _____. and Shoemaker, V.H. 1984. Field energetics and food consumption of the Galápagos marine iguana, *Amblyrhynchus cristatus*. Physiol. Zool. 57(3):281-290. [Physiology]
407. Nelson, E.W. 1921. Lower California and its natural resources. Mem. Nat. Acad. Sci. 16:1-194. [Distribution]
408. Newell, I.M. and Ryckman, R.E. 1964. *Hirstiella pyriformis* sp. n. (Acari, Pterygosomidae) a new parasite of lizards from Baja California. J. Parasitol. 50(1):48-67. [Disease]
409. Nilsson, G. 1983. The Endangered Species Handbook. Anim. Welf. Inst., Washington, D.C. 245 pp. [Conservation]
410. Norell, M.A. 1986. Late Pleistocene lizards from Kokoweef Cave, San Bernardino County, California. Copeia 1986(1):244-246. [Distribution; Paleontology]
411. _____. and de Queiroz, K. 1991. The earliest iguanine lizard (Reptilia: Squamata) and its bearing on iguanine phylogeny. Am. Mus. Novit. (2997):1-16. [Evolution]

412. Norris, K.S. 1963. Preparations for radiotelemetry of the body temperatures of large reptiles. pp. 283-287. In: L.E. Slater (ed.), Bio-Telemetry, Pergamon Press, London. [Physiology]
413. _____. 1967. Color adaptations in desert reptiles and its thermal relationships. pp. 162-229. In: W.W. Milstead (ed.), Lizard Ecology, A Symposium. Univ. Missouri Press, Columbia, Missouri. [Thermoregulation]
414. _____. and Dawson, W.R. 1964. Observations on the water economy and electrolyte excretion of chuckwalla (*Lacertilia, Sauromalus*). *Copeia* 1964(4):638-645. [Morphology; Physiology]
415. _____. and Lowe, C.H. 1964. An analysis of background color-matching in amphibians and reptiles. *Ecology* 45(3):565-580. [Thermoregulation]
416. Obst, F.J., Richter, K., and Jacob, U. 1988. The Completely Illustrated Atlas of Reptiles and Amphibians for the Terrarium. T.F.H. Publications. Neptune City, New Jersey. [Distribution; Taxonomy]
417. Office of Endangered Species. 1986. Endangered and threatened wildlife and plants. U.S. Dept. Interior, Fish Wildlife Serv. 50 CFR 17.11-12:1-30. [Conservation]
418. _____. 1987. Endangered and threatened wildlife and plants. U.S. Dept. Interior, Fish Wildlife Serv. 50 CFR 17.11-12:1-32. [Conservation]
419. Oldham, J.C. 1975. A comparative study of the appendicular musculature of iguanine lizards (*Lacertilia: Iguanidae*). Diss. Abstr. Int. (B) 36(5):2007-2008. [Morphology]
420. _____. 1985. Specialization in appendicular muscles of iguanine lizards. *J. Colorado-Wyoming Acad. Sci.* 17(1):35. [Morphology]
421. _____. and Smith, H.M. 1983. Relationships among iguanine lizards (*Sauria: Iguanidae*) as suggested by appendicular myology. *Bull. Maryland Herpetol. Soc.* 19(3):73-82. [Evolution; Morphology]
422. Oliver, J.A. 1955. The Natural History of North American Amphibians and Reptiles. Van Nostrand Co., Princeton, New Jersey. [General Interest]
423. Olney, P.J.S. and Sommerfelt, B. 1982. Species of wild animals bred in captivity during 1980 and multiple generation captive births. *Int. Zoo Yb.* 22:363-438. [Captive Management]
424. _____. and Sommerfelt, B. 1986. Species of wild animals bred in captivity during 1982/1983 and multiple generation captive births. *Int. Zoo Yb.* 24/25:421-564. [Captive Management]
425. _____. and Sommerfelt, B. 1988. Species of wild animals bred in captivity during 1985 and multiple generation captive births. *Amphibians, reptiles. 1987 Int. Zoo Yb.* 27:345-351. [Captive Management]
426. _____. , Biegler, R., and Ellis, P. 1979. Species of wild animals bred in captivity during 1977 and multiple generation captive births. *Int. Zoo Yb.* 18:297-383. [Captive Management]
427. _____. , Ellis, P., and Fiskin, F.A. 1989. Species of wild animals bred in captivity during 1986 and multiple generation captive births. *Amphibians, reptiles. Int. Zoo Yb.* 28:391-398. [Captive Management]

428. Olson, R.E., Marx, B., and Rome, R. 1986. Descriptive dentition morphology of lizards of Middle and North America, I: Scincidae, Teiidae, and Helodermatidae. Bull. Maryland Herpetol. Soc. 22(3):97-124. [Morphology]
429. ———, Marx, B., and Rome, R. 1987. Descriptive dentition of lizards of Middle and North America, I: Iguanidae. Bull. Maryland Herpetol. Soc. 23(1):12-34. [Morphology]
430. Orians, G.H. and Solbrig, O.T. 1977. Convergent evolution in warm deserts. Hutchinson and Ross, Stroudsburg, Pennsylvania. 333 pp. [Evolution]
431. Ortega Rubio, A. 1986. De conducta irreproachable: yo, lagartija. Información Científica y Tecnológica 8(117):15-19. [Behavior]
432. ———, Castellanos, A., Arnaud, G., Alvarez, S., Velázquez, G. 1990. Reservas de la biósfera en Baja California Sur: propuesta, justificación e importancia de un anhelo realizable. pp. 75-98. In: R. Camarillo and F. Rivera (eds.), Areas Naturales Protegidas en México y especies en extinción. Esc. Nal. Estud. Prof. Iztacala, Iztacala, México. [Conservation]
433. Ostrom, J.H. 1963. Further comments on herbivorous lizards. Evolution 17:368-369. [Physiology]
434. Oulahan, R. 1977. Reptiles & Amphibians. Time-Life, Chicago, Illinois. 128 pp. [General Interest]
435. Parker, W.S. 1972. Ecological study of the western whiptail lizard, *Cnemidophorus tigris gracilis*, in Arizona. Herpetologica 28(4):360-369. [Ecology]
436. Parsons, T.S. 1970. The nose and Jacobson's organ. pp. 99-191. In: C. Gans and T.S. Parsons (eds.), Biology of the Reptilia, Vol. 2, Morphology B, Academic Press, London. [Morphology]
437. ——— and Cameron, J.E. 1976. Internal relief of the digestive tract. pp. 159-223. In: C. Gans and T.S. Parsons (eds.), Biology of the Reptilia, Vol. 6, Morphology E, Academic Press, London. [Morphology]
438. Peccinini-Seale, D. 1981. New developments in vertebrate cytotaxonomy IV. Cytogenetic studies in reptiles. Genetica 56:123-148. [Genetics; Taxonomy]
439. Perry, P. 1990. The Concise Illustrated Book of Reptiles. W.H. Smith, New York. 47 pp. [General Interest]
440. Peterson, E.A. 1966. Hearing in the lizard: Some comments on the auditory capacities of a nonmammalian ear. Herpetologica 22(3):161-171. [Physiology]
441. Peterson, J.A. 1984. The microstructure of the scale surface in iguanid lizards. J. Herpetol. 18(4):437-467. [Morphology]
442. Petzold, G. 1982. Terrarientierlexikon: *Sauromalus obesus* (Baird 1858), Chuckwalla (Familie: Iguanidae, Leguane). Aquar. Terrar. (Berlin) 29(8): [Captive Management]
443. Pianka, E.R. 1977. Reptilian species diversity. pp. 1-34. In: C. Gans and D.W. Tinkle (eds.), Biology of the Reptilia, Vol. 7, Ecology and Behavior A, Academic Press, London. [Ecology]
444. Pickwell, G. 1947. Amphibians and Reptiles of the Pacific States. Stanford Univ. Press, Stanford, California. [Distribution]
445. Pope, C.H. 1955. The Reptile World: A natural history of the snakes, lizards, turtles, and crocodilians. Alfred A. Knopf, New York. [General Interest]

446. Porter, C.A., Haiduk, M.W., and de Queiroz, K. 1994. Evolution in phylogenetic significance of ribosomal gene location in chromosomes of squamate reptiles. *Copeia* 1994(2):302-313. [Evolution; Genetics]
447. Porter, W.P. 1967. Solar radiation through the living body walls of vertebrates with emphasis on desert reptiles. *Ecol. Monogr.* 37:273-296. [Physiology; Thermoregulation]
448. Pough, H.F. 1973. Lizard energetics and diet. *Ecology* 54:837-844. [Physiology; Diet]
449. _____. 1976. The effect of temperature on oxygen affinity to body size in lizards. *Physiol. Zool.* 49(2):141-151. [Physiology]
450. _____. 1977. The relationship of blood oxygen affinity to body size in lizards. *Comp. Biochem. Physiol.* 57A:435-441. [Physiology]
451. _____. 1979. Summary of oxygen transport characteristics of reptilian blood. *Smith. Herp. Inf. Serv.* (45):1-18. [Physiology]
452. _____. 1980. The advantages of ectothermy for tetrapods. *Am. Nat.* 115(1):92-112. [Physiology]
453. _____. 1980. Blood oxygen transport and delivery in reptiles. *Am. Zool.* 20(1):173-185. [Physiology]
454. Pregill, G.K. and Berrian, J.E. 1984. Type specimens of amphibians and reptiles in the San Diego Natural History Museum. *Trans. San Diego Soc. Nat. Hist.* 20(10):151-164. [Taxonomy]
455. Prieto, A.A. and Ryan, M.J. 1978. Some observations of the social behavior of the Arizona chuckwalla, *Sauromalus obesus tumidus* (Reptilia, Lacertilia, Iguanidae). *J. Herpetol.* 12(3):327-336. [Behavior]
456. _____. and Sorenson, M.W. 1975. Food preferences of the Arizona Chuckwalla, *Sauromalus obesus tumidus*. *Bull. New Jersey Acad. Sci.* 20:8-11. [Diet]
457. _____. and Sorenson, M.W. 1975. Predator-prey relationships of the Arizona chuckwalla (*Sauromalus obesus tumidus*). *Bull. New Jersey Acad. Sci.* 20(1):12-13. [Ecology]
458. _____. and Sorenson, M.W. 1977. Reproduction in the Arizona Chuckwalla, *Sauromalus obesus tumidus*. *Am. Midl. Nat.* 98(2):463-469. [Life History]
459. Quay, W.B. 1979. The parietal eye - pineal complex. pp. 245-406. *In*: C. Gans, R.G. Northcutt, and P. Ulinski (eds.), *Biology of the Reptilia*, Vol. 9, Neurology A, Academic Press, London. [Morphology]
460. _____. and Wilhoft, D.C. 1964. Comparative and regional differences in serotonin content of reptilian brains. *J. Neurochem.* 11:805-811. [Physiology]
461. Quiñones Leyva, G. 1980. Refugio de fauna silvestre y zona de reserva natural de la Isla del Tiburón. *Reunión Iberoamer. Zool. Vert., La Rabida* 1:15-24. [Distribution]
462. Rand, A.S. and Dugan, B. 1983. Structure of complex iguana nests. *Copeia* 1983(3):705-711. [Ecology; Life History]
463. Rassmann, K. 1995. Das Atlantis der Leguane: Wie alt ist Galapagos? *Praxis der Naturw. Biol.* 8(44):????.

464. Rau, C.S. and Loomis, R.B. 1977. A new species of *Urosaurus* (Reptilia, Lacertilia, Iguanidae) from Baja California, Mexico. *J. Herpetol.* 11(1):25-29. [Distribution]
465. Renous-Lecuru, S. 1973. Morphologie comparée du carpe chez les lepidosauriens actuels (Rhynchocéphales, lacertiliens, amphisbénien). *Geg. Morph. Jb.* 119:727-766. [Morphology]
466. _____. 1974. Contribution a la connaissance de l'histoire des Iguanides (Reptiles, Squamates) par la confrontation de divers criteres: types d'innervation reconnus aux deux membres, presence ou absence de pores femoraux et preanaux. *Bull. Mus. Natn. Hist., Zool., Paris* 23:253-272. [Morphology]
467. Richman, A.D., Case, T.J., and Schwaner, T.D. 1988. Natural and unnatural extinction rates of reptiles on islands. *Am. Nat.* 131(5):611-630. [Evolution]
468. Robinson, M.D. 1972. Chromosomes, protein polymorphism, and systematics of insular chuckwalla lizards (genus *Sauromalus*) in the Gulf of California, Mexico. Ph.D. Diss., Univ. of Arizona, Tucson, Arizona. 71 pp. [Distribution; Evolution; Genetics; Morphology; Taxonomy]
469. _____. 1974. Chromosomes of the insular species of chuckwalla lizards (genus *Sauromalus*) in the Gulf of California, Mexico. *Herpetologica* 30(2):162-167. [Genetics; Morphology; Taxonomy]
470. Rose, B. 1982. Lizard home ranges: Methodology and functions. *J. Herpetol.* 16(3):253-269. [Ecology]
471. Ruppert, R.M. 1980. Comparative assimilation efficiencies of two lizards. *Comp. Biochem. Physiol.* 67(3):491-496. [Physiology]
472. Ryan, M.J. 1982. Variation in iguana social organizations: Mating systems in chuckwallas (*Sauromalus*). pp. 380-390. In: G.M. Burghardt and A.S. Rand (eds.), *Iguanas of the World: Their Behavior, Ecology, and Conservation*. Noyes Publications, Park Ridge, New Jersey. [Ecology; Life History]
473. Ryckman, R.E. and Ryckman, A.E. 1963. Loma Linda University's 1962 expedition to Baja California: medical entomology and parasitology. *Med. Arts Sci.* 17(3):65-76. [Disease]
474. Saint-Girons, H. and Saint-Girons, M.C. 1956. Cycle d'activité et thermorégulation chez les reptiles (Lézards et serpentes). *Vie Milieu* 7:133-226. [Physiology]
475. Salt, G.W. 1943. The lungs and inflation mechanism of *Sauromalus obesus*. *Copeia* 1943(3):193. [Physiology]
476. Sanborn, S.R. 1972. Food habits of *Sauromalus obesus obesus* on the Nevada Test Site. *J. Herpetol.* 6(2):142-144. [Diet; Ecology]
477. _____. 1994. The lizard watching guide: The common lizards of Southern California's Mojave and Colorado Deserts. Lorraine Press, Salt Lake City, Utah. 36 pp. [Ecology]
478. _____. 1994. California's desert lizards. *Outdoor California* 55(2):1-5. [General Interest]
479. Savage, J.M. 1958. The iguanid lizard genera *Urosaurus*, and *Uta*, with remarks on related groups. *Zoologica* 43(?):41-54. [Taxonomy]
480. _____. 1960. Evolution of a peninsular herpetofauna. *Syst. Zool.* 9(3):184-212. [Evolution]

481. Schildger, B.J., Kramer, M., Spoerle, H., Gerwing, M., and Wicker, R. 1993. Comparative diagnostic images of the ovaries in two saurians: common chuckwalla (*Sauromalus obesus*) and ocellated monitor (*Varanus panoptes*). *Salamandra* 29(3-4):240-247. [Life History; Morphology]
482. Schmidt, K.P. 1922. The amphibians and reptiles of lower California and neighboring islands. *Bull. Am. Mus. Nat. Hist.* Vol. 46, Art. 11(9):607-707. [Distribution; Morphology; Taxonomy]
483. _____. 1953. A check list of North American amphibians and reptiles. Univ. of Chicago Press, Chicago, Illinois. [Taxonomy]
484. _____. and Inger, R.F. 1957. *Living Reptiles of the World*. Hamish Hamilton, London. [General Interest]
485. Schmidt-Nielsen, K. 1990. *Animal Physiology: Adaptation and Environment*. 4th ed. Cambridge University Press, New York. [Physiology]
486. _____. and Bentley, P.J. 1966. Desert tortoise *Gopherus agassizii*: Cutaneous water loss. *Science* 154(3751):911. [Physiology]
487. _____. Crawford, E.C., and Bentley, P.J. 1966. Discontinuous respiration in the lizard, *Sauromalus obesus*. *Fedn Proc. Fedn Am. Soc. Exp. Biol.* 25:506. [Physiology]
488. Schneider, H. 1988. Das Naturerlebnis chuckwalla. *Aquaria (St Gallen)*. 35(1):10-14. [Captive Management]
489. Schoener, T.W. 1977. Competition and the niche. pp. 35-136. *In*: C. Gans and D.W. Tinkle (eds.), *Biology of the Reptilia*, Vol. 7, Ecology and Behavior A, Academic Press, London. [Ecology]
490. Schwenk, K. 1988. Comparative morphology of the lepidosaur tongue and its relevance to squamate phylogeny. pp. 569-598. *In*: R. Estes and G. Pregill (eds.), *Phylogenetic Relationships within Squamata*. Stanford University Press, Stanford, California. [Evolution; Morphology]
491. _____. and Throckmorton, G.S. 1989. Functional and evolutionary morphology of lingual feeding in squamate reptiles: phylogenetics and kinematics. *J. Zool. (Lond.)* 219:153-175. [Evolution; Morphology]
492. _____. Sessions, S.K. and Peccinini-Seale, D.M. 1982. Karyotypes of the basiliscine lizards *Corytophanes cristatus* and *Corytophanes hernandesii*, with comments on the relationship between chromosomal and morphological evolution in lizards. *Herpetologica* 38(4):493-501. [Evolution; Genetics; Morphology]
493. Seib, R.L. 1980. Baja California: A peninsula for rodents but not for reptiles. *Am. Nat.* 115(4):613-620. [Evolution]
494. Seymour, R.S. 1982. Physiological adaptations to aquatic life. pp. 1-51. *In*: C. Gans and F.H. Pough (eds.), *Biology of the Reptilia*, Vol. 13, Physiology D: Physiological Ecology, Academic Press, London. [Ecology; Physiology]
495. Shallenberger, E.W. 1970. Tameness in insular animals: A comparison of approach distances of insular and mainland iguanid lizards. Ph.D. Diss., Univ. of California, Los Angeles, Los Angeles, California. [Ecology]
496. Shaw, C.E. 1939. Food habits of the chuckwalla, *Sauromalus obesus*. *Herpetologica* 1(6):153. [Diet]

497. _____. 1941. A new chuckwalla from Santa Catalina Island, Gulf of California, Mexico. Trans. San Diego Soc. Nat. Hist. 9(28):285-288. [Distribution; Taxonomy]
498. _____. 1945. The chuckwallas, genus *Sauromalus*. Trans. San Diego Soc. Nat. Hist. 10(15):269-306. [Distribution; Ecology; Evolution; Taxonomy]
499. _____. 1946. A new locality for the spiny chuckwalla, *Sauromalus hispidus*. Copeia 1946(4):254. [Distribution]
500. _____. 1950. The lizards of San Diego County with description and key. Bull. Zool. Soc. San Diego. (25):1-63. [Distribution; Morphology]
501. _____. 1952. Notes on the eggs and young of some United States and Mexican lizards, I. Herpetologica 8(3):71-79. [Life History]
502. _____. 1969. The obese vegetarians. Zoonoos 42:6-11. [Diet]
503. Shuttleworth, T.J., Thompson, J.L., and Dantzler, W.H. 1987. Potassium secretion by nasal salt glands of the desert lizard *Sauromalus obesus*. Am. J. Physiol. 253(i)(ii):R83-R90. [Physiology]
504. Simon, C.A. 1983. A review of lizard chemoreception. pp. 119-133. In: R.B. Huey, E.R. Pianka, and T.W. Schoener (eds.), Lizard Ecology: Studies of a Model Organism. Harvard University Press, Cambridge, Massachusetts. [Ecology]
505. Sites, J.W., Jr. and Murphy, R.W. 1991. Isozyme evidence for independently derived duplicate G3PDH loci among squamate reptiles. Can. J. Zool. 69(9):2381-2396. [Genetics; Physiology]
506. Skoczylas, R. 1978. Physiology of the digestive tract. pp. 589-717. In: C. Gans and K.A. Gans (eds.), Biology of the Reptilia, Volume 8, Physiology, Academic Press, New York. [Physiology]
507. Slavons, F.L. 1976. The working guide to breeding potential for reptiles and amphibians in United States zoos. Woodland Park Zoological Gardens, Seattle, Washington. 81 pp. [Captive Management]
508. _____. and Slavons, K. 1995. Reptiles and Amphibians in Captivity: Breeding-Longevity and Inventory current January 1, 1995. Privately Printed, Seattle, Washington. [Captive Management]
509. Slevin, J.R. and Leviton, A.E. 1956. Holotype specimens of reptiles and amphibians in the collection of the California Academy of Sciences. Proc. California Acad. Sci. 28(14):529-560. [Taxonomy]
510. Sloan, A.J. 1965. Holotype specimens of reptiles in the collection of the San Diego Society of Natural History. Trans. San Diego Soc. Nat. Hist. 14:1-8. [Taxonomy]
511. Smith, H.M. 1946. Handbook of Lizards. Comstock Publishing Co., Cornell Univ. Press, Ithaca, New York. [Distribution; Morphology; Taxonomy]
512. _____. and Brodie, E.D. 1982. Reptiles of North America: A guide to field identification. Golden Press. New York. [Distribution; Taxonomy]
513. _____. and Smith, R.B. 1976. Synopsis of the herpetofauna of Mexico. Vol. III. Source analysis and index for Mexican reptiles. John Johnson, North Bennington, Vermont. 997 pp. [Distribution]
514. _____. and Taylor, E.H. 1950. An annotated checklist and key to the reptiles of Mexico exclusive of the snakes. Bull. U.S. Natl. Mus. 199:1-253. [Distribution; Taxonomy]

515. Smith, P.W. 1986. A Naturalist in the Environmental Crisis. Carlton, New York. 131 pp. [Conservation]
516. _____. and Hensley, M.M. 1958. Notes on a small collection of amphibians and reptiles from the vicinity of the Pinacate lava cap in north-western Sonora, Mexico. Trans. Kansas Acad. Sci. 61:64-76. [Distribution]
517. Smits, A.W. 1984. Ecological and physiological correlates of water balance and body fluid compartmentation in the chuckwalla lizard, *Sauromalus hispidus*. Ph.D. Diss., Univ. of Kansas, Lawrence, Kansas. 125 pp. [Ecology; Physiology]
518. _____. 1985. Behavioral and dietary responses to aridity in the chuckwalla, *Sauromalus hispidus*. J. Herpetol. 19(4):441-449. [Diet; Ecology]
519. _____. 1985. Correlates of activity, diet, and body water flux in the chuckwalla lizard, *Sauromalus hispidus*. Physiol. Zool. 58(2):166-174. [Diet; Ecology; Physiology]
520. _____. 1986. Accessory lymph sacs and body fluid partitioning in the lizard, *Sauromalus hispidus*. J. Exp. Biol. 121:165-177. [Morphology; Physiology]
521. _____. and Yorke, C.D. 1980. Winter activity and mortality in juvenile chuckwallas (*Sauromalus obesus*). J. Herpetol. 14(1):100-101. [Ecology]
522. _____. , Ward, J., and Lillywhite, H. 1986. Effects of hyperkalemia on thermoregulatory and feeding behaviors of the lizard, *Sauromalus hispidus*. Copeia 1986(2):518-520. [Physiology; Thermoregulation]
523. Snider, A.T. and Bowler, J.K. 1992. Longevity of Reptiles and Amphibians in North American Collections. SSAR Herpetol. Circular No. 21. Lawrence, Kansas. [Captive Management]
524. Snyder, S.B. 1988. Computerized analysis of diets fed to zoo animals. Proc. Ann. Dr. Scholl Conference on Nutrition in Captive Wild Animals 3:9-27. [Captive Management; Diet]
525. Sokol, O.M. 1967. Herbivory in lizards. Evolution 21:192-194. [Ecology; Physiology]
526. Sokolov, V.E. 1988. Dictionary of Animal Names in Five Languages. Amphibians and Reptiles. Russky Yazyk, Russia. 559 pp. [General Interest]
527. Somma, L.A. 1990. A categorization and bibliographic survey of parental behavior in lepidosaurian reptiles. Smith. Herp. Inf. Serv. (81):1-53. [Behavior]
528. Soulé, M.E. 1966. Trends in the insular radiation of a lizard. Am. Nat. 100:47-64. [Distribution]
529. _____. and Sloan, A.J. 1966. Biogeography and distribution of the reptiles on the islands in the Gulf of California. Trans. San Diego Soc. Nat. Hist. 14(11):137-156. [Distribution; Evolution; Taxonomy]
530. Springer, S. 1928. An annotated list of the lizards of Lee's Ferry. Copeia 1928(1):10-104. [Distribution]
531. Stamps, J.A. 1977. Social behavior and spacing patterns in lizards. pp. 265-334. In: C. Gans and D.W. Tinkle (eds.), Biology of the Reptilia, Vol. 7, Ecology and Behavior A, Academic Press, London. [Behavior; Ecology]
532. _____. 1983. Sexual selection, sexual dimorphism, and territoriality. pp. 169-204. In: R.B. Huey, E.R. Pianka, and T.W. Schoener (eds.), Lizard Ecology: Studies of a Model Organism. Harvard University Press, Cambridge, Massachusetts. [Ecology; Morphology]

533. Stebbins, R.C. 1948. Nasal structure in lizards with reference to olfaction and conditioning of the inspired air. *Am. J. Anat.* 83(2):183-222. [Morphology]
534. _____. 1954. *Amphibians and Reptiles of Western North America*. McGraw-Hill Book Co., New York. [Diet; Distribution; Ecology; Taxonomy]
535. _____. 1966. *A Field Guide to Western Reptiles and Amphibians*. Houghton Mifflin Co., Boston. [Diet; Distribution; Ecology; Taxonomy]
536. _____. 1972. *Amphibians and Reptiles of California*. Univ. California Press, Berkeley, California. [Distribution]
537. _____. 1985. *A Field Guide to Western Reptiles and Amphibians*. 2nd ed. Houghton Mifflin Co., Boston. [Diet; Distribution; Ecology; Taxonomy]
538. Stejneger, L. 1891 [1892]. Description of a new North American lizard of the genus *Sauromalus*. *Proc. U.S. Natl. Mus.* 14(864):409-411. [Distribution; Taxonomy]
539. _____. 1893. Annotated list of the reptiles and batrachians collected by the Death Valley Expedition in 1891, with descriptions of new species. *N. Am. Fauna* (7):159-228. (Reprinted *In: Herpetological Explorations of the Great American West*, K. Adler (ed.), Arno Press, New York, 1978, Vol. 2). [Distribution]
540. _____. and Barbour, T. 1943. A Checklist of North American Amphibians and Reptiles. *Bull. Mus. Comp. Zool.* 93:1-260. [Distribution]
541. Stephens, F. 1921. An annotated list of the amphibians and reptiles of San Diego County, California. *Trans. San Diego Soc. Nat. Hist.* 3(4):61. [Distribution]
542. Stevens, M.S. 1977. Further study of the Castolon local fauna (Arikareem: Early Miocene) Big Bend National Park, Texas. *Pearce-Sellards Ser. Texas Meml. Mus.* (28):1-69. [Distribution]
543. Stewart, G.R. 1994. An overview of the Mohave Desert and its herpetofauna. pp. 55-69. *In: P.R. Brown and J.W. Wright (eds.), Herpetology of the North American Deserts, Proceedings of a Symposium, Southwest. Herpetol. Soc.* [Distribution]
544. _____. and Daniel, R.S. 1975. Microornamentation of lizard scales: Some variations and taxonomic correlations. *Herpetologica* 31(1):117-130. [Morphology]
545. Streets, T.H. 1877. Contributions to the natural history of the Hawaiian and Fanning Islands and Lower California. *Bull. U.S. Natl. Mus.*(7):1-172. [Distribution]
546. Stropes, S.L. 1976. Sleep behaviour in reptiles. *Diss. Abstr. Int. (B)* 36(8):3820. [Ecology; Physiology]
547. Sumida, S.S. and Murphy, R.W. 1987. Form and function of the tooth crown structure in gekkonid lizards (Reptilia, Squamata, Gekkonidae). *Can. J. Zool.* 65:2886-2892. [Morphology]
548. Switak, K.H. 1977. Leben in der Wüste Die Gopherschildkröte, *Gopherus agassizi*. *Aquarium Aqua. Terra.* 11(96):267-272. [Ecology]
549. _____. 1977. Leben in der Wüste der Chuckwalla. *Aquarium* 3(93):128-131. [General Interest]
550. _____. 1984. *Life of Desert Reptiles*. Privately Printed. 31 pp. [General Interest]
551. Sylber, C.K. 1985. Eggs and hatchlings of the yellow giant chuckwalla and black giant chuckwalla in captivity. *Herpetol. Rev.* 16(1):18-21. [Captive Management; Life History]

552. _____. 1985. Feeding habits, reproduction and relocation of insular giant chuckwalla. Ph.D. Diss., Colorado State University, Fort Collins, Colorado. [Diet; Ecology; Life History]
553. _____. 1988. Feeding habits of the lizards *Sauromalus varius* and *S. hispidus* in the Gulf of California. J. Herpetol. 22(4):413-424. [Diet; Ecology]
554. Szarski, H. 1962. Some remarks on herbivorous lizards. Evolution 16:529. [Ecology; Physiology]
555. Tanner, V.M. 1927. Distributional list of the amphibians and reptiles of Utah. Copeia 163(1927):54-58. [Distribution]
556. Tanner, W.W. 1958. Herpetology of Glen Canyon of the Upper Colorado River Basin. Herpetologica 14(4):193-195. [Distribution]
557. _____. 1982. Herpetological notes from the Nevada Test Site. Grt. Basin Nat. 42:219-222. [Distribution]
558. _____. and Avery, D.F. 1964. A new *Sauromalus obesus* from the Upper Colorado Basin of Utah. Herpetologica 20(1):38-42. [Distribution; Morphology; Taxonomy]
559. _____. and _____. 1982. Buccal floor of reptiles, a summary. Great Basin Nat. 42(3):273-349. [Morphology]
560. _____. and Banta, B.H. 1966. A systematic review of the Great Basin reptiles in the collection of Brigham Young University and the University of Utah. Grt. Basin Nat. 26:87-135. [Distribution]
561. _____. and Jorgensen, C.D. 1963. Reptiles of the Nevada Test Site. Brigham Young Univ. Sci. Bull., Biol. Ser. 3(3):1-31. [Distribution; Taxonomy]
562. Tappe, J.P., Chandler, F.W., Liu, S., and Dolensek, E.P. 1984. Aspergillosis in two San Esteban chuckwalla. J. Am. Vet. Med. Assoc. 185(11):1425-1428. [Disease]
563. Taylor, E.H. 1936. Notes on the herpetological fauna of the Mexican state of Sonora. Univ. Kansas Sci. Bull. 24(19):475-503. [Distribution]
564. _____. 1940. Palatal sesamoid bones and palatal teeth in *Cnemidophorus*, with notes on these teeth in other Saurian genera. Proc. Biol. Soc. Washington 53:119-124. [Morphology]
565. Telford, S.R. 1965. New species of the oxyurid nematode genus *Pseudoalaeuris* from California lizards. Jap. J. Exp. Med. 35:99-109. [Disease]
566. _____. 1970. A comparative study of endoparasitism among some southern California lizard populations. Amer. Midl. Nat. 83:516-554. [Disease]
567. Tempelton, J.R. 1962. Factors affecting arterial and venous pressures in the lizard, *Sauromalus obesus*. Am. Zool. 2:564. (Abst.) [Physiology]
568. _____. 1963. Nasal salt gland in terrestrial herbivore iguanids. Abstr. ASIH Mtg., Vancouver, British Columbia:60. [Morphology; Physiology]
569. _____. 1964. Cardiovascular response to temperature in the lizard *Sauromalus obesus*. Physiol. Zool. 37(3):300-306. [Physiology]
570. _____. 1964. Cardiovascular responses during buccal and thoracic respiration in the lizard, *Sauromalus obesus*. Comp. Biochem. Physiol. 11:31-43. [Physiology]
571. _____. 1964. Nasal salt secretion in terrestrial lizards. Comp. Biochem. Physiol. 11:223-229. [Physiology]

572. _____. 1967. Panting and pulmonary inflation, two mutually exclusive responses in the chuckwalla, *Sauromalus obesus*. *Copeia* 1967:224-225. [Physiology]
573. Thompson, P.E. and Huff, C.G. 1944. Saurian malarial parasites of the United States and Mexico. *J. Inf. Dis.* 74:68-79. [Disease]
574. Tokarz, R.R. 1995. Mate choice in lizards: a review. *Herpetol. Monogr.* 9:17-40. [Behavior]
575. Townsend, C.H. 1890. Reptiles from Clarion and Socorro Island and Gulf of California with description of a new species. *Proc. U.S. Natl. Mus.* 13(800):143-144. [Distribution]
576. _____. 1890. Scientific results of exploration by the U.S. Fish Commission steamer Albatross. *Proc. U.S. Natl. Mus.* 8(800):144. [Distribution]
577. _____. 1916. Voyage of the 'Albatross' to the Gulf of California in 1911. *Bull. Am. Mus. Nat. Hist.* 35:399-476. [Distribution]
578. Tracy, C.R. 1982. Biophysical modelling in reptilian physiology and ecology. *In*: C. Gans and F.H. (eds.), *Biology of the Reptilia*, Vol. 12, *Physiological Ecology*, Academic Press, London. [Ecology; Physiology]
579. _____. , Tracy, C.R., and Turner, J.S. 1992. Contrasting physiological abilities for heating and cooling in an amphibian (*Rana pipiens*) and reptile (*Sauromalus obesus*). *Herpetologica* 8(1):57-60. [Physiology]
580. Troyer, K. 1983. The biology of iguanine lizards: Present status and future directions. *Herpetologica* 39(3):317-328. [Physiology]
581. Turner, F.B. 1977. The dynamics of populations of squamates, crocodilians and rhynchocephalia. pp. 157-264. *In*: C. Gans and D.W. Tinkle (eds.), *Biology of the Reptilia*, Vol. 7, *Ecology and Behavior A*, Academic Press, London. [Behavior; Ecology]
582. Vance, V.J. 1959. Oxygen consumption in southern California lizards. Ph.D. Diss., Univ. of California, Los Angeles, Los Angeles, California. [Physiology]
583. Van Denburgh, J. 1895. A review of the herpetology of Lower California. Part I - Reptiles. *Proc. California Acad. Sci. Ser. 2.* 5:99. [Distribution]
584. _____. 1897. The reptiles of the Pacific Coast and Great Basin: An account of the species known to inhabit California, Oregon, Washington, Idaho and Nevada. *Occas. Pap. California Acad. Sci.* 5:1-236. [Distribution]
585. _____. 1922. The reptiles of western North America. Vol. I, Lizards. *Occas. Pap. California Acad. Sci.* 10:1-611. [Distribution; Morphology; Taxonomy]
586. _____. and Slevin, J.R. 1913. A list of the amphibians and reptiles of Arizona, with notes on the species in the collection of the Academy. *Proc. California Acad. Sci., Ser. 4.* 3(4):391-454. [Distribution]
587. _____. and _____. 1914. Reptiles and amphibians of the islands of the west coast of North America. *Proc. California Acad. Sci., Ser. 4.* (4):129-152. [Distribution]
588. _____. and _____. 1915. A list of the amphibians and reptiles of Utah, with notes on the species in the collection of the Academy. *Proc. California Acad. Sci., Ser. 4.* 5(4):99-110. [Distribution]


589. _____. and _____. 1921. A list of amphibians and reptiles of Nevada, with notes on the species in the collection of the Academy. Proc. California Acad. Sci., Ser. 4, 11(2):27-38. [Distribution]
590. _____. and _____. 1921. A list of amphibians and reptiles of the peninsula of Lower California, with notes on the species in the collection of the Academy. Proc. California Acad. Sci., Ser. 4. 11(4):49-72. [Distribution]
591. Van Devender, T.R. 1990. Thoughts on the evolution of southwestern desert reptiles. Sonoran Herpetol. 3(6):51-56. [Evolution]
592. _____. , T.R. and Mead, J.I. 1978. Early Holocene and late Pleistocene amphibians and reptiles in Sonoran Desert packrat middens. Copeia 1978(3):464-475. [Distribution; Paleontology]
593. _____. , Phillips, A.M., III, and Mead, J.I. 1977. Late Pleistocene reptiles and small mammals from the lower Grand Canyon of Arizona. Southwest. Nat. 22(1):49-66. [Distribution; Paleontology]
594. _____. , Rea, A.M., and Hall, W.E. 1991. Faunal analysis of Late Quaternary vertebrates from Organ Pipe Cactus National Monument, southwestern Arizona. Southwest. Nat. 36:94-106. [Distribution; Paleontology]
595. Vaughn, T.A. and Schwartz, S.T. 1980. Behavioral ecology of an insular woodrat. J. Mamm. 61(2):205-218. [Ecology]
596. Vitt, L.J. 1977. Observations on clutch and egg size and evidence for multiple clutches in some lizards of the southwestern United States. Herpetologica 33(3):333-338. [Life History]
597. _____. and Ohmart, R.D. 1978. Herpetofauna of the lower Colorado River: Davis Dam to the Mexican Border. Proc. West. Found. Vert. Zool. 2(2):35-72. [Distribution]
598. Vogler, D. 1982. U.S. Fish and Wildlife Service regulations and permits. Ann. Rept. Symp. Capt. Propag. Husb. 5:41-53. [Captive Management; Conservation]
599. Welsh, H.H., Jr. 1987. Ecogeographic distribution of the herpetofauna of the Sierra San Pedro Martir region, Baja California de Norte, Mexico. M.S. Thesis, Humbolt State University, Arcata, California. 169 pp. [Distribution]
600. _____. 1988. An ecogeographic analysis of the herpetofauna of the Sierra San Pedro Martir region, Baja California, with a contribution to the biogeography of Baja California herpetofauna. Proc. California Acad. Sci. 46(1):1-72. [Distribution]
601. _____. , and Bury, R.B. 1984. Additions to the herpetofauna of the South Colorado Desert, Baja California, with comments on the relationships of *Lichanura trivirgata*. Herpetol. Rev. 15(2):53-56. [Distribution]
602. Werman, S.D. 1980. Population dynamics of the lizard mite *Hirstiella pyriformis* (Acari: Pterygosomatidae) on the chuckwalla, *Sauromalus obesus* (Lacertilla: Iguanidae). M.S. Thesis, California State Univ., Long Beach, Long Beach, California. [Disease]
603. _____. 1982. Notes on the ecology of the chuckwalla, *Sauromalus obesus* near Baker, California. J. Herpetol. 16(4):417-418. [Ecology]

604. _____. 1983. Population dynamics of the lizard mite, *Hirstiella pyriformis* (Ascari: Pterygosomatidae) on the chuckwalla, *Sauromalus obesus* (Sauria: Iguanidae). *J. Parasitol.* 69(2):381-386. [Disease]
605. Werner, D.I. 1982. Social organization and ecology of the land iguanas, *Conolophus subcristatus*, on Isla Fernandina, Galapagos. pp. 342-365. In: G.M. Burghardt and A.S. Rand (eds.), *Iguanas of the World: Their Behavior, Ecology, and Conservation*. Noyes Publications, Park Ridge, New Jersey. [Ecology]
606. Wever, E.G. 1967. The tectorial membrane of the lizard ear: Types of structure. *J. Morph.* 122:307-320. [Morphology]
607. _____. 1967. The tectorial membrane of the lizard ear: species variations. *J. Morph.* 123(4):355-371. [Morphology]
608. _____. 1978. *The Reptile Ear: Its Structure and Function*. Princeton Univ. Press, Princeton, New Jersey. [Morphology]
609. Wienwandt, T.A. 1982. Evolution of nesting patterns in iguanine lizards. pp. 119-141. In: G.M. Burghardt and A.S. Rand (eds.), *Iguanas of the World: Their Behavior, Ecology, and Conservation*. Noyes Publications, Park Ridge, New Jersey. [Evolution; Life History]
610. Williams, E.E. and Hall, W.P. 1976. Primitive karyotypes. pp. 6-18. In: D. Paull, E.E. Williams, and W.P. Hall (eds.), *Lizard Karyotypes from the Galapagos Islands: Chromosomes in Phylogeny and Evolution*. *Breviora* (441):1-31. [Evolution; Genetics]
611. Wilson, K.J. 1974. The relationships of maximum and resting oxygen consumption and heart rates to weight in reptiles of the order Squamata. *Copeia* 1974(3):781-785. [Physiology]
612. Wilson, L.J. 1942. Preliminary study of the fauna of Rampart Cave, Arizona. *Contr. Paleont. Carnegie Inst. Washington.* (530):169-185. [Distribution; Paleontology]
613. Wood, S.C. and Lenfant, C.J.M. 1976. Respiration: Mechanics, control and gas exchange. pp. 225-274. In: C. Gans and W.R. Dawson (eds.), *Biology of the Reptilia*, Vol. 5, Physiology A, Academic Press, London. [Physiology]
614. Woodbury, A.M. 1928. A descriptive catalogue of the reptiles of Utah. *Copeia* 166(1928):14-21. [Distribution]
615. _____. 1931. A descriptive catalogue of the reptiles of Utah. *Bull. Univ. Utah Biol. Ser.* 21(5):1-129. [Distribution]
616. Wright, R.K. and Schapiro, H.C. 1973. Primary and secondary immune responses of the desert iguana, *Dipsosaurus dorsalis*. *Herpetologica* 29(3):275-280. [Disease; Ecology]
617. Wyles, J.S. and Sarich, V.M. 1983. Are the Galapagos iguanas older than the Galapagos? Molecular evolution and colonization models for the archipelago. pp. 177-186. In: R.I. Bowman, M. Benson and A.E. Leviton (eds.), *Patterns of Evolution in Galapagos Organisms*. Pacific Division, Amer. Assoc. Adv. Sci., San Francisco, California. [Evolution]
618. Wynne, R.H. 1981. *Lizards in Captivity*. T.F.H. Publication, Neptune City, New Jersey. 189 pp. [Captive Management]


619. Yarrow, H.C. 1875. Report upon the collections of batrachians and reptiles made in portions of Nevada, Utah, California, Colorado, New Mexico, and Arizona during the years 1871, 1872, 1873 and 1874. Rep. Geog. Geol. Expl. Surv. W. 100th Merid. Geo. M. Wheeler 5:509-584. (Reprinted *In*: Herpetological Explorations of the Great American West. K. Adler (ed.), Arno Press, New York, 1978, Vol 2). [Distribution]
620. ———. 1883 [dated 1882]. Check list of North American Reptilia and Batrachia, with catalogue of specimens in United States Museum. Bull. U.S. Natl. Mus. (24):1-249. [Distribution]
621. Yingling, P. 1982. The chuckwalla, *Sauromalus obesus*. San Diego Herpetol. Soc. Newsletter 14(11):1-2. [General Interest]
622. Zim, H.S. and Smith, H.M. 1956. Reptiles and Amphibians. A guide to familiar American species. Golden Press, New York. [General Interest]
623. Zimmerman, L.C. and Tracy, C.R. 1989. Interactions between the environment and ectothermy and herbivory in reptiles. Physiol. Zool. 62(2):374-409. [Ecology; Physiology]
624. Zug, G.R. 1971. The distribution and patterns of the major arteries of the iguanids and comments on the intergeneric relationships of iguanids (Reptilia: Lacertilia). Smithson. Contrib. Zool. (83):1-23. [Morphology]
625. Zwartepoorte, H. 1984. Successful breeding with the chuckwalla (*Sauromalus obesus*) in the terrarium. Lacerta 42(12):226-229. [Captive Management; Life History]
626. Zwinger, A.H. 1983. A Desert Country Near the Sea: A Natural History of the Cape Region of Baja California. Harper and Row, New York. 399 pp. [Distribution; General Interest]

Q L
G 40
S 666
REPT

**BIBLIOGRAPHY AND SCIENTIFIC NAME INDEX
TO AMPHIBIANS AND REPTILES IN
THE SOUTHWESTERN NATURALIST
VOLUMES 1-40, 1956-1995**



**Ernest A. Liner
Houma, Louisiana
&
Harlan D. Walley
Department of Biological Sciences
Northern Illinois University**



**SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 117**

1997

SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

INTRODUCTION

This bibliography and index to *The Southwestern Naturalist*, volumes 1-40, is the result of independent work by the authors. Upon learning of their duplication of efforts it was decided to combine our efforts. As a result errors or omissions by either author (and there were some) was discovered and corrected, hopefully to make a publication useful to the herpetological community.

The present bibliography is a numbered alphabetical listing by author(s) of all the papers of herpetological interest published in *The Southwestern Naturalist*, Volume 1, 1956 through Volume 40, 1995. Volume 36 (4): 377-674 is not included as this is a complete index of volumes 1-36, 1956-1991 and to include this would be repetitious. Book reviews are included when of a herpetological nature. These are followed by : A review, after the title. Primary articles and notes are treated equally. Junior authors are referenced to the primary author. Errata notices are referenced to the original article and treated as a paper for completeness. All articles with original names are preceded by an *. and original names are **boldfaced**. The scientific name index includes all the herpetological scientific names included in the various articles. Names in the Literature Cited and Book Reviews are not included. The numbered articles are listed for each taxon in numerical order with the **first** page of the use of the name. Those names ending in **i** or **ii** are both listed under **ii** whenever both versions appear, otherwise as used in the articles. All spelling variations are maintained even when it is obvious that it is a typo.

Our sincere thanks to C. Gans for suggesting this project and to G. R. Zug and W. R. Heyer for suggesting the inclusion of the scientific name index and to H. S. Smith for suggesting we combine our efforts.

BIBLIOGRAPHY

- Abuhteba, Ramadon M., *see* Walker, James M. and James E. Cordes, 1991.
- Adams, Caroline S., *see* Cooper, William E., Jr. and James L. Dobie, 1983.
- Allen, Walter, *see* Jackson, Crawford G., Jr. and Wilkinson Trotter, 1980.
1. Altig, Ronald. 1987. Key to the anuran tadpoles of Mexico. 32: 75-84.
 2. ----- and C. Kenneth Dodd, Jr. 1987. The status of the Amargosa toad (Bufo nelsoni) in the Amargosa River drainage of Nevada. 32: 276-278.
- Altig, Ronald, *see* Asquith, Adam, 1987; Ireland, Patric H., 1983.
3. Alvarado, Javier, Laura Ibarra, Ireri Suazo, Gerado Rodríguez and Rosalba Zamora. 1995. Reproductive characteristics of a green iguana (Iguana iguana) population of the west coast of Mexico. 40: 234-237.
- Alvarez-Cardenas, Sergio, *see* Gonzalez-Romero, Alberto, 1989.
4. Anderson, Sydney and Philip W. Ogilvie. 1957. Vertebrates found in owl-pellets from northwestern Chihuahua. 2: 33-37.
- Arvizo, Edward R., *see* Worthington, Richard D., 1974.
5. Asquith, Adam and Ronald Altig. 1987. Photaxis and activity patterns of Siren intermedia. 32: 146-148.
 6. Axtell, Carol A. and Ralph W. Axtell. 1970. Hibernacula, birth and young of Sceloporus grammicus disparilis (Iguanidae). 14: 363-366.
 7. Axtell, Ralph W. 1958 (1959). Female reaction to the male call in two anurans (Amphibia). 3: 70-76.
 8. ----- . 1959. Amphibians and reptiles of the Black Gap Wildlife Management Area, Brewster County, Texas. 4: 88-109.
 9. ----- . 1960. Orientation by Holbrookia maculata (Lacertilia, Iguanidae) to solar and reflected heat. 5: 45-47.
 10. ----- and Robert G. Webb. 1963. New records for reptiles from Chihuahua, Mexico, with comments on sympatry between two species of Cnemidophorus. 8: 50-51.
- Axtell, Ralph W., *see* Axtell, Carol A., 1970; Webb, Robert G., 1994.
11. Ayala, Stephen C. and Joseph J. Schall. 1977. Apparent absence of blood parasites in southwestern Texas Cnemidophorus. 22: 134-135.
- Baeyens, Dennis A., *see* Dove, Laura B. and Michael V. Plummer, 1982.
- Bagnara, Joseph T., *see* Frost, John S., 1977.
- Baird, Troy A., *see* McCoy, J. Kelly and Stanley F. Fox, 1994.
12. Baker, James K. 1961. Distribution of and key to the neotenic Eurycea of Texas. 6: 27-32.
 13. Baker, Lee R. and W. Glen Bradley. 1966. Tantilla utahensis Blanchard in Clark County, Nevada. 11: 308.

- Baker, Mary W., *see* Baker, Rollin H., Jerry D. Johnson and Robert G. Webb, 1981.
14. Baker, Rollin H., Mary W. Baker, Jerry D. Johnson and Robert G. Webb. 1981. New records of mammals and reptiles from northwestern Zacatecas, Mexico. 25: 568-569.
 - Baker, Rollin H., *see* Crossin, Richard S., Oscar H. Soule and Robert G. Webb, 1973; Webb, Robert G., 1984.
 - Baldrige, Robert S., *see* Watkins, Julian F., II and Frederick R. Gehlbach, 1967.
 15. Ballinger, Royce E. 1976. Evolution of life history strategies: Implications of recruitment in a lizard population following density manipulations. 21: 203-208.
 16. ----. 1978. Reproduction, population structure, and effects of congeneric competition on the crevice spiny lizard, Sceloporus poinsetti (Iguanidae), in southwestern New Mexico. 23: 641-650.
 17. ----. 1981. Food limiting effects in populations of Sceloporus jarrovi (Iguanidae). 25: 554-557.
 18. ---- and Ruth A. Ballinger. 1979. Food resource utilization during periods of low and high food availability in Sceloporus jarrovi (Sauria: Iguanidae). 24: 347-364.
 - Ballinger, Royce E., *see* McKinney, Charles O., 1966; Smith, Geoffrey R., 1995.
 - Ballinger, Ruth A., *see* Ballinger, Royce E., 1979.
 19. Baltosser, William H. and Troy L. Best. 1990. Seasonal occurrence and habitat utilization by lizards in southwestern New Mexico. 35: 377-384.
 20. Banicki, Leroy H. and Robert G. Webb. 1982. Morphological variation of the Texas lyre snake (Trimorphodon biscutatus vilkinsoni) from the Franklin Mountains, west Texas. 27: 321-324.
 - Barbay, Curtis J., *see* Knight, Marion T. and E. O. Morrison, 1965.
 21. Barrett, Sheryl L. and Jeffrey A. Humphrey. 1986. Agonistic interactions between Gopherus agassizii (Testudinidae) and Heloderma suspectum (Helodermatidae). 31: 261-263.
 22. Beavers, Randell A. 1976. Food habits of the western diamondback rattlesnake, Crotalus atrox, in Texas (Viperidae). 20: 503-516.
 23. Bechler, David L. 1988. Courtship behavior and spermatophore deposition by the subterranean salamander, Typhlomolge rathbuni (Caudata, Plethodontidae). 33: 124-126.
 24. Belfit, Scott C. and Victoria F. Belfit. 1985. Notes on the ecology of a population of Eumeces obsoletus (Scincidae) in New Mexico. 30: 612-614.
 - Belfit, Victoria F., *see* Belfit, Scott C., 1985.
 25. Benes, Elinor S. 1985. Helminth parasitism in some central Arizona lizards. 30: 467-484.
 26. Bennett, Charles and R. John Taylor. 1968. Notes on the lesser siren, Siren intermedia (Urodela). 13: 455-457.
 27. Berkhouse, Casey S. and Joe N. Fries. 1995. Critical thermal maxima of juvenile and adult San Marcos

- salamanders (Eurycea nana). 40: 430-434.
28. Best, Troy L. and Gary S. Pfaffenberger. 1987. Age and sexual variation in the diet of collared lizards, (Crotaphytus collaris). 32: 415-426.
 29. ----- and Paul J. Polechla. 1983. Foods of the Texas spotted whiptail lizard (Cnemidophorus gularis) in New Mexico. 28:376-377.
Best, Troy L., *see* Baltosser, William H., 1990.
Bezy, Robert L., *see* Cortes, Rafael Aguilar and José Camarillo R., 1990; Goldberg, Stephen R. and Charles R. Bursry, 1995.
 30. Bickham, John W. and James A. MacMahon. 1972. Feeding habits of the western whiptail lizard, Cnemidophorus tigris. 17:207-208.
 31. -----, M. D. Springer and B. J. Galloway. 1984. Distributional survey of the yellow mud turtle (Kinosternon flavescens) in Iowa, Illinois, and Missouri: A proposed endangered species. 29: 123-132.
Bickham, John W., *see* Christiansen, J. L. and James A. Cooper, 1984; Christiansen, J. L., J. A. Cooper, B. J. Galloway and M. A. Springer, 1985.
 32. Blair, Albert P. 1961. Notes on Ophisaurus attenuatus attenuatus (Anguidae). 6: 201.
 33. ----- . 1967. Bullfrog attempts to catch dove. 12: 201-202.
 34. ----- and Hague L. Lindsay, Jr. 1961. Hyla avivoca (Hylidae) in Oklahoma. 6: 202.
 35. Blair, W. Frank. 1956. The species as a dynamic system. 1: 1-5.
 36. ----- . 1958 (1959). Call structure and species groups in United States treefrogs (Hyla). 3: 77-89.
 37. ----- . 1960. Mating call as evidence of relations in the Hyla eximia group. 5: 129-135.
 38. ----- . 1976. Some aspects of the biology of the ornate box turtle, Terrapene ornata. 21: 89-104.
Blaney, Patricia Kimmich, *see* Blaney, Richard M., 1978.
 39. Blaney, Richard M. and Patricia Kimmich Blaney. 1978. Additional specimens of Amastridium veliferum Cope (Serpentes: Colubridae) from Chiapas, Mexico. 23: 692.
 - Block, William M., *see* Morrison, Michael L., Linnea S. Hall and H. Sheridan Stone, 1995.
 - Blom, Paul E., *see* Clark, William H., 1991.
 40. Bloom, Roy A., Kyle W. Selcer and W. Ken King. 1986. Status of the introduced gekkonid lizard, Cryptodactylus scaber, in Galveston, Texas. 31: 129-131.
Bloom, Roy A., *see* Selcer, Kyle W., 1984.
 - 40a. Bock, Carl E. and Jane H. Bock. 1994. Effects of predator exclusion on rodent abundance in an Arizona semidesert grassland. 39: 208-210.
 41. Bostic, Dennis L. 1965. Home range of the teiid lizard, Cnemidophorus hyperythrus beldingi. 10: 278-281.
 42. ----- . 1965. Parasites of the teiid lizard, Cnemidophorus hyperythrus beldingi. 10: 313.
 43. ----- . 1966. Thermoregulation and hibernation of the lizard Cnemidophorus hyperythrus beldingi (Sauria:

- Teiidae). 11:275-289.
44. Bowers, J. Hoyt. 1967. A record litter of Thamnophis sirtalis proximus (Say). 12: 200.
Boyce, Douglas A., Jr., see Sites, Jack W., 1985.
 45. Boykin, Ken and Naida Zucker. 1993. Winter aggregation on a small rock cluster by the tree lizard Urosaurus ornatus. 38: 304-306.
 46. Bradford, David F., David M. Graber and Frainaz Tabatabai. 1994. Population declines of the native frog, Rana muscosa, in Sequoia and Kings Canyon National Parks, California. 39:323-327.
 47. Bradley, W. Glen and James E. Deacon. 1966. Amphibian and reptile records for southern Nevada. 11: 132-134.
Bradley, W. Glen, see Baker, Lee R., 1966; Deacon, James E. and Kenneth S. Moor, 1966.
 48. Bragg, Arthur N. 1956. Dimorphism and cannibalism in tadpoles of Scaphiopus bombifrons (Amphibia, Salientia). 1: 105-108.
 49. -----. 1957. Use of carrion by the beetle, Canthon laevis (Coleoptera, Scarabaeidae). 2: 173.
 50. -----. 1958 (1959). The clasping reflex observed in juvenile spadefoots. 3: 229.
 51. -----. 1958 (1959). A melanistic tendency in the Great Plains toad, Bufo cognatus. 3: 229-230.
 52. -----. 1960. Feeding in the Houston toad. 5: 106.
 53. -----. 1960. Population fluctuation in the amphibian fauna of Cleveland County, Oklahoma during the past twenty five years. 5: 165-169.
 54. -----. 1960. Experimental observations on the feeding of spadefoot tadpoles. 5: 201-207.
 55. -----. 1962. Saprolegnia on tadpoles again in Oklahoma. 7:79-80.
 56. ----- and William N. Bragg. 1958 (1959). Variations in the mouth parts in tadpoles of Scaphiopus (Spea) bombifrons Cope (Amphibia: Salientia). 3: 55-69.
 57. -----, Norman Taylor and R. John Taylor. 1968. A range extension of the pickerel frog, Rana palustris palustris, in Oklahoma with indication of an extension of the Austroriparian Life Province. 13: 372-374.
Bragg, William N., see Bragg, Arthur N., 1958 (1959).
Brecke, Bruce J., see Gillingham, James C., Charles C. Carpenter and James P. Murphy, 1977.
Breese, Dawn, see Tershy, Bernie R., 1994.
 58. Brewer, Ken and F. C. Killebrew. 1986. The annual testicular cycle of Pseudemys scripta elegans (Emydidae) in the Texas Panhandle. 31: 299-306.
 - 58a. Brillhart, Dennis E. and Donald W. Kaufman. 1995. Spatial and seasonal variation in prey used by coyotes in north-central Kansas. 40: 160-166.
Britton, James M., see Walker, J. Martin and Mark A. Paulissenn, 1986; Walker, J. Martin, Stanley E. Trauth and James E. Cordes, 1986.
 59. Brooks, Garnett R. and Joseph C. Mitchell. 1989. Predator-prey size relations in three species of lizards from Sonora, Mexico. 34: 541-546.

60. Brown, Bryce C. 1967. Trionyx muticus muticus in the Texas Panhandle. 12: 487.
61. Brown, Lauren E. 1971. Natural hybridization and trend toward extinction in some relict Texas toad populations. 16: 185-200.
62. ----. 1974. Behavioral reactions of bullfrogs while attempting to eat toads. 19: 335-337.
Brown, Wesley M., see Secoy, D. M., 1968.
63. Brown, William S. 1968. A northern range extension for Trionyx spiniferus emoryi in New Mexico. 13: 106-107.
64. ----. 1971. Morphometrics of Terrapene coahuila (Chelonia, Emydidae), with comments on its evolutionary status. 16:260-261.
65. Brush, Samuel W. and Gary W. Ferguson. 1986. Predation on lark sparrow eggs by a massasauga rattlesnake. 31: 260-261.
Burdick, George, see Wauer, Roland H., 1975.
66. Burke, Russell L. 1994. Diurnal aggregation of banded geckos under field conditions. 39:297-298.
67. Burns, Thomas A. 1971. Effect of temperature on heart and ventilatory rates of Sceloporus jarrovi. 15: 465-472.
68. Bursey, Charles R. and Stephen R. Goldberg. 1993. Diet of neonatal Yarrow's spiny lizard, Sceloporus jarrovii jarrovii (Phrynosomatidae). 38: 381-383.
Bursey, Charles R., see Goldberg, Stephen R., 1990; 1991; McAllister, Chris T. and Stanley E. Trauth, 1995; Goldberg, Stephen R. and Robert L. Bezy, 1995.
69. Bury, R. Bruce and Elizabeth L. Smith. 1986. Aspects of the ecology and management of the tortoise Gopherus berlandieri at Laguna Atascosa, Texas. 31: 387-394.
Buscher, Henry N., see Tyler, Jack D., 1980.
70. Butterfield, Brian P., Walter E. Meshaka and Stanley E. Trauth. 1989. Fecundity and egg mass size of the Illinois chorus frog, Pseudacris streckeri illinoensis (Hylidae), from northeastern Arkansas. 34: 556-557.
71. Cain, Brian W. and Susan R. Utesch. 1976. An unusual color pattern of the green tree frog Hyla cinerea. 21: 235-236.
Camarillo R., Jose L., see Cortes, Rafael Aguilar and Robert L. Bezy, 1990; Campbell, Jonathan A. and Paul C. Ustach, 1995.
72. Camp, Richard J., Richard L. Knight, Heather A. Knight, Michael W. Sherman and Jack Y. Kawashima. 1993. Food habits of nesting common ravens in the eastern Mojave Desert. 38:163-165.
73. Campbell, Howard. 1958 (1959). An unusually long rattle string in Crotalus atrox (Serpentes: Crotalidae). 3: 233.
74. Campbell, James B. and William G. Degenhardt. 1971. Bufo boreas boreas in New Mexico. 16: 219.
75. Campbell, Jonathan A. 1979. Crotalus scutulatus (Viperidae) in Jalisco, Mexico. 24: 693-694.
76. ----. 1982. A confusing specimen of rattlesnake from Cerro Tancitaro, Michoacan, Mexico. 27: 353.
77. ----. 1989. Rediscovery of a rare Mexican lizard, Norops

- milleri (Sauria: Iguanidae). 34: 560-561.
78. -----, José L. Camarillo R. and Paul C. Ustach. 1995. Redescription and rediagnosis of Tantilla shawi (Serpentes: Colubridae) from the Sierra Madre Oriental of Mexico. 40: 120-123.
 79. ----- and Ty M. Kubin. 1990. A key to the larvae of Plectrohyla (Hylidae), with a description of the tadpole presumed to be Plectrohyla avia. 35: 91-94.
Campbell, Steven L., see Hillis, David M., 1982.
 80. Camper, Jeffrey D. 1990. Mode of respiration in the small-mouth salamander, Ambystoma texanum (Ambystomatidae), in Iowa. 35:99-100.
 81. Carprenter, Charles C. 1956. Carapace pits in the three-toed box turtle, Terrapene carolina triunguis (Chelonia- Emydidae). 1:83-86.
 82. ----- . 1959. A population of Sceloporus undulatus consobrinus in south-central Oklahoma. 4: 110-111.
 83. ----- . 1961. Patterns of social behavior of Merriam's canyon lizard (Sceloporus m. merriami-Iguanidae). 6: 138-148.
 84. -----, Harold L. Cleveland, William A. Talbot, J. Michael Goode, Hal J. Merriman and David R. Taylor. 1961. A Uta invasion of Oklahoma. 6: 192-193.
 85. ----- and James C. Gillingham. 1977. A combat ritual between two male speckled kingsnakes (Lampropeltis getulus holbrooki: Colubridae, Serpentes) with indications of dominance. 22: 517-524.
 86. ----- and Gene Grubits, III. 1960. Dominance shifts in the tree lizard (Urosaurus ornatus-Iguanidae). 5: 123-128.
 87. ----- and Julia K. Yoshida. 1966. Predation on lizards by Callisoma (Coleoptera). 11: 413-414.
Carpenter, Charles C., see Gillingham, James C., Bruce J. Brecke and James F. Murphy, 1977.
Carpenter, Geoffrey C., see Graves, Brent M. and David Duvall, 1987.
 88. Carr, John L. and Timothy W. Houseal. 1981. Post-hibernation behavior in Terrapene carolina triunguis (Emydidae). 26: 199-200.
Carr, John L., see Houseal, Timothy W., 1983.
Cartwright, Michael E., see Trauth, Stanley E. and Walter E. Meshaka, 1989.
 89. Cashman, Jenny L., Matthew Peirce and Paul R. Krausman. 1992. Diets of mountain lions in southwestern Arizona. 37: 324-326.
Casas-Andreu, Gustavo, see Mendez-de la Cruz, Fausto and Maricela Villagran-Santa Cruz, 1992.
 - 89a. Caster, Paul T., Gary A. Hiedt and Karen D. Stone. 1994. Faunal use of nest boxes in the Ouachita Mountains of central Arkansas. 39: 380-382.
 90. Castro-Franco, Rubén and María Guadalupe Bustos Zagal. 1994. List of reptiles of Morelos, Mexico, and their distribution in relation to vegetation types. 39: 171-213.
Chen, Wei, see Trauth, Stanley E. and Chris T. McAllister, 1993.

- Chmura, Cynthia M., *see* Wygoda, Mark L., 1990.
91. Choate, Jerry R. and Robert C. Dowler. 1977. State laws as they pertain to scientific collecting permits: A review. 22: 287.
 92. Chrapliwy, Pete S. and Arthur J. Ward, Jr. 1963. New records of the western hook-nosed snake, Ficimia cana (Cope), in west Texas. 8: 52-53.
 93. Christiansen, J. L., James A. Cooper and John W. Bickham. 1984. Reproduction of Kinosternon flavescens (Kinosternidae) in Iowa. 29: 349-351.
 94. -----, -----, -----, B. J. Gallaway and M. A. Springer. 1985. Aspects of the natural history of the yellow mud turtle, Kinosternon flavescens (Kinosternidae) in Iowa: A proposed endangered species. 30: 413-426.
 95. ----- and B. J. Gallaway. 1984. Raccoon removal, nesting success, and hatchling emergence in Iowa turtles with special reference to Kinosternon flavescens (Kinosternidae). 29: 343-348.
- Christiansen, J. L., *see* Degenhardt, William G., 1974.
96. Clark, Donald R., Jr. and Robert R. Fleet. 1976. The rough earth snake (Virginia striatula): Ecology of a Texas population. 20: 467-478.
 97. ----- and James C. Kroll. 1974. Thermal ecology of anoline lizards: Temperate versus tropical strategies. 19: 9-20.
 98. ----- and Carl S. Lieb. 1973. Notes on reproduction in the night snake (Hypsiglena torquata). 18: 248-252.
 99. ----- and Grey W. Pendleton. 1995. Texas rat snake (Elaphe obsoleta lindheimeri) eggs and hatchlings from a communal nest. 40: 203-207.
 - 99a. Clark, William H. and Paul E. Blom. 1991. Observations of ants (Hymenoptera: Formicidae: Myrmicinae, Formicinae, Dolichoderinae) utilizing carrion. 36: 140-142.
- Clarke, Robert, *see* McCarley, Howard, 1989.
100. Clarkson, Robert W. and James C. Rorabaugh. 1989. Status of leopard frogs (Rana pipiens complex: Ranidae) in Arizona and southeastern California. 34: 531-538.
- Cleveland, Harold L., *see* Carpenter, Charles C., William A. Talbot, J. Michael Goode, Hal J. Merriman and David R. Taylor, 1961.
- Cliburn, J. William, *see* Crain, J. Larry, 1971; 1972.
101. Cobb, Vincent A. 1990. Reproductive notes on the eggs and offspring of Tantilla gracilis (Serpentes: Colubridae), with evidence of communal nesting. 35: 222-224.
- Cobb, Vincent A., *see* Ford, Neil B. and Jim Stout, 1991.
- Cochran, Betty G., *see* McAllister, Chris T. and Stanley E. Trauth, 1995.
102. Cohen, Allen C. and Jacqueline L. Cohen. 1990. Ingestion of blister beetles by a Texas horned lizard. 35: 369.
- Cohen, Jacqueline L., *see* Cohen Allen C., 1990.
- Collier, Gerald, *see* Plymale, Harry H. and Crawford G. Jackson, Jr., 1978.
103. Collins, James P. and Michael A. Lewis. 1979. Overwintering tadpoles and breeding season variation in the Rana pipiens complex in Arizona. 24: 371-373.
 104. Collins, James P., Craig Young, Judd Howell and W. L.

- Minckley. 1981. Impact of flooding in a Sonoran Desert stream, including elimination of an endangered fish population (Poeciliopsis o. occidentalis, Poeciliidae). 26: 415-424.
- Conant, Roger, *see* Tinkle, Donald W., 1961.
105. Contreras-B., Armando J. and Carlos H. Trevino-S. 1987. Notas sobre predacion de aves en reptiles. 32: 505-506.
- Conzelman, Paul J., *see* Staton, Mark A., 1975.
- Cooper, James A., *see* Christiansen, J. L. and John W. Bickham, 1984; Christiansen, J. L., J. W. Bickham, B. J. Gallaway and M. A. Springer, 1985.
106. Cooper, William E., Jr., Caroline S. Adams and James L. Dobie. 1986. Female color change in the keeled earless lizard, Holbrookia propinqua: Relationship to the reproductive cycle. 28: 275-280.
- Cordes, James E., *see* Walker, J. Martin, Stanley E. Trauth and James M. Britton, 1986; Walker, James M., 1990; Walker, James M. and Ramadan M. Abuhtaba, 1991; Walker, James M., Sr. and James M. Walker, Jr., 1992; Paulisson, Mark A., James M. Walker and Harry L. Taylor, 1993; 1994.
107. Cornett, James W. 1982. Interbreeding between Uma inornata and Uma notata. 27: 223.
108. -----. 1983. Erratum (Interbreeding between Uma inornata and Uma notata). 28: 386.
- Corso, Michelle C., *see* Kneeland, Mary C. and John L. Koprowski, 1995.
109. Cortes, Rafael Aguilar, Jose L. Camarillo R., and Robert L. Bezy. 1990. Distribution, species status, and reproductive mode of the xantusiid lizard Lepidophyma pajapanensis. 35: 373-374.
- Craddock, James E., *see* Webb, Robert G. and Wendell L. Minckley, 1963.
- Craig, Erica H., *see* Marti, Carl D., Jeffrey S. Marks and Timothy H. Craig, 1986.
- Craig, Timothy H., *see* Marti, Carl D., Jeffrey S. Marks and Erica H. Craig, 1986.
110. Crain, J. Larry and J. William Cliburn. 1971. Pituophis melanoleucus lodingi from the western part of its range. 15: 496-497.
111. ----- and -----. 1972. Sternothaerus minor peltifer in Louisiana. 16: 444-445.
112. Cross, John K. and Matt S. Rand. 1979. Climbing activity in wild-ranging Gila monsters Heloderma suspectum (Helodermatidae). 24: 703-705.
113. Crossin, Richard S., Oscar H. Soule, Robert G. Webb and Rollin H. Baker. 1973. Biotic relationships in the Canon del Rio Mesquital, Durango, Mexico. 18: 187-200.
- Cuellar, Orlando, *see* Hubbs, Clark and Thomas Wright, 1963.
- Cundiff, M. F., *see* McCarley, Howard, 1965.
114. Cunningham, John D. 1966. Field observations on the thermal relations of rattlesnakes. 11: 140-142.
115. -----. 1966. Observations on the taxonomy and natural history of the rubber boa, Charina bottae. 11: 298-299.
116. Cypher, Brian L., Kenneth A. Spencer and Jerry H. Scrivner. 1994. Food-item use by coyotes at the Naval

Petroleum Reserves in California. 39: 91-95.

117. Dalquest, Walter W. and John Kocurko. 1986. Geology and vertebrate paleontology of a Lower Permian Delta Margin in Baylor County, Texas. 31: 477-492.
118. Davis, Billy J. and Ned Hollenback. 1978. New records for the bird-voiced treefrog, Hyla avivoca (Hylidae), from Arkansas and Louisiana. 23: 161-162.
119. Davis, William B. and James R. Dixon. 1957. Notes on Mexican snakes (Ophidia). 2: 19-27.
120. Deacon, James E., W. Glen Bradley and Kenneth S. Moor. 1966. Habitat of the lizard Xantusia vigilis in southern Nevada. 11: 126-128.
Deacon, James E., see Bradley, W. Glen, 1966.
Dean, Robert H., see Dixon, James R., 1986.
Degenhardt, Paula, see Degenhardt, William G., 1965.
121. Degenhardt, William G. 1986. The discovery of Aponomma elaphensis larvae (Acarina: Ixodidae) on Elaphe subocularis (Reptilia: Colubridae). 31: 111.
122. ----- and James L. Christiansen. 1974. Distribution and habitats of turtles in New Mexico. 19: 21-46.
123. ----- and Paula B. Degenhardt. 1965. The host-parasite relationship between Elaphe subocularis (Reptilia: Colubridae) and Aponomma elaphensis (Acarina: Ixodidae). 10: 167-178.
Degenhardt, William G., see Campbell, James B., 1971.
Delahoussaye, A. J., see Fouquette, M. J., Jr., 1966.
- 123a. Delibes, Miguel and Fernando Hiraldo. 1987. Food habits of the bobcat in two habitats of the southern Chihuahuan Desert. 32: 457-461.
124. Dial, Ben E. 1965. Distributional notes on reptiles and amphibians from northeastern Texas. 10: 143-144.
Diaz, Gustavo A. Cruz, see Wilson, Larry David, 1986;
Wilson, Larry David, Efrain Villeda and Saul Flores, 1988.
Dickson, James G., see Rudolph, D. Craig, 1990.
125. Diener, Richard A. 1956. New records of snakes in southeastern Kansas. 1: 27-29.
126. Diller, Lowell V. and Richard L. Wallace. 1986. Aspects of the life history and ecology of the desert night snake, Hypsiglena torquata deserticola Colubridae, in southwestern Idaho. 31: 56-64.
127. Dixon, James R. 1957. Notes on the glossy snake, Arizona elegans, in Texas. 2: 132-133.
128. ----- . 1959. Geographic variation and distribution of the long-tailed group of the glossy snake, Arizona elegans Kennicott. 4: 20-29.
129. *----- . 1960. Two new geckos, genus Phyllodactylus (Reptilia: Sauria), from Michoacan, Mexico. 5: 37-42.
130. *----- . 1960. A new name for the snake, Arizona elegans arizonae. 5: 226.
131. ----- . 1962. The leaf-toed geckos, genus Phyllodactylus of northeastern South America. 7: 211-226.
132. ----- . 1964. Further data on the geckos (Phyllodactylus) of islands of the extreme southern Caribbean. 9: 203-

- 205.
133. ----- . 1965. A taxonomic reevaluation of the night snake Hypsiglena ochrorhyncha and relatives. 10: 125-131.
 134. ----- . 1968. Notes on the snake genus Geophis from Nevada de Colima, Jalisco, Mexico. 13: 452-454.
 135. ----- . 1969. The gekkonid lizard, Phyllodactylus unctus Cope), in Michoacan, Mexico. 14: 255-256.
 136. ----- . 1971. A noteworthy record of Eumeces multivirgatus from Texas. 15: 502.
 137. ----- . 1974. Synopsis of the herpetofauna of Mexico. Vol. II. Literature exclusive of the axolotl: A review. 19: 121.
 138. ----- and Robert H. Dean. 1986. Status of the southern population of the night snake (Hypsiglena: Colubridae) exclusive of California and Baja California. 31:307-318.
 139. -----, Chesley A. Ketchersid and Carl S. Lieb. 1972. The herpetofauna of Queretaro, Mexico, with remarks on taxonomic problems. 16: 225-238.
 140. ----- and Robert G. Webb. 1965. Micrurus laticollaris Peters, from Jalisco, Mexico. 10: 77.
 141. ----- and ----- . 1965. Variation in a large brood of the Mexican water snake, Natrix valida valida (Kennicott) in Sinaloa. 10: 140-141.
- Dixon, James R., see Davis, William B., 1957; Hendricks, Fred S., 1984, 1988; Kofron, Christopher P., 1980; McCoid, Michael J., 1981; McCoid, Michael J. and Jack W. Sites, Jr., 1980; Owen, James G., 1989; Scudday, James F., 1973; Thomas, Robert A., 1975; Whiting, Martin J. and Roy C. Murray, 1993.
- Dobie, James L., see Cooper, William E., Jr. and Caroline S. Adams, 1983.
142. Dodd, C. Kenneth, Jr. 1980. Notes on the feeding behavior of the Oklahoma salamander, Eurycea tynerensis (Plethodontidae). 25: 111-113.
 143. ----- . 1982. Correction: Typhlotriton spelaeus not Eurycea tynerensis. 27: 367-368.
- Dodd, C. Kenneth, see Altig, Ronald, 1987.
144. Dole, Jim W. 1974. Home range in the canyon tree frog (Hyla cadaverina). 19: 105-107.
- Douglas, Neil H., see Robinson, Henry W., 1978.
145. Dove, Laura B., Dennis A. Baeyens and Michael V. Plummer. 1982. Evaporative water loss in Opheodrys aestivus (Colubridae). 27: 228-230.
- Dowler, Robert C., see Choate, Jerry R., 1977.
146. Dowling, Herndon G. 1956. Geographic relations of Ozarkian amphibians and reptiles. 1: 174-189.
 147. ----- . 1958 (1959). The groundsnake, Sonora episcopa, in Arkansas. 4: 231-233.
 148. ----- . 1959. The spotted racer, Coluber constrictor anthicus Cope, in Arkansas. 4: 40.
- Duerre, Doug, see Knight, R. Alex, 1987.
- Dundee, Harold A., see Liner, Ernest A., 1969.
149. Dunlap, Donald G. and Kipp C. Kruse. 1975. Frogs of the Rana pipiens complex in the northern and central plains states. 20: 559-572.

- Dunn, Steven C., *see* Rorabaugh, James C. and Carolyn L. Palermo, 1987.
- Duvall, David, *see* Graves, Brent M., 1988; Graves, Brent M. and Geoffrey C. Carpenter, 1987.
150. Easterla, David A. 1975. Giant desert centipede preys upon snake. 20: 411.
 151. Eichholz, Michael W. and Walter D. Koenig. 1992. Gopher snake attraction to birds' nests. 37: 293-298.
 152. Findley, James S. 1959. A new station for the Sacramento Mountain salamander in New Mexico. 4: 155-156.
 153. ----- 1964. Verification of the occurrence of Bufo microscaphus Cope in New Mexico. 9: 107.
Findley, James S., *see* Jones, Clyde, 1963.
Fitch, Alice V., *see* Fitch, Henry S. and Chester W. Fitch, 1971.
Fitch, Chester W., *see* Fitch, Henry S. and Alice V. Fitch, 1971.
 154. Fitch, Henry S., Alice V. Fitch and Chester W. Fitch. 1971. Ecological notes on some common lizards of southern Mexico and Central America. 15: 347-399.
Fitzgerald, Lee A., *see* Sugg, Derrick W. and Howard L. Snell, 1995.
 155. Fleet, Robert R. 1972. Notes on the blind snake, Leptotyphlops dulcis dulcis, in eastern Texas. 17: 309.
Fleet, Robert R., *see* Clark, Donald, R., Jr., 1976.
 156. Fleharty, Eugene D. 1967. Comparative ecology of Thamnophis elegans, T. cyrtopsis, and T. rufipunctatus in New Mexico. 12: 207-230.
 157. ----- and Dwight R. Ittner. 1967. Additional locality records for some Kansas herptiles. 12: 199-200.
Flores, Saul, *see* Wilson, Larry David, Gustavo A. Cruz Diaz and Efrain Villeda, 1988.
 158. Ford, Neil B. 1981. Seasonality of pheromone trailing behavior in two species of garter snake, Thamnophis (Colubridae). 26: 385-388.
 159. -----, Vincent A. Cobb and Jim Stout. 1991. Species diversity and seasonal abundance of snakes in a mixed pine-hardwood forest of eastern Texas. 36: 171-177.
 160. ----- and John P. Karges. 1987. Reproduction in the checkered garter snake, Thamnophis marcianus, from southern Texas and northeastern Mexico: Seasonality and evidence for multiple clutches. 32: 93-102.
Foster, Mercedes S., *see* McDiarmid, Roy W., 1981.
 161. Fouquette, M. J., Jr. and A. J. Delahoussaye. 1966. Noteworthy herpetological records from Louisiana. 11: 137-139.
 162. ----- and M. J. Littlejohn. 1960. Pattern of oviposition in two species of hylid frogs. 5: 92-96.
 163. Fox, Stanley F., Susana Perea-Fox and Rubén Castro Franco. 1994. Development of the tail autotomy adaptation in lizards under disparate levels of predation at the high and low elevations in Mexico. 39: 311-322.
Fox, Stanley F., *see* McCoy, J. Kelly and Troy A. Baird,

1994.
 Franco, Rubén Castro, *see* Fox, Stanley F. and Susana Perea-Fox, 1994.
 Fries, Joe N., *see* Berkhouse, Casey S., 1995.
 Fritts, Thomas H., *see* McCoid, Michael J., 1980, 1989.
164. Frost, Darrel. 1983. Past occurrence of Acris crepitans (Hylidae) in Arizona. 28: 105.
 Frost, Herbert H., *see* Smith, Dwight C. and Charles R. Wilson, 1972.
 165. Frost, John S. and Joseph T. Bagnara. 1977. Sympatry between Rana blairi and the southern form of leopard frog in southeastern Arizona (Anura: Ranidae). 22: 443-454.
 Frost, Thomas M., *see* MacKay, William P., Stephen J. Loring and Walter G. Whitford, 1990.
 Fulbright, H. J., *see* Reid, W. H., 1981.
 166. Funk, Richard S. 1964. Fifth Ficimia quadrangularis desertorum Taylor in United States. 9: 105.
 167. ----- . 1964. Hyla wrightorum (Salientia: Hylidae) in western Arizona. 9: 206.
 168. ----- . 1965. Albino glossy snake, Arizona elegans, from northern Sonora. 10: 316-317.
 169. *----- . 1967. A new colubrid snake of the genus Chionactis from Arizona. 12: 180-188.
- Gallaway, B. J., *see* Bickham, J. W. and M. D. Springer, 1984; Christiansen, J. L., 1984; Christiansen, J. L., J. A. Cooper, J. W. Bickham and M. A. Springer, 1985.
- 169b. Gallo, Joseph F., Jr. and Keith Reese. Notes on the hatching of eggs and description of the hatchlings of the reticulated gecko, Coleonyx reticulatus Davis & Dixon (Lacertilia: Eublepharidae). 23: 308-309.
 Gann, Jim, *see* Tumilson, Renn, 1988.
 170. Gannon, Michael R. and Kevin B. Willis. 1990. Clutch size and parasitism of the Texas spotted whiptail, Cnemidophorus gularis (Sauria: Teiidae), from south-central Texas. 35: 215-217.
 Gaudin, Anthony J., *see* Koller, Ronald R., 1977.
 171. Gehlbach, Frederick R. 1962. Aberrant western milksnake, Lampropeltis doliata Linnaeus, from New Mexico. 7: 270-272.
 172. ----- and J. Alan Holman. 1974. Paleoecology of amphibians and reptiles from Pratt Cave, Guadalupe Mountains National Park, Texas. 19: 191-198.
 173. ----- and Stephen E. Kennedy. 1978. Population ecology of a highly productive aquatic salamander (Siren intermedia). 23: 423-430.
 Gehlbach, Frederick R., *see* Licht, Paul, 1961; Watkins, Julian F., II and Robert S. Baldrige, 1967.
 174. Gennaro, A. L. and Thomas J. Salb. 1972. An outdoor enclosure for dermestid defleshing operations. 17: 95-96.
 175. George, John E. 1960. Notes on the parasitic mites on some west Texas reptiles. 5: 105-106.
 176. Gillingham, James C., Charles C. Carpenter, Bruce J. Brecke and James P. Murphy. 1977. Courtship and copulatory

- behavior of the Mexican milk snake, Lampropeltis triangulum sinoaloae (Colubridae). 22: 187-194.
 Gillingham, James C., see Carpenter, Charles C., 1977.
177. Glass, James K. 1972. Feeding behavior of the western shovel-nose snake, Chionactis occipitalis klauberi, with special reference to scorpions. 16: 445-447.
 178. Glidewell, Jerry. 1974. Records of the snake Coluber constrictor (Reptilia: Colubridae) from New Mexico and the Chihuahuan Desert of Texas. 19: 215-217.
 - Goertz, John W., see Hahn, Donald E. and Theron E. Magers, 1972.
 179. Goff, M. Lee and Frank W. Judd. 1981. The first record of a chigger from Texas tortoise, Gopherus berlandieri. 26: 83-84.
 180. Goldberg, Stephen R. 1975. Reproduction in the Arizona alligator lizard, Gerrhonotus kingi. 29: 412-413.
 181. ----- 1983. Reproduction of the coast horned lizard, Phrynosoma coronatum in southern California. 28: 478-479.
 182. ----- 1987. Reproductive cycle of the giant spotted whiptail, Cnemidophorus burti stictogrammus, in Arizona. 32: 510-511.
 183. ----- 1989. Granulomatous orchitis in a western fence lizard, Sceloporus occidentalis (Iguanidae). 34: 158-160.
 184. ----- 1995a. Reproduction in the western patchnose snake, Salvadora hexalepis, and the mountain patchnose snake, Salvadora grahamiae (Colubridae), from Arizona. 40: 119-120.
 185. ----- 1995b. Reproduction in the lyre snake, Trimorphodon biscutatus (Colubridae), from Arizona. 40: 334-335.
 186. ----- and Charles R. Bursey. 1990. Redescription of the microfilaria Piratuba mitchelli (Smith) (Onchocercidae) from the Gila monster, Heloderma suspectum Cope (Helodermatidae). 35: 458-460.
 187. ----- and ----- 1991. Gastrointestinal helminths of the Mexican horned lizards, Phrynosoma braconnieri and Phrynosoma taurus (Iguanidae). 36: 365-368.
 188. -----, ----- and Robert L. Bezy. 1995. Helminths of isolated montane populations of Yarrow's spiny lizard, Sceloporus jarrovi (Phrynosomatidae). 40: 330-333.
 189. -----, H. J. Holshuh, George A. Middendorf III and Naida Zucker. 1994. Natural cactus spine injury in the tree lizard, Urosaurus ornatus (Phrynosomatidae). 39: 303-305.
 190. ----- and Charles H. Miller. 1985. Reproduction of the silvery legless lizard, Anniella pulchra pulchra (Anniellidae), in southern California. 30: 617-619.
 - Goldberg, Stephen R., see Bursey, Charles R., 1993.
 191. Goldsmith, Steven K. 1984. Aspects of the natural history of the rough green snake, Opheodrys aestivus (Colubridae). 29: 445-452.
 192. ----- 1986. Feeding behavior of an arboreal, insectivorous snake (Opheodrys aestivus) (Colubridae). 31: 246-249.

193. ----- . 1988. Courtship behavior of the rough green snake, Opheodrys aestivus (Colubridae: Serpentes). 33: 473-477.
194. Gonzalez-Romero, Alberto and Sergio Alvarez-Cardenas. 1989. Herpetofauna de la region del Pinacate, Sonora, Mexico: Un inventario. 34: 519-526.
Goode, J. Michael, *see* Carpenter, Charles C., Harold L. Cleveland, William A. Talbot, Hal J. Merriman and David R. Taylor, 1961.
Graber, David M., *see* Bradford, David F. and Farinaz Tabatabai, 1994.
- 194a. Graves, Brent M. 1991. Consumption of an adult mouse by a free-ranging neonate prairie rattlesnake. 36: 143.
195. -----, Geoffrey C. Carpenter and David Duvall. 1987. Chemosensory behaviors of neonate prairie rattlesnakes, Crotalus viridis. 32: 515-517.
196. ----- and David Duvall. 1988. Evidence of an alarm pheromone from the cloacal sacs of prairie rattlesnakes. 33: 339-345.
197. Greding, Edward J., Jr. 1964. Food of Ancistrodon c. contortrix in Houston and Trinity Counties, Texas. 9: 105.
198. ----- . 1964. Food of Natrix in Hunt County, Texas. 9: 206.
- 199 Green, David M. 1985. Biochemical identification of red-legged frogs, Rana aurora draytoni (Ranidae), at Duckwater, Nevada. 30: 614-616.
Grigsby, Everett M., *see* Thompson, James N, Jr., 1971.
Grubits, Gene, III, *see* Carpenter, Charles C., 1960.
200. Gumbart, Thomas C. and Kimberly A. Sullivan. 1990. Predation on yellow-eyed junco nestlings by twin-spotted rattlesnakes. 35: 367-368.
201. Gurrola-Hidalgo, Marco A. 1993. Ash-throated flycatcher eats a Cnemidophorus lizard. 38: 179.
202. Gutberlet, Ronald L., Jr. 1940. A new locality for Rowley's palm pitviper, Bothriechis rowleyi (Serpentes: Viperidae) a Mexican relict. 40: 124-125.
Guttman, Sheldon I., *see* Karlin, Alvan A. and D. Bruce Means, 1993.
203. Haemig, Paul D. 1989. Island jay (Aphelocoma coerulescens insularis) stores lizards in the relict tree Lyconothamnus asprnifolius. 34: 146-147.
204. Hahn, Donald E., Theron E. Magers and John W. Goertz. 1972. The status of Elaphe guttata (Serpentes: Colubridae) in central and northwestern Louisiana. 17: 208-209.
Haiduk, Michael W., *see* Sites, Jack W., Jr., 1979.
Hall, Linnea S., *see* Morrison, Michael L., William M. Block and H. Sheridan Stone, 1995.
Hall, W. Eugene, *see* Van Devender, Thomas R. and Amadeo M. Rea, 1991.
205. Hardy, Laurence M. 1978. Environmental factors and microhabitats in rain forest of Tabasco, Mexico. 23: 683-685.

- Hardy, Laurence M., *see* Raymond, Larry R., 1983.
206. Harris, Arthur H. 1959. Second record of the Arizona lyre snake in New Mexico. 4: 42-43.
207. Hart, E. Blake. 1983. In memoriam: John Keever Greer, 1930-1980. 28: 385-386.
208. Hayes, Marc P. and Michele R. Tennant. 1985. Diet and feeding behavior of the California red-legged frog, Rana aurora draytoni (Ranidae). 30: 601-605.
- Hayes, Marc P., *see* Holland, Dan C. and Eben McMillan, 1990.
209. Hayes-Odum, Louise A. 1990. Observations on reproduction and embryonic development in Syrrhopus cystignathoides campi (Anura: Leptodactylidae). 35: 358-361.
- Heath, Darrel R., *see* Saugey, David A. and Gary A. Heidt, 1985.
- Heidt, Gary A., *see* McKamie, James A., 1974; Saugey, David A. and Darrell R. Heath, 1985; Caster, Paul T. and Karen D. Stone, 1994.
- Heinrichs, J. W., *see* Tanner, Wilmer W., 1964.
210. Hendricks, Fred S. 1973. Intestinal contents of Rana pipiens Schreber (Ranidae) larvae. 18: 99-101.
211. ----- and James R. Dixon. 1984. Population structure of Cnemidophorus tigris (Reptilia: Teiidae) east of the Continental Divide. 29: 137-140.
212. ----- and ----- . 1988. Regenerated tail frequencies in populations of Cnemidophorus marmoratus (Reptilia: Teiidae). 33: 121-124.
- Hendricks, Fred S., *see* Thomas, Robert A., 1976.
213. Hillis, David M. and Stephen L. Campbell. 1982. New localities for Tantilla rubra cucullata (Colubridae) and the distribution of its two morphotypes. 27: 220-221.
- Hillis, David M., *see* Scott, Norman J., Jr., 1989.
214. Hilman, Jessie Lee and R. W. Strandtmann. 1960. The incidence of Herpetatozoon serpentium in some Texas snakes. 5: 226-228.
- Hiraldo, Fernando, *see* Delibes, Miguel, 1987.
215. Hirth, Harold F. 1966. The ability of two species of snakes to return to a hibernaculum after displacement. 11: 49-53.
- Hoddenbach, Gerald A., *see* Turner, Frederick B., Philip A. Medica and Joseph R. Lannon, Jr., 1969.
- Hoestenbach, Roger D., Jr., *see* Tyler, Jack D., 1979.
216. Hoff, Carolyn L. and Fenton R. Kay. 1970. Herbivorous feeding in the lizard Uta stansburiana stejnegeri. 15: 137-138.
217. Hoffpauir, Charles and E. O. Morrison. 1966. Rhabdias ranae from Bufo valliceps. 11: 302.
- Hoffpauir, Charles, *see* Tanzer, Ernest C. and Eston O. Morrison, 1966.
- Holder, Tom, *see* Peterson, Chris L., Robert F. Wilkinson and Don Moll, 1992.
218. Holland, Dan C., Marc P. Hayes and Eben McMillan. 1990. Late summer movement and mass mortality in the California tiger salamander (Ambystoma californianum). 35: 217-220.
- Holland, Dan C., *see* Rathbun, Galen B. and Nancy Siepel,

- 1992.
- Hollenback Ned, **see** Davis, Billy J., 1978.
219. Hollis, Patrick D. 1972. A survey of parasites of the bullfrog, Rana catesbeiana Shaw, in central east Texas. 17: 198-200.
220. Holman, J. Alan. 1966. Caudal vertebrae of the Veracruz glass lizard, Ophisaurus ceroni. 11: 299-300.
221. ----. 1966. Tail-vibration of the lizard Xenosaurus grandis 11: 305-306.
222. ----. 1969. Herpetofauna of the Pleistocene Slaton Local fauna of Texas. 14: 203-212.
- Holman, J. Alan, **see** Gehlbach, Frederick R., 1974.
- Holshuh, H. J., **see** Goldberg, Stephen R., George A. Middendorf III and Naida Zucker, 1994.
223. Houseal, Timothy W. and John L. Carr. 1983. Notes on the reproduction of Kinosternon subrubrum (Testudines: Kinosternidae) in east Texas. 28: 237-239.
- Houseal, Timothy W., **see** Carr, John L., 1981.
- Howard, C. Wayne, **see** Lowe, Charles H., 1975.
- Howell, Judd, **see** Collins, James P., Craig Young and W. L. Minckley, 1981.
224. Hubbs, Clark and F. Douglas Martin. 1967. Bufo valliceps breeding in artificial pools. 12: 105-106.
225. ----, Thomas Wright and Orlando Cuellar. 1963. Developmental temperature tolerance of central Texas populations of two anuran amphibians Bufo valliceps and Pseudacris streckeri. 8: 142-149.
226. Hulse, Arthur C. 1971. Fluorescence in Leptotyphlops humilis (Serpentes: Typhlopidae). 16: 123-124.
227. ----. 1982. Reproduction and population structure in the turtle, Kinosternon sonoriense. 27: 447-456.
228. ----. 1985. Home range size in Holbrookia maculata (Iguanidae) from southeastern Arizona. 30: 608-610.
229. ---- and George A. Middendorf. 1979. Notes on the occurrence of Gopherus agassizi (Testudinidae) in extreme eastern Arizona. 24: 545-546.
- Humphrey, Jeffrey A., **see** Barrett, Sheryl L., 1986.
- Hutchison, James A., **see** King, Douglas S. and Max A. Nickerson, 1973.
- Ibarra, Laura, **see** Alvarado, Javier, Ireri, Suazo, Gerardo Rodríguez and Rosalba Zamora, 1995.
230. Ingersol, Chris A., Robert F. Wilkinson, Chris L. Peterson and Robert H. Ingersol. 1991. Histology of the reproductive organs of Cryptobranchus alleganiensis (Caudata: Cryptobranchidae) in Missouri. 36: 60-66.
- Ingersol, Robert H., **see** Chris A. Ingersol, Robert F. Wilkinson and Chris L. Peterson, 1991.
231. Ireland, Patrick H. 1970. Rediscovery of the gray-bellied salamander, Eurycea multiplicata griseogaster Moore, in southeastern Kansas. 14: 366.
232. ----. 1973. Overwintering of larval spotted salamanders, Ambystoma maculatum (Caudata) in Arkansas. 17: 435-437.
233. ----. 1973. Marking larval salamanders with fluorescent pigments. 18: 252-253.

234. ----- and Ronald Altig. 1983. Key to the gilled salamanders of Arkansas, Kansas, Missouri, and Oklahoma. 28: 271-274.
Ireland, Patrick H., *see* Spotila, James R., 1970.
- 234a. Ireland, Terry T., Gale L. Wolters and Sanford D. Schemnitz. 1994. Recolonization of wildlife on a coal strip-mine in northwestern New Mexico. 39: 53-57.
235. Iruegas-Buentello, Francisco J. and Narciso Salinas-Lopez. 1989. Trematodos de anfibios de Nuevo Leon, Mexico. I. Langeronia jimenezi nueva especie (Trematoda: Lecithodendriidae) en Rana pipiens. 34: 369-373.
Ittner, Dwight R., *see* Fleharty, Eugene D., 1967.
236. Iverson, John B. 1989. Natural history of the Alamos mud turtle, Kinosternon alamosae (Kinosternidae). 34: 134-142.
237. ----- . 1989. The Arizona mud turtle, Kinosternon flavescens arizonense (Kinosternidae), in Arizona and Sonora. 34: 356-368.
238. Jackson, Crawford G., Jr., M. Wilkinson Trotter and Walter Allen. 1980. A gigantic specimen of Gopherus agassizi (Testudinidae). 25: 430-432.
Jackson, Crawford G., Jr., *see* Plymale, Harry H. and Gerald Collier, 1978.
239. Jackson, Morris K. 1971. Another Tropidodipsas fasciata fasciata (Colubridae) from Tamaulipas, Mexico. 16: 124.
240. Jacob, James S. 1977. An evaluation of the possibility of hybridization between the rattlesnakes Crotalus atrox and C. scutulatus in the southwestern United States. 22: 469-486.
241. -----, Stephen R. Williams and Robert P. Reynolds. 1987. Reproductive activity of male Crotalus atrox and C. scutulatus (Reptilia: Viperidae) in northeastern Chihuahua, Mexico. 32: 273-276.
242. Jacobs, Barry and E. O. Morrison. 1966. Ectopic lung fluke. 11: 412.
243. Jacobson, Nancy L. 1989. Breeding dynamics of the Houston toad. 34: 374-380.
Jennings, Daniel T., *see* Toliver, Michael E., 1975.
244. Jennings, Mark R. 1984. Predation on Sonoran spotted whiptails, Cnemidophorus sonorae (Teiidae), by the great-tailed grackle, Cuisicalus mexicanus (Icteridae). 29: 514.
245. Johnson, Jerry D. 1978. First record of Manolepis putnami (Serpentes: Colubridae) from Chiapas, Mexico. 23: 538.
246. ----- . 1979. Taxonomic status and distribution of Geophis laticinctus (Colubridae) in southern Mexico. 24: 698-701.
247. ----- . 1990. Biogeographic aspects of the herpetofauna of the Central Depression of Chiapas, Mexico, with comments on surrounding areas. 35: 268-278.
Johnson, Jerry D., *see* Baker, Rollin H., Mary W. Baker and Robert G. Webb, 1981.
Johnson, Pat., *see* Woodward, Bruce, 1985.
248. Johnson, Terry B. 1982. Ash-throated flycatcher takes

- sagebrush lizard. 27: 222.
249. Jones, Clyde and James S. Findley. 1963. Second record of the lyre snake, Trimorphodon vilkinsoni in New Mexico. 8: 175-177.
 250. Jones, K. Bruce. 1981. Effects of grazing on lizard abundance and diversity in western Arizona. 26: 107-116.
 251. ----- . 1988. Influence of prey on the feeding behavior of Trimorphodon biscutatus lambda (Colubridae). 33: 488-490.
 252. ----- . 1990. Habitat use and predatory behavior of Thamnophis cyrtopsis (Serpentes: Colubridae) in a seasonally variable aquatic environment. 35: 115-122.
 253. -----, Lauren Porzer Kepner and William G. Kepner. 1983. Anurans of Vekol Valley, central Arizona. 28: 469-470.
 254. ----- and Walter G. Whitford. 1989. Feeding behavior of free-roaming Masticophis flagellum: An efficient ambush predator. 34: 460-467.
 255. Judd, Frank W. 1976. Food and feeding behavior of the keeled earless lizard, Holbrookia propinqua. 21: 17-26.
 256. ----- and J. Carlton McQueen. 1982. Notes on longevity of Gopherus berlandieri (Testudinidae). 27: 230-232.
 257. ----- and Francis L. Rose. 1983. Population structure, density and movements of the Texas tortoise Gopherus berlandieri. 28: 387-398.
- Judd, Frank H., see Goff, M. Lee, 1981.
- Karges, John P., see Ford, Neil B., 1987.
258. Karlin, Alvan A., Sheldon I. Guttman and D. Bruce Means. 1993. Population structure in the Ouachita Mountain dusky salamander, Desmognathus brimleyorum (Caudata: Plethodontidae). 38: 36-42.
 - 258a. Kaspar, Timothy C. and William L. McClure. 1976. The Taylor Bayou local fauna (Pleistocene) near Houston, Texas. 21: 9-16.
- Kasper, Tim, see Seifert, Wayne and Fred Rainwater, 1973.
- Kawashima, Jack Y., see Camp, Richard J., Richard L. Knight, Heather A. Knight and Michael W. Sherman, 1993.
- Kaufman, Donald W., see Brillhart, Dennis E., 1995.
259. Kay, David W. 1989. Movements and homing in the canyon tree frog (Hyla cadaverina). 34: 293-295.
- Kay, Fenton R., see Hoff, Carolyn L., 1979.
260. Kennedy, J. P. 1950. An arboreal nest of the five-lined skink, Eumeces fasciatus, in eastern Texas. 1: 136-139.
 261. ----- . 1958 (1959). Sleeping habits of the eastern fence lizard, Sceloporus undulatus hyacinthinus (Sauria, Iguanidae). 3: 90-93.
 262. ----- . 1958 (1959). A field guide to reptiles and amphibians of the United States and Canada east of the 100th meridian. A review. 3: 239-240.
 263. ----- . 1960. Parturition of the blue spiny lizard, Sceloporus cyanogenys Cope. 6: 44-45.
 264. ----- . 1965. Notes on the habitat and behavior of a snake, Oxybelis aeneus Wagler, in Veracruz. 19: 136-139.
 265. ----- . 1976. A field guide to reptiles and amphibians of eastern central North America: A review. 21: 257-258.

- Kennedy, J. P., **see** Stoval, Randall H., 1979.
 Kennedy, Stephen E., **see** Gehlbach, Frederick R., 1978.
 Kepner, Lauren Porzer, **see** Jones, K. Bruce and William G. Kepner, 1983.
266. Kerfoot, W. Charles. 1962. An unusually large desert short-horned lizard (Phrynosoma douglassi ornatissimum-Iguanidae) from Colorado. 7: 78-79.
 Ketchersid, Chesley A., **see** Dixon, James R. and Carl S. Lieb, 1972.
267. Killebrew, Flavius C. 1977. Mitotic chromosomes of turtles. V. The Chelydridae. 21: 547-548.
268. -----. 1977. An extra costal in one specimen of Graptemys flavimaculata Cagle (Testudines, Emydidae). 22: 400-401.
269. ---- and Ronald R. McKown. 1978. Mitotic chromosomes of Gopherus berlandieri and Kinixys belliana belliana (Testudines, Testudinidae). 23: 162-164.
 Killebrew, Flavius C., **see** Brewer, Ken, 1986.
270. King, Douglas S, Max A. Nickerson and James A. Hutchison. 1973. Mexican isolates of Basidiobolus ranarum Eidam. 18: 93-94.
271. King, Kirke A. 1975. Unusual food items of the western diamondback rattlesnake (Crotalus atrox). 20: 416-417.
272. King, Otis M. 1960. Observations on Oklahoma toads. 5: 102-103.
 King, Timothy L., **see** Ward, Rocky and Earl G. Zimmerman, 1990.
 King, W. Ken, **see** Bloom, Roy A. and Kyle W. Selcer, 1986.
- 272a. Kneeland, Mary C., John L. Koprowski and Michelle C. Corse. 1995. Potential predators of Chiricahua fox squirrels (Sciurus nayaritensis chiricahuae). 40: 340-342.
- Knight, Heather A., **see** Camp, Richard J., Richard L. Knight, Michael W. Sherman and Jack Y. Kawashima, 1993.
273. Knight, Marion T., Curtis J. Barbay and E. O. Morrison. 1965. Incidence of infection by lung-fluke (Haematoloechus) of the bullfrog, Rana catesbeiana, in Jefferson County, Texas. 10: 141-142.
274. Knight, R. Alex and Doug Duerre. 1987. Notes of distribution, habitat, and sexual dimorphism of Gerrhonotus kingii (Lacertilia: Anguidae). 32: 283-285.
275. *----- and James F. Scudday. 1985. A new Gerrhonotus (Lacertilia: Anguidae) from the Sierra Madre Oriental, Nuevo Leon, Mexico. 30: 89-94.
 Knight, Richard L., **see** Camp, Richard J., Heather A. Knight, Michael W. Sherman and Jack Y. Kawashima, 1993.
276. Knopf, Garry N. 1962. Paedogenesis and metamorphic variation in Ambystoma tigrinum mavortium. 7: 75-76.
 Kocurko, M. John, **see** Dalquest, Walter W., 1986.
 Koehn, Richard K., **see** Minckley, W. L., 1965.
 Koenig, Walter D., **see** Eichholz, Michael W., 1992.
277. Kofron, Christopher P. 1980. Sperm of the coachwhip Masticophis flagellum (Serpentes: Colubridae), and a method of preparation for scanning electron microscopy of vertebrate spermatozoa. 25: 118-120.
278. ----- and James R. Dixon. 1980. Observations on aquatic

- colubrid snakes in Texas. 25: 107-109.
279. ----- and A. Alan Schreiber. 1987. Observations on aquatic turtles in a northeastern Missouri marsh. 32: 517-521.
280. Koller, Ronald L. and Anthony J. Gaudin. 1977. An analysis of helminth infections in Bufo boreas (Amphibia: Bufonidae) and Hyla regilla (Amphibia: Hylidae) in southern California. 21: 503-510.
- Koprowski, John L., see Kneeland, Mary C. and Michelle C. Corse, 1995.
- Krausman, Paul R., see Cashman, Jenny L. and Matthew Peirce, 1992.
281. Kroll, James C. 1972. Amphibians and reptiles in Texas: Taxonomic synopsis, bibliography and county distribution maps: A review. 17: 218-219.
282. ----- . 1973. Taste buds in the oral epithelium of the blind snake, Leptotyphlops dulcis (Reptilia: Leptotyphlopidae). 17: 365-370.
283. ----- . 1975. Feeding adaptations of hognose snakes. 20: 537-557.
- Kroll, James C., see Clark, Donald R., Jr., 1974.
- Kruse, Kipp C., see Dunlap, Donald G., 1975.
- Kubin, Ty M., see Campbell, Jonathan A., 1990.
284. Lambert, Sherman and George M. Ferguson. 1985. Blood ejection frequency by Phrynosoma cornutum (Iguanidae). 39: 616-617.
- Lannon, Joseph R., Jr., see Turner, Frederick B., Philip A. Medica and Gerald A. Hoddenbach, 1969.
- Larsen, Kenneth R., see Smith, Hobart M., 1975.
- Laughlin, Harold E., see Raun, Gerald G., 1972; Taylor, R. John, 1964.
- Lawrence, William C., see Tinkle, Donald W., 1956.
- Lazcano, David, see Rodriguez, Maria Luisa, 1992.
285. Lazcano-Barrero, Marco A. 1992. First record of Bolitoglossa mulleri (Caudata: Plethodontidae) from Mexico. 37:315-316.
- Leatherwood, Stephen, see Reeves, Randall R., 1983.
286. Lee, Julian C. and Mark A. Salzburg. 1989. Mating success and pairing patterns in Bufo valliceps (Anura: Bufonidae). 34: 155-157.
287. Legler, John M. 1958 (1959). The Texas slider (Pseudemys floridana texana) in New Mexico. 3: 230-231.
288. ----- and Robert G. Webb. 1960. Noteworthy records of skinks (genus Eumeces) from northwestern Mexico. 5: 16-20.
289. Leuck, Beth E., Edwin E. Leuck, II and Ross T. Bowlin Sherwood. 1981. A new population of New Mexico whiptail lizards, Cnemidophorus neomexicanus (Teiidae). 26: 72-74.
- Leuck, Edwin E., II, see Leuck, Beth E. and Ross T. Bowlin Sherwood, 1981.
- Lewis, Michael A., see Collins, James P., 1979.
290. Licht, Paul and Frederick R. Gehlbach. 1961. Ficimia cana and Tropidodipsas fasciata (Reptilia, Serpentes) in San

- Luis Potosi, Mexico. 6: 197-198.
291. Lieb, Carl S. 1985. Snakes of Texas: A review. 30: 621-623.
Lieb, Carl S., see Clark, Donald R., Jr., 1973; Dixon, James R. and Chesley A. Ketchersid, 1972.
 292. Lindsay, Hague L., Jr. 1961. Additional records of Ambystoma annulatum from Arkansas and Oklahoma. 6: 199-200.
 293. ----- 1962. Errata (Additional records of Ambystoma annulatum from Arkansas and Oklahoma. 6: 199-200). 7: 80.
 294. *Liner, Ernest A. 1960. A new subspecies of false coral snake (Pliocercus elapoides) from San Luis Potosi, Mexico. 5: 217-220.
 295. ----- 1964. Notes on four small herpetological collections from Mexico. I. Introduction, turtles and snakes. 8: 221-227.
 296. ----- 1966. Notes on four small herpetological collections from Mexico. II. Amphibians. 11: 296-298.
 297. ----- 1966. Notes on four small herpetological collections from Mexico. III. Lizards. 11: 406-408.
 298. ----- 1982. Early herpetological studies and surveys in the eastern United States--Herpetological explorations of the great American west: A review. 27: 125-126.
 299. ----- and Harold A. Dundee. 1969. Notes on reptiles and amphibians from southern Querrero and Oaxaca, Mexico. 14: 129-134.
Littlejohn, M. J., see Fouquette, M. J., Jr., 1960.
 300. Long, David R. 1986. Clutch formation in the turtle, Kinosternon flavescens (Testudines: Kinosternidae). 31: 1-8.
 301. ----- 1986. Lipid content and delayed emergence of hatchling yellow mud turtles. 31: 244-246.
 302. ----- 1988. Mullerian Ducts in male Bufo woodhousei. 33: 240-243.
Loring, Steven J., see MacKay, William P., Thomas M. Frost and Walter G. Whitford, 1990.
 303. Lowe, Charles H. and C. Wayne Howard. 1975. Viviparity and reproductive pattern in Phrynosoma ditmarsii in Sonora, Mexico. 20: 265-270.
 304. *Lynch, John D. and Hobart M. Smith. 1966. A new toad from western Mexico. 11: 19-23.
 305. Lynn, Robert T. 1965. A comparative study of display behavior in Phrynosoma (Iguanidae). 10: 25-30.
 306. MacKay, William P. 1975. The home range of the banded rock lizard Petrosaurus mearnsi (Iguanidae). 20: 113-120.
 307. -----, Steven J. Loring, Thomas M. Frost and Walter G. Whitford. 1990. Population dynamics of a playa community in the Chihuahuan Desert. 35: 393-402.
MacMahon, James A., see Bickham, John W., 1972.
 308. McAlister, Wayne H. 1958 (1959). Species distribution in a mixed Scaphiopus-Bufo breeding chorus. 3: 227-229.
 309. McAllister, Chris T. 1985. Food habits and feeding

- behavior of Crotaphytus collaris collaris (Iguanidae) from Arkansas and Missouri. 30: 597-600.
310. ----- . 1987. Ingestion of spinose ear ticks, Otobius magnini (Acari: Agasidae) by a Texas whiptail, Cnemidophorus gularis gularis (Sauria: Teiidae). 32: 511-512.
311. ----- and Stanley E. Trauth. 1982. An instance of the eastern collared lizard, Crotaphytus collaris collaris (Sauria, Iguanidae) feeding on Sigmodon hispidus (Rodentia: Cricetidae). 27: 358-359.
312. ----- and ----- . 1985. Endoparasites of Crotaphytus collaris collaris (Sauria: Iguanidae) from Arkansas. 39: 363-370.
313. -----, ----- and Charles R. Bursey. 1995. Parasites of the pickerel frog, Rana palustris (Anura: Ranidae), from the southern part of its range. 40: 111-116.
314. -----, ----- and Betty G. Cochran. 1995. Endoparasites of the ringed salamander, Ambystoma annulatum (Caudata: Ambystomatidae), from Arkansas. 40: 327-330.
315. -----, Rocky Ward and Kenneth L. Williams. 1987. Noteworthy milk snakes (Lampropeltis triangulum) from Texas. 32: 406-408.
- McAllister, Chris T., see Trauth, Stanley E. and Wei Chen, 1994.
316. McCarley, Howard. 1970. Rana areolata in southern Oklahoma-northern Texas. 15: 266-267.
317. ----- . 1975. Rana grylio in the coastal prairie of Texas. 20: 420.
318. ----- and Robert F. Clarke. 1989. The Southwestern Association of Naturalists: The first 30 years, 1953 to 1983. 34: 1-26.
319. ----- and M. F. Cundiff. 1965. Range extensions for some east-Texas amphibians. 10: 311-312.
320. McClure, William L. 1969. A new record of Opheodrys vernalis blanchardi in Texas. 14: 129.
331. McCoid, Michael J. and James R. Dixon. 1981. Notes on Mexican Rhadinaea (Serpentes: Colubridae). 26: 436-437.
322. ----- and Thomas H. Fritts. 1980. Notes on the diet of a feral population of Xenopus laevis (Pipidae) in California. 25: 272-275.
323. ----- and ----- . 1989. Growth and fatbody cycles in feral populations of the African clawed frog, Xenopus laevis (Pipidae), in California with comments on reproduction. 34: 499-505.
324. -----, Jack W. Sites, Jr. and James R. Dixon. 1980. An additional specimen of Chersodromus rubriventris (Colubridae). 25: 429.
325. McCoy, Clarence J., Jr. 1961. Distribution of the subspecies of Sceloporus undulatus (Reptilia: Iguanidae) in Oklahoma. 6: 79-85.
326. ----- . 1964. Notes on snakes from northern Mexico. 9: 46-48.
327. *----- . 1970. A new alligator lizard (genus Gerrhonotus) from the Cuatro Ciénegas Basin, Coahuila, Mexico. 15: 37-44.

328. ----- . 1974. Communal hibernation of the lizard Cnemidophorus tigris (Teiidae) in Colorado. 19: 218.
329. -----, Hobart M. Smith and J. A. Tihen. 1967. Natural hybrid toads, Bufo punctatus x Bufo woodhousei, from Oklahoma. 12: 45-54.
330. McCoy, J. Kelly, Stanley F. Fox and Troy A. Baird. 1994. Geographic variation in sexual dimorphism in the collared lizard, Crotaphytus collaris (Sauria: Crotaphytidae). 39: 328-335.
331. McCranie, James R. 1977. First record of Tantilla bocourti (Reptilia: Colubridae) from Zacatecas, Mexico. 22: 275.
332. *----- and Larry David Wilson. 1993. Taxonomic changes associated with the names Hyla spinipollex Schmidt and Ptychohyla merazi Wilson and McCranie (Anura: Hylidae). 38: 100-104.
333. McCuller, Ronald E. and Gerald G. Raun. 1971. Notes on the distribution of some reptiles and amphibians in northeastern Texas. 16: 220.
334. McDiarmid, Roy W. 1992. Systematic status of the San Luis Potosí black-headed snake, Tantilla deviatric Barbour (Colubridae). 37: 303-307.
335. ----- and Mercedes S. Foster. 1981. Breeding habits of the toad Bufo coccifer in Costa Rica, with a description of the tadpole. 26: 353-364.
McGee, Louis E., see Tyler, Jack D., 1976.
336. McKamie, James A. and Gary A. Heidt. 1974. A comparison of spring food habits of the bullfrog, Rana catesbeiana, in three habitats of central Arkansas. 19: 107-111.
337. McKee, Cynthia Ruiz and Steve Martinez, Jr. 1981. An endoparasite of Holbrookia propinqua propinqua (Iguanidae). 26: 75-76.
338. McKinney, Charles O. and Royce E. Ballinger. 1966. Snake predators of lizards in western Texas. 11: 410-412.
McKown, Ronald R., see Killebrew, Flavius C., 1978.
McMillan, Eben, see Holland, Dan C. and Marc P. Hayes, 1990.
McQueen, J. Carlton, see Judd, Frank W., 1982.
Magers, Theron E., see Hahn, Donald E. and John W. Goertz, 1972.
339. Mahmoud, I. Y. 1969. Comparative ecology of the kinosternid turtles of Oklahoma. 14: 31-66.
340. Mahrtdt, Clark R. 1976. Courtship and copulatory behavior of Cnemidophorus tigris tigris (Sauria: Teiidae). 21: 252-254.
341. Mahrt, Jerome L. 1987. Lizard malaria in Arizona: Island biogeography of Plasmodium chiricahuae and Sceloporus jarrovi. 32: 347-350.
342. ----- . 1989. Prevalence of malaria in populations of Sceloporus jarrovi (Reptilia: Iguanidae) in southeastern Arizona. 34: 436-438.
343. Marcellini, Dale. 1971. Range extension of the gecko, Hemidactylus frenatus, in Mexico. 15: 397.
Marks, Jeffrey S., see Marti, Carl D., Timothy H. Craig and Erica H. Craig, 1986.

344. Marti, Carl D., Jeffrey S. Marks, Timothy H. Craig and Erica H. Craig. 1986. Long-eared owl diet in northwestern New Mexico. 31: 416-419.
Martin, F. Douglas, *see* Hubbs, Clark, 1967.
Martinez, Steve, Jr., *see* McKee, Cynthia Ruiz, 1981.
345. Maslin, T. Paul. 1965. The status of the rattlesnake Sistrurus catenatus (Crotalidae) in Colorado. 10: 31-34.
346. Mayden, Richard L. 1985. Biogeography of Ouachita Highland fishes. 30: 195-211.
347. Mead, Jim I. and Arthur M. Phillips, III. 1981. The Late Pleistocene and Holocene fauna and flora of Vulture Cave, Grand Canyon, Arizona. 26: 257-288.
Mead, Jim I., *see* Van Devender, Thomas R. and Arthur M. Phillips, III, 1977; Van Devender, Thomas R. and Amadeo M. Rea, 1991.
Means, D. Bruce, *see* Karlin, Alvan A. and Sheldon I. Guttman, 1993.
348. *Mecham, John S. 1958 (1959). Some Pleistocene amphibians and reptiles from Friesenhann Cave, Texas. 3: 17-27.
349. ----- . 1967. Polymorphic Eumeces multivirgatus from the Texas High Plains. 12: 104-105.
350. ----- . 1968. Evidence of reproductive isolation between two populations of the frog, Rana pipiens, in Arizona. 13: 35-44.
351. Mendez-de la Cruz, Fausto, Gustavo Casas-Amdreu and Maricela Villagran-Santa Cruz. 1992. Variacion anual en la alimentacion y condicion fisica de Sceloporus mucronatus (Sauria: Iguanidae) en la Sierra del Ajusco, Distrito Federal, Mexico. 37: 349-355.
Medica, Philip A., *see* Turner, Frederick B., Joseph R. Lannon, Jr. and George A. Hoddenbach, 1969.
Mengden, Greg, *see* Quinn, Hugh, 1984.
Merriman, Hal J., *see* Carpenter, Charles C., Harold L. Cleveland, William A. Talbot, J. Michael Goode and David R. Taylor, 1961.
Meshaka, Walter E., *see* Trauth, Stanley E. and J. Michael Cartwright, 1989; Butterfield, Brian P. and Stanley E. Trauth, 1989.
352. Messing, Henry J. 1986. A Late Pleistocene-Holocene fauna from Chihuahua, Mexico. 31: 277-288.
Meyer, John R., *see* O'Brien, G. Patrick and Hanley K. Smith, 1965; Nelson, Craig E., 1967.
353. Michel, Larry. 1976. Reproduction in a southwest New Mexican population of Urosaurus ornatus. 21: 281-300.
354. Middendorf, G. A. and C. A. Simon. 1988. Thermoregulation in the iguanid lizard Sceloporus jarrovi: The influence of age, time, and light condition on body temperature and thermoregulatory behaviors. 33: 347-356.
Middendorf, George A., *see* Hulse, Arthur C., 1979; Simon, Carol A., 1985; Goldberg, Stephen R., H. J. Holshuh and Naida Zucker, 1994.
Miller, Charles H., *see* Goldberg, Stephen R., 1985.
355. Milstead, William W. 1957. Observations on the natural history of four species of whiptail lizard, Cnemidophorus (Sauria: Teiidae) in Trans-Pecos Texas. 2: 105-121.

356. ----- . 1960. Relict species of the Chihuahuan Desert. 5: 75-88.
357. Minckley, W. L. and Richard K. Koehn. 1965. Re-discovery of the fish fauna of the Sauz Basin, northern Chihuahua, Mexico. 10: 313-315.
Minckley, W. L., *see* Webb, Robert G. and James E. Craddock, 1963; Collins, James P., Craig Young and Judd Howell, 1981.
358. Minton, Sherman A., Jr. 1958 (1959). Observations on amphibians and reptiles of the Big Bend region of Texas. 3: 28-54.
359. Mitchell, Joseph C. 1980. Notes on Lampropeltis triangulum (Colubridae) from northern Jalisco, Mexico. 25: 269.
360. ----- . 1984. Observations on the ecology and reproduction of the leopard lizard, Gambelia wislizenii (Iguanidae), in southeastern Arizona. 29: 509-511.
Mitchell, Joseph C., *see* Brooks, Garnett R., 1989.
361. Mitchell, Robert W. 1969. A comparison of temperate and tropical cave communities. 14: 73-88.
Mitchell, Sandra, *see* Woodward, Bruce Douglas, 1990.
Moll, Don, *see* White, Don, Jr., 1992; Peterson, Chris L., Robert W. Wilkinson and Tom Holder, 1992; Thomas R. Brent and Jack Steiert, 1994.
Moor, Kenneth S., *see* Deacon, James E. and W. Glen Bradley, 1966.
362. *Mooser, O. 1972. A new species of Pleistocene fossil tortoise, genus Gopherus, from Aguascalientes, Aguascalientes, Mexico. 17: 61-66.
363. Morgan, Edward C. 1972. The distribution of the subspecies of Sceloporus undulatus (Sauria: Iguanidae) in Louisiana. 17: 67-72.
364. Morrison, E. O. 1967. Rhabdias ranae infections in three species of Oklahoma anura. 12: 335-336.
Morrison, E. O., *see* Hoffpauir, Charles, 1966; Jacobs, Barry, 1966; Knight, Marion T. and Curtis J. Barbay, 1965; Tanzer, Ernest C. and Charles Hoffpauir, 1966.
365. Morrison, Michael L., William M. Block, Linnea S. Hall and H. Sheridan Stone. 1995. Habitat characteristics and monitoring of amphibians and reptiles in the Huachuca Mountains, Arizona. 40: 185-192.
Moulton, Michael P., *see* Rose, Francis L. and M. E. T. Scioli, 1988.
Mullen, Gary R., *see* Trauth, Stanley E., 1990.
Murphy, James B., *see* Gillingham, James C., Charles C. Carpenter and James J. Brecke, 1977.
Murray, Roy C., *see* Whiting, Martin J. and James R. Dixon, 1993.
366. Nelson, Craig E. and John R. Meyer. 1967. Variation and distribution of the Middle American snake genus, Loxocemis Cope (Boidae?). 12: 439-454.
367. ----- and Max A. Nickerson. 1966. Notes on some Mexican and Central American amphibians and reptiles. 11: 128-131.

- Nickerson, Max A., *see* King, Douglas S. and James A. Hutchison, 1973; Nelson, Craig E., 1966.
368. O'Brien, G. Patrick, Hanley K. Smith and John R. Meyer. 1965. An activity study of a radioisotope-tagged lizard, Sceloporus undulatus hyacinthinus (Sauria: Iguanidae). 10: 179-187.
- Ogilvie, Philip W., *see* Anderson, Sydney, 1957.
369. Ortega, Joseph Charles. 1987. Coyote food habits in southeastern Arizona. 32: 152-155.
370. Owen, James G. and James R. Dixon. 1989. An ecogeographic analysis of the herpetofauna of Texas. 34: 165-180.
- Packard, Robert L., *see* Webb, Robert G., 1961.
- Palermo, Carolyn L., *see* Rorabaugh, James C. and Steven C. Dunn, 1987.
371. Parker, James W. 1982. Opportunistic feeding by an ornate box turtle under the nest of a Mississippi kite. 27: 365.
372. Parker, William S. 1973. Observations on a small isolated population of Bufo punctatus in Arizona. 18: 103-105.
373. Parmley, Dennis. 1988. Middle Holocene herpetofauna of Klein Cave, Kerr County, Texas. 33: 378-382.
374. ----- and Jack D. Tyler. 1978. Gray treefrog in southwestern Oklahoma. 23: 157-158.
375. Paulissen, Mark A. 1987. Diet of adult and juvenile six-lined racerunners, Cnemidophorus sexlineatus (Sauria: Teiidae). 32: 395-397.
376. ----- and James M. Walker. 1989. Pseudocopulation in the parthenogenetic whiptail lizard Cnemidophorus laredoensis (Teiidae). 34: 296-298.
377. -----, -----, James E. Cordes and Harry L. Taylor. 1993. Diet of a diploid and triploid populations of parthenogenetic whiptail lizards of the Cnemidophorus tessellatus complex (Teiidae) in southeastern Colorado. 38: 377-381.
- Paulissen, Mark A., *see* Walker, J. Martin and James M. Britton, 1986.
- Paulson, Dennis R., *see* Smith, Hobart M., 1968.
378. Pederson, Scott C. 1993. Skull growth in cannibalistic tiger salamanders, Ambystoma tigrinum. 38: 316-324.
- Peirce, Matthew, *see* Cashman, Jenny L, and Paul R. Krausman, 1992.
- Pendleton, Grey W., *see* Clark, Donald R., 1995.
- Perea-Fox, Susana, *see* Fox, Stanley F. and Rubén Castro Franco, 1994.
379. Perez-Higareda, Gonzalo and Hobart M. Smith. 1988. Notes on two species of Geophis (Serpentes) of southern Mexico. 33: 388-390.
380. Peslak, John, Jr. 1986. An observation on the social interactions of Texas horned lizards (Phrynosoma cornutum). 31: 552.
381. Petersen, Michael K. 1980. Field observations on reptiles and amphibians captured in pit-fall traps in Durango, Mexico. 25: 115-117.

382. Peterson, Chris L., James Wiggs Reed and Robert F. Wilkinson. 1989. Seasonal food habits of Cryptobranchus alleganiensis (Caudata: Cryptobranchidae). 34: 438-441.
383. -----, Robert F. Wilkinson, Don Moll and Tom Holders. 1992. Estimating the number of female Ambystoma annulatum (Caudata: Ambystomatidae) based on oviposition. 37: 425-426.
Peterson, Chris L., see Taylor, Cindy L. and Robert F. Wilkinson, Jr., 1990; Chris A. Ingersol, Robert W. Wilkinson and Robert H. Ingersol, 1991.
384. Peterson, David K. and Walter G. Whitford. 1987. Foraging behavior of Uta stansburiana and Cnemidophorus tigris in two different habitats. 32: 427-434.
385. Pettus, David and Albert W. Spencer. 1964. Size and metabolic differences in Pseudacris triseriata (Anura) from different elevations. 9: 20-26.
Pettus, David, see Post, Douglas D., 1966.
Pfaffenberger, Gary S., see Best, Troy L., 1987.
Phillips, Arthur M., III, see Van Devender, Thomas R. and Jim I. Mead, 1977; Mead, Jim I., 1981.
386. Pierce, Jack R. 1975. Distribution of two mating call types of the plains spadefoot, Scaphiopus bombifrons, in southwestern United States. 20: 578-582.
387. Pietruszka, Robert D. 1981. An evaluation of stomach flushing for desert lizard diet analysis. 26: 101-106.
388. Plummer, Michael V. 1977. Predation by black rat snakes in bank swallow colonies. 22: 147-148.
Plummer, Michael V., see Dove, Laura B. and Dennis A. Baeyens, 1982.
389. Plymale, Harry H., Crawford G. Jackson, Jr. and Gerald Collier. 1978. Kyphosis in Chrysemys scripta yagua (Testidines: Emydidae) and other turtles. 23: 457-462.
Polechla, Paul J., see Best, Troy L., 1983.
390. Porter, Kenneth R. 1967. Bufo cycladen (Bufonidae): A case of Nomen dubium. 12: 200-201.
391. Post, Douglas D. and David Pettus. 1966. Variation in Rana pipiens (Anura: Ranidae) of eastern Colorado. 11: 476-482.
392. Price, Andrew H. 1988. Observations on maternal behavior and neonate aggregation in the western diamondback rattlesnake, Crotalus atrox (Crotalidae). 33: 370-373.
393. Pyburn, William F. 1961. Inheritance of the green vertebral stripe in Acris crepitans. 6: 164-167.
394. -----, 1966. Breeding activity, larvae and relationship of the treefrog Hyla phaeota cyanosticta. 11: 1-18.
395. Quijada-Mascareñas, Adrián. 1992. Feeding and foraging of Callisaurus draconoides (Sauria: Phrynosomatidae) in the intertidal zone of coastal Sonora. 37: 311-314.
396. Quinn, Hugh R. and Greg Mengden. 1984. Reproduction and growth of Bufo houstonensis (Bufonidae). 29: 189-196.
- Rainwater, Fred, see Seifert, Wayne and Tim Kasper, 1973.
397. Ralin, Dennis B. 1968. Ecological and reproductive differentiation in the cryptic species of Hyla versicolor

- complex (Hylidae). 13: 283-300.
- Ralls, Katherine, *see* White, P. J. and Callie A. Vanderbilt White, 1995.
398. Rathbun, Galen B., Nancy Siepel and Dan Holland. 1992. Nesting behavior and movements of western pond turtles, Clemmys marmoratus. 37: 319-324.
399. Raun, Gerald G. and Harold E. Laughlin. 1972. Sub-recent vertebrate remains from a site in southern Texas with comments on Microtus (Pedomys) ludovicianus). 16: 436-439.
- 399a. Raymond, Larry R. 1991. Seasonal activity of Siren intermedia in northwestern Louisiana (Amphibia: Sirenidae). 36: 144-147.
400. ----- and Laurence M. Hardy. 1983. Taxonomic status of the corn snake, Elaphe guttata (Linnaeus) (Colubridae), in Louisiana and eastern Texas. 28: 105-107.
- Rea, Amadeo M., *see* Van Devender, Thomas R. and W. Eugene Hall, 1991; Van Devender, Thomas R. and Jim Mead, 1991.
- Reed, Jamie Wiggs, *see* Peterson, Chris L. and Robert F. Wilkinson, 1989.
- Reese, Keith, *see* Gallo, Joseph F., Jr., 1978.
- Reese, Robert W., *see* Smith, Hobart M., 1968.
401. Reeves, Randall R. and Stephen Leatherwood. 1983. Autumn sightings of marine turtles (Cheloniidae) off south Texas. 28: 281-288.
402. Reichling, Steven B. 1990. Reproductive traits of the Louisiana pinesnake Pituophis melanoleucus ruthveni (Serpentes: Colubridae). 35: 221-222.
403. Reid, W. H. and H. J. Fulbright. 1981. Impaled prey of the loggerhead shrike in the northern Chihuahuan desert. 26: 204-205.
404. Reynolds, Robert P. 1982. Seasonal incidence of snakes in northeastern Chihuahua, Mexico. 27: 161-166.
- Reynolds, Robert P., *see* Jacob, James S. and Stephen R. Williams, 1987.
405. Rickart, Eric A. 1977. Pleistocene lizards from Burnet and Dark Canyon Caves, Guadalupe Mountains, New Mexico. 21: 519- 522.
406. Ridlehuber, Kenneth T. and Nova J. Silvy. 1981. Texas rat snake feeds on Mexican freetail bat and wood duck eggs. 26: 70-71.
407. Robinson, Henry W. and Neil H. Douglas. 1978. First records of Eumeces obsoletus in Arkansas. 23: 534-539.
- Rodríguez, Gerardo, *see* Alvarado, Javier, Laura Ibarra, Ireri, Suazo and Rosalba Zamora, 1995.
408. Rodríguez, Maria Luisa and David Lazcano. 1992. Primer reporte de ácaro Ophionyssus natricis (Acarina: Macronyssidae) para México. 37:426.
409. Rorabaugh, James C., Carolyn L. Palermo and Steven C. Dunn. 1987. Distribution and relative abundance of the flat-tailed horned lizard (Phrynosoma m'calli) in Arizona. 32: 103-110.
- Rorabaugh, James C., *see* Clarkson, Robert W., 1989.
410. Rose, Francis L. 1969. Desiccation rates and temperature relationships of Terrapene ornata following scute

- removal. 14: 67-72.
411. -----. 1986. Carapace regeneration in Terrapene (Chelonia: Testudines). 31: 131-134.
412. -----, M. E. T. Scioli and Michael P. Moulton. 1988. Thermal preferentia of Berlandier's tortoise (Gopherus berlandieri) and ornate box turtle (Terrapene ornata). 33: 357-361.
- Rose, Francis L., **see** Judd, Frank W., 1983.
413. Rudolph, D. Craig and James G. Dickson. 1990. Streamside zone width and amphibian and reptile abundance. 35: 472-476.
- Salb, Thomas J., **see** Gennaro, A. L., 1972.
- Salinas-Lopez, Narciso, **see** Iruegas-Buentello, Francisco J., 1989.
- Salzburg, Mark A., **see** Lee, Julian C., 1989.
414. Saugey, David A., Gary A. Heidt and Darrell R. Heath. 1985. Summer use of abandoned mines by the Caddo Mountain salamander, Plethodon caddoensis (Plethodontidae), in Arkansas. 30: 318-319.
415. Saxon, James G. 1968. Sexual behavior of a male checkered whiptail lizard, Cnemidophorus tessellatus (Say). 13: 454-455.
- Schall, Joseph J., **see** Ayala, Stephen C., 1977.
- Schemnitz, Sanford D., **see** Ireland, Terry T. and Gale L. Wolters, 1994.
- Schreiber, A. Alan, **see** Kofron, Christopher P., 1987.
- Schrivner, Jerry H., **see** Cypher, Brian L. and Kenneth A. Spencer, 1994.
- Scioli, M. E. T., **see** Rose, Francis L. and Michael T. Moulton, 1988.
416. Scott, Norman J., Jr. and David M. Hillis. 1989. Correction of the name of the host of the trematode Lageronia jimenezi Iruegas-Buentello and Salinas-Lopez 1898. 34: 569.
417. Scudday, James F. 1965. Another Lampropeltis alterna in Brewster County, Texas. 10: 77-78.
418. -----. 1965. Eleutherodactylus latrans in Terrell County, Trans-Pecos, Texas. 10: 78.
419. ---- and James R. Dixon. 1973. Diet and feeding behavior of teiid lizards from Trans-Pecos, Texas. 18: 279-290.
- Scudday, James F., **see** Knight, R. Alex, 1985.
420. Secoy, D. M. and Wesley M. Brown. 1968. New county records in the herpetofauna of Colorado. 13: 105-106.
421. Seifert, Wayne, Fred Rainwater and Tim Kasper. 1973. Significant range extensions with field and lab notes for the reticulated gecko, Coleonyx reticulatus Davis and Dixon. 18: 101-103.
422. Selcer, Kyle W. 1986. Relationship between clutch development and variation in fatbody mass and liver mass of female keeled earless lizards, Holbrookia propinqua (Sauria: Iguanidae). 31: 9-14.
423. ---- and Roy A. Bloom. 1984. Cyrtodactylus scaber (Gekkonidae): A new gecko to the fauna of the United States. 29: 499-500.

- Selcer, Kyle W., *see* Bloom, Roy A. and W. Ben King, 1986.
424. Sena, Anthony P. 1978. Temperature relations and the critical thermal maxima of Holbrookia maculata maculata (Reptilia: Iguanidae). 23: 41-50.
425. Sherbrook, Wade C. 1987. Defensive head posture in horned lizards (Phrynosoma: Sauria: Iguanidae). 32: 512-515.
426. ----- 1989. A comparison of food habits of sympatric Cnemidophorus exsanguis and Cnemidophorus gularis (Lacertilia, Teiidae). 34: 418-420.
- Sherman, Michael W., *see* Camp, Richard J., Richard L. Knight, Heather A. Knight and Jack Y. Kawashima, 1993.
- Sherwood, Ross T. Bowlin, *see* Leuck, Beth E., Edwin E. Leuck, II, 1981.
427. Shinnars, Lloyd H. 1956. The Ontario Field Biologist; A review. 1: 42-43.
- Siepel, Nancy, *see* Rathbun, Galen B. and Don Holland, 1992.
- Silvy, Nova J., *see* Ridlehuber, Kenneth T., 1981.
428. Simon, Carol A. and George A. Middendorf. 1985. Changes in resource usage of Sceloporus jarrovi (Sauria: Iguanidae) during periods of high and low food abundance. 30: 83-88.
- Simon, Carol A., *see* Middendorf, G. A., 1988.
429. Simons, Lee H. 1989. Vertebrates killed by desert fire. 34: 144-145.
430. Sites, Jack W., Jr. and Douglas A. Boyce, Jr. 1985. A test for allozyme selection in Sceloporus grammicus (Sauria: Iguanidae). 30: 41-52.
431. ----- and Michael W. Haiduk. 1979. The karyotype of Sceloporus exsul (Sauria: Iguanidae). 24: 393-395.
- Sites, Jack W., Jr., *see* McCoid, Michael J. and James R. Dixon, 1980.
- 431a. Smith, Donald D. 1989. A comparison of food habits of sympatric Cnemidophorus exsanguis and Cnemidophorus gularis (Lacertilia, Teiidae). 34: 418-420.
432. Smith, Dwight C., Charles R. Wilson and Herbert H. Frost. 1972. The biology of the American kestrel in central Utah. 17: 73-84.
- Smith, Elizabeth L., *see* Bury, R. Bruce, 1986.
433. Smith, Eric N. 1995. Geophis rhodogaster-(Colubridae), an addition to the snake fauna of Mexico. 40: 123-124.
434. Smith, Geoffrey R. and Royce E. Ballinger. 1995. Substrata preference and perch height selection by hatchling lizards (Sceloporus virgatus and S. clarki). 40: 116-118.
- Smith, Hanley K., *see* O'Brien, G. Patrick and John R. Meyer, 1965.
435. *Smith, Hobart M. 1968. Another new lizard from Mexico of the Schiedi group of Anolis. 13: 368-370.
436. ----- 1969. Southwestern range limit of the lizard Sceloporus clarki. 14: 129.
437. ----- and Kenneth R. Larsen. 1975. Some overlooked rattlesnake Nomina Nuda. 20: 285-286.
438. *----- and Dennis R. Paulson. 1968. A new lizard of the Schiedi group of Anolis from Mexico. 13: 365-368.
439. ----- and Robert W. Reese. 1968. A record tiger

- salamander. 13: 370-372.
440. *----- and Kenneth L. Williams. 1966. A new snake (Tantilla) from Las Islas de la Bahia, Honduras. 11: 483-487.
Smith, Hobart M., **see** Lynch, John D., 1966; McCoy, Clarence J. and J. A. Tihen, 1967; Perez-Higareda, Gonzalo, 1988.
441. Smith, Philip W. 1971. Reptiles of Oklahoma: A review. 15: 505-506.
Snell, Howard L., **see** Sugg, Derrick, W. and Lee A. Fitzgerald, 1995.
Soule, Oscar H., **see** Crossin, Richard S., Robert G. Webb and Rollin H. Baker, 1973.
Spencer, Albert W., **see** Pettus, David, 1964.
Spencer, Kenneth A., **see** Cypher, Brian L. and Jerry H. Scrivner, 1994.
442. Spotila, James R. 1976. Courtship behavior of the ringed salamander (Ambystoma annulatum) observations in the field. 21: 412-413.
443. ----- and Patrick H. Ireland. 1970. Notes on the eggs of the gray-bellied salamander, Eurycea multiplicata griseogaster. 14: 366-368.
Springer, M. A., **see** Bickham, J. W. and B. J. Gallaway, 1984; Christiansen, J. L., J. A. Cooper, J. W. Bickham and B. J. Gallaway, 1985.
444. Staton, Mark A. and Paul J. Conzelmann. 1975. A case of cannibalism in Sceloporus torquatus torquatus Wiegmann (Reptilia: Sauria). 20: 147-148.
Steiert, Jack, **see** Thomas, R. Brent and Don Moll, 1994.
445. Stevens, Timothy P. 1982. Body temperatures of montane Cnemidophorus inornatus (Reptilia: Teiidae). 27: 232-234.
446. ----- 1983. Reproduction in an upper elevation population of Cnemidophorus inornatus (Reptilia, Teiidae). 28: 9-20.
Stone, H. Sheridan, **see** Morrison, Michael L., William M. Block and Linnea S. Hall, 1955.
Stone, Karen D., **see** Caster, Paul T. and Gary A. Heidt, 1994.
447. Stone, Michael D. 1975. Occurrence and implications of heavy parasitism on the turtle Chelydra serpentina by the leech Placobdella multilineata. 20: 575-576.
Stout, Jim, **see** Ford, Neil B. and Vincent A. Cobb, 1991.
448. Stovall, Randall H. and J. P. Kennedy. 1979. Pupillary responses in certain snakes (Colubridae). 24: 701-703.
Strandtmann, R. W., **see** Hilman, Jessie Lee, 1960.
Suazo, Ireri, **see** Alvarado, Javier, Laura Ibarra, Gerardo Rodriguez and Rosalba Zamora, 1995.
449. Sugg, Derrick W., Lee A. Fitzgeralds and Howard L. Snell. 1995. Growth rate, timing of reproduction, and size dimorphism in the southwestern earless lizard (Cophosaurus texanus scitulus). 40: 193-202.
450. Sullivan, Brian K. and Elizabeth A. Sullivan. 1985. Variation in advertisement calls and male mating success of Scaphiopus bombifrons, S. couchi, and S. multiplicatus (Pelobatidae). 39: 349-356.

- Sullivan, Elizabeth A., *see* Sullivan, Brian K., 1985.
 Sullivan, Kimberly A., *see* Gumbart, Thomas C., 1990.
451. Sutton, George Miksch. 1961. A painting of Yarrow's spiny lizard. 6: 1.
- Tabatabai, Farinaz, *see* Bradford, David F. and David M. Graber, 1994.
- Talbot, William A., *see* Carpenter, Charles C., Harold L. Cleveland, J. Michael Goode, Hal J. Merriman and David R. Taylor, 1961.
452. Tanner, Wilmer W. and J. W. Heinrichs. 1965. An extension of Arizona e. philipi and Rhinocheilus l. lecontei into southcentral Utah. 9: 45-46.
453. Tanzer, Ernest C., Eston O. Morrison and Charles Hoffpauir. 1966. New locality records for amphibians and reptiles in Texas. 11: 131-132.
454. Taylor, Cindy L., Robert F. Wilkinson, Jr. and Chris L. Peterson. 1990. Reproductive patterns of five plethodontid salamanders from the Ouachita Mountains. 35: 468-472.
- Taylor, David R., *see* Carpenter, Charles C., Harold L. Cleveland, William A. Talbot, J. Michael Goode and Hal J. Merriman, 1961.
455. Taylor, Harry L. and J. Martin Walker. 1987. Reproductive characteristics of the Cerralvo Island whiptail lizard, Cnemidophorus ceralbensis (Teiidae). 32: 392-395.
- Taylor, Harry L., *see* Paulissen, Mark A., James M. Walker and James E. Cordes, 1993; Walker, James M. and James E. Cordes, 1994.
- Taylor, Norman, *see* Bragg, Arthur N. and R. John Taylor, 1968.
456. Taylor, R. John and Harold Laughlin. 1964. Additions to the herpetofauna of Bryan County, Oklahoma. 9: 41-43.
- Taylor, R. John, *see* Bennett, Charles, 1968; Bragg, Arthur N. and Norman Taylor, 1968.
- Tennant, Michele P., *see* Hayes, Marc P., 1985.
457. Tershy, Bernie R. and Dawn Breese. 1994. Color preference of the island endemic lizard Uta palmeri in relation to rat eradication campaigns. 39: 295-297.
458. Thomas, R. Brent, Don Moll and Jack Steiert. 1994. Evidence of a symbiotic relationship between cellulolytic bacteria and a freshwater herbivorous turtle. 39: 386-388.
459. Thomas, Robert A. and James R. Dixon. 1975. A re-evaluation of the Sceloporus scalaris group (Sauria: Iguanidae). 29: 523-536.
460. ----- and Fred S. Hendricks. 1976. Letisimulation in Virginia striatula (Linnaeus). 21: 123-124.
461. Thomasson, Joseph R. 1980. Ornate box turtle, Terrapene ornata (Testudinae), feeding on pincushion cactus, Coryphantha vivipara (Cactaceae). 25: 438.
462. Thompson, James N., Jr. and Everett M. Grigsby. 1971. The pickerel frog in northeastern Oklahoma. 16: 219-220.
463. Tihen, J. A. 1960. Notes on late Cenozoic hyloid and leptodactylid frogs from Kansas, Oklahoma and Texas. 5:

- 66-70.
- Tihen, J. A., see McCoy, Clarence J. and Hobart M. Smith, 1967.
464. Tinkle, Donald W. 1959. Observations on the lizards Cnemidophorus tigris, Cnemidophorus tessellatus and Crotaphytus wislizeni. 4: 195-200.
465. *----- and Roger Conant. 1961. The rediscovery of the water snake, Natrix harteri, in western Texas, with the description of a new subspecies. 6: 33-44.
466. ----- and William C. Lawrence. 1956. Blowguns for reptile sampling. 1: 133-134.
467. Toliver, Michael E. and Daniel T. Jennings. 1975. Food habits of Sceloporus undulatus tristichus Cope (Squamata: Iguanidae) in Arizona. 20: 1-12.
468. Tomko, Dennis S. 1976. Rana pipiens (Ranidae) in the Rand Canyon of the Colorado River, Arizona. 21: 131.
469. Trapp, Myra May. 1956. Range and natural history of the ringed salamander, Ambystoma annulatum Cope (Ambystomidae). 1: 78-82.
470. Trauth, Stanley E. 1982. Ambystoma maculatum (Ambystomatidae) in the diet of Heterodon platyrhinos (Colubridae) from northern Arkansas. 27: 230.
471. ----- . 1984. Seasonal incidence and reproduction in the western slender glass lizard, Ophisaurus attenuatus attenuatus (Reptilia, Anguidae), in Arkansas. 29: 271-276.
472. ----- . 1985. Nest, eggs and hatchlings of the Mediterranean gecko, Hemidactylus turcicus (Sauria: Gekkonidae), from Texas. 30: 309-310.
473. ----- . 1987. Natural nests and egg clutches of the Texas spotted whiptail, Cnemidophorus gularis gularis (Sauria: Teiidae). 32: 279-281.
474. ----- . 1988. Egg clutches of the Ouachita dusky salamander, Desmognathus brimleyorum (Caudata: Plethodontidae), collected in Arkansas during a summer drought. 33: 234-236.
475. -----, Michael E. Cartwright and Walter E. Meshaka. 1989. Winter breeding in the ringed salamander, Ambystoma annulatum (Caudata: Ambystomatidae), from Arkansas. 34: 145-146.
476. -----, Chris T. McAllister and Wei Chen. 1994. Microscopic eggshell characteristics in the collared lizard, Crotaphytus collaris (Sauria: Crotaphytidae). 39: 45-52.
477. ----- and Gary R. Mullen. 1990. Additional observations on sarcophagid fly infestations of Sceloporus undulatus (Sauria: Iguanidae) egg clutches in Arkansas. 35: 97-98.
- Trauth, Stanley E., see McAllister, Chris T., 1982, 1985; Walker, J. Martin, James M. Britton and James E. Cordes, 1986; Butterfield, Brian P. and Walter E. Meshaka, 1989; McAllister, Chris T. and Charles R. Bursey, 1995; McAllister, Chris T. and Betty G. Cochran, 1995.
478. Treadwell, R. W. 1966. Distribution of the leopard

- lizard, Crotaphytus wislizeni, in Texas. 11: 413.
 Trevino-S, Carlos H., **see** Contreras-B., Armando J., 1987.
 Trotter, M. Wilkinson, **see** Jackson, Crawford G., Jr. and Walter Allen, 1980.
479. Tumblison, Renn and Jim Gann. 1988. Distribution of the spotted racer (Coluber constrictor anthicus) in Arkansas. 33: 500-501.
480. Turner, Frederick B., Philip A. Medica, Joseph R. Lannon, Jr. and Gerard A. Hoddenbach. 1969. A demographic analysis of fenced populations of the whiptail lizard, Cnemidophorus tigris, in southern Nevada. 14: 189-202.
481. Tyler, Jack D. 1977. Coachwhip preys on horned lizard. 22: 146.
482. ----- . 1979. A case of swimming in Terrapene carolina (Testudines: Emyidae). 24: 189-190.
483. ----- . 1982. Cyanistic bullfrog from southwestern Oklahoma. 27: 218.
484. ----- and Henry N. Busher. 1980. Notes on a population of larval Ambystoma tigrinum (Ambystomatidae) from Cimmaron County, Oklahoma. 25: 391-396.
485. ----- and Roger D. Hoestenbach. 1979. Differences in food of bullfrogs (Rana catesbeiana) from pond and stream habitats in southwestern Oklahoma. 24: 33-38.
486. ----- and Louis E. McGee. 1976. Albino lined snake (Tropidoclonion lineatum) from southwestern Oklahoma. 21: 403.
- Tyler, Jack D., **see** Parmley, Dennis C., 1978.
487. This number transferred to 529a.
488. This number transferred to 529b.
- Ustach, Paul C., **see** Campbell, Jonathan A. and José L. Camarillo R., 1995.
- Utesch, Susan R., **see** Cain, Brian W., 1976.
489. Van Devender, Thomas R. 1973. Behavior and disruptive coloration in the New Mexico gartersnake Thamnophis sirtalis ornata. 18: 247-248.
490. -----, Jim I. Mead and Amadeo M. Rea. 1991. Late Quaternary plants and vertebrates from Picacho Peak, Arizona. 36:302-314.
491. -----, Arthur M. Phillips, III and Jim I, Mead. 1977. Late Pleistocene reptiles and small mammals from the lower Grand Canyon of Arizona. 22: 49-66.
492. -----, Amadeo M. Rea and W. Eugene Hall. 1991. Faunal analysis of the late Quaternary vertebrates from Organ Pipe Cactus National Monument, southwestern Arizona. 36: 94-106.
493. ----- and Wayne Van Devender. 1975. Ecological notes on two Mexican skinks (genus Eumeces). 20: 279-282.
- Van Devender, Wayne, **see** Van Devender Thomas R., 1975.
- Villagran-Santa Cruz, Marzicela, **see** Mendez-de la Cruz, Fausto and Gustavo Casas-Andreu, 1992.
- Villeda, Efrain, **see** Wilson, Larry David, Gustavo A. Cruz Diaz and Saul Flores, 1988.
494. Vincent, Jerry W. 1982. Color pattern variation in

- Crotalus lepidus lepidus (Viperidae) in southwestern Texas. 27: 263-272.
495. Voss, William J. 1961. Rate of larval development and metamorphosis of the spadefoot toad, Scaphiopus bombifrons. 6: 168-174.
496. Walker, J. Martin. 1982. Reproductive characteristics of the Colima giant whiptail, Cnemidophorus communis communis Cope. 27: 241-243.
497. ----- 1983. Variation and systematic relationships of the San Pedro Martir whiptail lizard (Cnemidophorus martyris Stejneger, Teiidae). 28: 1-8.
498. -----, Ramadan M. Abuhteba and James E. Cordes. 1991. Copulation in nature between all-female Cnemidophorus laredoensis and gonochoristic Cnemidophorus gularis (Teiidae). 36: 242-244.
499. ----- and James E. Cordes. 1990. Whiptail lizards (genus Cnemidophorus) on ersatz substrates in southern Texas. 35: 89-91.
500. -----, ----- and James M. Walker, Jr. 1992. Habitat preferences of a disjunct population of parthenogenetic Cnemidophorus neomexicanus (Sauria: Teiidae) in San Miguel Co., New Mexico. 37: 82-97.
501. -----, Mark A. Paulissen and James M. Britton. 1986. Habitat diversity in the whiptail lizard Cnemidophorus gularis gularis (Teiidae) in southern Oklahoma. 31: 405-408.
502. -----, Harry L. Taylor and James E. Cordes. 1994. Hybrid Cnemidophorus (Sauria: Teiidae) in Ninemile Valley of the Purgatoire River, Colorado. 39: 235-240.
503. -----, Stanley E. Trauth, James M. Britton and James E. Cordes. 1986. Burrows of the parthenogenetic whiptail lizard Cnemidophorus laredoensis (Teiidae) in Webb Co., Texas. 31: 408-410.
- Walker, J. Martin, *see* Taylor, Harry L., 1987; Paulissen, Mark A., 1989; Paulisson, Mark A., James E. Cordes and Harry L. Taylor, 1993.
- Walker, James M., Jr., *see* Walker, James M., Sr. and James E. Cordes, 1992.
- Wallace, Richard L., *see* Diller, Lowell V., 1986.
504. Walley, Harlan D. 1974. Turtles of the United States: A review. 18: 485-486.
- Wangberg, James K., *see* Whitworth, Robert J., 1985.
- Ward, Arthur J., Jr., *see* Chrapliwy, Pete S., 1963.
505. Ward, Rocky, Earl G. Zimmerman and Timothy L. King. 1990. Multivariate analyses of terrestrial reptilian distribution in Texas: An alternate view. 35: 441-445.
- Ward, Rocky, *see* McAllister, Chris T. and Kenneth L. Williams, 1987.
506. Wasserman, Aaron O. 1970. Chromosomal studies of the Pelobatidae (Salientia) and some instances of ploidy. 15: 239-248.
507. Watkins, Julian F., II, Frederick R. Gehlbach and Robert S. Baldrige. 1967. Ability of the blind snake, Leptotyphlops dulcis to follow pheromone trails of army

- ants, Neivamyrmex nigrescens and N. opacithoras. 12: 455-462.
508. Wauer, Roland H. and George Burdick. 1975. Range extension of Mediterranean gecko in Coahuila, Mexico. 10: 446.
509. Webb, Robert G. 1959. Eumeces colimensis (Sauria: Scincidae), in Sinaloa, Mexico. 4: 42.
510. ----. 1977. Comments on snakes of the genus Geophis (Colubridae) from the Mexican states of Durango and Sinaloa. 21: 548-551.
511. ----. 1979. A biogeographical analysis of the Chihuahuan Desert through its herpetofauna: A review. 24: 715-716.
512. ---- and Ralph W. Axtell. 1994. The type locality of Sceloporus torquatus minor Cope, 1885 (Sauria: Iguanidae). 39: 40-44.
513. ---- and Rollin H. Baker. 1984. Terrestrial vertebrates of the Cerro Mohinora region, Chihuahua, Mexico. 29: 243-246.
514. ---- and George M. Ferguson. 1986. Morphological variation in the Trans-Pecos rat snake (Elaphe subocularis). 31: 118-121.
515. ----, Wendell L. Minckley and James E. Craddock. 1963. Remarks on the Coahuila box turtle, Terrapene coahuila (Testudines, Emyidae). 8: 89-99.
516. ---- and Robert L. Packard. 1961. Notes on some amphibians and reptiles from eastern Texas. 6: 105-107.
- Webb, Robert G., see Legler, John M., 1960; Axtell, Ralph W., 1963; Dixon, James R., 1965; Crossin, Richard S., Oscar H. Soule and Rollin H. Baker, 1973; Baker, Rollin H., Mary W. Baker and Jerry D. Johnson, 1981; Banicki, Leroy H., 1982.
517. White, Don, Jr. and Don Moll. 1992. Restricted diet of the common map turtle Graptemys geographica in a Missouri stream. 37: 317-318.
- White, Callie A. Vanderbilt, see White, P. J. and Katherine Ralls, 1995.
- 517a. White, P. J., Katherine Ralls and Callie A. Vanderbilt White. 1995. Overlap in habitat and food use between coyotes and San Joaquin kit foxes. 40: 342-349.
- Whitford, Walter G., see Peterson, David K., 1987; Jones, K. Bruce, 1989; MacKay, William P., Steven J. Loring and Thomas M. Frost, 1990.
518. Whiting, Martin J., James R. Dixon and Roy C. Murray. 1993. Spatial distribution of a population of Texas horned lizards (Phrynosoma cornutum: Phrynosomatidae) relative to habitat and prey. 38: 150-154.
519. Whitworth, Robert J. and James K. Wangberg, 1985. Parasitization of the Texas spotted whiptail lizard (Cnemidophorus gularis) by a sarcophagid fly (Blaesoxipha plintopyra): A new host record. 30: 163-164.
- Wilkinson, Robert F., see Peterson, Chris L. and Jamie Wiggs Reed, 1989; Taylor, Cindy and Chris L. Peterson, 1990; Ingersol, Chris B., Chris L. Peterson and Robert H. Ingersol, 1991; Peterson, Chris L., Don Moll and Tom Holder, 1992.

520. Williams, Kenneth L. 1960. Taxonomic notes on Arizona herpetozoa. 5: 25-36.
521. ----- 1981. Naturalist's Big Bend; A review. 26: 221.
522. ----- 1984. Mountain islands and desert seas: A review. 29: 141.
- Williams, Kenneth L., see McAllister, Chris T. and Rocky Ward, 1987; Smith, Hobart M., 1966.
- Williams, Stephen R., see Jacob, James S. and Robert P. Reynolds, 1987.
- Willis, Kevin B., see Gannon, Michael R., 1990.
- Wilson, Charles R., see Smith, Dwight C. and Herbert H. Frost, 1972.
523. Wilson, Larry David. 1986. The status of the name Homolocranium breve Gunther, 1895 (Colubridae). 31: 243-244.
524. ----- and Gustavo A. Cruz Diaz. 1986. Two additions to the herpetofauna of Honduras: Smilisca sordida and Drymobius melanotropis. 31: 249-250.
525. -----, Efrain Villeda and Saul Flores. 1988. Typhlops costaricensis Jimenez and Savage: An addition to the snake fauna of Honduras. 33: 499-500.
- Wilson, Larry David, see McCranie, James R., 1993.
- Wolters, Gale L., see Ireland, Terry T. and Sanford D. Schemnitz, 1994.
526. Woodward, B. D. 1982. Tadpole interactions in the Chihuahuan Desert at two experimental densities. 27: 119-121.
527. ----- 1983. Tadpole size and predation in the Chihuahuan Desert. 28: 470-471.
528. ----- 1984. Operational sex ratios and sex biased mortality in Scaphiopus (Pelobatidae). 29: 232-233.
- 529a. ----- 1987a. Clutch parameters and pond use in some Chihuahuan Desert anurans. 32: 13-26.
- 529b. ----- 1987b. Intra- and interspecific variation in spadefoot toad (Scaphiopus) clutch parameters. 32: 127-131.
529. ----- and Pat Johnson. 1985. Ambystoma tigrinum (Ambystomatidae) predation on Scaphiopus couchi (Pelobatidae) tadpoles of different sizes. 39: 460-461.
530. ----- and Sandra Mitchell. 1990. Predation on frogs in breeding choruses. 35: 449-450.
531. Worthington, Richard D. 1973. Remarks on the distribution of the smooth green snake, Opheodrys vernalis blanchardi Grobman in Texas. 18: 344-346.
532. ----- and Edward R. Arvizo. 1974. Western records of the Davis Mountains kingsnake, Lampropeltis mexicana alterna, in Texas. 19: 330-331.
533. Wright, John W. 1963. Cnemidophorus gularis in New Mexico. 8: 56.
534. ----- 1966. Variation in two sympatric whiptail lizards Cnemidophorus inornatus and C. velox in New Mexico. 11: 54-71.
- Wright, Thomas, see Hubbs, Clark and Orlando Cuellar, 1963.
535. Wygoda, Mark L. and Cynthia M. Chmura. 1990. Effects of shell closure on water loss in the Sonoran mud turtle,

Kinosternon sonoriense. 35: 228-229.

Yoshido, Julia K., *see* Carpenter, Charles C., 1966.

Young, Craig, *see* Collins, James P., Judd Howell and W. L. Minckley, 1981.

Zagal, María Guadalupe Bustos, *see* Castro-Franco, Rubén, 1994.

Zamora, Rosalba, *see* Alvarado, Javier, Laura Ibarra, Ireri Suazo and Gerardo Rodriguez, 1995.

536. Zelnick, Gale Edward. 1966. Midsummer feeding habits of the midland water snake. 11: 311-312.

Zimmerman, Earl G., *see* Ward, Rocky and Timothy L. King, 1990.

537. Zucker, Naida. 1987. Behavior and movement patterns of the tree lizard Urosaurus ornatus (Sauria: Iguanidae), in semi-natural enclosures. 32: 321-334.

Zucker, Naida, *see* Boykin, Ken, 1993; Goldberg, Stephen R., H. J. Holshuh and George A. Middendorf III, 1994.

538. Zweifel, Richard G. 1958 (1959). Cnemidophorus tigris variolosus, a revived subspecies of whiptail lizard from Mexico. 3: 94-101.

SCIENTIFIC NAME INDEX

- Abronia deppei* 90:172.
Abronia matudai 247:275.
Abronia ochoterenai 247:275.
Abronia taeniata 139:228.
Acris 463:67.
Acris crepitans 1:78; 71:235;
 161:139; 164:105; 222:
 204; 302:240; 356:77;
 365: 80; 393:164; 413:
 474; 485:37; 536:311.
Acris gryllus 146:181; 208:
 601; 393:164; 463:68.
Acris gryllus blanchardi 8:
 106; 53:165; 55:79; 463:
 69.
Adelophis copei 90:172.
Adelphicos quadrivirgatus
 139:229; 247:278.
Agalychnis callidryas 1:79.
Agalychnis dacnicolor 299:131.
Agalychnis moreletii 1:79.
Agama agama 97:413.
Agkistrodon 171:270; 283:554;
 399:437.
Agkistrodon bilineatus 90:173;
 247:273.
Agkistrodon contortrix 146:
 182; 156:217; 159:171;
 161:137; 214:227; 215:52;
 373:381; 392:372; 413:
 474.
Agkistrodon contortrix
 pictigaster 8:105.
Agkistrodon piscivorus 146:
 182; 159:171; 373:381;
 413:474; 505:442.
Ahaetulla 192:248.
Alligator mississippiensis 222:
 204; 258a:10.
Amastridium veliferum 39:692.
Ambystoma 146:181; 296:296;
 373:379; 506:245; 527:
 470.
Ambystoma annulatum 146:178;
 233:252; 234:273; 292:
 199; 292:199; 314:327;
 383:425; 442:412; 469:78;
 475:145.
Ambystoma barbouri 80:99.
Ambystoma californiense 218:
 217.
Ambystoma gracile 484:394.
Ambystoma jeffersonianum 27:
 431.
Ambystoma laterale 222:204;
 314:329.
Ambystoma mabeei 222:204.
Ambystoma macrodactylum 5:147;
 222:204.
Ambystoma maculata 513:244.
Ambystoma maculatum 34:202;
 146:181; 161:137; 222:
 204; 232:435; 234:273;
 314:329; 442:412; 469:80;
 470:230; 475:145.
Ambystoma mexicanum 439:370.
Ambystoma opacum 34:202; 146:
 181; 161:137; 234:273;
 314:329; 470:230; 475:
 145.
Ambystoma rosaceum 513:244.
Ambystoma talpoideum 34:202;
 161:137; 234:273; 314:
 329; 319:311.
Ambystoma texanum 34:202; 53:
 165; 80:99; 81:146:181;
 161:137; 173:428; 222:
 204; 234:273; 314:327.
Ambystoma tigrinum 27:431; 47:
 132; 100:532; 146:181;
 156:224; 173:428; 222:
 204; 234:273; 234a:56;
 314:329; 352:280; 356:78;
 370:173; 373:379; 427:
 471; 470:230; 527:470;
 529:460.
Ambystoma tigrinum
 californiense 484:392.
Ambystoma tigrinum dioboli
 484:392.
Ambystoma tigrinum mavortium
 53:165; 218:219; 276:75;
 358:34; 378:316; 439:370;
 484:391; 520:25.
Ambystoma tigrinum nebulosum
 378:316; 520:25.
Ambystoma tigrinum tigrinum
 378:316; 439:320.
Ambystoma tigrinum utahense
 439:370; 520:25.
Ambystoma tremblayi 314:329.
Ameiva chaitzami 247:277.
Ameiva festiva 422:9.
Ameiva quadrilineata 43:313;
 422:9.
Ameiva undulata 154:399; 247:

- 277; 270:93.
Ameiva undulata sinistra 90:
 173.
Amphiuma means 146:180.
Amphiuma means tridactylum
 57:372.
Amphiuma tridactylum 161:138;
 234:271.
Amyda emoryi 389:459.
Amyda ferox 389:459.
Amyda muticus 389:459.
Amyda sinensis 389:459.
Amyda spinifera 389:459.
Amyda triunguis 389:459.
Ancistrodon contortrix 161:
 137; 365:82.
Ancistrodon contortrix
contortrix 197:105.
Ancistrodon contortrix
laticinctus 365:83.
Ancistrodon contortrix mokeson
 358:51.
Ancistrodon contortrix
pictigaster 356:82;
 358:51; 365:82.
Ancistrodon piscivorus 34:202;
 146:180;
Aneides hardii 152:155.
Anniella pulchra nigra 190:
 617.
Anniella pulchra pulchra 190:
 617.
Anolis 43:280; 77:560; 212:
 124; 434:116.
Anolis allisoni 97:10.
Anolis allogus 97:10.
Anolis breedlovei 435:369;
 438:365.
Anolis capito 205:685.
Anolis carolinensis 34:202;
 57:373; 97:9; 123:172;
 146:180; 187:366; 201:
 179; 413:474; 466:134.
Anolis carolinensis
carolinensis 456:42.
Anolis cobanensis 435:369;
 438:365;
Anolis crassulus 367:130.
Anolis cristatellus 97:10.
Anolis cupreus 97:10.
Anolis cymbops 438:365.
Anolis distichus 97:10.
Anolis evermanni 97:10.
Anolis frenatus 97:10.
Anolis grahami 97:10; 430:49.
Anolis gundlachi 97:10.
Anolis homolechis 97:10.
Anolis humilis 205:685.
Anolis intermedius 97:10.
Anolis krugi 97:10.
Anolis laeviventris 438:365.
Anolis limifrons 97:10; 438:
 365.
Anolis lionotus 97:10.
Anolis lineatopus 97:10.
Anolis lucius 97:10.
Anolis milleri 435:369; 438:
 365.
Anolis nebulosus 97:10; 113:
 195.
Anolis oculatus 97:10.
Anolis opalinus 97:10.
Anolis poecilopus 97:10.
Anolis polylepis 97:10.
Anolis polyrhachis 435:368.
Anolis poncensis 97:10.
Anolis pulchellus 97:10.
Anolis punctatus 97:10.
Anolis richardi 351:349.
Anolis sagrei 97:10.
Anolis schiedi 435:368; 438:
 365.
Anolis sericeus 139:228.
Anolis scypheus 97:10.
Anolis stratulus 97:10.
Anolis subocularis 299:132.
Anolis tropidolepis 97:10.
Anotheca spinosa 1:76.
Arizona 123:71.
Arizona elegans 128:20; 159:
 172; 168:317; 172:194;
 185:334; 194:522; 338:
 411; 344: 417; 373:379;
 404:163; 421:101; 490:
 308; 492:99.
Arizona elegans arenicola 130:
 226; 295:222.
Arizona elegans arizonae 128:
 21; 130:226.
Arizona elegans australis 295:
 222; 326:46.
Arizona elegans blanchardi
 127:133; 128:20.
Arizona elegans eburnata 168:
 316; 452:45.
Arizona elegans elegans 8:107;
 127:132; 128:21; 295:222;
 358:48.

- Arizona elegans expolita* 127:
 133; 128:20; 295:222;
 326:46.
Arizona elegans occidentalis
 128:21.
Arizona elegans philipi 127:
 133; 128:22; 452:45.
Arizona elegans elegans x
elegans arenicola
 295:222.
Ascaphus truei 103:371.
Atropoides nummifer 78:122.
Axolotes maculata 513:244.

Barisia imbricata 90:172; 139:
 228; 163:313; 275:89.
Barisia imbricata ciliaris
 408:426.
Barisia imbricata imbricata
 408:426.
Barisia rudicollis 90:171.
Basiliscus vittatus 205:685;
 247:277; 299:130.
Bathysiredon 439:370.
Bipes 247:171.
Bitis 283:539.
Bitis arietans 283:538.
Boa constrictor 90:172; 139:
 229; 205:685; 247:278;
 408:426.
Boa constrictor imperator
 113:199.
Bolitoglossa dofleini 285:316.
Bolitoglossa mexicana 285:315.
Bolitoglossa mulleri 285:315.
Bolitoglossa odonnelli 285:
 315.
Bothriechis rowleyi 202:124.
Bothrops dunni 247:271.
Bothrops godmani 247:275.
Bufo 52a:102; 53:169; 62:332;
 308:227; 404:165;
 421:101; 527:470.
Bufo alvarius 1:83; 194:522;
 253:469; 348:19.
Bufo americanus 61:197; 222:
 205; 243:379; 319:312;
 329:51; 335:359; 396:189.
Bufo bocourti 247:275; 367:
 129.
Bufo boreas 1:83; 2:276; 46:
 326; 208:602; 259:295;
 280:503; 348:19.
Bufo boreas boreas 74:219.
Bufo boreas halophilus 322:
 274.
Bufo canaliciferus 1:83; 247:
 277; 367:129.
Bufo canorus 46:326.
Bufo catesbeiana 273:141.
Bufo cavifrons 1:80.
Bufo coccifer 1:80; 247:273;
 299:130; 304:19; 335:
 353; 390:200.
Bufo cognatus 1:80; 51:229;
 52:106; 53:165; 54:202;
 172:192; 194:522; 222:
 204; 253:469; 272:103;
 302:240; 307:393; 308:
 227; 326:47; 348:18;
 526:120; 529a:13.
Bufo compactilis 1:80; 7:71;
 139:228; 348:26; 358:36.
Bufo compactilis speciosus 8:
 96; 54:201; 358:36.
Bufo cristatus 1:80.
Bufo cycladen 299:130; 304:19;
 335:353; 390:200.
Bufo debilis 1:80; 8:92; 253:
 469; 307:399; 326:47;
 381:116; 526:120.
Bufo debilis insidiosus 8:96;
 358:36.
Bufo exsul 2:277.
Bufo fowleri 161:137; 217:302;
 219:199.
Bufo gemmifer 1:83; 299:130.
Bufo horribilis 348:19.
Bufo houstonensis 52:106; 61:
 185; 243:374; 396:189;
 531:346.
Bufo kelloggi 1:83.
Bufo leutkeni 335:362; 367:
 129.
Bufo marinus 1:80; 139:228;
 205:685; 247:277; 270:93;
 299:130; 335:362; 348:19;
 370:171.
Bufo marmoreus 1:83; 229:130;
 247:277; 329:51.
Bufo mazatlanensis 1:83.
Bufo microscaphus 1:83; 153:
 107; 322:274; 329:53.
Bufo microscaphus californicus
 513:245.
Bufo microscaphus microscaphus
 520:26.
Bufo microscaphus x woodhousei
 252:116.
Bufo nelsoni 2:276.

- Bufo occidentalis* 1:80; 113:195; 139:228.
Bufo perplexus 1:83.
Bufo poreas 285:504.
Bufo punctatus 1:80; 8:92; 10:50; 47:132; 139:228; 194:523; 252:116; 295:225; 297:406; 329:45; 348:17; 358:36; 365:185; 372:103; 492:99; 532:330.
Bufo punctatus x *B. woodhousei* 329:45.
Bufo retiformis 1:83; 253:469.
Bufo speciosus 1:80; 222:204; 302:240.
Bufo cf. *speciosus* 172:192.
Bufo terrestris 217:302; 348:17.
Bufo terrestris americanus 146:181; 348:18.
Bufo terrestris charlesmithi 53:166; 55:79.
Bufo terrestris terrestris 348:18.
Bufo valliceps 1:80; 7:71; 61:185; 62:336; 78:122; 96:471; 139:228; 217:302; 224:105; 225:142; 247:277; 270:93; 283:553; 286:155; 294:219; 304:20; 335:362; 348:19; 349:105; 356:77; 390:201; 396:190; 465:79; 516:105.
Bufo valliceps x *B. houstonensis* 61:185.
Bufo woodhousei 1:80; 61:185; 62:336; 100:532; 153:107; 159:175; 243:378; 308:227; 329:45; 348:18; 413:474; 485:37; 513:245; 529a:13; 536:311.
Bufo cf. *woodhousei* 222:204.
Bufo woodhousei australis 358:37.
Bufo woodhousei bexarensis 348:19.
Bufo woodhousei fowleri 146:181; 222:205.
Bufo woodhousei valatus 348:18.
Bufo woodhousei woodhousi 52:106; 53:166; 146:181; 222:205; 272:103; 302:240; 348:18.
Bufo woodhousei x *B. houstonensis* 61:185.
Bufo woodhousei x *B. microscaphus* 513:245.
Bufo woodhousii 312:367; 530:449.
Callisaurus 86:123; 255:23.
Callisaurus draconoides 19:377; 194:523; 250:111; 255:23; 387:101; 395:311; 409:107; 424:48; 491:53.
Callisaurus draconoides ventralis 25:469.
Caretta caretta 389:459; 401:281.
Carphophis amoena 146:181; 333:220.
Carphophis amoenus 96:471.
Carphophis vermis 96:471; 145:229.
Causus 283:554.
Cemophora coccinea 146:182; 159:171.
Centrolenella viridissima 1:78.
Chamaeleo jacksoni 422:13.
Charina bottae bottae 115:298.
Charina bottae umbratica 115:298.
Charina bottae utahensis 115:298.
Chelonia 258a:10.
Chelonia mydas 401:281.
Chelonia mydas agassizi 477:97.
Chelydra serpentina 94:416; 95:345; 136:109; 146:181; 195:515; 279:517; 356:79; 389:459; 413:474; 447:575.
Chelydra serpentina serpentina 81:85; 122:24; 267:547.
Chersodromus rubriventris 139:229; 324:429.
Chilomeniscus cinctus 194:522.
Chionactis 402:221; 490:302.
Chionactis occidentalis 492:99.
Chionactis occipitalis 169:180; 194:523; 347:272; 492:99.
Chionactis occipitalis annulata 169:182.
Chionactis occipitalis klauberi 177:445.

- Chionactis occipitalis talpina* 169:183.
Chionactis palarostris 492:99.
Chionactis palarostris palarostris 169:183.
Chionactis saxatilis 169:180.
Chiropterotriton arboreus 78:122.
Chiropterotriton chondrostega 139:228.
Chiropterotriton magnipes 139:228.
Chiropterotriton multidentata 139:228.
Chiropterotriton multidentatus 78:122.
Chrysemis 437:285.
Chrysemys floridana 389:459.
Chrysemys picta 58:299; 64:173; 93:350; 94:416; 95:345; 227:448; 279:517; 300:5; 365:78; 389:459.
Chrysemys picta bellii 63:107; 122:33; 287:231; 356:81.
Chrysemys picta bellii x *C. p. marginata* 389:459.
Chrysemys picta dorsalis 57:372.
Chrysemys picta marginata 389:459.
Chrysemys scripta scripta 389:459.
Chrysemys scripta yaquia 389:457.
Clelia scytalina 247:278.
Clemmys guttata 389:459.
Clemmys marmorata 398:319.
Cnemidophorus 4:35; 11:134; 22:505; 28:415; 86:123; 247:274; 251:490; 355:105; 405:520; 419:279; 432:81; 506:245.
Cnemidophorus arubensis 455:394.
Cnemidophorus bacatus 497:1.
Cnemidophorus burti 187:366; 194:522; 347:279; 491:54; 492:99.
Cnemidophorus burti stictogrammus 182:510; 534:57.
Cnemidophorus calidipes 497:4.
Cnemidophorus canus 497:1.
Cnemidophorus catalinensis 497:1.
Cnemidophorus celeripes 497:2.
Cnemidophorus ceralbensis 455:392.
Cnemidophorus communis 201:179; 496:241.
Cnemidophorus communis communis 496:241.
Cnemidophorus costatus 59:541; 90:172.
Cnemidophorus costatus huico 113:195.
Cnemidophorus deppei 90:171; 205:685; 247:277.
Cnemidophorus deppei deppei 299:132.
Cnemidophorus deppei infernalis 90:174; 299:132.
Cnemidophorus deppei lineatissimus 90:174.
Cnemidophorus deppii 154:399.
Cnemidophorus estebanensis 497:1.
Cnemidophorus exanguis 29:376.
Cnemidophorus exsanguis 10:50; 11:134; 24:613; 172:193; 250:109; 376:296; 419:280; 426:418; 431a:418; 491:54; 500:82; 532:330; 534:56.
Cnemidophorus flagellicaudus 491:54; 534:57.
Cnemidophorus grahamii 497:3; 502:236.
Cnemidophorus gularis 11:134; 29:376; 90:174; 139:228; 170:215; 172:194; 216:138; 270:93; 297:408; 353:288; 376:296; 419:279; 426:418; 431a:418; 455:393; 480:196; 498:242; 499:89; 503:408; 519:163; 533:56.
Cnemidophorus gularis gularis 310:511; 473:279; 501:405; 533:56.
Cnemidophorus gularis octolineatus 533:56; 534:56.
Cnemidophorus gularis septemvittatus 502:237.
Cnemidophorus gularis velox 534:54.

- Cnemidophorus guttatus* 90:172;
247:277.
Cnemidophorus guttatus
 immutabilis 299:132.
Cnemidophorus hyperythrus
 43:275; 340:252; 426:418;
 431a:418; 455:392; 480:
 196.
Cnemidophorus hyperythrus
 beldingi 41:278; 42:313;
 43:275.
Cnemidophorus hyperythrus
 hyperythrus 43:279.
Cnemidophorus inornatus 8:92;
 11:134; 24:613; 172:194;
 255:23; 376:296; 384:432;
 412:279; 415:454; 445:
 232; 446:9; 455:393; 491:
 54; 496:242; 497:4; 500:
 84; 534:54.
Cnemidophorus inornatus
 heptagrammus 419:279.
Cnemidophorus labialis 497:4;
 534:57.
Cnemidophorus lareodoensis
 376:296; 472:310; 473:
 279; 476:45; 498:242;
 499:89; 503:408.
Cnemidophorus lineatissimus
 lineatissimus 90:174.
Cnemidophorus marmoratus 212:
 121.
Cnemidophorus marmoratus
 marmoratus 502:237.
Cnemidophorus martyr 455:
 394; 497:1.
Cnemidophorus maximus 497:2.
Cnemidophorus melanostethus
 520:29.
Cnemidophorus motaguae
 247:274; 496:242; 497:4;
 534:63.
Cnemidophorus neomexicanus
 289:72; 376:296; 500:82;
 503:409.
Cnemidophorus octolineatus
 534:57.
Cnemidophorus parvisocius
 455:393; 496:242; 497:4.
Cnemidophorus perplexus
 355:105; 358:45; 534:56.
Cnemidophorus sacki exsanguis
 355:106; 358:44; 520:29;
 534:57.
Cnemidophorus sacki gigas
 90:173; 163:314.
Cnemidophorus sacki gularis
 8:101; 294:219; 358:44.
Cnemidophorus sacki innotatus
 216:138; 534:56.
Cnemidophorus sacki marmoratus
 358:45.
Cnemidophorus sacki
 semifasciatus 8:101; 355:
 106; 358:44.
Cnemidophorus sacki
 stictogrammus 534:56.
Cnemidophorus sacki
 (=scalaris) 139:228.
Cnemidophorus sackii 8:100;
 29:376; 90:171; 247:274;
 355:105; 358:44; 464:196;
 497:4; 533:56.
Cnemidophorus scalaris 10:50;
 381:116.
Cnemidophorus scalaris
 scalaris 10:50.
Cnemidophorus septemvittatus
 10:50; 11:134; 123:172;
 419:280; 534:57.
Cnemidophorus septemvittatus
 scalaris 10:50; 419:279.
Cnemidophorus sexlineatus
 32:201; 41:280; 42:313;
 43:225; 84:193; 90:174;
 96:468; 146:182; 175:105;
 212:121; 283:554; 309:
 599; 312:368; 328:218;
 340:252; 375:395; 376:
 296; 377:377; 413:474;
 415:454; 445:232; 464:
 197; 466:134; 473:279;
 476:45; 480:196; 496:241;
 500:82; 501:407; 503:409;
 533:56.
Cnemidophorus sexlineatus
 gularis 534:57.
Cnemidophorus sexlineatus
 perplexus 534:56.
Cnemidophorus sexlineatus
 sexlineatus 325:395.
Cnemidophorus sexlineatus
 viridis 313:113; 502:237.
Cnemidophorus sonorensis 365:
 187.
Cnemidophorus sonora 244:514;
 376:296; 491:54; 534:57.
Cnemidophorus stictogrammus
 520:29; 534:57.

- Cnemidophorus teselatus* 520:29.
Cnemidophorus tessellatus 11:134; 24:613; 172:193; 289:74; 310:511; 376:296; 377:377; 497:2; 500:82; 502:235; 503:409.
Cnemidophorus tessellatus x *inornatus* 502:239.
Cnemidophorus tessellatus x *sexlineatus* 502:235.
Cnemidophorus tessellatus 8:101; 43:275; 175:105; 355:105; 376:296; 415:454; 419:279; 464:195; 497:1; 534:68.
Cnemidophorus tessellatus grahami 358:43.
Cnemidophorus tessellatus martyr 497:3.
Cnemidophorus tessellatus tessellatus 538:95.
Cnemidophorus tigris 11:134; 19:377; 29:376; 30:207; 43:279; 123:172; 126:62; 172:194; 175:105; 182:510; 187:366; 194:519; 211:137; 212:121; 250:109; 253:460; 254:460; 338:412; 348:270; 360:510; 376:296; 384:427; 387:103; 409:103; 414:454; 419:279; 426:418; 431a:420; 446:9; 455:393; 464:197; 490:308; 491:54; 492:99; 497:1.
Cnemidophorus cf. *tigris* 347:267.
Cnemidophorus tigris aethiops 520:25; 538:95.
Cnemidophorus tigris gracilis x *aethiops* 520:30.
Cnemidophorus tigris gracilis 169:187; 520:25.
Cnemidophorus tigris marmoratus 8:101; 41:278; 355:105; 358:43; 419:279; 464:195; 480:198; 538:95;
Cnemidophorus tigris martyr 497:3.
Cnemidophorus tigris septentrionalis 25:469; 328:218; 480:198.
Cnemidophorus tigris tigris 41:278; 169:186; 340:252; 520:31.
Cnemidophorus tigris variolosus 538:94.
Cnemidophorus uniparens 19:377; 24:613; 228:610; 376:296; 431a:420; 491:54.
Cnemidophorus variolosus 538:95.
Cnemidophorus velox 234a:55; 250:111; 347:270; 376:296; 420:106; 491:54; 534:54.
Coleonyx 251:490.
Coleonyx brevis 8:92; 8:97; 14:569; 22:508; 123:172; 169b:308; 326:47; 421:103.
Coleonyx elegans 90:172; 247:277; 312:368.
Coleonyx reticulatus 169b:308; 421:101; 492:94.
Coleonyx variegatus 66:297; 194:519; 250:111; 251:488; 347:266; 490:308; 491:49; 492:98.
Coleonyx variegatus brevis 358:39.
Coleonyx variegatus variegatus 25:469; 169:185.
Coluber 172:194; 347:267; 373:380.
Coluber arizonae 128:21; 130:226.
Coluber constrictor 65:260; 146:182; 159:172; 161:137; 172:194; 178:215; 247:273; 277:118; 413:474.
Coluber constrictor anthicus 148:40; 479:500.
Coluber constrictor flaviventris 178:216; 193:476; 215:52; 420:106.
Coluber constrictor mormon 178:216.
Coluber constrictor oaxaca 178:216.
Coluber constrictor priapus 479:500.
Coluber constrictor stejnegerianus 356:82.
Coluber elegans 128:21.
Coluber flagellum 222:211.

- Coluber flagellum testaceus* 8:102.
Coluber testaceus 8:102.
Coniophanes bipunctatus 205:685.
Coniophanes fissidens 247:271.
Coniophanes imperialis 78:122; 247:274; 370:171.
Coniophanes lateritius 90:172.
Coniophanes piceivittis 247:278.
Conolophus subcristatus 25:471.
Conophis pulcher 247:274.
Conophis vittatus 90:172; 247:278.
Conopsis 247:274.
Conopsis biserialis 90:172.
Conopsis nasus 139:229.
Constrictor 366:444.
Constrictor constrictor *imperator* 295:221.
Cophosaurus 255:17.
Cophosaurus texana 250:111.
Cophosaurus texanum 254:461.
Cophosaurus texanus 19:377; 255:23; 353:288; 403:204; 532:330.
Cophosaurus texanus scitulus 449:193.
Corallus enydris 408:426.
Corytophanes percarinatus 247:275.
Crocodylus acutus 247:278.
Crotalus 65:260; 72:164; 171:270; 172:195; 176:193; 283:554; 352:280; 373:381; 491:56.
Crotalus adamanteus 73:233.
Crotalus atrox 5:273; 8:92; 22:503; 72:163; 73:233; 114:141; 139:229; 146:182; 169:186; 171:270; 172:195; 175:106; 194:519; 214:226; 222:204; 240:469; 241:273; 271:416; 295:221; 338:411; 348:25; 358:51; 365:188; 392:370; 404:163; 491:53; 520:33; 532:330.
Crotalus atrox atrox 437:285.
Crotalus cf. atrox 399:437.
Crotalus basiliscus 90:174.
Crotalus basiliscus basiliscus 119:19.
Crotalus californicus 437:285.
Crotalus cerastes 194:523; 404:161; 437:285; 492:99.
Crotalus cerastes cerastes 114:141.
Crotalus cerastes cercobombus 408:426.
Crotalus durissus 90:171; 139:229; 247:278.
Crotalus durissus cascavella 90:174.
Crotalus durissus durissus 90:174.
Crotalus exsul ruber 437:285.
Crotalus gloydii latus 119:25.
Crotalus horridus 146:182; 195:515; 196:344; 254:466.
Crotalus horridus atricaudatus 22:507; 57:372.
Crotalus intermedius 76:353.
Crotalus intermedius gloydii 76:353; 119:19.
Crotalus intermedius intermedius 76:353; 119:25.
Crotalus intermedius omiltemanus 76:353; 119:26.
Crotalus lepidus 214:227; 358:52; 365:187; 404:163; 421:101.
Crotalus lepidus klauberi 494:264.
Crotalus lepidus lepidus 8:106; 358:51; 408:426; 494:263.
Crotalus lepidus maculosus 494:264.
Crotalus lepidus morulus 494:264.
Crotalus lucifer 437:286.
Crotalus luzifer 437:285.
Crotalus mitchelli 114:141; 194:522; 347:267; 404:161; 491:56; 492:99.
Crotalus mitchelli pyrrhus 169:186; 437:285.
Crotalus mitchelli stephensi 47:134.
Crotalus mitchelli strephensi 437:285.
Crotalus mitschelli aureus 437:285.
Crotalus molosus 90:173.

- Crotalus molossus* 123:170;
 139:229; 365:187; 404:
 163; 491:53; 532:330.
Crotalus molossus molossus 8:
 105; 169:186; 295:226;
 358:52; 520:33.
Crotalus molossus nigrescens
 295-226.
Crotalus oregonus niger 437:
 285.
Crotalus palmeri 494:265.
Crotalus polystictus 90:173.
Crotalus pricei 76:353; 200:
 367; 365:188; 513:244.
Crotalus ruber 114:141; 437:
 285.
Crotalus scutulatus 5:273;
 40a:208; 139:229; 194:
 523; 240:469; 241:273;
 358:52; 404:163; 437:285;
 492:99.
Crotalus scutulatus scutulatus
 75:693; 169:186; 295:226.
Crotalus tigris 119:19; 492:
 99; 494:265.
Crotalus transversus 76:353;
 90:173.
Crotalus triseriatus 90:173;
 139:229.
Crotalus triseriatus gloydi
 119:25.
Crotalus viridis 126:55; 185:
 334; 195:515; 196:339;
 234a:56; 241:275; 338:
 411; 347:267; 481:146;
 491:56; 492:99.
Crotalus viridis abyssus 491:
 56; 520:34.
Crotalus viridis cerberus
 520:34.
Crotalus viridis helleri 114:
 140; 194a:143; 437:285.
Crotalus viridis lutosus 215:
 49; 437:285.
Crotalus viridis nuntius 520:
 34.
Crotalus viridis oregonus 22:
 507; 215:52; 437:285.
Crotalus viridis viridis 125:
 28; 194a:143; 196:339;
 358:52; 392:372.
Crotalus willardi 365:188.
Crotaphytus collaris 28:415;
 67:469; 106:275; 123:172;
 146:181; 172:193; 175:
 105; 194:522; 222:204;
 250:111; 283:554; 347:
 267; 348:25; 387:101;
 405:520; 476:45; 490:308;
 491:52; 492:98; 501:407;
 532:330.
Crotaphytus collaris baileyi
 8:97; 216:138; 309:598;
 312:363; 358:39; 466:134.
Crotaphytus collaris collaris
 309:597; 311:358; 312:
 363; 330:329; 466:134;
 467:2.
Crotaphytus insularis 347:268;
 492:98.
Crotaphytus reticulatus 309:
 598; 311:359; 348:25.
Crotaphytus wislizeni 175:105;
 222:206; 478:413.
Crotaphytus wislizeni
 wislizeni 358:39; 464:
 195.
Cryptobranchus alleganiensis
 173:428; 230:60; 234:272.
Cryptobranchus alleganiensis
 alleganiensis 146:181;
 382:438.
Cryptobranchus alleganiensis
 bishopi 146:181; 382:438.
Ctenosaura pectinata 90:172;
 113:195; 247:277; 299:
 130.
Ctenosaura similis 154:398;
 247:277.
Cylindrophis rufus 145:229.
Cyrtodactylus scaber 40:129;
 423:499.
Dasypeltis atra 145:229.
Deirochelys reticularia 300:
 6; 389:459.
Demansia psamnophis 251:488.
Dendrobates auratus 209:361.
Dermochelys coriacea 389:457;
 401:281.
Dermorphis mexicanus 247:277;
 367:128.
Desmognathus brimleyorum 234:
 271; 258:36; 346:196;
 454:468; 474:234.
Desmognathus fuscus 161:137;
 173:428; 234:271; 258:37;
 454:469; 474:235.

- Desmognathus fuscus*
 brimleyorum 124:143;
 146:181.
Desmognathus ochrophaeus 258:
 37; 454:469; 474:235.
Desmognathus santeetlah 454:
 469.
Diadophis dugesi 326:47.
Diadophis punctatus 75:694;
 126:61; 145:229; 146:182;
 214:227; 326:47; 413:474;
 460:123.
Diadophis punctatus arnyi
 32:201; 356:82.
Diadophis regalis 326:47.
Diadophis regalis blanchardi
 358:46.
Diadophis regalis dugesi
 326:47.
Diadophis regalis laetus
 326:47.
Dicamptodon 439:370.
Dicamptodon ensatus 314:329.
Diemictylus viridescens
 146:181.
Diemictylus viridescens
 viridescens 27:432.
Dimetrodon 117:480.
Diplocaulus 117:483.
Diplocaulus magnicornis
 117:485.
Dipsosaurus dorsalis 43:284;
 67:469; 194:519; 250:111;
 409:107.
Dipsosaurus dorsalis dorsalis
 25:469.
Dryadophis melanolomus
 247:278; 367:130;
Dryadophis melanolomus
 veracruzis 367:131.
Drymarchon corais 90:172;
 139:229; 247:278;
 277:118; 370:171.
Drymarchon corais erebennus
 295:222.
Drymobius chloroticus 524:250.
Drymobius margaritiferus
 90:172; 139:229; 247:278;
 356:79; 370:171; 524:250.
Drymobius margaritiferus
 fistulosus 299:130.
Drymobius melanotropis
 524:249.
Elachistocleis ovale 367:130.
Elaphe 171:270; 193:476;
 373:379.
Elaphe bairdi 373:380.
Elaphe climacophona 145:230.
Elaphe flavirufa 139:229.
Elaphe guttata 139:229; 146:
 182; 172:194; 193:477;
 204:208; 214:227; 373:
 380; 404:163.
Elaphe guttata emori 204:209.
Elaphe guttata emoryi 124:143;
 204:208; 358:48; 400:105.
Elaphe guttata guttata 204:
 209; 400:105.
Elaphe laeta 204:208.
Elaphe obsoleta 65:260; 85:
 523; 89a:382; 146:182;
 151:296; 159:171; 161:
 137; 172:194; 193:477;
 373:380; 388:147; 406:70;
 413:474; 448:701; 486:
 403.
Elaphe obsoleta bairdi 358:48.
Elaphe obsoleta lindheimeri
 99:203; 123:170.
Elaphe obsoleta obsoleta 99:
 203; 191:451.
Elaphe subocularis 8:95; 10:
 51; 121:111; 123:167;
 172:194; 358:48; 373:380;
 404:163; 514:118.
Elaphe triaspis 139:229.
Elaphe vulpina 176:188; 193:
 477.
Eleutherodactylus alfredi 205:
 685.
Eleutherodactylus augusti 139:
 228; 348:18.
Eleutherodactylus coqui 209:
 359.
Eleutherodactylus decoratus
 139:228.
Eleutherodactylus latrans 8:
 106; 356:77; 418:78;
 465: 79.
Eleutherodactylus mexicanus
 78:122.
Eleutherodactylus rhodophis
 205:685; 247:277.
Eleutherodactylus rugulosus
 247:277.
Eleutherodactylus rugulosus
 rugulosus 299:130.
Elgaria 327:37.
Elgaria kingi 365:188.

- Elgaria multicarinata* 90:174
Emydoidea blandingi 279:517.
Engystomops pustulosus 394:2.
Enulius flavitorques 90:172;
 247:274.
Enyaliosaurus 247:274.
Enyaliosaurus clarki 90:171.
Enyaliosaurus quinquecarinatus
 90:171.
Enygrus 366:444.
Eretomochelys imbricata 401:
 281.
Eryops megacephalus 117:485.
Erythrolamprus 283:541.
Eryx conicus 145:229.
Eumeces 116:92; 359:269.
Eumeces anthracinus 146:182;
 157:199.
Eumeces anthracinus pluvialis
 161:139; 516:106.
Eumeces brevilineatus 8:92;
 22:505; 90:171; 358:43.
Eumeces brevirostris 90:172;
 493:281.
Eumeces brevirostris
bilineatus 288:16.
Eumeces callicephalus 139:228;
 288:16; 365:188.
Eumeces colimensis 509:42.
Eumeces copei 90:172; 493:279.
Eumeces egregius 180:413.
Eumeces fasciatus 146:182;
 161:137; 197:105; 260:
 136; 413:473; 466:134.
Eumeces gilberti 350:109.
Eumeces gilberti rubricaudatus
 47:133.
Eumeces inexpectatus 89a:382.
Eumeces laticeps 260:138; 161:
 137; 413:474.
Eumeces lynxe 493:281.
Eumeces lynxe belli 139:233;
 288:16.
Eumeces lynxe durangoensis
 288:16.
Eumeces lynxe lynxe 139:233.
Eumeces multilineatus 288:16.
Eumeces multilineatus
mexicanus 288:16.
Eumeces multivirgatus 172:193;
 349:104; 520:28.
Eumeces multivirgatus
epipleurotus 493:279.
Eumeces multivirgatus gaigeae
 136:502; 349:104; 520:28.
Eumeces multivirgatus
multivirgatus 136:502;
 349:105; 493:279.
Eumeces multivirgatus taylori
 349:104.
Eumeces obsoletus 8:93; 24:
 612; 67:470; 172:193;
 288:16; 358:43; 407:538;
 467:8; 520:28.
Eumeces parviauriculatus 288:
 16.
Eumeces septentrionalis 32:
 201; 157:199.
Eumeces septentrionalis
obtusirostris 124:144.
Eumeces skiltonianus 47:133.
Eumeces tetragrammus 139:225;
 356:77.
Eurycea 12:27; 399:439; 506:
 245.
Eurycea bislineata wilderae
 27:433.
Eurycea latitans 12:28.
Eurycea longicauda 231:366;
 234:272.
Eurycea longicauda
guttolineata 27:433.
Eurycea longicauda longicauda
 443:367.
Eurycea longicauda
melanopleura 146:181;
 462:219.
Eurycea lucifuga 27:433; 146:
 180; 231:366; 234:272;
 443:367.
Eurycea multiplicata 142:112;
 146:181; 233:252; 234:
 272.
Eurycea multiplicata
griseogaster 146:181;
 231:366; 313:112; 443:
 366.
Eurycea multiplicata
multiplicata 146:181.
Eurycea nana 12:28; 27:430;
 173:428; 370:170.
Eurycea neotenes 12:28; 23:
 125; 27:433; 370:170.
Eurycea pterophila 12:28;
 27:433.
Eurycea quadridigitata 234:
 271; 413:474.
Eurycea spelaesus 234:272.
Eurycea tridentifera 370:170.

- Eurycea troglodytes* 12:28;
 370:170.
Eurycea tynerensis 142:111;
 143:367; 146:178; 234:
 272.
Farancia 505:442.
Farancia abacura 34:202;
 159:172; 161:137; 333:
 220.
Ficimia cana 92:52; 290:197;
 358:50.
Ficimia olivacea 90:174; 139:
 229.
Ficimia olivacea streckeri
 295:221.
Ficimia publia 90:174; 247:
 278.
Ficimia quadrangularis
 desertorum 166:105.
Ficimia ruspatur 90:174.
Ficimia streckeri 370:171.
Gambelia silus 116:91.
Gambelia wislizenii 19:377;
 106:275; 187:366; 194:
 522; 250:111; 309:598;
 311:359; 360:509; 387:
 101.
Gastrophryne carolinensis
 57:373; 161:137; 358:38;
 413:474.
Gastrophryne elegans 1:76.
Gastrophryne olivacea 1:76;
 8:92; 96:471; 253:469;
 358:38.
Gastrophryne usta 1:76; 247:
 277.
Gastrophryne usta usta 299:
 130.
Gehyda mutilata 247:271.
Geochelone 362:61.
Geophis 134:452.
Geophis anocularis 379:390.
Geophis aquilonaris 510:549.
Geophis bicolor 134:452.
Geophis carinosus 379:388.
Geophis dubius 379:389.
Geophis dugesii aquilonaris
 510:551.
Geophis dugesii dugesii
 510:551.
Geophis fuscus 379:389.
Geophis laticinctus
 albiventris 246:698.
Geophis laticinctus
 laticinctus 246:698.
Geophis latifrontalis 139:229.
Geophis multitorques 139:229.
Geophis rhodogaster 433:123.
Geophis rostralis 379:389.
Geophis semidoliatus 246:699.
Geophis tarascae 134:452.
Gerrhonotus cedrosensis 327:
 39.
Gerrhonotus coeruleus 180:413;
 327:39.
Gerrhonotus coeruleus
 principis 471:273.
Gerrhonotus kingii 180:412;
 274:283; 275:89; 327:39;
 490:310; 492:94.
Gerrhonotus liocephalus 78:
 122; 90:172; 139:228;
 180:413; 247:273; 275:89;
 327:39; 356:79; 373:379;
 408:426.
Gerrhonotus liocephalus
 infernalis 8:106; 327:40;
 358:45.
Gerrhonotus liocephalus
 loweryi 327:40.
Gerrhonotus lugoi 275:89; 327:
 37.
Gerrhonotus multicarinata 203:
 146.
Gerrhonotus multicarinatus 47:
 133; 67:470; 180:412;
 327:39; 471:274.
Gerrhonotus panamintinus 180:
 413; 327:39.
Gerrhonotus parvus 275:89.
Gerrhonotus paucicarinatus
 327:39.
Gopherus 505:442.
Gopherus agassizii 21:261; 72:
 163; 172:191; 194:522;
 229:545; 238:430; 256:
 230; 347:266; 411:131;
 412:357; 491:49.
Gopherus auffenbergi 362:61.
Gopherus berlandieri 69:387;
 179:83; 238:431; 256:230;
 257:387; 269:162; 412:
 357; 453:132.
Gopherus flavomarginatus 238:
 431; 256:230; 352:280;
 412:357.
Gopherus pertenuis 238:431.

- Gopherus polyphemus* 69:393;
 179:83; 238:431; 256:230;
 412:357.
Gopherus polyphemus
berlandieri 295:221.
Gopherus suffenbergi 362:63.
Graptemys flavimaculata 268:
 400.
Graptemys geographica 95:345;
 517:317.
Graptemys kohni 333:220.
Graptemys pseudogeographica
 94:416; 95:345; 146:182;
 333:220.
Graptemys pseudogeographica
ouachitensis 389:459.
Gyalopion 511:715.
Gyalopion canum 139:229.
Gymnophthalmus speciosus
 247:274.
Gyrinophilus porphyriticus
 142:111.

Haideotriton wallacei 142:113.
Haldea striatula 146:182.
Haldea valeriae 146:182.
Heloder mahorridum 154:399.
Heloderma horridum 90:172;
 112:704; 154:399; 247:
 278.
Heloderma suspectum 21:261;
 89:325; 112:703; 186:458;
 194:522; 347:267.
Heloderma suspectum cinctum
 169:185.
Heloderma suspectum suspectum
 25:469.
Hemidactylum scutatum 146:
 174; 234:271.
Hemidactylus frenatus 90:172;
 247:271; 299:132; 343:
 397; 423:500; 508:446.
Hemidactylus turcicus 40:129;
 247:271; 423:500; 472:
 309; 508:446.
Heterodon 283:537; 373:379.
Heterodon nasicus 159:172;
 175:106; 214:227; 241:
 275; 283:537; 338:411;
 373:379; 404:163.
Heterodon nasicus kennerlyi
 358:46.
Heterodon nasicus nasicus
 125:27.
Heterodon platyrhinos 146:182;
 159:172; 161:137; 214:
 227; 241:275; 283:537;
 373:379; 413:474; 448:
 701; 470:230.
Heterodon platyrhinus 437:
 285.
Heterodon simus 283:542.
Holbrookia 8:106; 22:508; 86:
 123; 222:206; 255:17;
 338:411.
Holbrookia lacerata 222:207.
Holbrookia maculata 9:45; 43:
 284; 87:413; 222:204;
 228:608; 250:111; 255:22.
Holbrookia maculata
approximans 358:40; 424:
 41; 520:26.
Holbrookia maculata maculata
 424:41; 466:134.
Holbrookia maculata ruthveni
 424:41.
Holbrookia propinqua 106:275;
 222:206; 255:17; 422:9;
 424:48.
Holbrookia propinqua propinqua
 337:75.
Holbrookia texana 9:46; 10:50;
 222:207.
Holbrookia texana scitula 8:
 98; 297:406; 358:39;
 520:26.
Holbrookia texanus scitulus
 449:193.
Holbrookia texana texana 8:98;
 297:406.
Homalocranium breve 523:243.
Homalocranium taeniatum 440:
 483.
Homalocranium trilineatum 440:
 483.
Homalocranium trivittatum 440:
 483.
Hyla 36:77; 136:109; 527:470.
Hyla altipotens 1:77.
Hyla andersoni 36:77; 37:133.
Hyla arborea 394:16.
Hyla arborscandens 1:77.
Hyla arenicolor 1:79; 37:133;
 100:532; 104:419; 113:
 195; 139:228; 252:116;
 329:51; 358:37; 356:79;
 513:244; 520:26.
Hyla avivoca 34:202; 57:372;
 118:161; 161:138; 313:
 112; 394:16.

- Hyla baudini* 36:77; 37:133; 394:1.
Hyla bistrincta 1:77.
Hyla bogertae 1:81.
Hyla cadaverina 1:82; 144:105; 259:293.
Hyla cardenasi 37:129.
Hyla cembra 1:81.
Hyla chaneque 1:77; 394:16.
Hyla charadricola 1:77.
Hyla chenaque 394:16.
Hyla chryses 1:81.
Hyla chrysoscelis 161:138; 118:161; 374:157; 397:283.
Hyla cinerae 364:336; 385:25.
Hyla cinerea 34:202; 36:77; 57:372; 71:235; 118:161; 146:180; 317:420; 364:335; 385:25; 413:474.
Hyla cinerea cinerea 453:131; 456:41.
Hyla crassa 1:77.
Hyla crucifer 36:86; 71:235; 146:181.
Hyla crucifer x *P. brachyphona* 36:87.
Hyla cyanomma 1:77.
Hyla dendroscarta 1:78.
Hyla ebraccata 1:76; 394:2.
Hyla echinata 1:75.
Hyla erythromma 1:77.
Hyla euphorbiacea 1:79; 37:129; 299:131.
Hyla exlamia 37:130.
Hyla eximia 1:79; 37:129; 75:694; 139:228; 513:244.
Hyla femoralis 36:77.
Hyla godmani 1:80.
Hyla gratiosa 36:77.
Hyla hazalae 1:81.
Hyla juanitae 1:81.
Hyla lafrentzi 37:129.
Hyla lancasteri 71:235.
Hyla loquax 1:79.
Hyla melanomma 1:76.
Hyla microcephala 1:76.
Hyla microcephala sartori 299:131.
Hyla miotympanum 1:79; 139:228.
Hyla mixe 1:77.
Hyla mixomaculata 1:77.
Hyla mykter 1:77.
Hyla nubicola 1:77.
Hyla ocularis 36:82.
Hyla pachyderma 1:77.
Hyla pellita 1:77.
Hyla pentheter 1:81.
Hyla phaeota cyanosticta 394:1.
Hyla phaeota phaeota 394:15.
Hyla phaeocrypta 36:77.
Hyla picta 1:79.
Hyla pinorum 1:81.
Hyla regilla 1:82; 2:277; 36:77; 37:129; 46:324; 208:601; 259:295; 280:503; 322:274.
Hyla requilla 1:82.
Hyla robertmertensi 1:75; 247:277.
Hyla robertsorum 1:77.
Hyla sartori 1:75.
Hyla septentrionalis 36:87.
Hyla siopela 1:77.
Hyla smaragdina 1:81.
Hyla smithi 299:132.
Hyla spinipollex 332:100.
Hyla squirella 36:85; 37:129; 57:372.
Hyla staufferi 37:129; 205:685; 299:132.
Hyla sumichrasti 1:77; 247:274.
Hyla taeniopus 1:77; 394:16.
Hyla thorectes 1:81.
Hyla trux 1:77.
Hyla valancifer 1:75.
Hyla versicolor 36:77; 37:131; 53:167; 55:79; 71:235; 146:181; 161:138; 162:92; 397:283; 456:42; 485:37.
Hyla versicolor chrysoscelis 53:167; 374:157; 374:157; 397:284.
Hyla versicolor/chrysoscelis 413:474.
Hyla versicolor sandersi 397:284; 453:131.
Hyla versicolor versicolor 53:167; 374:157; 397:284.
Hyla versicolor x *H. crucifer* 36:82.
Hyla versicolor x *gratiosa* 36:85.
Hyla walkeri 1:80.
Hyla wrightorum 37:129; 167:206.
Hylactophryne 511:715.

- Hylactophryne augusti* 373:379.
Hypopachus barberi 1:76.
Hypopachus championi 247:274.
Hypopachus caprimimus 299:131.
Hypopachus variolosus 1:76;
 139:228; 247:274; 370:
 171.
Hypsiglena 123:171.
Hypsiglena affinis 138:307.
Hypsiglena dunklei 138:307.
Hypsiglena ochrorhyncha 119:
 24; 133:125; 138:307.
Hypsiglena ochrorhyncha jani
 133:125.
Hypsiglena ochrorhyncha
ochrorhyncha 133:125;
 169:186.
Hypsiglena ochrorhyncha texana
 133:129.
Hypsiglena ochrorhynchus 126:
 57.
Hypsiglena slevini 138:307.
Hypsiglena tanzeri 138:307.
Hypsiglena torquata 194:522.
Hypsiglena torquata 90:172;
 98:248; 119:24; 133:125;
 139:229; 172:194; 338:
 411; 347:272; 404:163;
 490:307; 491:54; 520:32.
Hypsiglena torquata affinis
 133:125; 138:307.
Hypsiglena torquata
chlorophaea 138:307.
Hypsiglena torquata
deserticola 47:134;
 126:55.
Hypsiglena torquata dunklei
 133:125; 138:307; 295:
 223.
Hypsiglena torquata jani
 133:125; 138:307; 297:
 408.
Hypsiglena torquata loreala
 98:249.
Hypsiglena torquata
ochrorhyncha 8:104; 50:
 229; 98:249; 133:125;
 295:223; 297:408; 520:33.
Hypsiglena torquata
ochrorhyncha x
deserticola 98:249.
Hypsiglena torquata texana 8:
 104; 98:249; 133:125;
 138:307.
Hypsiglena torquata torquata
 133:125; 138:307.
Hypsiglena torquata texana x
ochrorhyncha 8:104;
 295:223.
Iguana iguana 3:234; 90:174;
 154:398; 195:515; 247:
 278.
Iguana iguana rhinolophus 25:
 471.
Immatodes cenchoa 205:685.
Immatodes gemmistratus 90:172;
 247:274.
Kinixys belliana belliana
 269:162.
Kinosternon abaxillare 367:
 130.
Kinosternon alamosae 236:134;
 237:356.
Kinosternon alamosae 535:228.
Kinosternon angustipons 227:
 453.
Kinosternon arizonense 237:
 356.
Kinosternon cruentatum 139:
 228; 367:130.
Kinosternon flavescens 31:123;
 93:349; 223:238; 227:447;
 236:134; 237:359; 279:
 517; 300:1; 301:245; 535:
 228.
Kinosternon flavescens
arizonense 236:138; 237:
 356.
Kinosternon flavescens
durangoense 237:359.
Kinosternon flavescens
flavescens 8:106; 31:123;
 58:300; 81:85; 94:413;
 122:25; 237:359; 339:31;
 358:38.
Kinosternon flavescens
spooneri 31:123; 94:413;
 95:343; 237:362.
Kinosternon flavescens
stejnegeri 237:356.
Kinosternon henrici 122:29.
Kinosternon hirtipes 139:228;
 236:138; 535:228.
Kinosternon hirtipes hirtipes
 295:221.
Kinosternon integrum 90:172;
 139:228; 236:134; 237:
 358; 299:130; 535:228.

- Kinosternon leucostomum* 227: 447; 236:138.
Kinosternon scorpioides 227: 453; 236:137; 247:274.
Kinosternon sonoriense 104: 418; 122:21; 194:522; 227:447; 236:134; 237: 357; 535:228.
Kinosternon subrubrum 227:447; 236:136; 237:360.
Kinosternon subrubrum hippocrepis 223:237; 339:31; 389:459.
Lacerta 506:245.
Lacerta maculata 513:244.
Laemanctus serratus 247:278.
Lampropeltis 65:260.
Lampropeltis alterna 8:107; 358:48; 417:77.
Lampropeltis calligaster 146:182; 159:172; 171: 272; 373:379; 413:474.
Lampropeltis calligaster calligaster 32:201; 85:523.
Lampropeltis doliata 146:182; 171:270.
Lampropeltis doliata annulata 85:523.
Lampropeltis getulus 146:182; 151:293; 159:172; 161: 137; 171:272; 172:194; 196:339; 214:227; 222: 204; 277:118; 338:411; 347:267; 373:379; 404: 163; 486:403; 490:307; 491:55.
Lampropeltis getulus holbrooki 32:201; 85:517; 176:193.
Lampropeltis getulus nigritus 119:19.
Lampropeltis getulus splendida 358:48.
Lampropeltis mexicana alterna 193:476; 295:224; 373: 380; 532:330.
Lampropeltis polyzona 119:19.
Lampropeltis pyromelana 200: 368; 347:267; 365:188.
Lampropeltis triangulum 78: 122; 90:173; 119:20; 139:229; 145:229; 159: 174; 161:137; 247:278; 299:133; 315:406; 347: 271; 359:269; 373:379; 408:426.
Lampropeltis triangulum annulata 119:19; 145:229; 315:407.
Lampropeltis triangulum blanchardi 299:133.
Lampropeltis triangulum celaenops 315:407.
Lampropeltis triangulum gentilis 315:407.
Lampropeltis triangulum nelsoni 359:269.
Lampropeltis triangulum nelsoni x sinaloa 359: 269.
Lampropeltis triangulum sinaloae 176:187; 193: 476; 359:269.
Leiolopisma incertum 367:130;
Leiolopisma laterale 25:468.
Lepidochelys kempi 401:281.
Lepidophyma flavimaculatum 109:374.
Lepidophyma flavimaculatum tenebrarum 139:235.
Lepidophyma gaigeae 139:225.
Lepidophyma smithi 139:225.
Lepidophyma pajapanensis 78: 122; 109:373.
Lepidophyma sylvatica 139:234.
Lepidophyma sylvaticum 78:122; 109:373.
Lepidophyma tuxtlae 109:374.
Leptocalamus trilineatus 440: 483.
Leptodactylus fragilis 1:78; 247:277; 335:362; 370: 171.
Leptodactylus labialis 1:78; 299:131.
Leptodactylus melanonotus 1: 78; 247:277; 299:130; 335:362; 394:2.
Leptodeira annulata 90:174; 133:128; 247:274; 335: 356.
Leptodeira annulata cussiliris 299:131.
Leptodeira nigrofasciata 247: 274.
Leptodeira punctata 119:19.
Leptodeira rhombifera 247:274.

- Leptodeira septentrionalis* 78:
 122; 139:229; 247:274;
 370:171; 394:3.
Leptodeira septentrionalis
ornata 133:129.
Leptodeira septentrionalis
polysticta 90:174.
Leptodeira septentrionalis
septentrionalis 133:128;
 295:221.
Leptodeira splendida 90:173.
Leptophis ahaetulla 205:685;
 404:161.
Leptophis diplotropis 90:173;
 247:278; 326:48.
Leptophis mexicanus 247:275.
Leptotyphlops 490:307.
Leptotyphlops braminus 282:
 365.
Leptotyphlops dulcis 90:174;
 139:229; 196:339; 282:
 365; 460:123.
Leptotyphlops dulcis dissecta
 8:107; 358:45.
Leptotyphlops dulcis dulcis
 155:309; 453:131; 507:
 457.
Leptotyphlops goudotii 247:
 278.
Leptotyphlops humilis 194:522;
 226:123; 326:47; 507:457.
Leptotyphlops humilis cahuilae
 169:186.
Leptotyphlops humilis segregus
 326:46; 358:45.
Leptotyphlops maximus 90:172.
Leptotyphlops phenops 139:229.
Liasis childreni 408:426.
Lichanura trivigata 194:522.
Lichanura trivigata gracia
 169:186.
Limnaoedus 36:83.
Liolaemus 163:318; 212:124;
 351:353.
Loxocemus 366:439.
Loxocemus bicolor 90:172; 247:
 278; 299:130; 366:439.
Loxocemus bicolor bicolor
 366:450.
Loxocemus bicolor sumichrasti
 366:450.
Loxocemus bronni 366:450.
Loxocemus sumichrasti 366:450.
Lygosoma laterale 96:468; 146:
 182; 197:105; 356:77;
 466:134.
Lysterophis 283:554.
Mabuya brachipoda 90:172.
Mabuya unimarginata 247:278.
Macroclermys temmincki 146:
 182; 227:454; 267:547.
Malaclemys centrata 389:459.
Malaclemys pseudogeographica
ouachitensis 389:459.
Manculus quadridigitatus
 161:137.
Manolepis putnami 245:538;
 247:271.
Masticophis 65:260; 172:194;
 347:270; 373:380.
Masticophis bilineatus 365:
 188.
Masticophis biliniatus 194:
 522.
Masticophis flagellum 139:229;
 146:182; 159:171; 172:
 194; 194:519; 214:227;
 254:460; 338:411; 347:
 270; 358:31; 395:313;
 404:163; 413:474; 429:
 144.
Masticophis flagellum
flagellum 277:118.
Masticophis flagellum piceus
 169:186.
Masticophis flagellum
testaceus 8:102; 358:46;
 481:146.
Masticophis lateralis 254:466.
Masticophis mentovarius 90:
 173; 247:274.
Masticophis mentovarius
mentovarius 295:224.
Masticophis striolatus
striolatus 299:130.
Masticophis taeniatus 126:61;
 139:229; 172:194; 347:
 270; 358:31; 404:163.
Masticophis taeniatus ornatus
 8:102; 358:47.
Masticophis taeniatus ruthveni
 295:221.
Masticophis taeniatus schotti
 295:224.
Masticophis taeniatus
taeniatus 8:102; 47:133;
 215:49.
Melanochelys trijuga thermalis
 389:459.

- Mesaspis moreleti* 247:275.
Microhyla carolinensis
carolinensis 146:181.
Microhyla carolinensis
olivacea 53:165; 55:80.
Microhyla olivacea 225:144.
Microhyla usta 394:2.
Micruroides 489:248.
Micruroides euryxanthus 194:
 522.
Micruroides euryxanthus
euryxanthus 520:34.
Micrurus 489:248.
Micrurus bernadi 78:122.
Micrurus browni 247:278.
Micrurus fitzingeri 90:173.
Micrurus fulvius 159:172;
 413:474.
Micrurus fulvius tenere
 356:82.
Micrurus fulvivus 139:229.
Micrurus laticollaris 90:173;
 140:77.
Micrurus nuchalis 247:271.

Natrix 136:109.
Natrix cyclopion 161:137; 222:
 208.
Natrix erythrogaster 146:182;
 161:137; 172:195; 214:
 227; 222:208; 365:82;
 465:79.
Natrix erythrogaster bogereti
 365:82.
Natrix erythrogaster
flavigaster 198:206.
Natrix erythrogaster
transversa 8:107; 356:81;
 358:49; 365:81; 465:43.
Natrix fasciata 222:208.
Natrix grahami 146:182.
Natrix harteri harteri 465:34.
Natrix harteri paucimaculata
 465:34.
Natrix kirtlandi 465:34.
Natrix natrix 277:118.
Natrix maura 252:120.
Natrix rhombifera 146:180;
 157:199; 214:227; 222:
 208; 339:50.
Natrix rhombifera rhombifera
 125:27; 198:206; 465:43.
Natrix rufopunctatus 489:247;
 493:281.
Natrix septemvittata 146:180.

Natrix sipedon 145:229; 146:
 182; 219:200; 222:208;
 494:263.
Natrix sipedon pleuralis 536:
 311.
Natrix sipedon sipedon 494:
 263.
Natrix taxispilota 222:208.
Natrix taxispilota rhombifera
 356:82.
Natrix valida valida 141:140.
Necturus maculosus 27:431;
 230:60; 234:271; 146:181.
Nerodia 126:56; 159:171; 160:
 94; 241:275; 252:115;
 373:381; 505:442.
Nerodia erythrogaster 159:172;
 278:107; 413:474; 448:
 701.
Nerodia fasciata 159:172; 278:
 107; 413:474; 448:701.
Nerodia fasciata confluens
 278:107.
Nerodia rhombifera 278:107;
 448:701.
Nerodia sipedon 195:515.
Ninia diademata 78:122.
Norops anisolepis 247:275.
Norops biporcatus 247:275.
Norops crassulus 247:275.
Norops laeviventris 247:273.
Norops milleri 77:560.
Norops naufragus 78:122.
Norops nebulosus 90:172.
Norops polyrachis 77:561.
Norops schiedii 77:560.
Norops sericeus 247:278.
Notophthalmus 506:245; 527:
 470.
Notophthalmus viridescens 34:
 202; 161:138; 234:273;
 383:425.
Notophthalmus viridescens
viridescens 27:432.

Ololygon staufferi 1:80; 247:
 277.
Opheodrys aestivus 145:228;
 146:182; 159:172; 191:
 445; 192:246; 193:473;
 356:79; 413:474.
Opheodrys mayae 531:345.
Opheodrys vernalis 193:473;
 531:344.

- Opheodrys vernalis blanchardi* 320:129; 420:106; 531:344.
Opheodrys vernalis varnalis 531:345.
Ophisaurus 327:40.
Ophisaurus attenuatus 146:182; 220:299; 373:379; 413:474.
Ophisaurus attenuatus attenuatus 32:201; 161:139; 220:299; 471:271.
Ophisaurus ceroni 220:299.
Ophisaurus compressus 220:299.
Ophisaurus ventralis 146:182; 220:299.
Ophryacus undulatus 78:122.
Oxybelis acuminatus 264:136.
Oxybelis aeneus 90:173; 139:229; 191:450; 247:278; 264:136.
Oxybelis deneus 90:171.
Oxybelis fulgidus 247:278; 264:137.

Pachymedusa dacnicolor 1:79.
Pelomedusidae 269:162.
Petrosaurus mearnsi 306:113.
Phrynohyas venulosa 1:78.
Phrynosoma 86:123; 123a:459; 305:25; 338:411; 352:280.
Phrynosoma asio 247:278.
Phrynosoma braconnieri 187:365.
Phrynosoma cornutum 4:35; 8:106; 19:377; 22:505; 25:470; 29:376; 32:201; 102:369; 146:182; 181:478; 187:366; 222:204; 284:616; 297:406; 305:25; 358:40; 373:379; 380:552; 399:437; 405:520; 425:513; 481:146; 516:106; 518:150.
Phrynosoma coronatum 181:478; 187:366; 305:25; 425:513.
Phrynosoma ditmarsii 303:265.
Phrynosoma douglassi 47:133; 172:191; 187:366; 222:207; 234a:55; 250:111; 303:265; 305:25; 344:417; 373:379; 405:519; 425:513; 490:310.
Phrynosoma douglassi brevirostre 420:106.

Phrynosoma douglassi heornandesi 266:79.
Phrynosoma douglassi hernandesi 266:79.
Phrynosoma douglassi ornatissimum 266:78.
Phrynosoma m'callii 187:366; 425:513.
Phrynosoma mcalli 194:522; 409:103.
Phrynosoma modestum 4:35; 8:92; 10:51; 19:377; 28:420; 222:207; 305:25; 358:40; 373:379; 403:204; 425:513; 490:310; 532:330.
Phrynosoma orbiculare 90:172; 139:228.
Phrynosoma orbiculare orientale 297:406.
Phrynosoma platyrhinus 25:470; 187:366; 194:522; 216:138; 250:111; 305:25; 351:349; 387:101; 409:104; 425:513; 490:302; 492:98.
Phrynosoma regale 25:470.
Phrynosoma solare 25:468; 187:366; 194:522; 250:111; 305:25; 425:513; 429:144; 490:310; 492:98.
Phrynosoma taurus 90:172; 187:365.
Phyllodactylus 131:211; 132:205.
Phyllodactylus abrupteseriatus 129:37.
Phyllodactylus darwini 129:37.
Phyllodactylus delcampi 129:37.
Phyllodactylus duellmani 129:37; 135:255.
Phyllodactylus eduardofischeri 129:37.
Phyllodactylus homolepidurus 129:37.
Phyllodactylus julieni 131:211; 132:204.
Phyllodactylus lanei 129:37; 135:255.
Phyllodactylus magnus 129:37.
Phyllodactylus martini 131:211; 132:204.
Phyllodactylus mulleri 131:211.

- Phyllodactylus muralis* 129:37.
Phyllodactylus paucituberculatus 129:37; 135:255.
Phyllodactylus pulcher 131:211; 132:205.
Phyllodactylus reissi 131:217.
Phyllodactylus rutteni 131:211; 132:203.
Phyllodactylus spatulatus 129:37; 131:214.
Phyllodactylus tuberculosus 90:172; 129:37; 131:212; 247:274.
Phyllodactylus tuberculosus magnus 299:132.
Phyllodactylus unctus 129:40; 135:255.
Phyllodactylus underwoodi 131:211; 132:204.
Phyllodactylus ventralis 129:37; 131:211; 132:205.
Phyllodactylus wirshingi 129:37; 131:211; 132:204.
Phyllomedusa moreleti 394:2.
Phyllorhynchus browni 194:522.
Phyllorhynchus decurtatus 194:522.
Phyllorhynchus decurtatus norrisi 326:48.
Physalaemus pustulosus 1:79; 205:685.
Pituophis 171:270; 373:379; 402:221; 452:45.
Pituophis catenifer 146:182; 151:293; 214:227; 338:411; 348:25.
Pituophis catenifer affinis 92:53; 119:19; 358:48.
Pituophis catenifer deserticola 47:133.
Pituophis catenifer sayi 358:48.
Pituophis deppei 75:694; 90:173; 139:229; 511:715.
Pituophis deppei deppei 295:221.
Pituophis deppei jani 295:221.
Pituophis lineaticollis 247:275.
Pituophis melanoleucus 85:523; 116:92; 123:170; 126:61; 145:229; 151:293; 194:522; 272a:341; 348:25; 373:380; 404:163; 490:308; 491:55; 511:715.
Pituophis melanoleucus affinis 169:186.
Pituophis melanoleucus melanoleucus 402:221.
Pituophis melanoleucus mugitus 402:221.
Pituophis melanoleucus sayi 8:107.
Pituophis melanoleucus lodingi 110:496; 402:221.
Pituophis melanoleucus ruthveni 110:496; 402:221.
Pituophis vertebralis 119:21.
Plastosteryx bronni 366:439.
Plectrohyla avia 79:91.
Plectrohyla dasypus 79:93.
Plectrohyla glandulosa 79:93.
Plectrohyla guatemalensis 79:93; 247:275.
Plectrohyla hartwegi 1:77; 79:91.
Plectrohyla ixil 1:76; 79:93.
Plectrohyla lacertosa 79:91.
Plectrohyla matudae 247:275.
Plectrohyla matudai 1:76; 79:91.
Plectrohyla pokomchi 79:93.
Plectrohyla pycnochila 79:91.
Plectrohyla guatemalensis 1:77.
Plectrohyla quecchi 79:93.
Plectrohyla sagorum 1:76; 79:93.
Plectrohyla tecunumani 79:93.
Plethodon caddoensis 146:178; 346:196; 414:318; 454:468.
Plethodon cinereus angusticlavius 146:181.
Plethodon cinereus serratus 146:181.
Plethodon fourchensis 346:196; 454:468.
Plethodon glutinosus 12:28; 34:202; 146:179; 258:36; 346:200; 399:439; 414:318.
Plethodon jordani 346:200.
Plethodon larselli 454:471.
Plethodon neomexicanus 454:471.
Plethodon ouachita 146:179.
Plethodon ouachitae 146:178; 258:36; 346:196; 454:468.

- Plethodon serratus* 454:468.
Plethodon vehiculum 454:471.
Plethodon websteri 454:471.
Plethodon wehrlei 146:179.
Plethodon yonahlossee 146:179;
 346:200.
Pliocercus elapoides 78:122.
Pliocercus elapoides celatus
 294:218.
Pliocercus elapoides diastemus
 294:218.
Pliocercus elapoides elapoides
 294:218.
Pliocercus elapoides
hobartsmithi 294:217;
 295:221.
Pliocercus elapoides schmidtii
 294:218.
Pliocercus laticollaris 294:
 217.
Pseudacris 36:83.
Pseudacris clarki 1:79; 7:71;
 53:167; 70:556; 71:235;
 96:471; 157:199; 222:204;
 463:67.
Pseudacris crucifer 530:449.
Pseudacris nigrita 36:83; 146:
 181; 319:312.
Pseudacris nigrita triseriata
 53:167; 55:79.
Pseudacris nigrita x H.
crucifer 36:87.
Pseudacris ornata 36:87; 70:
 556.
Pseudacris regilla 46:323.
Pseudacris streckeri 36:87;
 146:181; 162:92; 225:142.
Pseudacris streckeri
illinoensis 70:556.
Pseudacris streckeri streckeri
 53:165; 55:79; 70:556;
 516:106.
Pseudacris streckeri x H.
crucifer 36:87.
Pseudacris triseriata 70:556;
 100:532; 161:137; 162:92;
 172:191; 385:20; 463:67.
Pseudacris triseriata feriarum
 162:95.
Pseudacris triseriata kalmi
 162:95.
Pseudacris triseriata maculata
 420:105.
Pseudacris triseriata
triseriata 162:95; 463:
69.
Pseudemys concinna 122:21;
 458:386.
Pseudemys concinna texana
 122:36.
Pseudemys floridana 146:182;
 389:457.
Pseudemys floridana hoyi 287:
 231.
Pseudemys floridana texana
 287:230.
Pseudemys nelsoni 458:387.
Pseudemys scripta 64:179; 122:
 21; 136:109; 146:182;
 279:517.
Pseudemys scripta elegans 58:
 299; 81:85; 122:21; 287:
 230.
Pseudemys scripta gaigae 122:
 21.
Pseudemys scripta gaigeae 8:
 107; 122:38; 358:38.
Pseudemys scripta scripta 389:
 459.
Pseudemys scripta taylori 515:
 90.
Pseudemys scripta troosti 122:
 38.
Pseudoemys 258a:10.
Pseudoeurycea belli 78:122;
 139:228.
Pseudoeurycea cephalica
cephalica 139:230.
Pseudoeurycea cephalica manni
 139:230.
Pseudoeurycea cephalica
rubrimembris 139:230.
Pseudoficimia frontalis 90:
 173; 113:195.
Pseudoleptodeira latifasciata
 90:173.
Pseudophryne 209:361.
Pseudotriton 146:178.
Pterohyla fodiens 1:82.
Pterohyla dentata 1:82.
Pterohyla guatemalensis 247:
 275.
Ptychohyla 79:93.
Ptychohyla euthysanota 1:77;
 247:275; 332:101.
Ptychohyla hypomykter 332:101.
Ptychohyla ignicolor 1:76.
Ptychohyla leonardschultzei 1:
 77; 332:101.

- Ptychohyla macrotyimpanum* 332:101.
Ptychohyla matudae 247:275.
Ptychohyla merazi 332:100.
Ptychohyla panchoi 332:101.
Ptychohyla schmidtorum 1:76; 247:275.
Ptychohyla spinipollex 332:100.
- Rana* 75:694; 79:93; 159:171; 247:272; 348:25; 385:25; 463:67; 527:470.
Rana arenicolor 100:532.
Rana areolata 103:371; 146:181; 316:266; 319:311; 333:220; 348:24.
Rana areolata areolata 348:24; 516:106.
Rana areolata capito 348:24.
Rana aurora 1:82.
Rana aurora aurora 199:615.
Rana aurora draytoni 199:614; 208:601.
Rana berlandieri 1:78; 100:532; 149:560; 247:272; 313:113; 416:569.
Rana berlandieri berlandieri 165:443.
Rana blairi 1:82; 100:531; 103:371; 149:559; 164:105; 165:443; 485:37.
Rana boylei 1:82.
Rana cascadae 103:371; 199:615.
Rana catesbeiana 1:79; 2:276; 10:273; 33:201; 47:132; 53:165; 62:335; 100:531; 103:371; 136:107; 146:181; 156:224; 160:94; 199:616; 208:602; 219:198; 224:106; 242:412; 258a:10; 273:141; 312:367; 313:112; 322:274; 336:107; 348:24; 364:335; 453:131; 483:218; 485:33; 520:26; 529a:13; 536:311.
Rana catesbiana 385:25.
Rana chiricahunensis 100:531; 513:245.
Rana clamitans 57:373; 61:186; 103:371; 146:181; 199:616; 208:602; 313:113; 333:220; 348:24; 385:24; 413:474; 456:42; 483:218.
Rana clamitans clamitans 57:373; 456:42.
Rana draytonii 208:601.
Rana dunni 1:82.
Rana fisheri 350:42.
Rana forreri 247:277.
Rana grylio 136:108; 317:420; 348:24.
Rana heckscheri 103:371; 348:24.
Rana johni 1:78.
Rana maculata 1:78; 247:275.
Rana megapoda 1:82.
Rana montezumae 1:78; 139:228; 235:369.
Rana mucosa 208:602.
Rana muscosa 46:323; 103:371.
Rana onca 100:532; 350:42.
Rana palmipes 1:78.
Rana palustris 34:202; 124:143; 146:181; 313:111; 319:311; 348:17; 462:219.
Rana palustris palustris 57:372.
Rana pipiens 1:82; 47:132; 74:219; 100:531; 104:418; 113:195; 139:228; 146:181; 156:224; 165:443; 172:192; 199:616; 210:99; 219:199; 222:204; 224:106; 225:142; 235:369; 247:271; 259:295; 270:93; 299:130; 302:240; 313:113; 317:420; 318:19; 329:51; 348:24; 350:35; 364:335; 356:79; 385:25; 391:476; 396:191; 416:569; 432:81; 468:131; 483:218; 489:247; 513:245; 529a:13.
Rana pipiens berlandieri 8:97; 53:165; 55:79; 149:560; 358:37; 453:131.
Rana pipiens brachycephala 8:37; 356:75; 468:131.
Rana pipiens fisheri 47:132.
Rana pipiens pipiens 47:132; 103:371; 149:560.
Rana pipiens sphenoccephala 149:560.
Rana pretiosa 103:371; 199:614; 432:81.
Rana pueblae 1:78.
Rana pustulosa 1:82.

- Rana septentrionalis* 103:371;
313:113; 348:24.
Rana sierramadrensis 1:82.
Rana sphenoccephala 149:559;
165:443; 219:199; 312:
367; 313:113; 413:474.
Rana sylvatica 146:181; 313:
113; 385:25; 475:145.
Rana tarahumarae 1:82; 100:
531; 103:371; 513:245;
520:26.
Rana utricularia 149:570;
313:112; 530:450.
Rana utricularia utricularia
103:371.
Rana vaillanti 247:277.
Rana virescens brachycephala
468:131.
Rana virgatipes 103:371.
Rana woodhousei 100:532.
Rana yavapaiensis 100:531;
252:116.
Regina grahami 278:107; 448:
701.
Regina rigida 159:172.
Relictivomer pearsei 367:130.
Rhadinaea 331:436; 402:221.
Rhadinaea crassa 139:229.
Rhadinaea cuneata 331:436.
Rhadinaea decorata 78:122.
Rhadinaea flavilata 283:541;
531:345.
Rhadinaea gaigeae 331:436.
Rhadinaea godmani 247:275.
Rhadinaea heperia 90:173;
331:436.
Rhadinaea laureata 90:173.
Rhadinaea quinquelineata
331:436.
Rhadinaea taeniata 90:173.
Rhamphotyphlops braminus
90:171.
Rhinocheilus antoni antoni
119:19.
Rhinocheilus lecontei 150:411;
172:194; 194:522; 222:
204; 326:47; 347:267;
338: 411; 404:163; 490:
308; 491:55; 492:99.
Rhinocheilus lecontei lecontei
452:45.
Rhinocheilus lecontei
tessellatus 8:103; 92:53;
295:225; 358:48.
Rhinochilus 437:285.
Rhinoclemys punctularia 269:
163.
Rhinoclemmys rubida 247:278.
Rhinophrynus dorsalis 1:75;
205:685; 247:277; 335:
362; 367:128; 370:171.
Salvadora bairdi 90:173; 119:
19; 139:229.
Salvadora deserticola 404:163.
Salvadora grahamiae 8:92; 184:
119; 347:270; 358:47.
Salvadora hexalepis 184:119;
185:334; 194:522; 347:
270; 520:33.
Salvadora hexalepis
deserticola 8:103; 358:
47; 520:33.
Salvadora hexalepis hexalepis
520:33.
Salvadora hexalepis mojavensis
47:133.
Salvadora intermedia 119:22.
Salvadora intermedia richardi
119:19.
Salvadora lemniscata 247:278.
Salvadora lineata 119:19; 139:
229.
Salvadora mexicana 90:173.
Sauromalus obesus 67:470; 89:
325; 194:523; 250:111;
347:267; 491:49; 492:98.
Sauromalus obesus obesus 25:
469.
Sauromalus oebusus tumidus
169:186.
Scaphiodontophis annulatus
247:278.
Scaphiopus 4:35; 48:106; 50:
229; 348:25; 378:316;
404:165; 421:101; 526:
119.
Scaphiopus bombifrons 1:78;
7:71; 48:105; 50:229;
52:106; 53:165; 54:201;
55:79; 56:55; 210:99;
272:103; 296:296; 308:
227; 386:578; 450:349;
490:310; 495:168; 506:
239; 526:120; 528:232;
529a:13; 529b:127.
Scaphiopus bombifrons x
hammondii 506:239.

- Scaphiopus couchi* 1:78; 7:70;
 8:92; 48:108; 54:201;
 139:228; 194:523; 225:
 147; 253:469; 272:103;
 308:227; 326:47; 348:18;
 358:36; 372:105; 450:349;
 488:128; 490:310; 506:
 239; 526:120; 527:470;
 528:232; 529:460; 529a:
 13; 529b:127.
Scaphiopus hammondi 1:78; 8:
 92; 139:228; 302:240;
 307:399; 308:227; 386:
 579; 490:308; 495:168.
Scaphiopus hammondii hammondii
 8:96; 48:106; 296:296;
 358:36; 506:239.
Scaphiopus hammondii
multiplicatus 506:239.
Scaphiopus hammondii x
bombifrons 506:239.
Scaphiopus holbrooki 210:100;
 308:228; 495:168.
Scaphiopus holbrooki holbrooki
 54:201; 506:239.
Scaphiopus holbrooki hurteri
 49:173; 53:165; 54:201;
 146:181; 272:103; 272:
 102; 506:239.
Scaphiopus holbrooki hurteri x
couchi 506:239.
Scaphiopus hurteri holbrooki
 54:201.
Scaphiopus hurteri hurteri
 54:201.
Scaphiopus hurterii 210:99;
 348:17.
Scaphiopus intermontanus 126:
 62; 420:106; 490:310.
Scaphiopus multiplicatus 1:78;
 75:694; 100:533; 218:219;
 234a:55; 296:296; 307:
 393; 450:349; 488:127;
 490:311; 526:120; 527:
 470; 528:232; 529:460;
 529a:13; 529b:127; 530:
 449.
Sceloporus 22:508; 59:541; 86:
 123; 97:15; 106:275; 200:
 367; 222:206; 338:411;
 247:274; 347:269; 359:
 269; 405:520; 490:307;
 491:53.
Sceloporus aeneus 90:172; 139:
 228; 163:313; 459:523.
Sceloporus aeneus aeneus 459:
 524.
Sceloporus aeneus bicanthalis
 459:524.
Sceloporus aeneus subniger
 459:528.
Sceloporus carinatus 247:274.
Sceloporus cautus 297:406;
 431:393.
Sceloporus clarki boulengeri
 113:195.
Sceloporus clarki clarki 436:
 129.
Sceloporus clarkii 59:541;
 194:522; 347:269; 365:
 188; 434:116; 491:52;
 492:99.
Sceloporus consobrinus 312:
 367.
Sceloporus cyanogenys 180:412;
 222:206; 236:44; 297:406.
Sceloporus deneus 90:171.
Sceloporus dugesi intermedius
 90:173.
Sceloporus elongatus 467:2.
Sceloporus exsul 431:393.
Sceloporus formosus 90:174.
Sceloporus gadovae 90:172;
 163:311.
Sceloporus goldmani 459:523.
Sceloporus graciosus 43:280;
 67:469; 83:138; 99a:141;
 187:366; 222:206; 248:
 222; 310:511; 312:367;
 344:417; 347:269; 434:
 116; 491:53.
Sceloporus graciosus gracilis
 368:182.
Sceloporus graciosus graciosus
 467:2.
Sceloporus grammicus 90:172;
 139:228; 163:313; 222:
 206; 318:17; 430:41; 513:
 245.
Sceloporus grammus
disparilis 6:363; 297:
 406; 351:354.
Sceloporus grammus
microlepidotus 6:363;
 351:354.
Sceloporus horridus 222:206.
Sceloporus jalapae 459:523.

- Sceloporus jarrovi* 6:363; 16:441; 17:554; 18:347; 67:465; 90:172; 163:318; 180:413; 188:330; 189:303; 195:515; 222:206; 250:113; 263:44; 303:269; 309:598; 341:347; 342:436; 351:353; 354:347; 365:185; 422:13; 428:83; 513:245; 537:328.
- Sceloporus jarrovi erythrocyaneus* 139:231.
- Sceloporus jarrovi immucronatus* 139:232; 297:407; 451:1.
- Sceloporus jarrovi jarrovi* 68:381; 297:406.
- Sceloporus jarrovi lineolateralis* 14:569.
- Sceloporus jarrovi minor* 139:232; 297:407; 512:40.
- Sceloporus jarrovi oberon* 297:407.
- Sceloporus maculosus* 14:569.
- Sceloporus magister* 19:377; 187:366; 194:523; 216:138; 222:206; 250:110; 254:460; 347:269; 351:349; 368:183; 387:101; 467:2; 491:52; 492:99.
- Sceloporus cf. magister* 347:267.
- Sceloporus magister bimaculosus* 8:99; 358:40.
- Sceloporus magister magister* 25:468; 169:186.
- Sceloporus melanorhinus* 90:172; 247:278.
- Sceloporus merriami* 123:172; 356:87.
- Sceloporus merriami annulatus* 8:99; 358:41.
- Sceloporus merriami merriami* 8:99; 83:141; 358:41.
- Sceloporus minor* 512:40.
- Sceloporus mucronatus* 351:349.
- Sceloporus nelsonii* 59:541; 87:413; 113:195.
- Sceloporus occidentalis* 183:158; 187:366; 222:206; 312:367; 342:436; 347:269; 422:13; 431:393; 434:116.
- Sceloporus occidentalis biseriatus* 467:2.
- Sceloporus occidentalis taylori* 491:53.
- Sceloporus ochoterrenae* 459:523.
- Sceloporus ochoterrenai* 90:172.
- Sceloporus olivaceus* 38:89; 105:506; 175:105; 212:121; 222:206; 255:24; 297:406; 356:79; 368:184; 467:2; 516:106.
- Sceloporus orcutti* 45:305; 222:206; 368:182.
- Sceloporus palaciosi* 90:172.
- Sceloporus parvus* 139:228.
- Sceloporus parvus parvus* 297:406.
- Sceloporus poinsetti* 14:569; 16:641; 123a:459; 180:413; 222:206; 263:44; 351:349; 358:41.
- Sceloporus poinsetti poinsetti* 8:100.
- Sceloporus scalaris* 75:694; 83:138; 90:172; 139:228; 365:188; 381:115.
- Sceloporus scalaris samcolemani* 459:523.
- Sceloporus scalaris scalaris* 459:523.
- Sceloporus scalaris slevini* 459:523.
- Sceloporus scalaris unicanthalis* 459:530.
- Sceloporus siniferus* 90:172; 247:274; 459:523.
- Sceloporus siniferus siniferus* 299:130.
- Sceloporus spinosus* 90:172; 139:229; 163:313; 187:366; 202:206; 222:206.
- Sceloporus spinosus spinosus* 297:408.
- Sceloporus torquatus* 90:172; 139:229; 163:313; 263:44; 381:116.
- Sceloporus torquatus binocularis* 297:408.
- Sceloporus torquatus melanogaster* 297:408.
- Sceloporus torquatus minor* 512:40.
- Sceloporus torquatus torquatus* 351:349; 444:147.

- Sceloporus undulatus* 10:51;
 19:377; 25:470; 84:193;
 98:249; 146:182; 172:193;
 175:105; 187:366; 222:
 206; 228:608; 234a:56;
 250:111; 255:23; 312:367;
 381:116; 403:204; 413:
 474; 449:198; 473:281;
 477:97; 491:53; 492:99.
Sceloporus cf. undulatus 347:
 267.
Sceloporus undulatus
consobrinus 8:100; 82:
 110; 250:107; 325:79;
 358:41; 431:393; 466:134;
 520:27.
Sceloporus undulatus elongatus
 420:106; 491:53; 520:66.
Sceloporus undulatus elongatus
x u. tristichus 520:26.
Sceloporus undulatus
erythrocheilus 266:78;
 325:79.
Sceloporus undulatus fasciatus
 363:67.
Sceloporus undulatus garmani
 325:79; 467:2.
Sceloporus undulatus
hyacinthinus 157:199;
 261:90; 283:537; 309:599;
 313:113; 325:79; 363:67;
 368:179; 431:395; 466:
 134; 477:97.
Sceloporus undulatus thayerii
 467:2.
Sceloporus undulatus
tristichus 467:1; 491:53;
 520:26.
Sceloporus undulatus undulatus
 363:67; 431:395; 477:97.
Sceloporus undulatus virgatus
 520:25.
Sceloporus variabilis 78:122;
 90:174; 139:229; 222:206;
 247:278; 264:136.
Sceloporus variabilis
variabilis 294:219.
Sceloporus virgatus 347:269;
 431:393; 434:116; 491:53.
Sceloporus woodi 83:138; 222:
 206; 368:183; 431:393.
Schmidtophis rubriventris 324:
 429.
Scincella 511:715.
Scincella caudequinae 139:229.
Scincella gemmingeri 78:122.
Scincella gemmingeri
forbesorum 297:408.
Scincella laterale 161:137.
Scincella lateralis 309:599;
 413:473; 476:49.
Scincella silvicolum
caudaequinae 297:408.
Senticolis triaspis 90:173;
 247:278.
Sibon fasciata 247:278.
Sibon fisheri 247:275.
Sibon sartorii 78:122.
Siren intermedia 5:146; 173:
 423; 234:271.
Siren intermedia nettingi 26:
 456; 57:372; 161:137;
 173:423; 399a:144.
Siren lacertina 5:146; 26:455.
Sistrurus catenatus 65:260;
 125:28; 338:411.
Sistrurus catenatus catenatus
 345:31.
Sistrurus catenatus edwardsi
 25:28; 345:31.
Sistrurus catenatus edwardsi x
tergeminus 345:31.
Sistrurus catenatus tergeminus
 125:28; 345:31.
Sistrurus catenatus tergeminus
x edwardsi 125:28.
Sistrurus miliarius 146:182.
Sistrurus ravus 90:173.
Smilisca 394:1.
Smilisca baudinii 1:80; 139:
 228; 205:685; 247:277;
 299:131; 370:171; 394:15.
Smilisca cyanosticta 1:80.
Smilisca gabbi 394:16.
Smilisca phaeota 394:15.
Smilisca sordida 524:249.
Smilisca wellmanorum 394:16.
Sonora 531:345.
Sonora episcopa 126:61; 147:
 231; 191:451; 214:227;
 295:225; 460:123; 491:56.
Sonora episcopa episcopa 147:
 232.
Sonora michoacanensis 90:173.
Sonora semiannulata 28:415;
 347:267; 404:163; 421:
 101; 429:144; 490:307;
 491:55; 492:99.
Sonora semiannulata blanchardi
 8:88; 295:225; 358:49.

- Sonora semiannulata episcopa* 147:233.
Sonora semiannulata isozona 47:134.
Sonora semiannulata linearis 169:186.
Spea 48:105; 54:201; 506:239.
Spea intermontanus 520:25.
Sphaerodactylus glaucus 247:278.
Sphenomorphus assatus 247:273.
Sphenomorphus glaucus 247:278.
Sphenomorphus incertus 247:275.
Stenorrhina freminvillii 247:274.
Sternothaerus carinatus 111:444; 227:447.
Sternothaerus carinatus carinatus 339:31.
Sternothaerus minor minor 339:61.
Sternothaerus minor peltifer 111:444.
Sternothaerus odoratus 227:447; 333:220; 339:31; 357:313.
Sternotherus odoratus 58:300; 146:182; 357:314; 389:459.
Storeria 145:229; 196:339.
Storeria dekayi 78:122; 146:182; 157:199; 159:172; 161:137; 195:515; 214:227; 413:474.
Storeria hidalgoensis 139:229.
Storeria occipitomaculata 146:182; 159:172; 460:123.
Storeria occipitomaculata occipitomaculata 124:143.
Storeria michoacanensis 90:171.
Storeria storerioides 90:173.
Symphimus leucostomus 247:271.
Syrrhophus campi 296:298.
Syrrhophus cystignathoides campi 209:358.
Syrrhophus guttilatus 511:715.
Syrrhophus longipes 139:228.
Syrrhophus marnockii 8:97; 209:359; 224:106; 356:77; 358:37; 373:379; 463:66; 465:79; 511:715.
Syrrhophus pipilans 247:277.
Syrrhophus verrucipes 139:228.
Takydromus trachydromoides 422:13.
Tantilla 101:222; 150:411; 172:194; 402:221; 531:345.
Tantilla annulata 78:122.
Tantilla atriceps 8:92; 10:50; 78:122; 358:50.
Tantilla bocourti 78:122; 90:173; 331:275.
Tantilla bocourti deviatrice 334:305.
Tantilla brevis 523:243.
Tantilla briggsi 78:122.
Tantilla calamarina 78:122; 90:173.
Tantilla canula 78:122.
Tantilla canula brevis 523:243.
Tantilla cascadae 78:122.
Tantilla coronadoi 78:122.
Tantilla coronata 334:303.
Tantilla cucullata 213:221; 358:50.
Tantilla cuniculator 78:122.
Tantilla deppei 78:122; 90:173.
Tantilla deviatrice 334:303.
Tantilla diabola 213:221.
Tantilla eiseni 13:308.
Tantilla elseni 13:308.
Tantilla flavilineata 78:122; 440:485.
Tantilla gracilis 78:122; 101:222; 145:229; 146:181; 159:172; 214:227; 523:243.
Tantilla gracilis gracilis 453:132.
Tantilla gracilis praticilis 124:144.
Tantilla hobartsmithi 78:122; 490:310.
Tantilla jani 78:122; 440:485.
Tantilla melanocephala 440:485.
Tantilla moesta 78:122.
Tantilla nigriceps 78:122; 338:411; 404:163.
Tantilla oaxacae 78:122.
Tantilla planiceps 78:122; 490:310.
Tantilla reticulata 78:122; 440:485.

- Tantilla rubra* 78:122; 139:229; 247:278; 334:304.
Tantilla rubra cucullata 213:220.
Tantilla rubra diabola 213:221.
Tantilla semicincta 78:122.
Tantilla shawi 78:120.
Tantilla slavensi 78:122.
Tantilla striata 78:122; 440:485.
Tantilla supracincta 78:122.
Tantilla taeniata 78:122; 440:483.
Tantilla tayrae 78:122.
Tantilla trilineata 440:485.
Tantilla triseriata 440:485.
Tantilla tritaeniata 440:483.
Tantilla trivittatum 440:485.
Tantilla utahensis 13:308.
Tantilla virgata 440:485.
Tantilla wilcoxi 78:122; 490:310.
Tantilla wilcoxi deviatix 334:306.
Tantilla wilcoxi rubricata 326:48; 334:304.
Tantilla wilcoxi wilcoxi 326:48; 334:304; 520:33.
Tantilla yaquia 78:122.
Tantillita brevissima 247:271.
Tantillita lintoni 523:243.
Teloscopus fallax 283:547.
Terrapene 64:171; 505:442.
Terrapene canaliculata 348:26.
Terrapene carolina 146:182; 172:191; 348:26; 222:204; 410:67; 413:474.
Terrapene carolina bauri 64:173; 411:131.
Terrapene carolina carolina 58:300; 64:173; 482:190; 515:96.
Terrapene carolina major 64:173; 356:81; 411:134.
Terrapene carolina mexicana 64:180.
Terrapene carolina putnami 64:180.
Terrapene carolina triunguis 64:173; 81:83; 88:199; 258a:9; 356:81; 389:459; 411:132; 482:189; 489:189.
Terrapene carolina yucatana 64:180.
Terrapene coahuila 64:171; 356:77; 515:89.
Terrapene nelsoni 64:171.
Terrapene nelsoni nelsoni 64:173.
Terrapene ornata 38:89; 81:85; 122:21; 172:192; 222:206; 312:367; 389:459; 410:67; 412:357; 461:438; 515:91.
Terrapene ornata luteola 10:51; 122:32; 482:190; 520:26.
Terrapene ornata ornata 63:107; 64:173; 122:30; 358:38; 482:190.
Terrapene ornate 371:365.
Terrapene putnami 356:81.
Testudo 362:61.
Testudo agasizzi 437:285.
Testudo hermanni 389:459.
Thalerophis 283:541.
Thalerophis richardi 404:161.
Thamnophis 172:194; 196:339; 252:115; 283:548; 373:381; 505:442.
Thamnophis butleri 160:97.
Thamnophis cyrtopsis 8:96; 10:51; 104:418; 105:505; 139:229; 156:207; 172:195; 247:275; 252:115; 358:49; 373:381; 404:163.
Thamnophis cyrtopsis collaris 113:195.
Thamnophis cyrtopsis cyrtopsis 8:104; 156:207; 295:225; 358:49.
Thamnophis cyrtopsis ocellata 8:104; 358:49.
Thamnophis cyrtopsis cyrtopsis x ocellata 8:104.
Thamnophis dorsalis 90:173.
Thamnophis elegans 156:207; 240:480; 241:275; 252:120.
Thamnophis elegans vagrans 156:207; 234a:55; 266:78.
Thamnophis equeus 75:694; 139:229; 194:522; 487:247; 513:244.
Thamnophis fulvus 247:275.

- Thamnophis marcianus* 139:229;
 157:199; 160:93; 172:195;
 175:106; 214:227; 338:
 411; 373:381; 404:163;
 530:449.
Thamnophis marcianus marcianus
 8:107; 295:221; 465:43.
Thamnophis marcianus
nigrolateris 8:107; 358:
 49.
Thamnophis melanogaster 139:
 229.
Thamnophis melanogaster
canescens 113:195.
Thamnophis proximus 96:467;
 158:385; 159:172; 161:
 137; 247:278; 252:120;
 295:221; 373:381; 413:
 474.
Thamnophis cf *T. proximus*
 222:204.
Thamnophis proximus rutiloris
 299:134.
Thamnophis radix 146:182; 156:
 220.
Thamnophis rufipunctatus 156:
 207; 252:120; 513:244.
Thamnophis sauritus 146:182;
 214:227.
Thamnophis sauritus proximus
 197:105; 465:43.
Thamnophis scalaris 90:173;
 139:229.
Thamnophis sirtalis 136:110;
 146:182; 156:220; 158:
 385; 161:137; 195:515;
 241:275; 252:121.
Thamnophis sirtalis ornata
 489:247; 493:281.
Thamnophis sirtalis parietalis
 420:106.
Thamnophis sirtalis proximus
 44:200.
Thamnophis sirtalis sirtalis
 193:476.
Thamnophis sumichrasti 78:122;
 139:229.
Toluca lineata 90:173; 139:
 229.
Toluca lineata acuta 119:21.
Toluca lineata lineata 119:19.
Toluca lineata varians 119:21.
Tomodactylus 119:19.
Trachemys scripta 236:134;
 237:358; 458:386.
Trimerorachis 117:485.
Trimorphodon biscutatus 90:
 173; 20:321; 90:171;
 185:334; 247:274; 404:
 163; 492:99.
Trimorphodon biscutatus lambda
 251:488.
Trimorphodon biscutatus
vilkinsoni 20:321.
Trimorphodon fasciolata 119:
 23.
Trimorphodon lambda 47:134;
 119:19; 206:42; 119:24;
 206:42; 249:175.
Trimorphodon lambda lambda
 169:186.
Trimorphodon latifascia 119:
 23.
Trimorphodon paucimaculatus
 119:23.
Trimorphodon tau 20:322; 90:
 173; 119:24; 139:229.
Trimorphodon wilkinsoni 123:
 170; 249:175; 358:51.
Trionyx 258a:10.
Trionyx ater 511:715.
Trionyx ferox 146:182; 389:
 459.
Trionyx mutica 146:182.
Trionyx muticus 95:345.
Trionyx muticus muticus 60:
 487; 122:40; 389:459.
Trionyx sinensis 389:459.
Trionyx spinifer emoryi 47:
 132; 595:221.
Trionyx spinifera emoryi
 295:221; 358:38.
Trionyx spiniferus 93:350;
 95:345.
Trionyx spiniferus emoryi 63:
 106; 122:21; 389:459.
Trionyx spiniferus hartwegi
 122:21.
Trionyx steindachneri 389:459.
Trionyx triunguis 389:459.
Tripurion petasatus 1:80; 286:
 155.
Tripurion spatulatus 1:80.
Triturus 506:245.
Triturus viridescens 506:245.
Tropidoclonion lineatum 32:
 201; 214:227; 486:403.
Tropidodipsas fasciata
fasciata 239:124; 290:
 198.


- Tropidodipsas sartori* 139:229.
Tropidodipsas zweifeli 90:173.
Tropidonotus piscator 283:541.
Tropidurus theresiae 419:286.
Typhlomolge rathbuni 12:28;
 23:124; 146:178; 370:170.
Typhlomolge robusta 370:170.
Typhlops 145:229.
Typhlops braminus 282:365.
Typhlops costaricensis 525:
 499.
Typhlotriton spelaeus 143:367;
 146:177; 231:366; 234:
 272.
Uma exsul 326:47.
Uma inornata 107:223; 108:386;
 187:366; 409:103.
Uma notata 107:223; 108:386;
 187:366; 194:523; 409:
 107.
Uma notata notata 424:48.
Uma scoparia 187:366; 424:48.
Urosaurus bicarinatus 90:172;
 247:278.
Urosaurus bicarinatus
anonymorphus 299:130.
Urosaurus bicarinatus
tuberculatus 113:195.
Urosaurus graciosus 83:138;
 194:522; 250:111; 492:99.
Urosaurus linearis 520:27.
Urosaurus ornatus 15:203; 16:
 641; 17:554; 19:377; 24:
 613; 45:304; 83:138; 86:
 123; 123:172; 189:303;
 194:523; 222:206; 250:
 111; 251:489; 353:281;
 356:87; 365:185; 490:308;
 492:99; 537:321.
Urosaurus ornatus chiricahuae
 520:27.
Urosaurus ornatus linearis 25:
 468; 520:25.
Urosaurus ornatus schmidtii 8:
 98; 358:42; 520:27.
Urosaurus ornatus schottii 520:
 25.
Urosaurus ornatus symmetricus
 520:25.
Urosaurus ornatus wrightii 520:
 28.
Uta 22:508; 86:123; 381:117.
Uta graciosus 47:132.
Uta ornata 47:132.
Uta palmeri 457:295.
Uta stansburniana 19:377; 29:
 376; 83:138; 84:192; 116:
 92; 123:173; 126:55; 163:
 312; 169:186; 175:105;
 194:519; 203:146; 222:
 206; 228:608; 250:111;
 251:489; 254:461; 318:10;
 338:410; 339:50; 347:267;
 353:288; 358:51; 384:427;
 387:101; 395:312; 403:
 204; 422:9; 424:47; 429:
 144; 480:189; 491:54;
 537:323.
Uta stansburiana stansburiana
 467:8.
Uta stansburniana stejnegeri
 8:98; 25:468; 169:186;
 216:137; 358:42; 464:195.
Vipera 196:339.
Vipera berus 277:118.
Vipera palestinae 283:548.
Virginia 531:345.
Virginia striatula 96:467;
 159:174; 460:123.
Virginia valeriae 159:172;
 145:229.
Xantusia arizonae 511:715.
Xantusia bolsonae 511:715.
Xantusia henshawi bolsonae
 511:715.
Xantusia riversiana 190:617.
Xantusia vigilis 120:127;
 194:522; 452:45.
Xantusia vigilis extorris
 14:569.
Xenodon 283:538.
Xenodon rabdocephalus 247:274.
Xenopus laevis 322:272; 323:
 499.
Xenosaurus grandis 221:305.
Xenosaurus grandis grandis
 221:305.
Zamensis mucosus 283:541.

640
SG66
REPT

TRANSLATIONS
OF
TWO NEW SPECIES OF AMPHIBIANS IN TIBET
<HUANG & FEI 1981>
AND
DESCRIPTION OF TWO NEW SPECIES OF THE GENUS MEGOPHRYS
<FEI, YE & HUANG 1995>



Translated by
Chun-mei Huang
&
Edited by
Amy Lathrop and Robert W. Murphy
Centre for Biodiversity and Conservation Biology
Royal Ontario Museum



SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 118

1998

SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

INTRODUCTION

Since 1994 we have been collaboratively involved in biodiversity inventories in Vietnam. Our investigations, conducted in association with the Institute of Ecology and Biological Resources (Hanoi) and the Zoological Institute of St. Petersburg (Russia), have led us to understand that the amphibian fauna of Vietnam is poorly known. The most current, comprehensive review of the amphibians of this region was done by BOURRET (1942). Bourret estimated that 82 species of amphibians occurred in Vietnam. However, our recent efforts suggest that this figure grossly underestimates Vietnam's amphibian diversity.

As we work to identify our herpetological collections from Vietnam, it is imperative that we have access to the literature that includes the herpetofauna from regions adjacent to Vietnam. In addition to BOURRET (1942), the reviews of INGER (1954, 1966) on the Philippine Islands and Borneo, respectively, and TAYLOR'S (1958, 1962) reviews of Thailand herpetofauna have been indispensable. However, a great deal of Vietnam's herpetofauna is shared with China. The works of POPE (1931) and LIU (1950) have supplied us with the older descriptions of many Chinese amphibians. Since the mid 1980's much significant work has originated from within China. Several new species have been described and numerous taxonomic accounts and revisions have been given in Chinese. Recently, we began to translate these descriptions, particularly those pertaining to megophryid frogs. The papers are likely to be useful to other biologists, and we present two of these translations herein:

YONG-ZHAO HUANG AND LIANG FEI. 1981. Two new species of amphibians in Tibet. *Acta Zootaxonomica Sinica* 6(2): 211-215.

LIANG FEI, CHANG-YUAN YE AND YONG-ZHAO HUANG. 1992. Description of two new species of the genus *Megophrys*, Pelobatidae (Amphibia: Anura) from China. *Zoological Research* 13(1):5-12.

These articles describe four species of anurans — *Megophrys pachyproctus* HUANG, *Rana conaensis* FEI AND HUANG, *Megophrys glandulosa* FEI, YE AND HUANG, and *Megophrys mangshanensis* FEI AND YE — from southern and western China.

Literal translations of text from Chinese to English often creates long, complex sentences. We have endeavored to maintain as literal a translation as possible, but without compromising English grammar. Consequently, some Chinese sentences have become multiple English sentences.

ACKNOWLEDGMENTS

Translation of these articles was funded by the Natural Sciences and Engineering Research Council (NSERC) grant A3148 to R.W. Murphy. This SHIS publication is contribution 85 from the Centre for Biodiversity and Conservation Biology, Royal Ontario Museum. The figures were scanned from the original publication and the gray background was removed using Adobe PhotoShop.

- BOURRET, R. 1941 Les batraciens de l'Indochine. Indochine: Institut Océanographique de l'Indochine, 1–517.
- LIU, C. C. 1950 Amphibians of western China. Fieldiana, Zool. Mem. 2, 1–400.
- POPE, C. H. 1931 Notes on the amphibians from Fukien, Hainan, and other parts of China. Bull. Amer. Mus. Nat. Hist. 61, 397–611.
- TAYLOR, E. H. 1962 The amphibian fauna of Thailand. Univ. Kansas Sci. Bull. 43, 265–599.
- TAYLOR, E. H. & ELBEL, R. E. 1958 Contribution to the herpetology of Thailand. Univ. Kansas Sci. Bull. 38, 1033–1189.

Two New Species of Amphibians in Tibet

Yong-zhao Huang

(Northwest Plateau Institute of Biology, Academia Sinica)

Liang Fei

(Chengdu Institute of Biology, Academia Sinica)

In May and June of 1977, based on the initial survey of the amphibians of Tibet in 1973, the Northwest Institute of Biology, Academia Sinica, once again, went to Yadong, Chuona, Motuo in the south part of Tibet for an important survey. We also made short visits to Rikaze, Langxian, Linzi, Bomi, Mangkang, and other places. We found two new species. Type specimens are kept separately in the Northwest Plateau Institute of Biology, Academia Sinica, and the Chengdu Institute of Biology, Academia Sinica.

New species: *Megophrys pachyproctus* Huang, sp. nov.

Type species: Holotype ♂ (No. 770650), Allotype ♀ (No. 770652) and Paratype 1 ♂ (No. 770651), all collected on July 28, 1977 in Gelin, Motuo County, Tibet at an elevation of 1530m by Huang Yongzhao.

Diagnostic Characters: This new species is very similar to *Megophrys minor* Stejneger. The main differences are: the new species bears a vomerine ridge, lower part is swollen and bears thin teeth; the posterior end of the body of the male protrudes a slight bit and has an arc-shaped swelling. However, *M. minor* does not bear vomerine teeth, the posterior body of male does not have an arc-shaped swelling. Compared with *M. omeimontis*, body shape of adult new species is distinctly smaller.




Figure 1. *Megophrys pachyproctus* #770650 ♂

M. pachyproctus

Gelin, Motuo, Tibet

Character	Holotype specimen 770650	2 ♂♂	1 ♀	Character	Holotype specimen 770650	2 ♂♂	1 ♀
Body length	35.3	35.3–36.2 35.8	35.8	Forearm and hand length	17.9	17.9–18.4 18.2 50.8%	18.7 52.2%
Head length	12.5	12.5–13 12.8 35.8%	12.5 34.6%	Forearm width	2.7	2.5–2.7 2.6 7.3%	2.4 6.7%
Head width	12.4	12.4–12.8 12.6 35.2%	12.9 36%	Hand length	9.9	9.9–10.1 10 27.9%	10.4 29.1
Snout length	4.8	4.7–4.8 4.75 13.4%	4.5 12.6%	Sotal length of leg	55.5	55.5–60 57.8 161.5%	60 167.6%
Internasal space	4	4 11.2%	3.9 10.9%	Tibia length	17.1	17.1–17.8 17.5 48.9%	17.8 49.3%
Interorbital space	4	4 11.2%	4.3 12%	Tibia width	4.8	4.3–4.8 4.6 12.8%	4.2 11.7%
Eyelid width	3.5	3.5–3.8 3.7 10.3%	3.2 8.9%	Tarsus and foot length	25.6	25.6–27 26.3 73.5%	27.5 26.8%
Diameter of eye	4.9	4.8–4.9 4.85 13.7%	4.7 13.1%	Foot length	16.8	16.8–17 16.9 47.2%	17.4 48.4%
Tympanum	1.7	1.7 4.7%	1.7 4.7%				

Note: Measurements are in mm, percentages are the comparison of each part with body length.




Figure 2. *Megophrys pachyproctus* showing anal region

Description of morphology: Body length of male 35.3–36 mm; head flattened, length and width nearly equal; snout tip bluntly rounded, shield like, distinctly protruding over lower lip, dorsal part of snout region concave; canthus rostralis very distinct, loreal region vertical and cheek surface concave; nostrils not easily seen in dorsal view, they are in the middle of snout and eyes; internasal space equal with interorbital space but a little larger than upper eyelid width; pupils vertical; tympanum oval, far away from eyes, about same distance as diameter of tympanum; two slanting vomerine ridges, posterior end swollen, bearing teeth, right and left not in contact; posterior end of tongue rounded, weakly notched.

Forearm narrow; finger tips rounded; no web between fingers; fingers long and narrow, digital formula: 3,4,2,1, first and second fingers nearly equal in length; no subarticular tubercles; inner metacarpal tubercles flattened but not very distinct. Hindlimb long, tibio-tarsal articulation reaches anterior to eye, right and left heels slightly overlapping, tibia length does not reach half of body length; toe tips rounded; no lateral fringes on toes, no web between toes; toes long and narrow, third slightly longer than fifth toe; no subarticular tubercles; at the base of the first toe is a swollen-like tubercle; inner metatarsal tubercles flattened, no outer metatarsal tubercles.

Skin rough, dorsal body and four limbs all bear small light red warts both in rows and sparse, warts on middle of posterior dorsal occipital region "X"-shaped; longitudinal skin ridge from posterior supratympanic fold to hip with light red warts on it; skin folds at upper eyelid with many distinct folds; supratympanic fold obtusely angled, the part inclined to shoulder is thicker, warts also appear on folds; posterior end of the body of male protrudes slightly and appears as an arc-shaped swelling, then inclines to ventral body and reaches anal region. Dissected view: formed by a mass of adipose tissue under protruding skin, posterior of female does not have arc-shaped swelling. A few small round warts appear on lateral body and dorsal part of four limbs, femur and tibia are typical; a pair of light colored white glands appear on lateral chest; a pair of posterior femur glands present.

In life, dorsal body brownish yellow or dark brown; triangular dark marking edged with lighter color appear between the eyes; color along warts darker; upper lip edge bears light alternating with dark longitudinal stripes, one below eyes larger; color below supratympanic fold darker; 2–4 dark transverse stripes on forearms, and 4–5 on either side of femur and tibia; grayish brown or black-brown around vent, dorsally it is edged

with grayish white narrow stripe; pelvis, both anterior and posterior femur and anterior part of ventral femur are all orange-red colored; finger and toe tips light red; tarsal, metatarsal and ventral toes grayish brown or black-brown; many grayish black spots scattered on lateral body and whole ventral body, a grayish black short longitudinal stripe in the middle of throat region is distinct; small milky white spots along lower lip edge. Color marking on dorsal and ventral body in female are lighter than in male.

Secondary sex characters: first finger of male bears gray nuptial pad, with dense nuptial spines on it; internal single subgular vocal sac exists, opening of vocal sac small and interrupted; posterior body has swelling which protrudes a little bit and arc-like; no lineae musculinae.

Ecology: On a rainy night of July 28, 1977, in the forest about 1500m above sea level, following the call that was a continuous “gazhi—gazhi—gazhi—……”, two male *Megophrys* were collected in the bushes and branches of shrubs; a female was collected beside road which was not far away from a flowing ditch.

New species *Rana conaensis* Fei et Huang, sp. nov.

Rana liebigii Herpetology Research Section, Sichuan Institute of Biology, 1977, Acta Zoologica Sinica, 23(1):56–57. (specimen from Chuona)

Type specimen: Holotype ♂ (No. 770531, collected on June 30, 1977 in Mama, Chuona County, Tibet at the elevation 2900m, by Huang Yongzhao), allotype ♀ (No. 770532, collected at the same time and same place with holotype), paratype (22♂♂, 8 ♀♀, 26 juveniles, ova and tadpoles, collected on June 24–30, 1977 in Mama, Chuona County, Tibet, at the elevation of 2900–3400m, Northwest Institute of Biology. 2 ♂♂, 1 ♀, 3 juveniles and tadpoles, collected on August 7 in Mama, Chuona County, Tibet at the elevation of 2900m, Chengdu Institute of Biology¹)

Diagnostic Characters: The new species is similar to *Rana liebigii* Guenther. Body size of new species is small, the largest body length of adult frog is not greater than 70mm, no dorsolateral fold; skin on both sides of anal region forms a slight “^”-shaped air-filled sac, very distinct; internal arm of male frog does not bear cone-shaped black spines. Body size of *Rana liebigii* large, the greatest body length of an adult frog is more than 100mm; dorsolateral fold exists; skin on anal region does not bear air-filled sac; inner arm of male bears cone-shaped black spines.

Description of morphology: Average body length is 58mm in males, 55mm in females; head width slightly larger than head length, snout tip bluntly rounded, protruding

¹ * In 1977, two ♂♂, one ♀, three juveniles collected by Mr. Wenxuan Chao of Fishery Institute of Biology, Academia Sinica in Mama, Chuona County on August 7, 1974, were regarded as *Rana liebigii*. Now after obtaining more of the same species, we think they should be this new species, *Rana conaensis*.

over mandible; canthus rostralis not distinct, loreal region inclines outward; nostrils slightly closer to eyes, internasal space larger than interorbital space or upper eyelid width; pupils rounded; tympanum hidden; vomerine teeth in two short rows, slanting from choanae to mid-line, rows closer together posteriorly; large tongue, deeply notched at posterior end.

Forearm and hand length do not reach half of body length; finger tips ball-like, formula 3,4,1,2, first and second fingers nearly equal in length, slight lateral fringes on fingers; subarticular tubercles near tips of fingers distinct; three metacarpal tubercles, inner metacarpal tubercles big and oval shape, outer metacarpal tubercles small, narrow and long, hindlimb thick and strong, tibio-tarsal articulation extends anterior to eyes or nostrils, right and left heels overlap; tibia length larger than half of body length, tibia and foot almost same length; comparisons between toes and fingers, third and fifth toe almost same length; completely webbed between toes, first and fifth toe have very distinct lateral fringes, fringes over half the length of the web; subarticular tubercles distinct; inner metatarsal tubercles long oval shape, no outer metatarsal tubercles; no tarsal fold.



Figure 3. *Rana conaensis* ♂ No. 770531



Figure 4. *Rana conaensis* showing anal region




Figure 5. Tadpole of *Rana conaensis* showing air-filled sac.




Figure 6. Mouth region of a tadpole of *Rana conaensis*

Skin smooth, small round warts or long warts sparse on dorsum and lateral body, dense on posterior body; no dorsolateral fold, only broken longitudinal rows of skin ridges on both sides of anterior dorsal body; granules scattered on warts or among skin ridges and on lateral head, dorsal part of four limbs, warts or granules all bear black spines or light spiny marks; horizontal skin groove between posterior corners of eyes; supratympanic fold distinct. Skin on anal region at posterior part of body in male loose, it forms a slight “^”-shaped sac from dorsum to anus to posterior base of thigh, very distinct, but not as distinct in females compared to that of males, absent in juveniles. Skin on ventral body smooth, two bunches of cone-shaped black spines on lateral chest of male, after black spines fall off, only two bunches of light fleshy tubercles remain; small spiny warts scattered on posterior part below tarsal and metatarsals.

In life, dorsal body of adult olive-brown, dark brown or grayish brown; black transverse stripe on anterior edge of transverse groove between eyes; three longitudinal rows of black-brown, small and big spots on dorsal body, generally linked to form three faint longitudinal stripes from posterior eyes along dorsal midline and both sides of body directly to posterior part of body; black-brown stripe starts on canthus rostralis through the eyes to the level below supratympanic fold; dark irregular stripes on both upper and lower lip edges; grayish brown spots on lateral body; dark transverse stripes on forelimbs mostly irregular; broken markings mostly appear on posterior thigh, some are not very clear. Ventral body grayish white or milky white, grayish brown or dark brown spots densely scattered on throat, chest and lateral belly, spots on posterior part of ventral

body and upper ventral thigh are few or none. Dorsal body of juveniles mostly olive-green, three longitudinal stripes on dorsal body very distinct; dorsal part of forelimbs olive-brown or grayish brown, transverse stripes on forelimbs very distinct; as size increases, green color on dorsal body will eventually decrease till reaching color of adult.

Secondary Sex Characters: Forelimb thick and strong, first and second fingers bear black cone-shaped nuptial spines, inner side of third finger also bears several nuptial spines in a few specimens, two bunches of black cone-shaped spiny warts on lateral side of chest; internal single subgular vocal sac exists, opening of vocal sac is a slit and interrupted; linea musculinae exists on lateral body.

Eggs: Diameter of eggs is 3–3.5mm, animal pole brownish gray, vegetable pole milky yellow; two layers of gelatinous membrane are outside of eggs, outer layer thick and very sticky.

Tadpoles: In life, dorsal body olive-brown or dark brown, dorsal part of musculus caudalis bears 3–5 dark transverse stripes or spots, color of caudal fin slightly lighter, dark brown spots densely scattered on caudal fin. Ventral body light colored, liver and intestine can be seen. When hindlimb bud is 3.4–7mm long, total body length is about 65mm, snout rounded, eyes dorsolaterally on head; spiracle on left side of body slanting to posterior upper level, does not form a free tube; skin on posterior lateral body loose, forming a slight air-filled sac; anus slants open on right side below base of tail; musculus caudalis well developed, caudal fin low, posterior tip bluntly rounded; mouth on ventral side of snout, about 5mm wide, lip wide, no papillae in middle part of upper lip, two rows of papillae on both sides of upper lip, widely separated from each other, external row of papillae small and dense, internal row big and sparse, near labial teeth; some bear 3–5 additional papillae; labial tooth formula often II: 3-3 / II: 1-1, individual II: 4-4 / II: 1-1 or II: 3-3/III. In addition, color of small tadpoles in life with an average 23mm body length is brownish gray on dorsum; milky yellow on venter; milky yellow on musculus caudalis, also; caudal fin light with sparse gray tiny spots, two rows of papillae on corner of mouth and mandible, widely separate; labial teeth formula often II: 2-2 / II: 1-1, some I: 3-3 / II: 1-1 or II: 3-3/ II: 1-1. When tail length of tadpole in metamorphosis is 8–14mm, body length is 19–23.2mm, essentially having adult frog characteristics, warts or skin ridges on dorsal body starts to show, transverse stripes on forelimbs are more regular and clearer than adults.

Ecology: This species often rests in small streams, spring runs and nearby water puddles at an elevation of 2850–3400m, mostly hidden under rocks, fallen trees beside streams or under roots beside ditches, occasionally stays on rocks beside the bank or among bushes, when scared, jumps into water immediately and escapes, very hard to catch. Eggs either single or several linked together and stuck unevenly on fallen trees or under rocks in shallow water. Tadpoles move around either in the cracks of rocks or under stones in small slow moving streams, or among aquatic plants beside spring water or slow areas under the tree roots.

Rana conaensis

Mama, Chuona Tibet

Character	Holotype specimen 770531	20♂♂	9♀♀	Character	Holotype specimen 770531	20♂♂	9♀♀
Body length	57.6	43.5–69 58	46.1–68.4 55.2	Forearm and hand length	26.2	21.2–33.5 27.6 47.6%	21.7–27.6 24.3 44%
Head length	18.3	15–22 18.8 32.4%	15.2–21 17.8 32.2%	Forearm width	9.5	5.2–12.3 9.4 16.2%	4.3–6.5 5.4 9.8%
Head width	20.8	16–24 20.2 34.8%	16.6–23.7 19.5 35.3%	Hand width	15.9	13.3–20.5 17.2 29.7%	13.5–17.2 15.1 27.4%
Snout length	8.3	6.4–9.3 8.2 14.1%	6.9–9 7.8 14.1%	Total length of leg	102	75–132 103.6 178.6%	80–107 92.6 167.8%
Internasal space	6.4	4.7–7 6.1 10.5%	5–6.5 5.7 10.3%	Tibia length	31.5	24.5–40.7 32.2 55.5%	25.4–33.3 29.2 52.9%
Interorbital space	4	3.6–5 4.4 7.5%	3.5–4.2 3.9 7.1%	Tibia width	8.5	6.8–12.1 10.2 17.6%	7.4–10 8.6 15.6%
Eyelid width	4.7	3.3–5.4 4.7 8.1%	4–5.2 4.5 8.2%	Tarsal and foot length	46	34.4–58.3 46.2 79.7%	35.7–47 41.6 75.4%
Diameter of eye	6.3	5.2–7.5 6.3 10.9%	5.3–8 6.2 11.2%	Foot length	31	23.5–39.5 31.4 54.1%	24.4–31.7 28.1 50.9%

10 tadpoles of *Rana conaensi*

Mama, Chuona, Tibet

Total body length	59.3–70.4 64.4	Snout to spiracle	12–14 13 59.6%	Tail height	10–11.2 10.6 48.6%
Head and body length	20.4–23 21.8	Interorbital space	4.6–5.2 4.9 22.5%	Musculus caudalis width	5.6–6.8 6.3 28.9
Body height	10–11.2 10.6 48.6%	Mouth width	4.3–5.2 5 22.9%	Hindlimb	3.4–7 4.9 22.5%
Body width	13–14.5 13.4 61.5%	Tail length	38.5–48.2 42.6 195.4%		

References

- Herpetology Research Section, Sichuan Institute of Biology 1977, Initial Survey Report of Amphibians in Tibet. Acta Zoological Sinica. 23 (1): 54–61. [In Chinese]
- Herpetology Research Section, Sichuan Institute of Biology 1977, Systematic Keys to Chinese Amphibians 16–86. Science Publishing House. [In Chinese]
- Liu, Chengzhao (C.C.), Shuqin Hu 1961, Tailless Amphibians of China 1–364. Science Publishing House. [In Chinese]
- Annandale, N. 1912 Zoological results of the Abor Expedition 1911–1912. 1. Batrachia. Rec. Ind. Mus. 8: 7–36.
- Boulenger, G. A. 1920 A monograph of the South Asian, Papuan, Melanesian and Australian frogs of the Genus *Rana*. Rec. Ind. Mus. 20: 1–266.
- Smith, M. A. 1924 New tree frogs from Indo-China and the Malay Peninsula. Proc. Zool. Soc. London, 15: 225–234.
- Smith, M. A. 1951 On a collection of Amphibians and Reptiles from Nepal. Ann. Mag. Nat. Hist. 12 (4): 726–728.
- Smith, M. A. et J. C. Battersby 1953 On a collection of Amphibians and Reptiles from Nepal. Ann. Mag. Nat. Hist. 12 (6): 702–704.
- Swan, L. W. 1962 The Herpetology of Nepal: a History, Check-list, and Zoogeographical analysis of the Herpetofauna. Proc. California Acad. Sci. 32 (6): 103–147.

Description of two new species of the Genus *Megophrys*, Pelobatidae (Amphibia: Anura) from China

Liang Fei, Chang-yuan Ye

(Chengdu Institute of Biology, Academia Sinica 610015)

Yong-zhao Huang

(Chongqing Museum of Natural History, Sichuan 630700)

Abstract: In 1975 and 1987, two species of *Megophrys* were collected separately in Yizhang, Hunan and Jingdong, Yunnan. Afterwards, we compared them to existing species of *Megophrys*, especially to the similar species *M. lateralis* (Anderson) using external morphology and characters of the skull. We found they were greatly different, so we regard them as two new species, *M. mangshanensis* and *M. glandulosa*. This article gives a description of the morphology and ecology of these two new species.

Key words: Amphibia, Pelobatidae, *Megophrys mangshanensis* new species, *M. glandulosa* new species, systematics.

During our expeditions to Yizhang, Hunan in 1975, and Jingdong, Yunnan in 1987, we found two types of species of *Megophrys*, Pelobatidae. After a comparison of these species to existing species of the genus, we found their body sizes, shapes, and morphological characters to be very close to *M. lateralis*. After further studies of these three similar species using their external morphology and the characters of skull, we found them distinctly different (please see Table 1, figure 1–4 and Liu, 1961). Therefore, we believe the two specimens collected from Jingdong, Yunnan and Mangshan, Hunan are new species and we name them as *M. glandulosa* and *M. mangshanensis*.

Type specimens are all kept in Chengdu Institute of Biology, Academia Sinica.

Now the description of the morphology and ecology are recorded as follows:

***Megophrys glandulosa* Fei, Ye et Huang, new species**

Holotype: No. 873112, adult male; Wuliang Shan, Jingdong, Yunnan Province. elevation 1900m, collected on March 29, 1987 by Fei Liang.

Allotype: No.873201, adult female; Wuliang Shan, Jingdong, Yunnan Province. elevation 2100m; collected on May 2, 1975.

Paratype: 25 ♂♂, 2 ♀, collected in the same place as the holotype, elevation 1900–2100m; collected on March 29–30, 1987 by Fei Liang, Huang Yongzhao, Luo Jiarui.

Diagnostic characters: the main distinguishing differences of this new species from the similar species *M. lateralis* (Anderson) are: snout pointed; big swollen bean-like gland at the posterior part of supratympanic fold; many large warts on side of body; toes with wide fringes; numerous large, dark spots on posterior part of belly and ventral part of thighs; nasals in contact with sphenethmoid; squamosal separated from frontoparietal, prootic on dorsal part entering the orbit. In comparison, in *M. lateralis*; snout short and rounded; no bean-like gland on posterior part of supratympanic fold; small warts on side of body; toes with narrow fringes; no spots on posterior part of belly and ventral part of thighs; nasal not in contact with sphenethmoid; squamosal in contact with frontoparietal, prootic on dorsal part not entering the orbit.

Description of morphology: male body length 76.3–81mm, female 76.5–99.5mm. head flattened, head width slightly larger than head length, snout shield-like, narrow and pointed, obviously extending over mandible; canthus rostralis very distinct, loreal region almost vertical, slightly concave; tympanum distinct; large tongue, pear-shaped, posterior end slightly notched; vomerine ridge very distinct, inclined medially, 3–4 teeth at end of ridge.

Finger tips ball-like, second finger shorter than first and fourth fingers; no subarticular tubercles, inner metacarpal slightly distinct. Hindlimb long, tibio-tarsal articulation extends anterior to nostril up to tip of snout, right and left heels overlapping, tibia length greater than half of body length; finger tip and toe tip same; third toe slightly longer than fifth toe; toe with very wide fringe (narrow in female), base of toes with rudimentary web; no subarticular tubercles, inner metatarsal tubercles flatten, a little distinct, no outer metatarsal tubercles.

Dorsal skin smooth, more small warts on head and shoulder, less on anterior part of dorsal body, big granules between shoulders forms narrow skin ridge in the shape of a "V"; several distinct small granules on posterior body; both sides of body bear a longitudinal skin ridge formed by small warts. Big warts on lateral body, roughly over ten on each side, small warts dispersed among them; external fringe of upper eyelid bears a undistinguished horn; supratympanic fold long, straight and flat anteriorly, curving over the tympanum extending to the shoulder, and gradually expanded, terminating in a bean-like gland; upper and lower lip margins, temporal region, and tympanum all bear a few small tubercles; edge of upper lip bears small saw tooth-like papillae; dorsal part of fore limbs bear a few small tubercles. Entire ventral skin smooth, a pair of axillary glands located on the chest laterally, very small, distinctly smaller than width of finger tip; round warts at posterior femur are very obvious; femoral gland round, larger than width of toe tip.

Secondary sex characteristics: male has brown black nuptial pads on first and second fingers, and an internal single subgular vocal sac, opening of vocal sac is long and interrupted.

Table 1. Comparison in morphological characters of three closely-related species of *Megophrys*




Species		<i>M. glandulosa</i>	<i>M. mangshanensis</i>	<i>M. lateralis</i>
Location		Jingdong, Yunnan	Mangshan, Hunan	Mengyang, Yunnan
Elevation		1900–2100m	1000m	700m
Head bones	anterior end of ethmoid cartilage	sharp	round	round
	right and left nasals	in contact	separate	in contact
	nasal and sphenethmoid	overlapping	overlapping	separate
	squamosal and frontoparietal	wide separate	in contact	in contact
	prootic	entering the orbit	not entering the orbit	not entering the orbit
External characters	snout region	narrow and sharp	wide and round	wide and round
	posterior part of supratympanic fold	expand to be bean-like	not bean-like	not bean-like
	warts on dorsal body	big and dense	small and sparse	small and sparse
	fringes on side of toe	very wide	none	narrow
	web between toes	rudimentary web	no web	rudimentary web
	patterns on dorsal body			
	stripe of upper lip margin	1	2	1
	throat region	light colored, black spots on both sides of throat	dark colored, no spots on both sides of throat	light colored, dark stripes on both sides of throat
	ventral body and ventral side of thigh	dark spots	no spot	no spot

Table 2. Measurements of *Megophrys glandulosa*

	Holotype ♂	10 ♂♂	3 ♀♀		Holotype ♂	10 ♂♂	3 ♀♀
Body length	78.4	76.3–81.0 78.2	76.5–99.5 87.0	Forearm and hand length	37.0	34.6–38.0 36.4 46.5%	34.6–43.9 40.0 46.0%
Head length	28.6	27.7–30.5 28.8 36.8%	28.7–32.6 30.1 34.0%	Forearm width	6.8	6.5–9.4 7.6 9.7%	5.6–9.0 7.7 8.9%
Head width	29.5	28.2–31.1 29.4 37.6%	30.5–35.2 32.1 36.9%	Hand width	21.6	20.5–23.0 22.0 28.0%	20.4–21.3 20.7 24.0%
Snout length	10.8	9.3–11.0 10.3 13.2%	10.2–12.1 11.1 12.8%	Total length of leg	142.0	130.0–146.0 139.6 178.5%	137.0–161.0 146.3 168.2%
Interorbital space	8.8	7.0–9.5 8.0 10.2%	8.2–9.4 8.9 10.2%	Tibia length	46.8	43.9–47.3 46.0 58.5%	42.3–49.8 47.1 54.1%
Eyelid width	7.0	6.5–7.6 7.0 9.0%	7.0–8.2 7.4 8.5%	Tarsal and foot length	61.2	57.8–64.3 62.0 79.3%	57.6–71.5 64.6 75.1%
Diameter of eye	10.0	9.7–10.8 10.3 13.2%	9.0–10.7 9.8 11.3%	Foot length	40.6	38.8–43.2 41.2 52.7%	39.0–47.2 44.1 50.7%

Note: Measurements in mm, percentages are comparisons with body length.

In life, dorsal body dark brown or brownish gray, brownish black triangular spot appears between eyes, patterns vary tremendously in the middle of dorsum, most often "V"-shaped spot outlined with light colored stripe, on top of shoulder; irregular spots generally on posterior part of dorsum; dorsolateral, longitudinal skin ridge on dorsum dark brown; yellowish white color on top of supratympanic fold, black-brown color on canthus rostralis and below supratympanic fold; a yellowish white longitudinal stripe on upper lip region from nostril to posterior part of angle of jaw; large warts on dorsal body mostly are either bright yellow or part black and part yellow; warts on posterior femur and femoral gland are both bright yellow. Gray, tiny spots show on throat, edge of mandible bears light yellow spots, either side of throat bears an arc-shaped white narrow stripe, external side of stripe appears dark reddish brownish black and extends to anterior shoulder, which forms bilateral symmetrical big spots; yellowish white color on ventral body and ventral part of thigh region,

region, scattered densely with dark spots; internal part of forelimb and dorsal part of fingers bear very distinct dark spots; dorsal hindlimb brownish gray, bears 3–4 dark brown transverse stripes; color on dorsal part of limbs are dark, and gradually changes to a lighter color ventrally, ventral parts of metacarpals and metatarsals grayish black, color on ventral part of fingers and toes tips are light.

Characters of skull: Based on skulls of three male specimens No. 873063, 873065 and 873071 and one female specimen No. 873068, premaxilla almost vertical, alary process of premaxilla slightly inclined forward; anterior part of ethmoid cartilage narrow and sharp; right and left nasals in contact at the mid-line, nasal and sphenethmoid overlap, not in contact with frontoparietal, sphenethmoid enters orbit on dorsal part; squamosal not in contact with frontoparietal, prootic enters orbit dorsally.

Ecological data: This frog lives in the mountain areas in coniferous and broad-leaf mixed forests at elevations of 1900–2100m. They occur in slowly flowing streams with bushes and grass growing on both sides of the banks. The water is very clear and there are many rocks in the water. This frog makes a continuous “xia, xia, xia, ……” sound in the afternoon and evening in March and April, making more sounds in the evening. It is very easy to collect them in the evening. In a female collected during the end of March, mature eggs in the belly had entered the fallopian tubes, and the eggs appear milky-yellow in color. The diameter of the eggs is about 2.3mm, with a total 954 eggs (left side 465, right side 489). Females collected in the early May do not have mature eggs in their bellies. Based on the gravid females collected, this species of frog may have its breeding season in April.




Figure 1. Foot characteristics of three similar species of *Megophrys* (ventral view)
1. *M. glandulosa* ♂ 2. *M. mangshanensis* ♂ 3. *M. lateralis* ♂ (Copied from Liu and Hu, 1961).




Figure 2. Skull characteristics of three similar species of *Megophrys* (dorsal view)

A. *M. glandulosa* ♂ B. *M. mangshanensis* ♂ C. *M. lateralis* ♀

1. alary process of premaxilla; 2. ethmoidcartilage; 3. nasal; 4. sphenethnoid; 5. frontoparietal; 6. squamosum; 7. prootic.




Figure 3. *M. glandulosa* ♂;




Figure 4. *M. mangshanensis* ♂.

Megophrys mangshanensis Fei et Ye, new species

Holotype: No. 75 I 0689, adult female; collected in Mangshan, Yizhang County, Hunan province at 1000m elevation on June 10, 1975.

Allotype: No. 75 I 0907, adult male; collected in the same place as holotype on June 25, 1975.

Diagnostic characters: The main distinguishing differences of this new species from its similar species *M. lateralis* (Anderson) are: no lateral fringes on toes and no webbing between toes; a very distinct dark spot on mid-dorsal body, "X"-shaped, connects anteriorly with triangular spot on head; nasals are far separated from each other; nasals in contact with frontoparietal and sphenethmoid, from dorsal view, sphenethmoid does not enter the orbit. In contrast, *M. lateralis* has lateral fringes on toes; webbing basal; dark spot on mid-dorsal body "Y"-shaped, not in contact with triangular spot on head; nasals in contact with each other, but not in contact with frontoparietal or sphenethmoid, from dorsal view, sphenethmoid enters the orbit.

Morphological description: body length of holotype, adult female, is 73mm, allotype male is 62.5mm; head flattened; snout tip shield-like, short and round, clearly extends over mandible; canthus rostralis very distinct, loreal region vertical and concave; tympanum clear; tongue pear-shaped; posterior end weakly notched; vomerine ridge very distinct, its posterior end large, bearing 3–4 teeth.

Finger tips ball-like, second finger shorter than first and fourth fingers; no subarticular tubercles, inner metacarpal tubercles weakly distinct. Hindlimb short, tibio-tarsal articulation reaches eye; right and left heels overlap, tibia length over half of body length, toe tips ball-like, third toe longer than fifth toe, no lateral fringes on toes, no webbing between toes (rudimentary web between metatarsals); no subarticular tubercles, inner metacarpal tubercle flattened, slightly distinct, no outer metatarsal tubercle.

Dorsal skin smooth, "V"-shaped narrow ridge formed by thin warts on posterior part of head are not very distinct, either side of dorsal body bears a longitudinal skin ridge formed by small warts, many small white spiny warts on posterior body; warts on both sides of body smaller. A small horn on upper eyelid; upper lip margin bears saw tooth-like papillae; supratympanic fold long, curving over tympanum to shoulder (it is more straight and flattened in males compared to females), its hind part a little thicker, no bean-like gland; white warts on temporal region. Dorsal body of hindlimb smooth, a few warts appear on posterior thigh. A pair of axillary glands and femoral glands, about equal to width of finger tip and toe tip.

Secondary sex characters: first and second fingers of males bear brown nuptial pads, internal single subgular vocal sac exists, opening of vocal sac long and interrupted.

In life, dorsal head yellowish green, body color changes gradually from yellowish green to purplish gray from anterior body to top of vent; dark reddish brown triangular marking appears between eyes, center of marking light green, its hind edge mixes with anterior part of "X"-shaped marking. The "X"-shaped marking on mid-dorsal body and longitudinal skin ridge on lateral body are all purple color; both sides of posterior part of markings are in contact with longitudinal stripes on lateral body; all edges of these marking and stripes are outlined with orange-yellow narrow lines. Color from canthus rostralis to lower part of supratympanic fold are purple-red; upper lip edge dark red, bearing two yellowish white markings, one below loreal region, another narrow and long stripe starts from below eye to a level below tympanum. Lateral body light purple, warty region grayish white, a broken light purple-gray longitudinal stripe appears from posterior axilla to middle part of sides of the belly, either distinct or indistinct. Dark purple color on throat and chest, dispersed with orange-red, milky white and yellowish green small spots; ginger-yellow color on both posterior belly and ventral part of thigh, with orange-red, black-gray small spots scattered around. Dorsal parts of forelimbs are purple-gray bearing indistinct purple-black narrow transverse stripe, colors changes from dorsum being purple-black becoming lighter on the belly; dark purple at posterior part of thigh, bearing sparsely black and milky white spots; ventral parts of fingers and toes grayish white.

Table 3: Measurement of *M. mangshanensis*

	Holotype ♀	Allotype ♂		Holotype ♀	Allotype ♂
Body length	73.0	62.5	Forearm and hand length	33.6 46.0%	26.3 42.1%
Head length	27.3 37.4%	22.1 35.4%	Forearm width	5.4 7.4%	5.4 8.6%
Head width	28.4 38.9%	22.0 35.2%	Hand length	18.9 25.9%	16.3 26.1%
Snout length	10.0 13.7%	7.5 12.0%	Total length of leg	118.0 161.6%	99.0 158.4%
Interorbital space	8.9 12.2%	7.7 12.3%	Tibial length	39.7 54.4%	32.4 51.8%
Eyelid width	7.2 9.9%	5.8 9.3%	Tarsal and foot length	53.2 72.9%	43.0 68.8%
Diameter of eye	9.6 13.2%	8.0 12.8%	Feet length	33.6 46.0%	27.7 44.3%


Skull characters: Based on the skull morphology of a female specimen 75 I 0689 and male specimen 75 I 0907, premaxilla inclined forward, from ventral view, alary process of premaxilla large; anterior part of ethmoid cartilage wide and round; right and left nasals far separated from each other, but in contact with the sphenethmoid and frontoparietal bones; from dorsal view, sphenethmoid does not enter the orbit; center of frontoparietal weakly ossified (75 I 0689) or not ossified (75 I 0907); squamosal and frontoparietal bone in contact (or fused), prootic does not enter the orbit from dorsal part.

Ecological data: This species of frogs lives either in streams of evergreen broad-leaf areas or in rich vegetated forests at about 1000m. Fallen leaves below the trees are thick, and streams are very clear; many small and big rocks occur in the streams. In middle and late June, this frog hides under fallen leaves on the roadside slopes about 20–30m from streams.

References

- Sichuan Institute of Biology. 1976. Survey report of amphibians in Mangshen, Yizhang, Hunan Province. Materials for Herpetological Research, 3: 24–26. [In Chinese].
- Sichuan Institute of Biology. 1977. Systematic Keys to Chinese Amphibians. 1–93 Science Publishing House. [In Chinese].
- Liu Cheng-zhao, Shuqin Hu. 1961. Tailless Amphibians of China. 1–364 Science Publishing House. [In Chinese].
- Anderson, J. 1871. [*sic* A list of the reptilian accessions to the Indian Museum, Calcutta, from 1865–1870, with a description of some new species.] Jour. Asiat. Soc. Bengal, 40: 29 [*sic* 12–39].
- Boulenger, G. A. 1855. Description of a new frog of genus *Megalophrys*. Proc. Zool. Soc., 850, pl. LV.
- Boulenger, G.A. 1908. A revision of the Oriental pelobatid batrachians (genus *Megalophrys*). Proc. Zool. Soc. London, 407–430.
- Liu, C. C. 1950. Amphibians of Western China. Fieldiana: Zool. Mem., 2:1–400.
- Mell, R. 1922. Beiträge zur Fauna Sinica I. Die vertebraten Südchinas: Reptilien und Batrachier, Arch. Naturg. Berlin, 88A, (10): 128–134.
- Pope, C. H. 1931. Notes on amphibians from Fukien, Hainan and other parts of China. Bull. Amer. Mus. Nat. Hist., 61(8): 397–611.
- Pope, C. H. and A. M. Boring. 1940. A survey of Chinese Amphibia. Peking Nat. Hist. Bull., 15(1): 13–36.

**BIBLIOGRAPHY AND SCIENTIFIC NAME INDEX
TO AMPHIBIANS AND REPTILES IN THE
PROCEEDINGS AND TRANSACTIONS OF THE TEXAS ACADEMY
OF SCIENCE, VOLUME 1-30 (1892-1948),
SPECIAL PUBLICATIONS OF THE TEXAS ACADEMY
OF SCIENCE, 2 EDITIONS (1936-1938), AND THE
TEXAS JOURNAL OF SCIENCE, VOLUMES 1-45 (1949-1993)**



**Ernest A. Liner
Houma, Louisiana**

**SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 119**

1998

SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

INTRODUCTION

The present bibliography consists of all the papers, abstracts and reviews that have appeared in the *Proceedings and Transactions of the Texas Academy of Science*, Volumes 1-30, 1892-1948, *Special Publications of the Texas Academy of Science*, 2 editions, 1936-1938, and the *Texas Journal of Science*, Volumes 1-45, 1949-1993 concerning amphibians and reptiles. Abstracts by title only are not listed. Abstracts have Abs. placed after the title. All titles are numbered sequentially. All authors are listed alphabetically with junior author(s) cross referenced to the senior author.

The Proceedings and Transactions were sometimes published together or separately. Each section was designated as such giving the impression as two series so titles listed here is separated into the appropriate section. The Transactions for volume 22 were never published and volume 13 for the Proceedings and Transactions were never published. These appeared irregularly with a hiatus between the years 1913-1929. The Texas Journal of Science consists of four numbers a year, sometimes numbers are combined. All articles with original names are preceded by an *.

The scientific name index consists of all the herpetological names from the various series listed alphabetically and referenced to the numbered titles of the article in which it appears. All original spellings are maintained. No scientific names in the literature cited or bibliographies are listed. All original names are **boldfaced**. When both *i* or *ii* are used then *ii* is used for both.

The author wishes to thank C. Gans for suggesting this project. For suggesting the addition of a scientific name index G. R. Zug and W. R. Heyer. To A. H. Chaney for the loan of a large run of the early volumes and to J. R. Dixon for copying *Special Publications* # 2 for me.

PROCEEDINGS OF THE TEXAS ACADEMY OF SCIENCE

Brown, Sidney O. *see* Potter, George E., 1941.

1. Murray, Leo T. 1937. System of indices for the dermal skeleton of the Testudinata. 20: 16.
2. ----1938. Basic research in outdoor herpetology in Texas. 22: 18-19.
3. Potter, George E. and Sidney O. Brown. 1941. Color changes in *Phrynosoma cornutum*. 24: 7.
4. Sanders, Ottys. 1938. Report on the collection of seventeen species of amphibians in Mexico. 21: 18-20.

TRANSACTIONS OF THE TEXAS ACADEMY OF SCIENCE

5. Brooks, Barney. 1906. The anatomy of the internal urogenital organs of certain North American lizards. 8: 23-38.
Brown, Sidney O., *see* Potter, George E., 1942; Smith, Hobart, 1946 (1948).
6. Chandler, H. R. 1943. Interrelation of the cortical and medullary tissue in the adrenal of *Phrynosoma cornutum*. 26:43.
7. Crimmins, M. L. 1946. The treatment of poisonous snakebites in Texas. 29: 54-61.
8. Ferguson, Thomas M. 1946 (1948). Quantitative effects of pituitary extracts and adrenaline on color changes in amphibians and reptiles. 30: 100-101.
9. Forsyth, John W. 1946 (1948). The histology of anuran limb regeneration: Abs. 30: 58.
10. Jones, A. W., B. W. Mounts and G. B. Wolcott. 1945. A pronoccephalid trematode from the *Pseudemys*. 28: 92-93.
11. Mitchell, J. D. 1903. The poisonous snakes of Texas, with notes on their habits. 5: 21-48.
Mounts, B. W., *see* Jones, A. W. and G. B. Wolcott, 1945.
12. Potter, George E. and Sidney O. Brown. 1942. Effect of sex and gonadotropic hormones on the development of the gonads in *Phrynosoma cornutum* during reproductive and non-reproductive phases: Abs. 25: 55-56.
13. Prather, John K. 1901. On the fossils of the Texas Cretaceous, especially those collected at Austin and Waco. 4: 85-87.
14. Sawin, H. J. 1944. A restoration of the Triassic amphibian *Buettneria*: Abs. 27: 128.
15. Smith, Hobart M. 1946 (1948). Neoteny in Texas salamanders: Abs. 30: 59-60.

16. ----- . 1946 (1948). The map turtles of Texas: Abs. 39: 60.
17. ----- and Sidney O. Brown. 1946 (1948). A hitherto neglected integumentary gland in the Texas tortoise: Abs. 30: 59.
18. ----- and Rosemary Warner. 1946 (1948). Evolution of the ophidian hyobranchium: Abs. 30: 64-65.
19. Strecker, John K., Jr. 1902. A preliminary report on the reptiles and batrachians of McLennan County, Texas. 4, pt. 2, (5): 95-101.
20. Townsend, C. H. Tyler. 1895. On the bio-geography of Mexico, Texas, New Mexico, and Arizona, with special reference to the limits of the life areas, and a provisional synopsis of the biogeographic divisions of America. 1: 71-96.
21. ----- . 1897. On the biogeography of Mexico and the southwestern United States. 2: 33-86.
22. Vincent, Ione. 1946 (1948). Studies on the endoparasites of the Texas horned lizard, *Phrynosoma cornutum* (Harlan). 30: 250-252.

Warner, Rosemary, **see** Smith, Hobart M., 1946 (1948).

Wolcott, G. B., **see** Jones, A. W. and B. W. Mounts, 1945.

23. Wright, Albert Hazen and Anna Allen Wright. 1938. Amphibians of Texas. 21: 5-35.
- Wright, Anna Allen, **see** Wright, Albert Hazen, 1938.

SPECIAL PUBLICATIONS OF THE TEXAS ACADEMY OF SCIENCE

24. Parks, H. B., V. L. Cory, and others. 1936. Biological survey of the east Texas Big Thicket area. The fauna and flora of the Big Thicket area. 1-51.
25. -----, -----, ----- . 1938. Biological survey of the east Texas Big Thicket area. The fauna and flora of the Big Thicket area. ed. 2: 1-51.

TEXAS JOURNAL OF SCIENCE

- Abuhteba, Ramadan M., **see** Cordes, James E., James M. Walker and James F. Scudday, 1989; Walker, James M., James E. Cordes and Mark A. Paulissen, 1990; Cordes, James E. and James M. Walker, 1990a, 199b.
26. Akersten, William A. 1967. Paleoecology of the Red Light Local Fauna (Blancan), Hudspeth Co., Texas: Abs. 19: 413-414.
27. Altig, Ronald. 1971. Descriptive notes on the tadpoles of *Pseudacris ornata* and *Bufo alvarius*. 23: 301-303.
28. Anonymous. 1951. Xantus, Hungarian naturalist in the pioneer west. by Henry Miller Maddem and William P. Wreden: A review. 3: 145-146.
29. Applegate, Howard G. 1967. Pesticides at Presidio. V.

- Synopsis. 19: 353-361.
- Applegate, H. G., *see* Culley, D., 1966; 1967; Saxon, J. G. and J. M. Inglis, 1967.
- Armstrong, Neal E., *see* Hubbs, Clark, 1961.
30. Atebara, Milton Y. 1974. Effects of seasonal temperatures on the metabolism of *Bufo woodhousei*: Abs., 25: 128.
 31. Awbrey, Frank T. 1963. Homing and home range in *Bufo valliceps*. 15: 127-141.
 32. Axtell, Ralph W. 1960. The rediscovery of *Sceloporus prezygous* Smith, in Chiapas, Mexico, with a re-evaluation of its relationships. 12: 232-239.
 33. -----. 1961. *Eumeces epipleurotus* Cope, a revived name for the southwestern skink *Eumeces multivirgatus gagei* Taylor. 13: 345-351.
 34. -----. 1969. Another *Ficimia streckeri* from southern Texas. 20: 381.
- Bailey, Thomas F., *see* Michael, Edwin D., 1972.
35. *Baker, James Kenneth. 1957. *Eurycea troglodytes*: A new blind cave salamander from Texas. 9: 328-336.
 36. Baldauf, Richard J. 1955. Contributions to the cranial morphology of *Bufo w. woodhousei* Girard. 7: 275-311.
 37. -----. 1957. Additional studies on the cranial morphology of *Bufo w. woodhousei* Girard. 9: 84-88.
 38. -----. 1958a. Contributions to the cranial morphology of *Bufo valliceps* Wiegmann. 10: 172-186.
 39. -----. 1958b. A procedure for the staining and sectioning of the heads of adult anurans. 10: 448-451.
 40. -----. 1962. The use of morphological criteria in studying anuran phylogeny: Abs. 14: 422.
 41. -----. 1964. Is *Calyptocephalella* the most primitive living frog?: Abs. 16: 476-477.
 42. ----- and Ernest C. Tanzer. 1965. Contributions to the cranial morphology of the leptodactylid frog *Syrrhophus marnocki* Cope. 17: 71-100.
- Baldauf, Richard J., *see* Tanzer, Ernest C., 1971.
43. Baldrige, Robert S. and Daniel E. Wivagg. 1992. Predation on imported fire ants by blind snakes. 44: 250-252.
 - Baldrige, Robert., *see* Watkins, F. and R. Gehlbach, 1967.
 44. Barck, Alan. 1992. Paleontology of the Glen Rose Formation (Lower Cretaceous), Hood County, Texas. 44: 3-24.
 45. Barton, Harry L. and Sheldon I. Guttman. 1972. Low temperature preservation of toad spermatozoa (genus *Bufo*). 23: 363-370.
- Best, Frank H., *see* Best, Troy L. and Hermana C. James, 1983.
46. Best, Troy L., Hermana C. James and Frank H. Best. 1983. Herpetofauna of the Pedro Armendariz Lava Field, New Mexico. 35: 245-255.
 47. Bethea, Nancy J. 1972. Effect of temperature on heart rate of *Terrapene ornata*: Abs. 23: 604.
 48. Blair, W. Frank. 1949. The biotic provinces of Texas. 2: 93-117.
 49. -----. 1955. Differentiation of mating call in spadefoots, genus *Scaphiopus*. 7: 183-188.

50. ----- 1956a. Call difference as an isolation mechanism in southwestern toads (genus *Bufo*). 8: 87-106.
51. ----- 1956b. Mating call and possible stage of speciation of the Great Basin spadefoot. 8: 236-238.
52. ----- 1956c. The mating calls of hybrid toads. 8: 350-355.
53. ----- 1957. Mating call and relationships of *Bufo hemiophrys* Cope. 9: 99-108.
54. ----- 1958. Mating call and stage of speciation of two allopatric populations of spadefoots (*Scaphiopus*). 10: 484-488.
55. ----- 1959. Genetic compatibility and species groups in U. S. toads (*Bufo*). 11: 427-453.
56. ----- 1960. Radiation-induced genetic damage in the Mexican toad (*Bufo valliceps*). 12: 216-229.
57. ----- 1961. Further evidence bearing on intergroup and intragroup genetic compatibility in toads (genus *Bufo*). 13: 163-175.
58. ----- 1963. Intragroup genetic compatibility in the *Bufo americanus* species group of toads. 15: 15-34.
59. ----- 1964a. Evidence bearing on relationships of the *Bufo boreas* group of toads. 16: 181-192.
60. ----- 1964b. Relationships of the *Bufo cognatus* group of toads as indicated by hybridization experiments: Abs. 16: 494-495.
61. ----- 1966. Genetic compatibility in the *Bufo valliceps* and closely related groups of toads. 18: 333-351.
62. ----- and David Pettus. 1954. The mating call and its significance in the Colorado River toad *Bufo alvarius* Girard). 6: 72-77.
63. Block, Edward F., IV. 1967. Parasites of the Texas cricket frog, *Acris crepitans*: Abs. 19: 422.
64. Bloom, Roy A. and Mohammed Y. H. Farooqui. 1992. Concentrations of nonprotein sulfhydryls in the Mediterranean gecko, *Hemidactylus turcicus* (Gekkonidae: Squamata). 44: 75-78.
65. Bonn, Edward W. and W. H. McCarley. 1953. The amphibians and reptiles of the Lake Texoma area. 5: 465-471.
66. Boston, Jim D. and Charles R. Willms. 1968. Characteristics of proteolytic activity of pepsin from *Rana catesbeiana*. 20: 77-86.
67. Brach, Vincent. 1992. Discovery of the Rio Grande chirping frog in Smith County, Texas (Anura: Leptodactylidae). 44: 490.
- Brindley, Darlene C., see Cannon, M. Samuel and Manley McGill, 1978.
68. Brockman, H. L. and J. P. Kennedy. 1962. Open heart surgery in *Alligator mississippiensis* Daudin: Abs. 14: 423-424.
69. ----- and J. P. Kennedy. 1963. Tolerance to aquatic submersion in *Alligator mississippiensis* following surgical occlusion of the left aortic orifice: Abs. 15: 417-418.
- Brodie, Edmund D., Jr., see Campbell, Jonathan A. and Daniel R. Formanowicz, Jr., 1989.
70. Brown, Bryce C. and Lillian M. Brown. 1967. Notable

- records of Tamaulipan snakes. 19: 323-326.
Brown, Bryce C., *see* Williams, Kenneth L. and Larry David Wilson, 1966.
71. Brown, Lauren E. 1970. Interspecies interactions as possible causes of racial size differences in the toads *Bufo americanus* and *Bufo woodhousei*. 21: 261-267.
72. ----- and Jack R. Pierce. 1965. Observations on the breeding behavior of certain anuran amphibians. 17: 313-317.
Brown, Lillian M., *see* Brown, Bryce C., 1967.
Brown, Sidney O., *see* Enslow, Donald H., 1956; 1957; 1958.
73. Brown, Ted L. and Ronald V. Lucchino. 1972. A record-sized specimen of the Texas horned lizard (*Phrynosoma cornutum*). 24: 353-354.
Brown, Ted L., *see* Degenhardt, William G. and David A. Easterla, 1976.
74. Buchanan, Elisabeth. 1985. *Xenopus* egg polarity expressed by uneven distribution of sperm mRNA: Abs. 37: 116.
Burdick, Deborah A., *see* McAllister, Chris T., Paul S. Freed, Steve J. Upton and Nixon A. Wilson, 1991.
75. Bush, Claranne. 1972. Sperm tail complex of *Ambystoma tigrinum* fine structure: Abs. 23: 598.
76. Camarillo R., Jose L. and Jonathan A. Campbell. 1993. A second confirmed population of the rare Mexican rattlesnake, *Crotalus transversus* (Serpentes: Viperidae). 45: 178-179.
77. Campbell, Jonathan A., Daniel R. Formanowicz, Jr. and Edmund D. Brode, Jr. 1989. Potential impact of rattlesnake roundups on natural populations. 41: 301-317.
Campbell, Jonathan A. *see* Camarillo R., Jose L., 1993.
78. Campbell, M. 1967. The effect of food availability on body size in *Bufo valliceps*: Abs. 19: 445.
79. Campbell, Phillip M. and W. K. Davis. 1971. The effects of various combinations of temperature and relative humidity on evaporative waterloss of *Bufo valliceps*. 22: 389-402.
80. Campbell, T. N., ed. 1958. Publications of the Texas Academy of Science, 1892-1957. 10: 86.
81. Camper, Jeffrey D, and James R. Dixon. 1990. High incidence of melanism in *Masticophis taeniatus girardi* (Reptilia: Colubridae), from the Cuatro Ciénegas Basin of Coahuila, Mexico. 42: 202-204.
82. Cannon, M. Samuel, Darlene C. Brindley and Manly McGill. 1978. The paracnemid gland of *Bufo alvarius*. 30: 133-143.
83. Carl, Gary. 1981. Reproduction in the captive Brazos water snake, *Nerodia harteri*. 33: 77-78.
Cavazos, David, *see* King, Ken and Frank W. Judd, 1987.
84. Chaney, Allan H. and Robert E. Gordon. 1954. Notes on a population of *Sceloporus merriami merriami* Stejneger. 6: 78-82.
85. Chrapliwy, Pete S. and Edmond V. Malnate. 1961. The systematic status of the spadefoot toad *Spea laticeps* Cope. 13: 160-162.
86. Christiansen, James L. and William G. Degenhardt. 1969. An

- unusual variant of the whiptail lizard *Cnemidophorus gularis* (Sauria: Teiidae), from New Mexico. 21: 95-97.
87. Clark, Donald R., Jr. 1964. Reproduction and sexual dimorphism in a population of the rough earth snake, *Virginia striatula* (Linnaeus). 16: 265-295.
 - Cobb, Vincent A., *see* Ford, Neil B. and William W. Lamar, 1990.
 88. Cordes, James, E., James M. Walker and Ramadan M. Abuhteba. 1990a. *Cnemidophorus gularis septemvittatus* (Teiidae) from Pecos County, Texas. 42: 209-210.
 89. ----, ---- and ----. 199b. Genetic homogeneity in geographically remote populations of parthenogenetic *Cnemidophorus neomexicanus* (Sauria: Teiidae). 42: 303-305.
 90. ----, James M. Walker, James F. Scudday and Ramadan M. Abuhteba. 1989. Distribution and habitat of the parthenogenetic whiptail lizard, *Cnemidophorus neomexicanus* (Sauria: Teiidae) in Texas. 41: 425-428.
 - Cordes, James E., *see* Paulissen, Mark A. and James M. Walker, 1989; Walker, James M., Ramadan M. Abuhteba and Mark A. Paulissen, 1990; McAllister, Chris T. and James M. Walker, 1991; Walker, James M., 1993.
 - Corn, David Bruce, *see* McAllister, Chris T. and Stanley E. Trauth, 1991.
 91. Creel, Gordon C. 1963. Bat as a food item of *Rana pipiens*. 15: 104-106.
 92. Crisp, Thomas M. 1964. Studies of reproduction in the female ovoviviparous lizard, *Sceloporus cyanogenys* (Cope): Abs. 16:481.
 93. Culley, D. D., Jr. and H. G. Applegate. 1966. Pesticides at Presidio II. Birds, reptiles and mammals: Abs. 18: 110.
 94. ---- and ----. 1967. Pesticides at Presidio IV. Reptiles, birds, and mammals. 19: 301-310.
 95. Curfman, B. E. and F. F. Davidson. 1966. Parasitic helminths of *Natrix erythrogaster transversa* Hallowell, the blotched water snake, in the Waco, Texas area: Abs. 18: 121.
 96. Dalquest, Walter W. 1962. Tortoises from the Pliocene of Texas. 14: 192-196.
 97. ----. 1963. Large amphibian ichnites from the Permian of Texas. 15: 220-224.
 - Davidson, F. F. *see* Curfman, B. E., 1966.
 98. Davis, Billy J. 1971. A new size record for the Louisiana pine snake, *Pituophis melanoleucus ruthveni*. 23: 145.
 99. Davis, W. K. 1967. Some observations on the distribution dynamics of the Mediterranean gecko, *Hemidactylus turcicus*, in Texas: Abs. 19: 446.
 100. ----. 1972. Some additional notes on the Mediterranean gecko, *Hemidactylus turcicus*, in Texas: Abs. 23: 577.
 - Davis, W. K., *see* Campbell, Phillip M., 1971; Tupa, Dianna Dowden, 1976.
 - Dean, Robert H., *see* McCrystal, Hugh K. and James R. Dixon, 1985.

101. Degenhardt, William G., Ted L. Brown and David A. Easterla. 1976. The taxonomic status of *Tantilla cucullata* and *Tantilla diabolus*. 27: 225-234.
- Degenhardt, William G., *see* Christiansen, James L., 1969.
102. *Dixon, James Ray. 1957. Geographic variation and distribution of the genus *Tomodactylus* in Mexico. 9: 379-409.
103. -----. 1960. Epizootic algae on some turtles of Texas and Mexico. 12: 36-38.
104. -----. 1983. Taxonomic status of the Brazilian colubrid snake, *Xenodon suspectus* Cope. 35: 257-260.
105. *-----. 1991. Geographic variation and taxonomy of *Liophis almadensis* (Wagler) (Serpentes: Colubridae), and description of a new species of *Liophis* from Argentina and Bolivia. 43: 225-236.
106. ----- and Allan L. Marquezich. 1992. Taxonomy and geographic variation of *Liophis poecilogyrus* (Wied) from South America (Serpentes: Colubridae). 44: 131-166.
- Dixon, James Ray, *see* Duellman, William F., 1959; McCrystal, Hugh K., 1983; McCrystal, Hugh K. and Robert H. Dean; 1985; Hendricks, Fred S., 1986; Camper, Jeffery D., 1990; Liner, Ernest A., 1992.
- Drewes, R. C., *see* Murphy, Robert W., 1976.
107. *Duellman, William E. and James Ray Dixon. 1959. A new frog of the genus *Tomodactylus* from Michoacan, Mexico. 11: 78-82.
108. Dutton, Ronald H. and L. C. Fitzpatrick. 1974. Influence of seasonal temperatures on the metabolism of the rusty lizard, *Sceloporus olivaceus*: Abs. 25: 128-129.
109. Easterla, David A. 1978. The Mediterranean gecko, *Hemidactylus turcicus*, at Big Bend National Park, Texas. 39: 199.
- Easterla, David A., *see* Degenhardt, William G. and Ted L. Brown, 1976.
- Eck, L. J. *see* Raun, G. G., 1967.
110. Engeling, G. A. 1974. Population ecology of *Cophosaurus texanus* in Comal County, Texas: Abs. 25: 146.
111. Enlow, Donald H. and Sidney O. Brown. 1956. A comparative histological study of fossil and recent bone tissues. Part I. 8:405-443.
112. ----- and -----. 1957. A comparative histological study of fossil and recent bone tissues. Part II. 9: 186-214.
113. ----- and -----. 1958. A comparative histological study of fossil and recent bone tissues. Part III. 10: 187-230.
- Farooqui, Mohammed Y. H., *see* Bloom, Roy A., 1992.
114. Feduccia, J. Alan. 1971. The origin of terrestrial amphibians. 22: 255-263.
115. Fingal, W. A. 1964. The toxicity of DDT (Dichloro Diphenyl Trichloro Ethane) to *Xenopus laevis*: Abs. 16: 483.
- Fitzpatrick, L. C., *see* Dutton, Ronald H., 1974.
116. Flores-Villela, Oscar, Fernando Mendoza, Efrain Hernandez,

- Mario Mancilla, Enrique Godinez and Irene Goyenechea Mayer. 1992. *Ophryacus undulatus* in the Mexican state of Hidalgo. 44: 249-250.
- Flury, Alvin G., *see* Jameson, David L., 1949.
117. Ford, Neil B., Vincent A. Cobb and William W. Lamar. 1990. Reproductive data on snakes from northeastern Texas. 42: 355-368.
- Forman, Jon R., *see* Jackson, Crawford G., Jr., 1976.
- Formanowicz, Daniel R., Jr., *see* Campbell, Jonathan A. and Edmund D. Brodie, Jr., 1989.
118. Fouquette, M. J., Jr. 1954. Food competition among four sympatric species of garter snakes, genus *Thamnophis*. 6: 172-188.
119. ----- . 1960. Call structure in frogs of the family Leptodactylidae. 12: 201-215.
120. ----- and H. L. Lindsay, Jr. 1955. An ecological survey of reptiles in parts of northwestern Texas. 7: 402-421.
- Freed, Deborah A., *see* McAllister, Chris T., John Riley and Paul S. Freed, 1992; Upton, Steve J. and Paul S. Freed, 1993.
121. Freed, Paul S. and Keith Neitman. 1988. Notes on predation on the endangered Houston toad, *Bufo houstonensis*. 40: 454-456.
- Freed, Paul S., *see* McAllister, Chris T., Steve J. Upton, Deborah A. Burdick and Nixon A. Wilson, 1991; Upton, Steve J. and Deborah A. Burdick, 1991; McAllister, Chris T., John Riley, and Deborah A. Freed, 1992; Upton, Steve J. and Deborah A. Freed, 1993.
122. Frost, S. J. 1949. The forest regions of Texas. 1: 52-55.
123. Fugler, Charles M. 1960. New herpetological records for British Honduras. 12: 8-13.
124. Gannon, Michael R. 1987. New western distributional record of *Terrapene carolina triunguis*. 39: 289-293.
125. -----, Michael R. Willig, Kevin B. Willis and Michael P. Moulton. 1990. Intraspecific comparisons of diet of *Cnemidophorus gularis* (Sauria: Teiidae) in central Texas. 42: 263-272.
- Garrett, Clay M., *see* Upton, Steve J. and Chris T. McAllister, 1993.
126. Gaston, Edwin W., Jr. 1959. Travel accounts of the southern plains: 1800-1850. 11: 3-16.
127. Gaudin, Anthony J. 1964. The tadpole of *Hyla californiae* Gorman. 16: 80-84.
128. Gehlbach, Frederick R. 1964. Reptiles and amphibians (Herpetozoa) in the North American Pliocene and Pleistocene epochs: Abs. 16:495.
129. ----- . 1965. Amphibians and reptiles from the Pliocene and Pleistocene of North America: A chronological summary and selected bibliography. 17: 56-70.
130. ----- . 1966. Community organization along the Guadalupe Escarpment, New Mexico-Texas, with special reference to the herpetofauna and vegetation: Abs. 18: 127.
131. ----- . 1969. Is a pile of tiger salamanders a

- superorganism?: Abs. 20: 300.
132. -----. 1991. The east-west transition zone of terrestrial vertebrates in central Texas: A biogeographical analysis. 43: 415-427.
Gehlbach, Frederick R., **see** McCoy, Clarence J., 1967; Watkins, F. and Robert Baldrige, 1967; Watkins, Julian F., Jr. and Robert W. Plsek, 1972.
 133. Gloyd, Howard K. 1972. Ernest C. Tanzer, in memoriam. 24: 271.
Godinez, Enrique, **see** Flores-Villela, Oscar, Fernando Mendoza, Efrain Hernandez, Mario Mancilla and Irene Goyenechea Mayer, 1992.
Goetze, Jim R., **see** Jones, Clyde, 1991.
Goldberg, Stephen R., **see** Chris t. McAllister, H. J. Holshuh and Stanley E. Trauth, 1993; Mitschler, Ralene R., Randall L. Morrison and Steve J. Upton, 1993.
 134. Gordon, Robert E. and Donald W. Tinkle. 1960. A technique for collecting reptile eggs. 12: 14-16.
Gordon, Robert E., **see** Chaney, Allan H., 1954.
 135. Goshold, William D. and Bob H. Slaughter. 1977. Procoelus versus opisthocoelus vertebrae. 28: 355-356.
 136. Greene, Harry W. 1969. Fat storage in females of an introduced lizard, *Hemidactylus turcicus*, from Texas. 21: 233-235.
 137. Guttman, Sheldon I. 1965. An electrophoretic analysis of the blood proteins of the genus *Siren*. 17: 268-277.
Guttman, Sheldon I., **see** Barton, Henry L., 1972.
 - Harris, Rodney W., **see** Haywood, Charles A., 1971.
 138. Harvey, Michael B. 1992a. The distribution of *Graptemys pseudogeographica* on the upper Sabine River. 44: 257-258.
 139. -----. 1992b. Erratum (The distribution of *Graptemys pseudogeographica* on the upper Sabine River). 44: 494.
 140. Hayes-Odum, Louise A. and Dennis Jones. 1993. Effects of drought on American alligator's (*Alligator mississippiensis*) in Texas. 45: 182-185.
 141. -----, Debra Valdez, Marjorie Lowe, Loretta Weiss, Patricia H. Reiff and Dennis Jones. 1993. American alligator (*Alligator mississippiensis*) nesting at an inland Texas site. 45: 51-61.
 142. Haywood, Charles A. and Rodney W. Harris. 1971. Fight between rock squirrel and bullsnake. 22: 427.
 143. Hembrick, Patrick S. 1976. Additions to the Texas herpetofauna, with notes on peripheral range extensions and new records of Texas amphibians and reptiles. 27: 291-299.
 144. Henderson, George G. 1961. Reproductive potential of *Microhyla olivacea*. 13: 355-356.
 145. Hendricks, Albert C., J. T. Wyatt and D. E. Henley. 1971. Infestation of a Texas red-eared turtle by leeches. 22: 247.
 146. Hendricks, Fred S. 1985. Intrapopulational variation in the caudal osteology of *Cnemidophorus tigris marmoratus* Baird and Girard (Reptilia: Teiidae). 37: 33-47.

147. *----- and James R. Dixon. 1986. Systematics and biogeography of *Cnemidophorus marmoratus* (Sauria: Teiidae). 38: 327-402.
 Henley, D. E., see Hendricks, Albert C. and J. T. Wyatt, 1971.
 Hernandez, Efrain, see Flores-Villela, Oscar, Fernando Mendoza, Mario Mancilla, Enrique Godinez and Irene Goyenechea Mayer, 1992.
 Hibbits, Terry, see Treadwell, R. W., 1969.
148. Hill, William H. 1971. Pleistocene snakes from a cave in Kendall County, Texas. 22: 209-216.
 Hockaday, Donald L., see Judd, Frank W. and Henry Nieuwendaal, 1991.
 Holford, Tricia, see Warwick, Clifford and Catrina Steedman, 1990.
149. Holman, J. Alan. 1965. A small Pleistocene herpetofauna from Houston, Texas. 17: 418-423.
150. ----- . 1966. The Pleistocene herpetofauna of Miller's Cave, Texas. 18: 372-377.
151. ----- . 1969. Pleistocene amphibians from a cave in Edward's County, Texas. 21: 63-67.
152. ----- . 1970. A Pleistocene herpetofauna from Eddy County, New Mexico. 22: 29-39.
 Holshuh, H. J., see McAllister, Chris T., Stephen R. Goldberg and Stanley E. Trauth, 1993.
 Hoover, B. Reed, see Slaughter, Bob H., 1963.
153. Horton, C. W. 1949. On the mechanics of the African spitting cobras, *Naja nigricollis* and *Hemachatus haemachatas*: Abs. 1 (1): 98.
154. Horvath, Kalman. 1971. Experimental lizard hosts of pentastomids. 22: 429.
155. Hubbs, Clark and Neal E. Armstrong. 1961. Minimum developmental temperature tolerance of two anurans, *Scaphiopus couchi* and *Microhyla olivacea*. 13: 358-362.
 Huff, R. E., see Ramirez, S. A., 1967.
156. Hughes, Norman. 1962. The number and form of chromosomes in the genus *Scaphiopus*. 14: 225-228.
157. Hunsacker, Don, II and Don Sellers. 1953. Notes on the possible integradation between the colubrine snakes, *Arizona elegans blanchardi* Klauber and *Arizona elegans elegans* Kennicott in Texas. 5: 268-269.
158. Ideker, Joe. 1974. *Storeria dekayi texana* from the caprock of northwest Texas. 25: 87.
159. ----- . 1976. Tadpole thermoregulatory behavior facilitates grackle predation. 27: 244-245.
160. Inger, Robert F. 1958. The vocal sac of the Colorado River toad (*Bufo alvarius* Girard). 10: 319-324.
 Inglis, J. M., see Saxon, J. G. and H. G. Applegate, 1967.
161. Jackson, Crawford G., Jr. and Jon R. Forman. 1976. A disjunct population of the eastern chicken turtle *Deirochelys reticularia* in northeastern Mississippi. 27: 243.
 Jacob, James S., see McDonald, Harry S., 1971.

- James, Hermana C., *see* Best, Troy L. and Frank H. Best, 1983.
162. James, Pauline. 1966. The Mexican burrowing toad, *Rhinophrynus dorsalis*, an addition to the vertebrate fauna of the United States. 18: 272-276.
163. Jameson, David L. and Alvin G. Flury. 1949. The reptiles and amphibians of the Sierra Vieja Range of southwestern Texas. 1 (2): 54-77.
164. Jamieson, David H., Stanley E. Trauth and Chris T. McAllister. 1993. Food habits of male bird-voiced treefrogs, *Hyla avivoca* (Anura: Hylidae), in Arkansas. 45: 45-49.
165. Johnson, Clifford W. 1966. Species recognition in the *Hyla versicolor* complex. 18: 361-364.
Johnson, Gary D., *see* Nurry, Phillip A., 1987.
166. Jones, Clyde and Jim R. Goetze. 1991. Vertebrata remains found in barn owl pellets from Wilbarger County, Texas. 43: 326-328.
Jones, Dennis, *see* Hayes-Odum, Louise A., Debra Valdez, Marjorie Lowe, Loretta Weiss and Patricia H. Reiff, 1993; Hayes-Odum, Louise A., 1993.
167. Judd, Frank W., Henry Nieuwendaal and Donald L. Hockaday. 1991. The leatherback turtle, *Dermochelys coriacea*, in southernmost Texas. 43:101-103.
Judd, Frank W., *see* Selser, Kyle W., 1982; King, Ken and David Cavazos, 1987.
- Kallus, Frank T., *see* Vanatto, John C., 1975.
168. Kaplan, Arnold R. 1955. Darwin's *The Origin of Species* and the modern concept of evolution. 7: 389-395.
169. Kasper, Stephen and Dennis Parmley. 1990. A late Pleistocene herpetofauna from the lower Texas panhandle. 42: 289-294.
Kasper, Stephen, *see* Schafer, Tracy S., 1989.
170. Kassing, Edith Force. 1961. A life history study of the Great Plains ground snake, *Sonora episcopa episcopa*. 13: 185-203.
171. Keck, Michael B. 1993. New distributional records of amphibians and reptiles from Titus County, Texas. 45: 360-362.
Keirans, James F., *see* McAllister, Chris T., 1987.
- Kennedy, J. P., *see* Brockman, H. L., 1962, 1963.
172. Kennedy, J. P. 1956. Food habits of the rusty lizard, *Sceloporus olivaceus* Smith. 8: 328-349.
173. -----. 1961. Eggs of the eastern hognose snake, *Heterodon platyrhinos*. 13: 416-422.
174. -----. 1964. Natural history notes on some snakes of eastern Texas. 16: 210-215.
175. Killebrew, F. C. 1972. Mitotic chromosomes of turtles: Abs. 24: 400.
176. -----. 1976. Mitotic chromosomes of turtles II. Chelidae. 27: 149-154.
177. -----. 1977. Mitotic chromosomes of turtles. IV. The Emydidae. 29: 245-253.
178. ----- and Raymond C. Stone, Jr. 1978. An unusual color

- pattern in Couch's spadefoot, *Scaphiopus couchi* (Anura: Pelobatidae). 39: 389.
179. King, Ken, David Cavazos and Frank W. Judd. 1987. *Anolis sagrei* (Sauria: Iguanidae) established in southern Texas. 39: 289-290.
180. Kroll, James C. 1971. Combat behavior in male Great Plains ground snakes (*Sonora episcopa episcopa*). 23: 300.
- Lamar, William W., see Ford, Neil B. and Vincent A. Cobb, 1990.
181. Laughlin, Harold E. 1959. Stomach contents of some aquatic snakes from Lake McAlester, Pittsburgh County, Oklahoma. 11: 83-85.
182. ----- and B. J. Wilks. 1962. The use of sodium pentobarbital in population studies of poisonous snakes. 14: 188-191.
- Laughlin, Harold E., see Wilks, B. J., 1962.
- Lindsay, H. L., Jr., see Fouquette, M. J., Jr., 1955.
183. *Liner, Ernest A. and James R. Dixon. 1992. A new species of the *Sceloporus scalaris* group from the Cerro Pena Nevada, Nuevo Leon, Mexico (Sauria: Iguanidae). 44: 421-427.
184. Littlejohn, Murray J. 1959. Artificial hybridization within the Pelobatidae and Microhylidae. 11: 57-59.
185. ----- . 1961a. Mating call discrimination by females of the spotted chorus frog (*Pseudacris clarki*). 13: 49-50.
186. ----- . 1961b. Artificial hybridization between some hylid frogs of the United States. 13: 176-184.
187. ----- and Ted C. Michaud. 1959. Mating call discrimination by females of Strecker's chorus frog (*Pseudacris streckeri*). 11: 86-92.
188. Long, David R. 1987. Reproductive and lipid patterns of a semiarid-adapted anuran, *Bufo cognatus*. 39: 3-13.
189. Lowe, Charles H., Jr. 1954. Isolating mechanisms in sympatric populations of southwestern anurans. 6: 265-270.
- Lowe, Marjorie, see Hayes-Odum, Louise A., Debra Valdez, Loretta Weiss, Patricia H. Reiff and Dennis Jones, 1993.
- Lucchino, Ronald V., see Brown, Ted L., 1972.
190. McAlister, Wayne H. 1959. The vocal structures and method of call production in the genus *Scaphiopus* Holbrook. 11: 60-77.
191. ----- . 1961. Artificial hybridization between *Rana a. areolata* and *Rana pipiens* from Texas. 13: 423-426.
192. McAllister, Chris T. 1990. Helminth parasites of unisexual and bisexual whiptail lizards (Teiidae) in North America. IV. The Texas spotted whiptail (*Cnemidophorus gularis*). 42: 381-388.
193. ----- . 1991. First report of *Mesocestoides* sp. Tetrathridia (Cyclophyllidae: Mesocestoididae) in the Texas alligator lizard, *Gerrhonotus liocephalus* (Sauria: Anguillidae), from Coahuila, Mexico. 43: 325-326.
194. ----- . 1992. Helminth parasites of unisexual and bisexual

- whiptail lizards (Teiidae) in North America. VIII. The Gila spotted whiptail (*Cnemidophorus flagellicaudus*), Sonoran spotted whiptail (*Cnemidophorus sonora*), and plateau striped whiptail (*Cnemidophorus velox*). 44:233-239.
195. -----, James E. Cordes and James M. Walker. 1991. Helminth parasites of unisexual and bisexual whiptail lizards (Teiidae) in North America. VI. The gray-checkered whiptail (*Cnemidophorus dixon*). 43: 309-314.
 196. ----- and Paul S. Freed. 1992. Larval *Abbreviata* sp. (Spirurida: Psysalopteridae) in introduced Rio Grande chirping frogs, *Syrhophus cystignathoides campi* (Anura: Leptodactylidae), from Houston, Texas. 44: 359-361.
 197. -----, -----, Steve J. Upton, Deborah A. Burdick and Nixon A. Wilson. 1991. Parasites of the rougtail gecko, *Cyrtopodion scabrum* (Sauria: Gekkonidae), from Galveston, Texas. 43: 199-204.
 198. -----, Stephen R. Goldberg, H. J. Holshuh and Stanley E. Trauth. 1993. Disseminated mycotic dermatitis in a wild-caught timber rattlesnake, *Crotalus horridus* (Serpentes: Viperidae), from Arkansas. 45: 279-281.
 199. ----- and James F. Keirans. 1987. Additional records of tick (Ascari: Ixodidae, Argasidae) ingestion by whiptail lizards, genus *Cnemidophorus*. 39: 287-288.
 200. -----, John Riley, Paul S. Freed and Deborah A. Freed. 1992. *Raillietiella* (Pentastomida: Cephalobaenida) from a Malagasy chameleon, *Chamaeleo verrucosus* (Sauria: Chamaeleonidae), from Madagascar. 44: 492-493.
 201. -----, Stanley E. Trauth and David Bruce Corn. 1991. Helminth parasites of unisexual and bisexual whiptail lizards (Teiidae) in North America. VII. The six-lined racerunner, *Cnemidophorus sexlineatus*. 43: 391-397.
 202. -----, -----, V. Rick McDaniel and Russell B. McAllister. 1991. First record of the many-lined skink, *Eumeces multivirgatus* (Sauria: Scincidae), in Presidio County, Texas. 43: 439.
 203. ----- and Steve J. Upton. 1992. A new species of *Eimeria* (Apicomplexa: Eimeriidae) from *Pseudemys texana* (Testudines: Emydidae), from north-central Texas. 44: 37-41.
 204. ----- and Rocky Ward. 1986. New distributional records of Texas herpetofauna. 38: 65-69.
 McAllister, Chris T., **see** Jamieson, David H. and Stanley E. Trauth, 1993; Upton, Steve J. and Clay M. Garrett, 1993.
 McAllister, Russell B., **see** McAllister, Chris T., Stanley E. Trauth and V. Rick McDaniel, 1991.
 McCarley, W. H., **see** Bonn, Edward W., 1958.
 McClintock, Haskell, **see** Milstead, William W. and John S. Mecham, 1950.
 205. McClung, G. Don and Terry Maxwell. 1976. New locality for *Agkistrodon contortrix pictigaster* (Crotalidae) in Texas. 27:405-406.
 McClure, William L., **see** Slaughter, Bob H., 1965.
 206. McCoy, Clarence J. and Frederick R. Gehlbach. 1967. Cloacal hemorrhage and the defense display of the

- colubrid snake *Rhinocheilus lecontei*. 19: 349-352.
 McCrady, J. D., *see* M. Szabuniewicz, 1967.
207. McCrystal, Hugh K., Robert H. Dean and James R. Dixon. 1985. Range extension for the whiptail lizard *Cnemidophorus laredoensis* (Teiidae). 36: 283-284.
208. ----- and James R. Dixon. 1983. Eggs and young of Schott's whipsnake, *Masticophis taeniatus schotti*. 35: 161-163.
- McDaniel, V. Rick, *see* McAllister, Chris T., Stanley E. Trauth and Russell B. McAllister, 1991.
209. McDonald, Harry S. and James S. Jacob. 1971. Influence of size on the electrocardiogram of *Elaphe obsoleta*: Abs. 22: 300.
- McDonald, Harry S., *see* Tatum, Ella N., 1971.
- McGill, Manley, *see* Cannon, M. Samuel and Darlene C. Brindley, 1978.
- Malnate, Edmond V., *see* Chrapliwy, Pete S., 1961.
- Mancilla, Mario, *see* Flores-Villela, Oscar, Fernando Mendoza, Efrain Hernandez, Enrique Godinez and Irene Goyenechea Mayer, 1992.
210. Mares, Michael A. 1971. Coprophagy in the Texas tortoise, *Gopherus berlandieri*. 23: 300-301.
211. ----- . 1972. Notes on *Bufo marinus* tadpole aggregations. 23: 434-435.
- Markezich, Allan H., *see* Dixon, James R., 1992.
212. Mather, Charles M. 1970. Some aspects of the life history of the ground skink *Lygosoma laterale*. 21: 429-438.
213. ----- . 1979. Incidence of mites on *Sceloporus variabilis* and *Sceloporus undulatus* (Sauria: Iguanidae) in south Texas. 31: 103.
- Maxwell, Terry, *see* McClung, G. Don, 1976.
- Mayer, Irene Goyenechea, *see* Flores-Villela, Oscar, Fernando Mendoza, Efrain Hernandez, Mario Mancilla and Enrique Godinez, 1992.
214. Mecham, John S. 1954. Geographic variation in the green frog, *Rana clamitans* Latreille. 6: 1-24.
215. ----- . 1957. Some hybrid combinations between Strecker's chorus frog, *Pseudacris streckeri*, and certain related forms. 9: 337-345.
216. ----- . 1959. Experimental evidence of the relationship of the allopatric chorus frogs of the genus *Pseudacris*. 11: 343-347.
217. ----- . 1982. New distributional information for some snakes in western Texas. 34: 191.
- Mecham, John S., *see* Milstead, William W. and Haskell McClintock, 1950.
- Mendoza, Fernando, *see* Flores-Villela, Oscar, Efrain Hernandez, Mario Mancilla, Enrique Godinez and Irene Goyenechea Mayer, 1992.
218. Michael, Edwin D. and Thomas F. Bailey. 1972. Hibernation sites of *Anolis carolinensis* and *Sceloporus undulatus*. 24: 351-353.
- Michaud, Ted C., *see* Littlejohn, Murray J., 1959.
219. Milstead, William W. 1953. Geographic variation in the garter snake, *Thamnophis cyrtopsis*. 5: 348-379.

220. ----- . 1953. Ecological distribution of the lizards of the LaMota Mountain region of Trans-Pecos Texas. 5: 403-415.
221. ----- . 1957. Some aspects of competition in natural populations of whiptail lizards (genus *Cnemidophorus*). 9: 410-447.
222. ----- . 1958. A list of the arthropods found in the stomachs of whiptail lizards from four stations in southwestern Texas. 10: 443-446.
223. ----- . 1959. Drift-fence trapping of lizards on the Black Gap Wildlife Management Area of southwestern Texas. 11: 150-157.
224. ----- . 1960. Supplementary notes on the herpetofauna of the Stockton Plateau. 12: 228-231.
225. -----, John S. Mecham and Haskell McClintock. 1950. The amphibians of the Stockton Plateau in northern Terrell County, Texas. 2: 543-562.
226. Minckley, C. O. and W. E. Rinne. 1972. Another massasauga from Mexico. 23: 432-433.
227. *Mitchell, Robert W. and James R. Redell. 1965. *Eurycea tridentifera*, a new species of troglobitic salamander from Texas and a reclassification of *Typhlomolge rathbuni*. 17: 12-27.
228. ----- and Richard E. Smith. 1972. Some aspects of the osteology and evolution of the neotenic spring and cave salamanders (*Eurycea*, Plethodontidae) of central Texas. 23: 343-362.
229. Mitschler, Ralene R., Randall L. Morrison, Stephen R. Goldberg and Steve J. Upton. 1993. Redescription of *Eimeria sceloporis* (Apicomplexa: Eimeriidae) from a new host *Sceloporus jarrovi* (Sauria: Phrynosomatidae). 45: 356-358.
230. Moore, Richard H. 1976. Reproductive habits and growth of *Bufo speciosus* on Mustang Island, Texas, with notes on the ecological reproduction of other anurans. 27: 173-178.
231. Morrison, Eston O. 1961. A new locality record for the warty gecko. 13: 357.
232. ----- . 1967. Mite and lungworm infections in *Acris crepitans* from southern Oklahoma. 19: 328-329.
233. ----- . 1969. Erratum "Mite and lungworm infections in *Acris crepitans* from southern Oklahoma". 20: 303.
- Morrison, Randall L., **see** Mitschler, Ralene R., Stephen R. Goldberg and Steve J. Upton, 1993.
- Moulton, Michael P., **see** Gannon, Michael R., Michael R. Willig and Kevin B. Willis, 1990.
234. Murphy, Robert W. and R. C. Drewes. 1976. Comments on the occurrence of *Smilisca baudini* (Dumeril and Bibron) (Amphibia: Hylidae) in Bexar County, Texas. 27: 406-407.
235. Murry, Phillip A. and Gary D. Johnson. 1987. Clear Fork vertebrates and environments from the Lower Permian of north-central Texas. 39: 253-266.

Neitman, Keith, **see** Freed, Paul S., 1988.

236. Nelson, Craig E. 1966. Systematics and distribution of snakes of the Central American genus *Hydromorphus* (Colubridae). 18: 365-371.
Nieuwendaal, Henry, *see* Judd, Frank W. and Donald L. Hockaday, 1991.
237. Oldham, R. S. 1976. Chorus maintenance in breeding populations of the *Rana pipiens* complex. 27: 323-325.
238. Olson, R. Earl. 1967a. Peripheral range extensions and some new records of Texas amphibians and reptiles. 19: 99-106.
239. ----. 1967b. Errata "Peripheral range extensions and some new records of Texas amphibians and reptiles". 19: 329.
240. ----. 1975. *Ficimia streckeri* in south Texas. 26: 614-615.
241. ----. 1976. Weight regimes in the tortoise *Gopherus berlandieri*. 27: 321-323.
242. ----. 1977. Evidence for the species status of Baird's ratsnake. 29: 79-84.
243. Osten, L. W. 1977. A protostegid (sea turtle) from the Taylor Formation of Texas. 29: 289-292.
244. Parker, Nancy R. 1964. The determination of the urodele forelimb: Abs. 16: 490.
245. Parmley, Dennis. 1982. Food items of roadrunners from Palo Alto County, north central Texas. 34: 94-95.
246. ----. 1986. An annotated key to isolated trunk vertebrae of *Elaphe* (Colubridae) species occurring in Texas. 38: 41-44.
247. ----. 1987. *Lampropeltis similis* from the Coffee Ranch Local Fauna (Hemphillian Land Mammal Age) of Texas. 39: 123-128.
248. ----. 1988. Late Pleistocene anurans from Fowlkes Cave, Culberson County, Texas. 40: 357-358.
249. ----. 1989. A plethodontid vertebra from the Mid-Hemphillian of Texas. 41: 434-435.
250. ----. 1990. A late Holocene herpetofauna from Montague County, Texas. 42: 412-415.
251. ----. 1992. Turtles from the Late Hemphillian (Latest Miocene) of Knox County, Nebraska. 44: 339-348.
Parmley, Dennis, *see* Kasper, Stephen, 1990.
252. Paulissen, Mark A., James E. Cordes and James M. Walker. 1989. Notes on the thermal biology of the Laredo whiptail, *Cnemidophorus "laredoensis"* (Teiidae). 41: 224-228.
Paulissen, Mark A., *see* Walker, James M., James E. Cordes, Ramadan M. Abuhteba, 1990.
253. Pettus, David. 1955. Notes on the breeding behavior of the common treefrog (*Hyla versicolor*). 7: 345-346.
Pettus, David, *see* Blair, W. Frank, 1954.
254. Pierce, Jack R. 1975. Genetic compatibility of *Hyla arenicolor* with other species in the family Hylidae. 26: 431-441.
Pierce, Jack R., *see* Brown, Lauren E., 1965.

255. Pitts, Richard M., Frances J. Swataski and Jerrold S. Scharninghausen. 1990. Distributional records for several snakes from Honduras. 42: 310-311.
Plsek, Robert W., *see* Watkins, Julian F., II and Frederick R. Gehlbach, 1972.
256. Pyburn, William F. 1955. Species discrimination in two sympatric lizards, *Sceloporus olivaceus* and *S. poinsetti*. 7: 312-315.
257. -----. 1958. Size and movements of a local population of cricket frogs (*Acris crepitans*). 10: 325-342.
258. -----. 1963. Observations on the life history of the treefrog *Phyllomedusa callidryas* (Cope). 15: 155-170.
259. -----. 1963. Viability of F₁ hybrid treefrogs: Abs. 15: 441.
260. -----. 1992. A new tree frog of the genus *Scinax* from the Vaupes River of northwestern Brazil. 44: 405-411.
261. Quinn, Hugh R. 1979. Sexual dimorphism in tail pattern of Oklahoma snakes. 31: 157-160.
262. Ramirez, S. A. and R. E. Huff. 1967. A cytological study of parthenogenetically activated eggs of *Rana pipiens*. 19: 41-56.
263. Raun, Gerald G. 1959. Terrestrial and aquatic vertebrates of a moist relict area in central Texas. 11: 158-171.
264. -----. 1962. Observations on behavior of newborn hognosed snakes, *Heterodon p. platyrhinos*. 14: 3-6.
265. -----. 1964. Effects on the Edwards Plateau on the distribution of Texas vertebrates: Abs. 16: 498.
266. -----. 1966. The distribution of whipsnakes (*Masticophis taeniatus*) in Texas. 18: 226-227.
267. ----- and L. J. Eck. 1967. Vertebrate remains from four archeological sites in the Amistad Reservoir area, Val Verde County, Texas. 19: 138-150.
268. Reddell, James R. 1967. A checklist of the cave fauna of Texas. III. Vertebrates. 19: 184-226.
269. -----. 1971. A checklist of the cave fauna of Texas. VI. Additional records of vertebrates. 22: 139-158.
Reddell, James R., *see* Mitchell, Robert W., 1965.
Reiff, Patricia H., *see* Hayes-Odum, Louise A., Debra Valdez, Marjorie Lowe, Loretta Weiss and Dennis Jones, 1993.
Riley, John, *see* McAllister, Chris T., Paul S. Freed and Deborah A. Freed, 1992.
Rinne, W. F., *see* Minckley, C. O., 1972.
270. Rose, Francis L. 1989. Aspects of the biology of the Concho watersnake (*Nerodia harteri paucimaculata*). 41: 115-130.
- Sanders, Ottys, *see* Smith, Hobart M., 1952.
271. *Sarjeant, William A. S. 1971. Vertebrate tracks from the Permian of Castle Peak, Texas. 22: 343-366.
272. *-----. 1976. Track of a small amphibian from the Pennsylvanium of Oklahoma. 27: 107-112.
273. Savage, Jay M. 1954. A revision of the toads of the *Bufo*

- debilis* complex. 6: 83-112.
274. Saxon, J. G., H. G. Applegate and J. M. Inglis. 1967. Male *Cnemidophorus tessellatus* Say from Presidio, Texas. 19: 233-234.
 275. Schafer, Tracy S. and Stephen Kasper. 1989. Additional herpetological records for Texas. 41: 337-338.
Scharninghausen, Jerrold S., *see* Pitts, Richard M. and Frances J. Swataski, 1990.
Schmidly, David J., *see* Wilkens, Kenneth T., 1980.
 276. Schmidt, Karl P. 1950. The concept of geographic range, with illustrations from amphibians and reptiles. 2: 326-334.
 277. Scudday, James F. 1967. Additional notes on distribution of *Crotaphytus wislizeni* in Texas. 19: 396-397.
Scudday, James F., *see* Cordes, James E., James M. Walker and Ramadan M. Abuhteba, 1989.
 278. Selcer, Kyle W. and Frank W. Judd. 1982. Variation in the reproductive ecology of *Holbrookia propinqua* (Sauria: Iguanidae). 34: 125-135.
Sellers, Don, *see* Hunsaker, Don, II, 1953.
 279. Semken, Holmes A., Jr. 1961. Fossil vertebrates from Longhorn Cavern, Burnet County, Texas. 13: 290-310.
Session, Johnie J., *see* Terry, Robert J., 1956.
 280. Slaughter, Bob H. and B. Reed Hoover. 1963. Occurrence of ichthyosaurian remains in the Cretaceous of Texas. 15: 339-343.
 281. ----- and William L. McClure. 1965. The Sims Bayou Local Fauna: Pleistocene of Houston, Texas. 17: 404-417.
Slaughter, Bob H., *see* Goshold, William D., 1977.
 282. Smith, Henry M. 1974. Drift-fence trapping of herptiles in Kenedy County: Abs. 25: 129.
 283. Smith, Hobart M. and Ottys Sanders. 1952. Distributional data on Texas amphibians and reptiles. 4: 204-219.
Smith, Hobart M., *see* Smith, Philip W. and John E. Werler, 1952; Werler, John E., 1952.
 284. *Smith, Philip W., Hobart M. Smith and John E. Werler. 1952. Notes on a collection of amphibians and reptiles from eastern Mexico. 4: 251-260.
Smith, Richard E., *see* Mitchell, Robert W., 1972.
Steedman, Catrina, *see* Warwick, Clifford and Tricia Holford, 1990.
 285. Stiers, B. 1964. Chromatographic comparison of the parotoid gland secretions of three species groups of toads (genus *Bufo*): Abs. 16: 498.
Stone, Raymond C., Jr., *see* Killebrew, Flavius C., 1978.
 286. Streett, J. C., Jr. 1958. The relation between liver weight and degree of restoration after partial hepatectomy in *Rana pipiens*. 10: 236-243.
 287. ----- 1961. Gross morphology and rate characteristics of liver restoration in *Rana pipiens*. 13: 61-71.
 288. ----- 1963. Bile duct regeneration in *Rana pipiens*: A progress report: Abs. 15: 431-432.
 289. ----- 1964. A note on a teratoma occurring in the leopard frog: Abs. 16: 493.
 290. Subtelny, S. 1985. Endoderm heterografts between anuran

- species and primordial germ-cell migrations: Abs. 37: 108.
- Swataski, Frances J., **see** Pitts, Richard M. and Jerrold S. Scharninghausen, 1990.
291. Szabuniewicz, M. and J. D. McCrady. 1967. A case of "Siamese" twins in the turtle (*Pseudemys scripta elegans*). 19: 232-233.
292. Tanzer, Ernest C. 1965. Albinism in the Texas ratsnake, *Elaphe obsoleta lindheimeri* (Baird and Girard). 17: 237-238.
293. ----- and Richard J. Baldauf. 1971. Contributions to the cranial morphology of *Eleutherodactylus rugulosus* (Cope) (Anura: Leptodactylidae). 23: 29-55.
- Tanzer, Ernest C., **see** Baldauf, Richard J., 1965.
294. Tatum, Ella N. and Harry S. McDonald. 1971. Sensitivity of isolated snake heart to catecholamines: Abs. 22: 294.
295. Terry, Robert J. and Johnie J. Session. 1956. Studies on hind limb regeneration in larvae of *Rana pipiens*. 8: 275-282.
296. Thornton, W. A. 1960. Population dynamics in *Bufo woodhousei* and *Bufo valliceps*. 12: 176-200.
297. Throneberry, Jimmy B. 1962. Studies on the differentiation of hemoglobin in *Rana pipiens*: Abs. 14: 438.
298. Thurmond, John T. 1969. Notes on mosasaurs from Texas. 21: 69-80.
- Tinkle, Donald W., **see** Gordon, Robert E., 1960.
299. Trauth, Stanley E. 1992. A new subspecies of six-lined racerunner, *Cnemidophorus sexlineatus* (Sauria: Teiidae), from southern Texas. 44: 437-443.
- Trauth, Stanley E., **see** Chris T. McAllister and David Bruce Corn, 1991; McAllister, Chris T., V. Rick McDaniel and Russell B. McAllister, 1991; Jamieson, David H. and Chris T. McAllister, 1993; McAllister, Chris T., Stephen R. Goldberg and H. J. Holshuh, 1993.
300. Treadwell, R. W. and Hibbits, Terry. 1969. *Tantilla diabolus* from Val Verde County, Texas. 20: 281-282.
301. Tupa, Dianna Dowden and William K. Davis. 1976. Population dynamics of the San Marcos salamander, *Eurycea nana* Bishop. 27: 179-195.
302. Upton, Steve J., Paul S. Freed and Deborah A. Burdick. 1991. Description of a new species of *Eimeria* (Apicomplexa: Eimeriidae) from *Palmatogecko rangei* (Sauria: Gekkonidae) in Namibia. 43: 411-414.
303. -----, ----- and Deborah A. Freed. 1993. Redescription of *Eimeria bitis* (Apicomplexa) from *Bitis arietans* (Serpentes) from Namibia, Africa. 45: 315-318.
304. -----, Chris T. McAllister and Clay M. Garrett. 1993. Description of a new species of *Eimeria* (Apicomplexa: Eimeriidae) from *Heloderma suspectum* (Sauria: Helodermatidae). 45: 155-159.
- Upton, Steve J., **see** McAllister, Chris T., Paul S. Freed,

Deborah A. Burdick and Nixon A. Wilson, 1991; McAllister, Chris T., 1992; Mitschler, Ralene R., Randall L. Morrison and Stephen R. Goldberg, 1993.

- Valdez, Debra, *see* Hayes-Odum Louise A., Marjorie Lowe, Loretta Weiss, Patricia H. Reiff and Dennis Jones, 1993.
305. Vanatta, John C. and Frank T. Kallus. 1975. The physiological importance of potassium excretion by the urinaey bladder of *Bufo marinus*. 26: 291-293.
306. Volpe, E. Peter. 1959. Hybridization of *Bufo valliceps* with *Bufo americanus* and *Bufo terrestris*. 11: 335-342.
307. Wade, Virgil E. 1968. A range extension of the watersnake, *Natrix harteri harteri* Trapido. 20: 194-196.
308. Walker, James M. 1987a. Habitat and population destruction and recovery in the parthenogenetic whiptail lizard, *Cnemidophorus laredoensis* (Sauria: Teiidae), in southern Texas. 39: 81-88.
309. ----- . 1987b. Distribution and habitat of a new major clone of a parthenogenetic whiptail lizard (genus *Cnemidophorus*) in Texas and Mexico. 39: 313-334.
310. ----- and James E. Cordes. 1993. A new state record for the giant whiptail lizard, *Cnemidophorus sacki* Wiegmann, in Veracruz, Mexico. 45: 187-189.
311. -----, -----, Ramadan M. Abuhteba and Mark A. Paulissen. 1990. Additions to the distributional ecology of two parthenogenetic clonal complexes in the *Cnemidophorus laredoensis* subgroup (Sauria: Teiidae) in Texas and Mexico. 42:129-135.
- Walker, James M., *see* Paulissen, Mark A. and James E. Cordes, 1989; Cordes, James E., James F. Scudday and Ramadan M. Abuhteba, 1989; Cordes, James E. and Ramadan M. Abuhteba, 1990a, 1990b; McAllister, Chris T. and James E. Cordes, 1991.
- Ward, Rocky, *see* McAllister, Chris T., 1986.
312. Warwick, Clifford. 1990. Crocodilian slaughter methods with special reference to spinal cord severance. 42: 191-198.
313. -----, Catrina Steedman and Tricia Holford. 1990. Ecological implications of the red-eared turtle trade. 42: 419-422.
314. Wassermann, Aaron O. 1964. Recent and summarized interspecific hybridization within the Pelobatidae. 16: 334-341.
315. Watkins, F., R. Gehlbach and Robert Baldrige. 1967. The association of *Leptotyphlops dulcis* (Reptilia: Serpentes) with *Neivamyrmex nigrescens* (Insecta: Formicidae): Abs. 19: 447.
316. Watkins, Julian F., II, Frederick R. Gehlbach and Robert W. Plsek. 1972. Behavior of blind snakes (*Leptotyphlops dulcis*) in response to army ant (*Neivamyrmex nigrescens*). 23: 556-557.
317. Watson, Jon T. 1977. Effect of hypophysectomy in the lizard *Holbrookia propinqua*. 29: 255-262.
318. Webb, Robert G. 1963. The larva of the casque-headed

- frog, *Pternohyla fodiens* Boulenger. 15: 89-97.
319. -----. 1988. Type and type locality of *Sceloporus poinsetti* Baird and Girard (Sauria: Iguanidae). 40: 407-415.
320. *------. 1990. Description of a new subspecies of *Bogertophis subocularis* (Brown) from northern Mexico (Serpentes: Colubridae). 42: 227-243.
- Weiss, Loretta, *see* Hayes-Odum, Louise A., Debra Valdez, Marjorie Lowe, Patricia H. Reiff and Dennis Jones, 1993.
321. Werler, John E. and Hobart M. Smith. 1952. Notes on a collection of reptiles and amphibians from Mexico, 1951-1952. 4: 551-573.
- Werler, John E., *see* Smith, Philip W. and Hobart M. Smith, 1952.
- Wivagg, Daniel E., *see* Robert S. Baldrige, 1992.
322. Wilkens, Kenneth T. and David J. Schmidly. 1980. Highway mortality of vertebrates in southeastern Texas. 32: 343-350.
323. Wilks, B. J. and Harold E. Laughlin. 1962. Artificial hybridization between the microhylid genera *Hypopachus* and *Gastrophryne*. 14: 183-187.
- Wilks, B. J., *see* Laughlin, Harold E., 1962.
324. *Williams, Kenneth L., Bryce C. Brown and Larry David Wilson. 1966. A new subspecies of the colubrid snake *Cemophora coccinea* (Blumenbach) from southern Texas. 18: 85-88.
- Willig, Michael R., *see* Gannon, Michael R., Kevin B. Willis and Michael P. Moulton, 1990.
- Willis, Kevin B., *see* Gannon, Michael R., Michael R. Willig and Michael P. Moulton, 1990.
- Willms, Charles R., *see* Boston, Jim D., 1968.
325. *Wilson, Larry David. 1970. The racer *Coluber constrictor* (Serpentes: Colubridae) in Louisiana and eastern Texas. 22: 67-85.
- Wilson, Larry David, *see* Williams, Kenneth L. and Bryce C. Brown, 1966.
- Wilson, Nixon A., *see* McAllister, Chris T., Paul S. Freed, Steve J. Upton and Deborah A. Burdick, 1991.
- Wyatt, J. T., *see* Hendricks, Albert C. and D. E. Henley, 1971.
326. York, Christopher L. 1949. The physical and vegetational basis for animal distribution in the Sierra Vieja Range of southwestern Texas. 1 (3): 46-52.

SCIENTIFIC NAME INDEX

- Abaster erythrogrammus* 129.
Ablabes baliodirus 321.
Abronia taeniata graminea 284, 321.
Abronia taeniata taeniata 284.
Acheria 111, 112.
Acris crepitans 63, 72, 118, 129, 150, 163, 186, 224, 232, 233, 238, 257, 263, 269, 270, 283.
Acris crepitans blanchardi 143, 158, 204.
Acris crepitans crepitans 171.
Acris gryllus 19, 24, 25, 48, 65, 150.
Acris gryllus crepitans 23, 225, 257.
Acris gryllus paludicola 283.
Acrodytes spilomma 321.
Agkistrodon 169.
Agkistrodon contortrix 112, 117, 129, 132, 148, 174.
Agkistrodon contortrix contortrix 238, 283, 322.
Agkistrodon contortrix laticinctus 205, 225, 238, 261, 283.
Agkistrodon contortrix mokeson 65, 238, 261, 283.
Agkistrodon contortrix pictigaster 205, 225.
Agkistrodon mokasen 24, 25, 48, 163.
Agkistrodon mokesen pictigaster 84.
Agkistrodon piscivorus 24, 25, 48, 117, 129, 148, 182.
Agkistrodon piscivorus leucostoma 65, 171.
Agkistrodon piscivorus leucostomus 283.
Alligator 112, 154.
Alligator mefferdi 129.
Alligator mississippiensis 69, 129, 149, 312.
Alligator mississippiensis 24, 25, 68, 140, 141, 281, 313.
Allosaurus 112.
Alsophis catherigerus 196.
Amblystoma 295.
Amblystoma opacum 19.
Ambystoma annulatum 23.
Ambystoma hibbardi 129.
Ambystoma jeffersonianum 23.
Ambystoma kansense 129.
Ambystoma maculatum 23, 24, 25, 48, 137, 283.
Ambystoma minshalli 129.
Ambystoma opacum 23, 24, 25, 48, 204.
Ambystoma talpoideum 23, 48.
Ambystoma texanum 23, 24, 25, 48, 65, 75, 118, 129, 149, 263, 275, 281, 283.
Ambystoma tigrinum 23, 24, 25, 46, 48, 111, 129, 131, 150, 151, 152, 169, 244, 268.
Ambystoma tigrinum mavortium 137, 143, 163, 189, 225.
Ameiva tessellata 147.
Ameiva tessellatus tigris 147.
Ameiva undulata amphigramma 284, 321.
Ameiva undulata stuarti 321.
Amphiuma 137.
Amphiuma means 48, 129, 149, 281.
Amphiuma tridactylum 23, 171.
Amyda 2.
Amyda emoryi 24, 25, 225, 283.
Amyda ferox emoryi 65, 103.
Amyda mutica 25, 65, 103.
Ancistrodon contortrix 11, 19, 263, 268.
Ancistrodon contortrix laticinctus 224.
Ancistrodon contortrix pictigaster 224.
Ancistrodon piscivorus 11, 19, 181, 263.
Andruas matthewi 129.
Aneides 249.
Aneides lugubris 111.
Anhydrophryne 42, 293.
Ankistrodon 7.
Anniella 5.
Anolis allisoni 123.
Anolis carolinensis 8, 19, 24, 25, 48, 129, 132, 174, 218, 263, 317, 321.
Anolis carolinensis carolinensis 134.
Anolis intermedius 123.
Anolis kidderi 321.
Anolis nebuloides 321.
Anolis sagrei 123, 179.

- Anolis sallaei* 321.
Anolis sericeus 321.
Anolis ustus 321.
Apalone ferox 251.
Apalone guinni 251.
Apalone mutica 251.
Apalone spinifera 251.
Aristelliger georgeensis 123.
Arizona elegans 48, 77, 129, 143, 148, 150, 152, 163, 225, 263.
Arizona elegans blanchardi 120, 157, 261.
Arizona elegans elegans 70, 120, 157, 238, 283.
Ascaphus 37, 42, 293.
Ascaphus truei 111.
Aspidonectes emoryi 19.
Atractus 276.

Baptanodon 112.
Barisia imbricata 76.
Barisia imbricata ciliaris 183.
Bascanion anthicum 325.
Basiliscus vittatus 284, 321.
Batrachemys nasuta 176.
Batrachoseps 129.
Bitis arietans 303.
Boa 112, 154.
Boa constrictor 255.
Bogertophis subocularis amplinotus 320.
Bogertophis subocularis subocularis 320.
Bolitoglossa platydactyla 284, 321.
Bombina 82.
Bombina variegata 260.
Bothrops 154.
Bothrops dunni 321.
Brachiosaurus 112.
Brachycephalus 42, 293.
Buettneria 111, 112.
Buettneria howardensis 14.
Bufo 119, 169, 190, 254, 264, 285, 314.
Bufo alienus 59, 129.
Bufo alvarius 27, 50, 55, 59, 61, 62, 72, 82, 129, 160.
Bufo americana 36.
Bufo americanus 31, 36, 45, 50, 52, 53, 55, 57, 58, 59, 60, 61, 72, 121, 129, 137, 257, 283, 296, 306.
Bufo americanus americanus 19, 23, 24, 25, 71.
Bufo americanus charlesmithi 71, 171.
Bufo angusticeps 36, 38.
Bufo arenarum 61, 137, 286.
Bufo beddomii 36.
Bufo blombergi 61.
Bufo bocourti 61.
Bufo boreas 51, 55, 57, 59, 61, 79, 129.
Bufo brauni 61.
Bufo bufo 36, 61.
Bufo bufo asiaticus 59.
Bufo bufo bufo 59.
Bufo calamita 57, 59, 61.
Bufo californicus 36.
Bufo campi 129.
Bufo canaliferus 57, 59, 61.
Bufo canorus 55, 59, 61.
Bufo carens 61.
Bufo cavifrons 61.
Bufo coccifer 57, 61.
Bufo cognatus 23, 27, 46, 48, 50, 53, 55, 57, 59, 60, 62, 61, 79, 120, 129, 143, 152, 163, 188, 189, 225, 248, 250, 283.
Bufo compactilis 23, 48, 50, 53, 55, 57, 59, 60, 118, 223, 230, 263, 269, 279.
Bufo compactilis speciosus 163, 225, 283.
Bufo coniferus 61.
Bufo cristatus 61.
Bufo debilis 19, 23, 46, 48, 50, 55, 57, 61, 118, 152, 162, 248, 263, 268, 283.
Bufo debilis debilis 273.
Bufo debilis insidiosus 189, 273.
Bufo debilis retiformis 273.
Bufo fowleri 23, 24, 25, 36, 50, 52, 55, 137, 296, 306.
Bufo garmani 61.
Bufo gemmifer 57, 61.
Bufo granulatus 61, 106, 137.
Bufo hemiophrys 50, 53, 55, 57, 58, 59, 129.
Bufo hibbardi 129.
Bufo hololius 36.
Bufo horribilis 48.
Bufo houstonensis 50, 53, 55, 58, 121.
Bufo ibarrae 61.

- Bufo ictericus* 61, 106.
Bufo insidiosus 163, 189, 225, 273, 283.
Bufo kelloggi 61, 273.
Bufo latifrons 61.
Bufo lentiginosus 36.
Bufo luetkeni 61.
Bufo marinus 23, 36, 48, 50, 55, 58, 61, 82, 111, 137, 143, 151, 160, 162, 211, 305.
Bufo marmoreus 59, 61.
Bufo mazatlanensis 59, 61.
Bufo melanochloris 61.
Bufo melanostictus 36, 61.
Bufo microscaphus 27, 31, 50, 51, 57, 58, 61.
Bufo microscaphus californicus 55.
Bufo microscaphus microscaphus 55.
Bufo occidentalis 59, 61.
Bufo pantherinus 36.
Bufo paracnemis 61, 137.
Bufo parietalis 36.
Bufo peltacephalus 61.
Bufo perplexus 59, 61.
Bufo perreti 61.
Bufo punctatus 4, 23, 42, 48, 50, 51, 55, 57, 59, 61, 62, 72, 118, 129, 152, 163, 220, 225, 248, 268, 269, 275, 283.
Bufo quercicus 50, 55, 61, 129.
Bufo rangeri 61.
Bufo regularis 36, 38, 61, 82, 160.
Bufo repentinus 129.
Bufo retiformis 61.
Bufo rexroadensis 129.
Bufo speciosus 57, 60, 61, 129, 143, 152, 162, 204, 230, 248, 269, 250, 270.
Bufo spinulosus 59, 61.
Bufo spongifrons 129.
Bufo suspectus 129.
Bufo terrestris 31, 36, 50, 53, 55, 57, 58, 61, 111, 129, 306.
Bufo terrestris terrestris 189, 257.
Bufo tihenii 129.
Bufo valliceps 4, 19, 23, 24, 25, 31, 38, 48, 50, 52, 55, 56, 57, 59, 60, 62, 78, 79, 81, 118, 137, 152, 162, 173, 225, 230, 248, 258, 263, 268, 269, 273, 279, 282, 284, 290, 296, 306, 318.
Bufo valliceps valliceps 283, 321.
Bufo valliceps wilsoni 61.
Bufo variabilis 36.
Bufo viridis 36, 59, 61.
Bufo vulgaris 36.
Bufo woodhousei 4, 27, 30, 50, 52, 53, 57, 58, 59, 61, 62, 72, 77, 118, 120, 129, 137, 188, 263, 273, 296, 306.
Bufo woodhousei australis 143, 248.
Bufo woodhousei bexarensis 151, 152.
Bufo woodhousei fowleri 23, 55, 65, 71, 151, 160, 174.
Bufo woodhousei woodhousei 36, 37, 38, 55, 65, 71, 143, 151, 152, 245, 293.
Bufo woodhousii 48, 163, 225, 283.
Bufo woodhousii velatus 171, 204.
Cacopus 37.
Cacosternum 37.
Calamaria 276.
Callisaurus iraconoides 112.
Callopistes 146.
Calotes versicolor 317.
Calyptocephalella 41, 42.
Calyptocephalus 42.
Capitosaurus 41.
Captorhinus 112, 235.
Caretta caretta 129.
Carphophis 149.
Carphophis amoena 48.
Carphophus amoenus 129.
Carphophis amoenus vermis 24, 25.
Cauchochelys rexroadensis 251.
Cemophora coccinea 117.
Cemophora coccinea coccinea 324.
Cemophora coccinea copei 204, 261.
Cemophora coccinea lineri 324.
Chamaeleo oustalet 200.
Chamaeleo verrucosus 200.
Chelonia mydas 129.

- Chelydra* 112.
Chelydra laticarinata 129.
Chelydra osceola 2, 129.
Chelydra serpentina 19, 24, 25, 129, 201, 251, 263.
Chelydra serpentina serpentina 65, 103, 120, 238, 283.
Chelydra sculpta 129.
Chiasmocleis panamensis 184, 323.
Chinemys reevesii 177.
Chiropoterotriton chiropotera 284.
Chiropoterotriton chiropotus 76.
Chiropoterotriton prisca 183.
Chirotherium 271.
Chondrotus microstomus 19.
Chorophilus triseriata clarkii 19.
Chrysemys bellii 276.
Chrysemys limnidytes 129.
Chrysemus picta 129, 177, 201, 251.
Chrysemys picta bellii 203.
Chrysemys picta dorsalis 143.
Chrysemys scripta elegans 145, 282.
Chrysemys timida 129.
Cimoliosaurus 13.
Clemmys 251.
Clemmys caspica leprosa 177.
Clemmys guttata 103.
Clemmys insculpta 129, 203.
Clemmys japonica 177.
Clemmys marmorata 129.
Clemmys marmorata pallida 177.
Clemmys owyheensis 129.
Clidastes iguanavus 298.
Clidastes propython 298.
Clonophis kirtlandi 270.
Cnemidophorus 169, 245, 279.
Cnemidophorus baccatus 147.
Cnemidophorus bilobatus 129.
Cnemidophorus burti 194.
Cnemidophorus burti stictogrammus 201.
Cnemidophorus canus 147.
Cnemidophorus catalinensis 147.
Cnemidophorus deppei deppei 321.
Cnemidophorus dixonii 194, 195, 201.
Cnemidophorus exsanguis 86, 90, 125, 192, 194, 195.
Cnemidophorus flagellicaudus 194.
Cnemidophorus gigas 310.
Cnemidophorus gracilis 147.
Cnemidophorus grahamii 48, 84, 163, 225.
Cnemidophorus grahamii grahamii 147.
Cnemidophorus gularis 192.
Cnemidophorus gularis 5, 19, 48, 86, 125, 129, 192, 201, 207, 252, 282, 308, 311.
Cnemidophorus gularis gularis 88, 199, 225, 299, 309.
Cnemidophorus gularis octolineatus 163.
Cnemidophorus gularis septemvittatus 88, 195.
Cnemidophorus guttatus 284.
Cnemidophorus hyperthrus 194.
Cnemidophorus inornatus 29, 46, 86, 89, 90, 94, 130, 192, 194, 195, 220, 223, 224, 283.
Cnemidophorus inornatus heptagrammus 202.
Cnemidophorus laredoensis 192, 207, 252, 299, 308, 309, 311.
Cnemidophorus marmoratus 89, 90, 201, 311.
Cnemidophorus marmoratus marmoratus 147, 195.
Cnemidophorus marmoratus nigroriensis 147.
Cnemidophorus marmoratus pulcher 147.
Cnemidophorus marmoratus reticuloriensis 147.
Cnemidophorus marmoratus variolosus 147.
Cnemidophorus melanostethus 147.
Cnemidophorus neomexicanus 46, 86, 89, 90, 192, 194, 195, 309.
Cnemidophorus perplexus 48, 163, 221, 222, 223, 225.
Cnemidophorus sacki 88, 118, 150, 192, 222, 263.
Cnemidophorus sacki angusticeps 123.

- Cnemidophorus sacki communis* 321.
Cnemidophorus sacki exsanguis 221, 224.
Cnemidophorus sacki gigas 310.
Cnemidophorus sacki gularis 120, 221, 224, 321.
Cnemidophorus sacki sacki 310.
Cnemidophorus sacki semifasciatus 220, 221, 224.
Cnemidophorus scalaris 192.
Cnemidophorus septemvittatus 147, 192.
Cnemidophorus sexlineatus 8, 19, 24, 25, 48, 65, 89, 120, 125, 129, 143, 146, 150, 192, 194, 201, 223, 263, 275, 282, 283, 308, 309, 311.
Cnemidophorus sexlineatus sexlineatus 299.
Cnemidophorus sexlineatus stephensi 299.
Cnemidophorus sexlineatus tessellatus 147.
Cnemidophorus sexlineatus viridis 299.
Cnemidophorus sonorae 194.
Cnemidophorus tessellatus 46, 86, 89, 90, 192, 194, 199, 195, 202, 220, 225, 274, 283, 309.
Cnemidophorus tessellatus aethiops 147.
Cnemidophorus tessellatus gracilis 147.
Cnemidophorus tessellatus melanostethus 147.
Cnemidophorus tessellatus tessellatus 147.
Cnemidophorus tessellatus tigris 147.
Cnemidophorus tessellatus variolosus 147.
Cnemidophorus tessellatus 29, 48, 94, 120, 130, 146, 221, 222, 224.
Cnemidophorus tessellatus tessellatus 163.
Cnemidophorus tigris 29, 46, 86, 89, 94, 125, 129, 192, 194, 201, 222, 273, 277.
Cnemidophorus tigris aethiops 147.
Cnemidophorus tigris celeripes 147.
Cnemidophorus tigris dickersoni 147.
Cnemidophorus tigris gracilis 147.
Cnemidophorus tigris marmoratus 146, 147, 204, 220, 221, 223.
Cnemidophorus tigris martyr 147.
Cnemidophorus tigris maximus 147.
Cnemidophorus tigris multiscutatus 147.
Cnemidophorus tigris mundus 147.
Cnemidophorus tigris pulcher 147.
Cnemidophorus tigris punctatus 147.
Cnemidophorus tigris rubidus 147.
Cnemidophorus tigris septentrionalis 147, 195.
Cnemidophorus tigris stejnegeri 147.
Cnemidophorus tigris tigris 147, 172.
Cnemidophorus tigris variolosus 147.
Cnemidophorus uniparens 90, 192, 194, 195.
Cnemidophorus variolosus 147.
Cnemidophorus velox 194.
Cochranella fleischmanni 119.
Coleonyx 223.
Coleonyx brevis 48, 163, 204, 220, 225.
Coleonyx elegans nemoralis 321.
Coleonyx variegatus 221.
Coleonyx variegatus brevis 268.
Coluber 152.
Coluber alternans 106.
Coluber bairdi 242.
Coluber constrictor 48, 77, 81, 117, 129, 143, 148, 149, 150, 169, 250, 263, 294.
Coluber constrictor anthicus 238, 325.
Coluber constrictor constrictor 24, 25, 325.
Coluber constrictor etheridgei 325.

- Coluber constrictor*
 flaviventris 24, 25, 65,
 120, 238, 283, 325.
Coluber constrictor
 helvigularis 325.
Coluber constrictor
 latrunculus 325.
Coluber constrictor mormon
 325.
Coluber constrictor oaxaca
 217, 325.
Coluber constrictor
 paludicolus 325.
Coluber constrictor priapus
 325.
Coluber constrictor
 stejnegerianus 325.
Coluber flagellum 48, 149,
 150.
Coluber flagellum testaceus
 163, 220, 225.
Coluber flaviventris 325.
Coluber m-nigrum 106.
Coluber obsoletus 11.
Coluber poecilogyrus doliatus
 106.
Coluber rosaliae 320.
Coluber spiloides 19.
Coluber subocularis 320.
Coluber taeniatus 48, 150.
Coluber taeniatus girardi 163,
 225.
Coluber taeniatus ornatus 163,
 220.
Colytocephalus gayi 36.
Compressidens 298.
Coniophanes frangivirgatus
 321.
Coniophanes imperialis 48,
 162.
Coniophanes imperialis clavatus
 284, 321.
Coniophanes imperialis copei
 321.
Coniophanes piceivittis
 piceivittis 321.
Coniophanes piceivittis
 taylori 321.
Coniophanes schmidti 321.
Conophis lineatus lineatus
 321.
Conophis vittatus vittatus
 321.
Constrictor 154.
Cophosaurus texana 132.
Cophosaurus texanus 110, 192.
Coronella almadensis 105.
Cosymbotus platyurus 136.
Cricotus 235.
Crinia 42.
Crinia georgiana 293.
Crocodylus 146.
Crocodylus 112.
Crocodylus moreleti 123.
Crotalophorus tergimimus 11.
Crotalus 7, 149, 279, 281.
Crotalus adamanteus 129.
Crotalus adamanteus atrox 11,
 19.
Crotalus atrox 11, 46, 48,
 77, 120, 129, 143, 148, 150,
 152, 163, 169, 182, 220,
 223, 225, 261, 263, 268,
 269, 277.
Crotalus cerastes 201.
Crotalus confluentus 11.
Crotalus consors 11.
Crotalus cutulatus 48.
Crotalus durissus durissus
 123.
Crotalus durissus tzabcan 123.
Crotalus giganteus 129.
Crotalus horridus 11, 19, 48,
 129, 132, 148, 198, 263.
Crotalus horridus atricaudatus
 24, 65, 174, 283.
Crotalus horridus atricaudatus
 25.
Crotalus horridus horridus 25,
 283.
Crotalus intermedius 76.
Crotalus lepidus 11, 48, 129,
 152, 268.
Crotalus lepidus lepidus 84,
 163, 220, 221, 224, 225,
 238.
Crotalus lepidus morulus 183.
Crotalus lucifer 11.
Crotalus mitchellii 129, 201.
Crotalus molossus 11, 46, 48,
 101, 148, 152.
Crotalus molossus molossus
 163, 220, 224, 225, 268,
 269.
Crotalus ornatus 11.
Crotalus potterensis 129.
Crotalus pricei miquihuanua
 183.
Crotalus scutulatus 129, 152,
 201, 225.

- Crotalus scutulatus scutulatus* 163, 204.
Crotalus transversus 76.
Crotalus viridis 46, 48, 73, 77, 129, 148, 152, 169, 225, 277.
Crotalus viridis viridis 120, 163, 261.
Crotaphytus 147.
Crotaphytus collaris 5, 8, 46, 48, 77, 129, 150, 152, 172, 201, 221, 245.
Crotaphytus collaris auriceps 120.
Crotaphytus collaris baileyi 65, 120, 163, 220, 225, 276.
Crotaphytus collaris collaris 120, 143, 225, 276, 283.
Crotaphytus reticulatus 48, 238.
Crotaphytus wislizenii 5, 46, 129, 273, 277.
Cryptobranchus 137.
Cryptobranchus alleganiensis 111.
Cryptobranchus mcalli 129.
Ctenosaura similis similis 284.
Cuora amboinensis 177.
Cyclemys dentata 177.
Cyclophis aestivus 19.
Cyclura carinata 112.
Cyrtopodion scabrum 197.

Deirochelys floridana 129.
Deirochelys reticularia 65, 103, 129, 238, 283.
Deirochelys reticularia miaria 143.
Deirochelys reticularia reticularia 101, 177.
Deirochelys reticulata 112.
Dendrobates 42.
Dendrobates auratus 36.
Dermochelys 44.
Dermochelys coriacea 167.
Desmatochelys 44.
Desmognathus 129.
Desmognathus brimleyorum 23.
Desmognathus fuscus 48.
Desmognathus fuscus brimleyorum 268.
Diadectes 97, 235.
Diadophis 149.
Diadophis elinorae 129.

Diadophis punctatus 48, 101, 129, 132, 143, 148.
Diadophis punctatus arnyi 25, 65, 120, 170, 225, 238, 261, 283.
Diadophis punctatus docilis 120.
Diadophis punctatus regalis 238.
Diadophis punctatus stictogenys 24.
Diadophis regalis 48, 225, 239.
Diadophis regalis arnyi 19.
Diadophis regalis blanchardi 163.
Diadophis regalis regalis 163.
Diaglena 318.
Dicamptodon 129.
Dicrodon 146.
Diemictylus viridescens 129.
Diemictylus viridescens louisianensis 65, 283.
Dimetrodon 97, 112, 235.
Dinodontosaurus 112.
Diplocaulus 235.
Diplodocus 112.
Dipsosaurus dorsalis 154, 273.
Discoglossus 82.
Dracena 146.
Dryadophis melanolomus tehuanae 321.
Dryadophis melanolomus veraecrucis 284.
Drymarchon corais 48, 129, 148.
Drymarchon corais couperi 24, 25.
Drymarchon corais erebennus 238.
Drymobius margaritiferus 48, 148.
Dryptosaurus 112.

Edaphosaurus 112.
Edaphosaurus pogonias 235.
Edops 111.
Elachistocleis 293.
Elaphe 129.
Elaphe bairdi 163, 225, 242.
Elaphe emoryi emoryi 283.
Elaphe guttata 129, 132, 148, 150, 152, 169, 246, 247, 250, 263, 268.

- Elaphe guttata emoryi* 120, 143, 261.
Elaphe laeta 24, 25, 48, 225.
Elaphe laeta intermontanus 163.
Elaphe laeta laeta 163.
Elaphe obsoleta 48, 77, 112, 129, 132, 148, 150, 169, 209, 225, 242, 245, 247, 250, 263, 269.
Elaphe obsoleta bairdi 224, 246, 268.
Elaphe obsoleta confinis 24, 25, 65.
Elaphe obsoleta lindheimeri 120, 143, 171, 174, 217, 246, 268, 283, 292.
Elaphe obsoleta obsoleta 174.
Elaphe rosaliae 320.
Elaphe sclerotica 163.
Elaphe subocularis 48, 163, 225, 238, 246, 269, 320.
Elaphe triaspis intermedia 321.
Elaphe vulpina 129, 148.
Elaps 20.
Elaps fulvius 11, 19.
Eleaphe obsoleta bairdi 238.
Eleutherodactylus 82.
Eleutherodactylus alfredi 284.
Eleutherodactylus atkinsi 196.
Eleutherodactylus augusti 129.
Eleutherodactylus augusti latrans 151, 268, 269.
Eleutherodactylus cuneatus 196.
Eleutherodactylus decoratus 284.
Eleutherodactylus diastema 119.
Eleutherodactylus dunni 284.
Eleutherodactylus fitzingeri 119.
Eleutherodactylus hidalgoensis 284.
Eleutherodactylus klinikowskii 196.
Eleutherodactylus latrans 23, 48, 111, 119, 225.
Eleutherodactylus natator 284.
Eleutherodactylus occidentalis 119.
Eleutherodactylus rhodopsis 4.
Eleutherodactylus rugulosus 293.
Elgaria coerulea 193.
Elgaria multicarinata webbiai 193.
Emydoidea blandingii 129, 201, 251.
Emydoidea twenti 129.
Emydura macquarii 176.
Emys orbicularis 177.
Engystoma carolinense 19.
Engystomops pustulosus 258, 284, 321.
Enyaliosaurus quinquecarinatus 321.
Erpetopus willistoni 271.
Eryops 97, 111, 235.
Eubaena 44.
Eumeces anthracinus 283.
Eumeces brevilineatus 84.
Eumeces brevilineatus 120, 163, 220, 225, 283.
Eumeces brevirostris pineus 183.
Eumeces copei 76.
Eumeces epipleurotus 33.
Eumeces fasciatus 24, 25, 65, 129, 132, 134, 172, 238, 276, 283.
Eumeces gaigei 33, 48.
Eumeces gilberti 129.
Eumeces guttulatus 5.
Eumeces inexpectatus 129.
Eumeces laticeps 24, 25, 48, 65, 132, 275.
Eumeces lynxe furcirostris 284.
Eumeces lynxe lynxe 284.
Eumeces multivirgatus 48.
Eumeces multivirgatus epipleurotus 33, 202.
Eumeces multivirgatus gaigeae 33, 202.
Eumeces multivirgatus gaigei 33.
Eumeces multivirgatus taylori 33.
Eumeces obsoletus 48, 112, 120, 129, 132, 143, 150, 163, 220, 225, 238, 269.
Eumeces obsoluetus 163.
Eumeces quinquelineatus 19.
Eumeces septentrionalis 172, 263.
Eumeces septentrionalis obtusirostris 120, 204, 283.
Eumeces skiltonianus 129.

- Eumeces striatulus* 129.
Eumeces taylori 33, 48.
Eumeces tetragrammus 48, 81, 148, 132, 163, 225, 321.
Eupemphix pustulosus 119.
Eurycea 249, 263.
Eurycea bislineata bislineata 23.
Eurycea gutto-lineata 23.
Eurycea latitans 15, 35, 48, 227, 228, 268, 269, 301.
Eurycea longicauda 48.
Eurycea lucifuga 23, 301.
Eurycea melanopleura 23.
Eurycea multiplicata 23.
Eurycea nana 15, 35, 48, 227, 228, 301.
Eurycea neotenes 2, 15, 23, 35, 48, 227, 228, 268, 301.
Eurycea pterophila 35, 48, 227, 228, 301.
Eurycea quadridigitata 204.
Eurycea quadridigitatus quadridigitatus 23.
Eurycea rathbuni 227, 228, 268, 269, 301.
Eurycea tridentifera 227, 228, 268, 269, 301.
Eurycea troglodytes 35, 227, 228, 268, 269, 301.
Eurycea tynerensis 301.
Euryodus 235.
Eutaenia praeocularis 219.
Eutaneia aurata 219.
Eutaenia cyrtopsis cyrtopsis 219.
Eutaenia cyrtopsis fulvus 219.
Eutaenia cyrtopsis ocellata 219.
Eutaenia eques collaris 219.
Eutaneia eques eques 219.
Eutaenia proxima 19.
Eutaenia pulchrilatus 219.
Eutaenia sirtalis dorsalis 19.
Eutaenia sumichrasti 219.

Farancia abacura 24, 25, 129.
Farancia abacura reinwardtii 204, 261, 283.
Ficimia cana 48, 163, 225.
Ficimia olivacea 70, 148, 284.
Ficimia streckeri 34, 48, 70, 240, 284.
Floridemys 129.
Floridemys nanus 96.

Gambelia wislizenii 48, 163, 225.
Gampsodactylum kabarcense 271.
Gastrophryne 82.
Gastrophryne areolata 24, 25.
Gastrophryne carolinensis 24, 25, 129, 143, 171, 174, 263, 323.
Gastrophryne olivacea 129, 143, 204, 263, 268, 269, 275, 323.
Gastrophryne texana 23.
Gastrophryne texensis 24, 25.
Gavialosuchus americanus 129.
Gehyra mutilatus 136.
Geochelone 96, 129, 149, 247.
Geochelone alleni 251.
Geochelone oelrichi 251.
Geochelone rexroadensis 251.
Geochelone riggsi 251.
Geochelone turgida 251.
Geoemyda rubida 321.
Gerrhonotus infernalis 5, 225.
Gerrhonotus liocephalus 48, 101, 118, 132, 163, 193, 220, 225.
Gerrhonotus liocephalus infernalis 183, 219.
Gerrhonotus multicarinatus 112, 129.
Gerrhosaurus flavigularis 199.
Globidens alabamensis 298.
Glyptops 112.
Goniopholus 112.
Gopherus 73, 112.
Gopherus agassizi 129.
Gopherus berlandieri 2, 15, 48, 210, 238, 241.
Gopherus campester 96.
Gopherus canyonensis 96.
Gopherus hayi 96.
Gopherus pansae 96.
Gopherus polyphemus 24, 25, 129.
Graptomys barbouri 177.
Graptomys cageli 177, 203.
Graptomys flavimaculata 177.
Graptomys geographica 16, 129, 177, 283.
Graptomys kohnii 138, 139, 177, 238.
Graptomys nigrinoda 177.
Graptomys oculifera 16, 177, 283.

- Graptemys pseudogeographica* 24, 65, 103, 139, 203, 263.
Graptemys pseudogeographica kohnii 16, 283.
Graptemys pseudogeographica oculifera 25.
Graptemys pseudogeographica pseudogeographica 16, 283.
Graptemys pseudogeographica sabinensis 138, 177.
Graptemys pseudogeographica versa 2, 16, 283.
Graptemys pulchra 177.
Graptemys versa 16, 238, 279, 283.
Gyalopion canum 101, 204.
Gynophthalmus sumichrasti 321.
Gyrinophilus porphyriticus 111.

Haideotriton 35.
Hainosaurus 298.
Haldea striatula 19, 48, 65, 129, 148, 174, 225, 263, 283.
Haldea valeriae 48, 148.
Heleophryne 37, 42, 293.
Heloderma suspectum 129.
Heloderma suspectum suspectum 304.
Hemachatus haemachatus 153.
Hemidactylium scutatum 23.
Hemidactylus frenatus 136.
Hemidactylus garnotti 146.
Hemidactylus turcicus 64, 99, 100, 109, 136, 197, 275.
Hemidactylus turcicus turcicus 231.
Hesperotestudo turgida 251.
Heterodon brevis 129.
Heterodon contortris 24.
Heterodon contortrix 25, 48.
Heterodon nascius 24.
Heterodon nasicus 25, 46, 73, 129, 143, 148, 169, 173, 225, 250, 264, 282.
Heterodon nasicus gloydi 171, 204, 261.
Heterodon nasicus kennerlyi 163.
Heterodon nasicus nasicus 120, 261, 283.
Heterodon platyrhinos 117, 129, 143, 148, 169, 173, 174, 250, 261, 281, 294.
Heterodon platyrhinos 65, 120, 149, 264.
Heterodon platyrhinus 19.
Heterodon plionasicus 129.
Heterodon simus 129, 148.
Holbrookia maculata 46, 48, 118, 143, 201, 220, 221, 225.
Holbrookia maculata approximans 163.
Holbrookia maculata lacerata 19, 283.
Holbrookia maculata maculata 120.
Holbrookia propinqua 48, 278, 317.
Holbrookia propinqua propinqua 25.
Holbrookia texana 5, 19, 48, 112, 118, 129, 130, 152, 163, 221, 225, 283.
Holbrookia texana scitula 84, 220, 223.
Holbrookia texana texana 84, 120.
Holbrookia texanum 8.
Holcoldus coryphaeus 298.
Hydrodynastes gigas 104.
Hydromorphus clarki 236.
Hydromorphus concolor 236.
Hydromorphus dunni 236.
Hyla 82, 111, 154.
Hyla arborescens 284.
Hyla arenicolor 23, 48, 51, 72, 118, 127, 163, 220, 225, 254, 318.
Hyla avivoca 72, 164, 318.
Hyla baudinii 4, 23, 48, 258.
Hyla cadaverina 254.
Hyla californiae 127, 254.
Hyla carolinensis 19.
Hyla chrysoscelis 151, 164, 165, 254.
Hyla cinerea 8, 48, 72, 118, 150, 151, 164, 186, 230, 254, 259, 263, 282.
Hyla cinerea cinerea 23, 24, 25, 238, 283.
Hyla crucifer 48, 53, 72, 118, 186, 215.
Hyla crucifer crucifer 238, 283.
Hyla darlingi 284.

Hyla dendroscarta 284.
Hyla ebraccata 258.
Hyla euphorbiacea 321.
Hyla eximia 23, 76, 254.
Hyla femoralis 23, 24, 25, 48, 129, 254.
Hyla femoralis chrysoscelis 165.
Hyla gracilipes 23.
Hyla gratiosa 318.
Hyla leucophyllata 260.
Hyla microcephala 258.
Hyla microcephala martini 123.
Hyla miotympanum 4, 284.
Hyla mixomaculata 284.
Hyla ocularis 318.
Hyla picta 258.
Hyla regilla 36, 51, 79, 127, 186, 254, 296.
Hyla smithi 318.
Hyla spinipollex 219.
Hyla squirella 23, 24, 25, 48, 150, 174, 186, 204, 254, 259, 318.
Hyla staufferi 4, 258, 284, 321.
Hyla venulosa 4.
Hyla versicolor 48, 53, 72, 118, 150, 151, 164, 174, 186, 214, 253, 254, 263.
Hyla versicolor chrysoscelis 19, 23, 24, 25, 65, 165, 283.
Hyla versicolor phaeocrypta 165.
Hyla versicolor sandersi 165, 283.
Hyla versicolor versicolor 23, 24, 25, 165.
Hyla wrightorum 186.
Hyperolius 42, 293.
Hypopachus caprimus 111.
Hypopachus cuneus 4, 23, 48, 162, 282, 323.
Hypopachus cuneus nigroreticulatus 123.
Hypsiglena ochrorhyncha 48.
Hypsiglena ochrorhyncha ochrorhyncha 163, 220, 283.
Hypsiglena ochrorhyncha texana 163, 225, 238, 283.
Hypsiglena torquata 132, 148, 269.
Hypsiglena torquata jani 204.
Hypsiglena torquata

ochrorhyncha 221.
Hypsiglena torquata texana 120.
Ichthyosaurus 112.
Ichthyosaurus missouriensis 298.
Iguana iguana rhinolopha 284.
Iguanodon 112.
Kachuga smithi 177.
Kachuga tecta 177.
Kaloula 37, 293.
Kannemeyeria 112.
Kentopyx 146.
Kinosternon arizonense 129.
Kinosternon bauri 129, 251.
Kinosternon carinatum 112.
Kinosternon cruentatum 251.
Kinosternon cruentatum cruentatum 103.
Kinosternon flavescens 24, 25, 112, 129, 163, 225, 250, 251, 263, 269, 282.
Kinosternon flavescens flavescens 103, 120, 143, 283.
Kinosternon hirtipes 251.
Kinosternon hirtipes murrayi 143.
Kinosternon integrum 103.
Kinosternon leucostomum 251.
Kinosternon louisianae 19.
Kinosternon scorpioides 137.
Kinosternon sonoriense 103, 143.
Kinosternon subrubrum 129, 134, 251, 263.
Kinosternon subrubrum hippocrepis 24, 25, 65, 103, 143, 204, 238, 283.
Labidosaurus 112, 235.
Lacerta viridis 5.
Lacerta vivipara 5, 146.
Lachesis 154.
Lachesis muta 106.
Laemactus serratus 112.
Lampropeltis 246.
Lampropeltis alterna 48, 163, 225.
Lampropeltis annulatus 11.
Lampropeltis calligaster 24, 25, 77, 129, 148, 150, 169, 247.

- Lampropeltis calligaster*
calligaster 65, 120, 143,
 238, 261, 283, 322.
Lampropeltis doliata 129.
Lampropeltis doliata annulata
 225.
Lampropeltis doliata arcifera
 284.
Lampropeltis doliata annulata
 70.
Lampropeltis doliata polyzona
 284.
Lampropeltis getulus 77, 147,
 169, 250.
Lampropeltis getulus 48, 129,
 148, 282.
Lampropeltis getulus
californiae 101.
Lampropeltis getulus holbrooki
 24, 25, 65, 87, 120, 143,
 206, 238, 261, 322.
Lampropeltis getulus splendida
 120, 143, 163, 225.
Lampropeltis intermedia 129.
Lampropeltis intermedius 129,
 247.
Lampropeltis mexicana 101,
 247.
Lampropeltis mexicana alterna
 269.
Lampropeltis mexicana blairi
 269.
Lampropeltis pyromelana 129,
 247.
Lampropeltis similis 247.
Lampropeltis triangulum 101,
 143, 148, 150, 169, 247.
Lampropeltis triangulum amaura
 24, 25, 261.
Lampropeltis triangulum
gentilis 261.
Lampropeltis triangulum
sypila 261.
Lampropeltis triangulum
triangulum 152.
Lampropeltis zonata 247.
Leimadophis poecilogyrus
amazonicus 106.
Leimadophis poecilogyrus
franciscanus 106.
Leimadophis poecilogyrus
intermedius 106.
Leimadophis poecilogyrus
lancinii 106.
Leimadophis poecilogyrus
montanus 106.
Leimadophis poecilogyrus
pictostriatus 106.
Leimadophis poecilogyrus
pineticola 106.
Leimadophis poecilogyrus
platensis 106.
Leimadophis poecilogyrus
xerophilus 106.
Leiopisma laterale 24, 25,
 48, 174, 225.
Leiuperus nitidus 102.
Leptodactylus 137.
Leptodactylus bolivianus 119.
Leptodactylus labialis 23, 48,
 119, 123, 258, 321.
Leptodactylus melanotus 4,
 119, 258, 284, 321.
Leptodactylus pentadactylus
 119.
Leptodactylus quadrivittatus
 119.
Leptodeira maculata 284, 321.
Leptodeira mystacina 321.
Leptodeira septentrionalis 48,
 162, 258.
Leptotyphlops dulcis 24, 25,
 43, 48, 101, 120, 132, 163,
 263, 283, 315, 321.
Leptotyphlops dulcis dulcis
 65, 143, 225, 316.
Leptotyphlops dulcis myopicus
 316.
Leptotyphlops humilis segregus
 163, 220, 225.
Leptotyphlops humilis
tenniculus 70.
Leptotyphlops myopica dissecta
 120.
Leptotyphlops myopicus
dissectus 283.
Leptotyphlops myopicus
myopicus 283.
Leptotyphlops phenops phenops
 284.
Lestosaurus curtirostris 298.
Limnoscelis 112.
Liodon curtirostris 298.
Liodytes alleni 129.
Lioheterodon modestum 200.
Liopisma laterale 11, 19,
 219.
Liophis almadensis 105.
Liophis carajasensis 105.
Liophis ceii 105.

- Liophis cobella flaviventris* 106.
Liophis conirostris 105.
Liophis epinephelus 105.
Liophis forsteri 106.
Liophis merremi sublineatus 106.
Liophis miliaris 106.
Liophis ornatissima 106.
Liophis poecilogyrus 105.
Liophis poecilogyrus albadspersus 106.
Liophis poecilogyrus amazonicus 106.
Liophis poecilogyrus caesius 106.
Liophis poecilogyrus franciscanus 106.
Liophis poecilogyrus montanus 106.
Liophis poecilogyrus pictostriatus 106.
Liophis poecilogyrus pinetincola 106.
Liophis poecilogyrus platensis 106.
Liophis poecilogyrus poecilogyrus 106.
Liophis poecilogyrus reticulatus 106.
Liophis poecilogyrus schotti 106.
Liophis poecilogyrus subfasciatus 106.
Liophis poecilogyrus sublineatus 106.
Liophis poecilogyrus xerophilus 106.
Liophis reginae viridicyanea 106.
Liophis subfasciatus 106.
Liophis typhlus gastrosticta 106.
Liophis typhlus olivacea 106.
Liophis verecundus 105, 106.
Liophis wagleri 105.
Liophis y-graecum 105.
Lithodytes latrans 19.
Loxocemus bicolor 255.
Lutainia marciana 21.
Lutainia proxima 21.
Lutainia vagrans 21.
Lygophis y-graecum 105.
Lygosoma laterale 65, 118, 134, 174, 212, 224, 238, 263.
Lysorophus 235.
Mabuya maculata 200.
Mabuya mabouya alliacea 321.
Mabuya punctata 200.
Mabuya quinquetaeniata margaritifera 199.
Macrochelys temminckii 24, 25, 103, 129.
Macrolemys temminckii 251.
Macrosaurus proriger 298.
Malaclemmys 2.
Malaclemys terrapin littoralis 103, 143.
Malayemys subtrijuga 177.
Manculus quadridigitatus 48, 268.
Manculus quadridigitatus paludicolus 283.
Manculus quadridigitatus uvidus 283.
Manolepis putnami 321.
Masticophis 152, 245.
Masticophis flagellum 46, 77, 87, 117, 129, 143, 148, 169, 250, 263, 268, 277.
Masticophis flagellum flagellum 24, 25, 65, 171, 238, 283, 322.
Masticophis flagellum testaceous 221, 238.
Masticophis flagellum testaceus 120, 283.
Masticophis mentovarius mentovarius 123, 321.
Masticophis taeniatus 129, 132, 148.
Masticophis taeniatus girardi 81, 204.
Masticophis taeniatus ornatus 84, 208, 221, 266.
Masticophis taeniatus schotti 204, 208, 266.
Masticophis taeniatus taeniatus 208.
Mauremys mutica 177.
Mauremys nigricans 177.
Megalosaurus 112.
Microbatrachylus minimus 321.
Microbatrachylus pygmaeus 321.
Microhyla 37, 50, 82.
Microhyla areolata 23.
Microhyla carolinensis 23, 48.

- Microhyla carolinensis*
carolinensis 283.
Microhyla carolinensis
olivacea 283.
Microhyla olivacea 23, 48, 65,
 118, 144, 155, 162, 163,
 184, 225.
Microhyla usta 258.
Microsauropus acutipes 271.
Microsauropus clarki 271.
Microsauropus parvus 271.
Micruroides 174.
Micrurus 7, 276.
Micrurus affinis affinis 321.
Micrurus fitzingeri
microgalbineus 70.
Micrurus fulvius 24, 48, 117,
 129, 148, 263, 268.
Micrurus fulvius fulvius 25,
 174.
Micrurus fulvius tenere 143,
 174, 225.
Moodieochnus *didactylus* 271.
Mosasaurus 13, 112.
Mosasaurus conodon 298.
Mosasaurus horridus 298.
Mosasaurus maximus 298.
Mosasaurus missouriensis 298.
Myopterygius americanus 280.
Myopterygius campylodon 280.
Myopterygius petersoni 280.
Mystriosaurus 112.

Naja nigricollis 153.
Naomichelys 44.
Natrix 149, 281.
Natrix almada 105.
Natrix almadensis 105.
Natrix cyclopion 129.
Natrix erythrogaster 48, 129,
 148, 152, 163, 181, 263.
Natrix erythrogaster
flavigaster 143, 238, 283.
Natrix erythrogaster
transversa 25, 65, 95, 120,
 158, 224, 225, 283.
Natrix fasciata 148, 152.
Natrix fasciata confluens 24,
 174.
Natrix fasciata erythrogaster
 19.
Natrix fasciata fasciata 24,
 25.
Natrix fasciata transversa 19.
Natrix fasciatus 11.

Natrix forsteri 106.
Natrix grahamii 19, 24, 25,
 143, 174, 181, 283.
Natrix harteri 48, 270.
Natrix harteri harteri 307.
Natrix harteri paucimaculata
 307.
Natrix kirtlandi 270.
Natrix rhombifera 19, 24, 25,
 48, 148, 152, 163, 174, 225,
 282, 294.
Natrix rhombifera blanchardi
 70.
Natrix rhombifera rhombifera
 70, 120, 261, 283.
Natrix rigida 48.
Natrix sipedon 48, 112, 129,
 174, 181, 263.
Natrix sipedon confluens 25,
 65, 283.
Natrix sipedon pleuralis 143,
 261.
Natrix taxispilota 24, 25,
 129, 181, 263.
Natrix taxispilota rhombifera
 65.
Natrix transversa 24.
Natrix valida valida 321.
Nectophryne misera 36, 42.
Necturus 111.
Necturus beyeri 48.
Necturus maculatum 137.
Neoprocoela edentata 59.
Nerodia 250.
Nerodia erythrogaster 81, 117,
 169.
Nerodia erythrogaster
flavigaster 171.
Nerodia erythrogaster
transversa 121, 270.
Nerodia fasciata 117.
Nerodia fasciata condluens
 171.
Nerodia harteri harteri 83,
 270.
Nerodia harteri paucimaculata
 270.
Nerodia rhombifer 117.
Nerodia rhombifera 81, 169,
 270.
Nerodia sipedon 169, 270.
Ninia diademata 321.
Nothosaurus 112.
Notophthalmus viridescens
louisianensis 143, 204.

- Ocadia sinensis* 177.
Oedipus platydactylus 4.
Oklahomalchnus millsii 272.
Opheodrys aestivus 24, 25, 48, 65, 117, 120, 129, 148, 150, 170, 174, 217, 225, 263, 275.
Opheodrys vernalis 148, 150.
Opheomorphus doliatus caesius 106.
Opheosaurus ventralis 19.
Ophiacodon 112.
Ophibolus calligaster 19.
Ophibolus getulus 11.
Ophibolus getulus sayi 19.
Ophiodeiurus casi 112.
Ophiosaurus ventralis 48.
Ophisaurus attenuatus 129, 132, 250, 263.
Ophisaurus compressus 129.
Ophisaurus ventralis 24, 25, 65, 129.
Ophisaurus ventralis ventralis 283.
Ophryacus undulatus 116.
Osceola doliata doliata 19.
Ostodolepis 235.
Oxybelis brevirostris 106.
Oxybelis fulgidus 255.

Palacoplus 112.
Palaeoelaphe kansensis 129.
Paleofarancia brevispinosus 129.
Palmatogecko rangei 302.
Paludicola nitidus 102.
Parioxys 111, 112.
Pelagosaurus 112.
Pelobates 156.
Pelomedusa subrufa 176.
Peltosaurus granulatus 112.
Pelusios 176.
Peropus mutilatus 136.
Phrynella 293.
Phrynohyas modesta 123.
Phrynomerus 37, 42.
Phrynosoma gibba 176.
Phrynosoma 112.
Phrynosoma asio 73, 321.
Phrynosoma blainvillei 206.
Phrynosoma cornutum 3, 5, 6, 8, 12, 19, 22, 24, 25, 46, 48, 65, 73, 120, 125, 129, 130, 152, 163, 220, 221, 225, 263, 283.
Phrynosoma coronatum 129, 206.
Phrynosoma douglassii 48, 152.
Phrynosoma josecitensis 129.
Phrynosoma modestum 46, 48, 120, 129, 130, 143, 152, 163, 220, 221, 223, 225, 277.
Phrynosoma orbiculare 129.
Phrynosoma platyrhinos 129, 223.
Phyllodactylus lani 112.
Phyllodactylus muralis 321.
Phyllomedusa 82.
Phyllomedusa callidryas 258.
Phyllomedusa dacnicolor 318.
Phyllomedusa moreleti 258.
Physalaemus 102.
Phytosaurus 112.
Pipa 82.
Pituophis 150, 152, 169, 246.
Pituophis catenifer 48, 263, 277.
Pituophis catenifer affinis 284.
Pituophis catenifer sayi 65, 120, 163, 225, 284.
Pituophis deppei deppei 284.
Pituophis deppei lineaticollis 284.
Pituophis melanoleucus 46, 77, 129, 132, 143, 250.
Pituophis melanoleucus lodingi 98.
Pituophis melanoleucus melanoleucus 98.
Pituophis melanoleucus ruthveni 98.
Pituophis melanoleucus sayi 142, 148, 261.
Pituophis sayi sayi 24, 25.
Pityophis sayi 19.
Platecarpus coryphaeus 298.
Platecarpus curtirostris 298.
Platecarpus ictericus 298.
Platecarpus somenensis 298.
Platecarpus tympaniticus 298.
Plateosaurus 112.
Platypeltis emoryi 163.
Platysternon 44.
Plesiosaurus 13, 112.
Plethodon 249.
Plethodon glutinosus 19, 23, 24, 25, 48, 118, 129.
Plethodon glutinosus albagula 143, 268, 269.

- Plethodon glutinosus*
glutinosus 268.
Plethodon ouachitae 23.
Pleuroderma guayapae 137.
Pleuroderma nebulosa 137.
Pleuroderma tucurmana 137.
Pliocercus elapoides celatus
 284.
Plioplatecarpus 298.
Podocnemis dumeriliana 176.
Podocnemis expansa 112, 176.
Podocnemis lewyana 176.
Podocnemis unifilis 176.
Podocnemis vogli 176.
Potamophis 2, 87.
Potamophis striatulus 24, 25,
 174.
Progmathodon overtoni 298.
Prolacerta 271.
Psammodynastes pulverulentus
 321.
Pseudacris 151, 260, 296, 314.
Pseudacris brachyphona 215.
Pseudacris brimleyi 27.
Pseudacris clarkii 48, 65,
 118, 150, 152, 185, 186,
 187, 204, 215, 254, 263,
 275, 283.
Pseudacris feriarum 186.
Pseudacris nigrita 24, 27, 48,
 53, 215, 118, 150, 186, 187.
Pseudacris nigrita clarkii 4,
 23, 25.
Pseudacris nigrita feriarum
 214.
Pseudacris nigrita
occidentalis 25.
Pseudacris nigrita triseriata
 23, 65, 214, 283.
Pseudacris ornata 27, 150,
 186, 215, 216.
Pseudacris Streckeri 24, 25.
Pseudacris streckeri 23, 27,
 48, 118, 150, 185, 186, 187,
 215, 216, 263, 268, 282,
 283.
Pseudacris streckeri streckeri
 65.
Pseudacris triseriata 27, 72,
 129, 150, 152, 187.
Pseudemys 112, 267.
Pseudemys caelata 129.
Pseudemys concinna 19, 238,
 251.
Pseudemys concinna metterii
 171, 203.
Pseudemys concinna texana 177.
Pseudemys elegans 24, 25.
Pseudemys floridana 129, 163,
 251, 263.
Pseudemys floridana floridana
 103.
Pseudemys floridana hoyi 103,
 177, 238, 283.
Pseudemys floridana texana
 103, 225, 283.
Pseudemys floridana 181.
Pseudemys idahoensis 129.
Pseudemys nelsoni 129, 177.
Pseudemys scripta 129, 163,
 181, 238, 263, 281.
Pseudemys scripta callirostris
 177.
Pseudemys scripta cataspila
 321.
Pseudemys scripta elegans 65,
 103, 120, 149, 177, 225,
 283, 291.
Pseudemys scripta gaigeae 283.
Pseudemys scripta troostii 154.
Pseudemys texana 10, 24, 25,
 203.
Pseudemys troostii 10.
Pseudis paradoxa 36.
Pseudobranchius 137, 149.
Pseudobranchius robustus 129.
Pseudobranchius vetustus 129.
Pseudoeurycea cephalica 76,
 321.
Pseudoeurycea cephalica
cephalica 284.
Pseudoeurycea galeanae 183.
Pseudoeurycea leprosa 284,
 321.
Pseudoeurycea nigromaculata
 284, 321.
Pseudotriton ruber 227.
Pteranodon 112.
Pternohyla dentata 318.
Pternohyla fodiens 273, 318.
Python reticulatus 321.

Rana 37, 42, 58.
Rana areolata 23, 24, 25.
Rana areolata areolata 191,
 283.
Rana arvalis 36.
Rana aurora 36, 129.
Rana berlandieri 159, 237,
 248.

- Rana blairi* 169, 248, 250, 270.
Rana boriconensis 214.
Rana catesbeiana 23, 24, 25, 36, 48, 65, 66, 72, 91, 111, 118, 129, 150, 152, 158, 159, 204, 214, 225, 238, 248, 257, 263, 283.
Rana catesbiana 19, 72.
Rana clamata 214.
Rana clamator 214.
Rana clamitans 23, 36, 48, 53, 72, 118, 154, 257, 268, 283.
Rana clamitans clamitans 171, 214, 238.
Rana clamitans melanota 214.
Rana dubita 129.
Rana ephippium 129.
Rana esculenta 36, 66, 82.
Rana fayeae 129.
Rana fischeri 48.
Rana flaviviridis 214.
Rana fontinalis 214.
Rana fiska 36.
Rana grayi 293.
Rana grylio 48, 129.
Rana mascareniensis 36.
Rana meadensis 129.
Rana moorei 129.
Rana nigrescens 214.
Rana nigricans 214.
Rana nigromaculata 214.
Rana onca 48.
Rana palmipes 284, 321.
Rana palustris 48, 129, 204, 248, 276, 283.
Rana parvissima 129.
Rana pipiens 4, 8, 19, 48, 56, 65, 72, 82, 91, 111, 118, 120, 123, 129, 149, 150, 152, 158, 189, 214, 220, 225, 237, 248, 250, 258, 262, 263, 268, 269, 279, 281, 282, 286, 287, 288, 289, 290, 295, 297.
Rana pipiens austriicola 321.
Rana pipiens berlandieri 163, 238, 283.
Rana pipiens brachycephala 283.
Rana pipiens fischeri 48.
Rana pipiens pipiens 23, 25, 191.
Rana pipiens sphenoccephala 143, 283.
Rana pliocenica 129.
Rana rexroadensis 129.
Rana robustocondyla 129.
Rana septentrionalis 214.
Rana sphenoccephala 23, 25, 237, 250.
Rana Sphenoccephala 24.
Rana sylvatica 9, 82, 118, 189, 214.
Rana sylvatica cantabrigensis 48.
Rana sylvatica latiremis 48.
Rana temporaria 36, 66, 276, 295.
Rana valida 129.
Ranaria melanota 214.
Rappia 36.
Regina 169, 250.
Regina grahamii 143, 148, 204.
Rhadinaea 149.
Rhadinaea dichroa preornata 106.
Rhadinaea flavilata 148.
Rhadinea flavilata 129.
Rhineura floridana 129.
Rhinocbilus lecontei 19, 48, 132, 148.
Rhinocheilus lecontei lecontei 206.
Rhinocheilus lecontei tessellatus 163, 225, 261.
Rhinocheilus lecontei tessellatus 70, 120, 143, 206, 283.
Rhinoclemys funeria 177.
Rhinoclmys puntularia melanosterna 177.
Rhinophrynus 211.
Rhinophrynus dorsalis 123, 162.
Rhyacosiredon altamiranoi 76.
Salvadora grahamiae 48, 152, 163, 225.
Salvadora hexalepis 48, 148, 152, 225.
Salvadora hexalepis deserticola 163.
Salvadora lemniscata 321.
Salvadora lineata 48, 263, 283.
Sauromalus obesus 112, 129.
Scaphiopus 53, 82, 162, 169, 318.
Scaphiopus alexanderi 129.

- Scaphiopus bombifrons* 46, 49, 51, 118, 120, 129, 143, 152, 156, 159, 184, 190, 314.
Scaphiopus couchii 4, 19, 23, 46, 48, 49, 54, 62, 85, 118, 143, 151, 152, 155, 163, 178, 189, 190, 225, 238, 314.
Scaphiopus couchii couchii 283.
Scaphiopus couchii retifrenis 283.
Scaphiopus diversus 129.
Scaphiopus hammondii 23, 36, 48, 49, 51, 79, 85, 118, 143, 152, 156, 163, 184, 189, 190, 268, 314.
Scaphiopus hammondi multiplicatus 4.
Scaphiopus hammondii hammondii 225.
Scaphiopus holbrookii 31, 48, 49, 111, 129, 189, 190, 230.
Scaphiopus holbrookii holbrookii 23, 24, 25, 54, 314.
Scaphiopus holbrookii hurterii 23, 54, 238, 314.
Scaphiopus hurteri 49, 54, 65, 85, 118, 190, 211, 263, 283, 296.
Scaphiopus intermontanus 51, 190, 314.
Scaphiopus multiplicata 190.
Scaphiopus multiplicatus 46.
Scaphiopus pliobatrachus 129.
Scaphiopus retifrenis 283.
Scaphiopus studeri 129.
Scaphonyx 112.
Sceloporus 2, 150, 245.
Sceloporus aeneus 76, 183.
Sceloporus aeneus bicanthalis 284.
Sceloporus chaneyi 183.
Sceloporus clarkii 225, 229.
Sceloporus consobrinus consobrinus 24, 25.
Sceloporus cyanogenys 32, 48, 92.
Sceloporus edwardtaylori 321.
Sceloporus floridanus 5.
Sceloporus formosus 32.
Sceloporus formosus formosus 284, 321.
Sceloporus formosus scitulus 321.
Sceloporus goldmani 183.
Sceloporus graciosus 129, 152.
Sceloporus graciosus arenicolous 199.
Sceloporus graciosus gracilis 172.
Sceloporus graciosus graciosus 172.
Sceloporus grammicus 48, 76.
Sceloporus grammicus microlepidotus 183, 284.
Sceloporus jarrovi 32, 129, 183, 229.
Sceloporus magister 48, 129, 163, 172, 221, 225.
Sceloporus magister magister 220, 223.
Sceloporus malachiticus 32.
Sceloporus melanorhinus melanorhinus 321.
Sceloporus merriami 48, 163, 172, 192, 223.
Sceloporus merriami annulatus 220.
Sceloporus merriami merriami 84, 143, 220, 224, 225.
Sceloporus mucronatus mucronatus 284.
Sceloporus mucronatus omiltemanus 32.
Sceloporus occidentalis 129, 229.
Sceloporus olivaceus 48, 108, 120, 172, 143, 221, 225, 256, 263, 268, 283, 321.
Sceloporus poinsettii 32, 48, 84, 163, 220, 224, 225, 238, 256, 283, 319.
Sceloporus prezygous 32.
Sceloporus robustus 129.
Sceloporus scalaris samcolemani 183.
Sceloporus scalaris scalaris 183.
Sceloporus scalaris slevini 183.
Sceloporus scalaris unicanthalis 183.
Sceloporus serrifer plioporus 32, 280.
Sceloporus serrifer prezygous 32.
Sceloporus serrifer serrifer 32.

- Sceloporus siniferus siniferus* 321.
Sceloporus spinosus 19, 172.
Sceloporus spinosus clarkii 225.
Sceloporus spinosus floridanus 24, 25.
Sceloporus spinosus spinosus 183, 284.
Sceloporus teapensis 321.
Sceloporus torquatus 32, 172.
Sceloporus torquatus mikeprestoni 183.
Sceloporus torquatus torquatus 284.
Sceloporus undulatus 46, 48, 125, 129, 132, 152, 192, 201, 213, 218, 221, 263.
Sceloporus undulatus consobrinus 19, 84, 120, 163, 220, 225, 283, 299.
Sceloporus undulatus elongatus 194.
Sceloporus undulatus garmani 120.
Sceloporus undulatus hyacinthinus 8, 65, 172, 174, 283.
Sceloporus undulatus undulatus 24, 25.
Sceloporus variabilis 48, 148, 213, 229.
Sceloporus variabilis marmoratus 204, 321.
Sceloporus variabilis variabilis 284, 321.
Scinax blairi 260.
Scinax boesemani 260.
Scinax crospedospila 260.
Scinax cruentomma 260.
Scinax danae 260.
Scinax kennedyi 260.
Scinax lindsayi 260.
Scinax rostrata 260.
Scinax ruber 260.
Scinax squalirostris 260.
Scinax staufferi 260.
Scinax wandae 260.
Scinax x-signata 260.
Scincella assata assatum 321.
Scincella assata taylori 321.
Scincella caudaequinae 284.
Scincella gemmingeri gemmingeri 284.
Scincella laterale 81, 283.
Scincella silvicola 284.
Seymouria 111, 112, 235.
Siebenrockiella crassicollis 177.
Siredon pisciforme 286, 287.
Siren 2, 149.
Siren intermedia 23, 25, 48.
Siren intermedia nettingi 65, 137, 171.
Siren intermedia texana 137, 238.
Siren lacertina 23, 24, 25, 129, 137.
Siren simpsoni 129.
Sistrurus 169.
Sistrurus catenatus 77, 142, 148, 226.
Sistrurus catenatus consors 11.
Sistrurus catenatus edwardsii 11, 204.
Sistrurus catenatus tergeminus 204, 261.
Sistrurus miliaris streckeri 143.
Sistrurus miliarius 117, 129, 148.
Sistrurus miliarius miliarius 24, 25.
Sistrurus miliarius streckeri 24, 25, 65, 174, 238, 261.
Smilisca baudinii 111, 162, 234, 254, 318.
Smilisca baudinii baudinii 284.
Sonora 149.
Sonora episcopa 48, 148, 163, 225, 283.
Sonora episcopa episcopa 120, 170, 180, 261.
Sonora semiannulata 2, 46, 48, 101, 132, 163, 225.
Sonora semiannulata blanchardi 220.
Sonora taylori 48.
Spea 49, 190, 314.
Spea bombifrons 85.
Spea hammondi 85.
Spea laticeps 85.
Spelerpes bilineatus 23.
Spelerpes ruber 227.
Sphaerodactylus glaucus glaucus 321.
Sphaerodactylus glaucus torquatus 321.

- Sphenodon* 36, 112, 113.
Stegosaurus 112.
Stenorrhina freminvillii
 apiata 321.
Stenorrhina freminvillii
 lactea 321.
Sternothaerus carinatus 238.
Sternothaerus minor 129.
Sternothaerus odoratus 129,
 238.
Sternotherus carinatus 24, 25.
Sternotherus carinatus
 carinatus 103.
Sternotherus carinatus
 peltifer 103.
Sternotherus minor 251.
Sternotherus odoratus 24, 25,
 103, 143, 204, 251, 283,
 301.
Sternothorus odoratus 263.
Stilosoma vetustum 129.
Storeria 174.
Storeria dekayi 19, 24, 25,
 48, 65, 117, 129, 148, 263.
Storeria dekayi texana 87,
 120, 143, 158, 171, 217,
 283.
Storeria dekayi wrightorum
 283.
Storeria hidalgoensis 183.
Storeria occipitomaculata 117.
Storeria storerioides 76.
Syrrhophus 293.
Syrrhophus campi 23, 48.
Syrrhophus cystignathoides
 campi 67, 196.
Syrrhophus gaigeae 48, 163,
 225, 283.
Syrrhophus guttulatus 101,
 183.
Syrrhophus leprus 321.
Syrrhophus macrotympanum 102.
Syrrhophus marnockii 23, 42,
 48, 118, 119, 129, 151, 219,
 224, 225, 268, 269, 283,
 296.
Syrrhophus pipilans nebulosus
 119.
Syrrhopus campi 4.

Tantilla 150, 174.
Tantilla atriceps 48, 101,
 163, 225.
Tantilla coronata 129.
Tantilla cucullata 101.

Tantilla diabola 101, 300.
Tantilla gracilis 19, 24, 25,
 143, 148, 170, 263, 268,
 321.
Tantilla gracilis gracilis 87,
 283.
Tantilla gracilis hallowelli
 283.
Tantilla nigriceps 48, 101,
 143, 148, 163.
Tantilla nigriceps fumiceps
 120, 238.
Tantilla nigriceps nigriceps
 120.
Tantilla rubra cucullata 101.
Tantilla rubra diabola 101.
Taricha 129.
Teius 146.
Telosaurus 112.
Termatosaurus 112.
Terrapene 149, 241, 251.
Terrapene canaliculata 279.
Terrapene carolina 48, 129,
 148, 263.
Terrapene carolina major 283.
Terrapene carolina triunguis
 65, 124, 143, 177, 238, 283.
Terrapene coahuila 177.
Terrapene major 24, 25.
Terrapene ornata 19, 24, 25,
 46, 47, 48, 129, 163, 177,
 201, 210, 225, 263, 269,
 283.
Terrapene ornata ornata 65,
 120, 143, 171, 238, 322.
Terrapene triunguis 24, 25.
Terrapene triunguis 2.
Testudo 15, 112, 279.
Testudo gilberti 96.
Testudo orthopyga 96.
Testudo osborniana 96.
Testudo turgida 96.
Tetraprion 318.
Thamnophis 250, 303.
Thamnophis arabdotus 219.
Thamnophis bovallii 219.
Thamnophis butleri 118.
Thamnophis chrysocephalus 219,
 284.
Thamnophis chrysocephalus
 219.
Thamnophis cyrtopsis 148, 152,
 174.
Thamnophis cyrtopsis cyclides
 219.

- Thamnophis cyrtopsis cyrtopsis* 118, 219, 220.
Thamnophis cyrtopsis ocellata 118, 143, 219, 268, 269.
Thamnophis cyrtopsis postremus 219.
Thamnophis cyrtopsis pulchrilatus 183.
Thamnophis cyrtopsis sumichrasti 219.
Thamnophis elegans 152.
Thamnophis eques 48.
Thamnophis eques cyrtopsis 163, 219, 225.
Thamnophis eques eques 219.
Thamnophis eques megalops 143.
Thamnophis eques postremus 219.
Thamnophis eques sumichrasti 219.
Thamnophis exsul 183.
Thamnophis macrostemma 48.
Thamnophis marcianus 24, 25, 48, 148, 152, 163, 225, 263.
Thamnophis marcianus marcianus 118, 143, 283.
Thamnophis marcianus nigrolateris 118, 120, 283.
Thamnophis melanogaster 219.
Thamnophis ordinatus ordinatus 219.
Thamnophis ordinoides 219.
Thamnophis phenax 219, 284.
Thamnophis proximus 117, 148, 150, 152, 159, 169, 255, 282.
Thamnophis proximus orarius 121.
Thamnophis proximus rubrilineatus 270.
Thamnophis radix 148, 152.
Thamnophis radix haydeni 120.
Thamnophis rozellae 219.
Thamnophis sauritus 48, 129, 181, 263.
Thamnophis sauritus chalceus 284.
Thamnophis sauritus proximus 24, 25, 65, 118, 120, 174, 283.
Thamnophis scalaris 76, 219.
Thamnophis sirtalis 48, 129, 148, 152, 169.
Thamnophis sirtalis annectens 118, 120, 204, 217.
Thamnophis sirtalis parietalis 118, 120.
Thamnophis sirtalis proximus 225.
Thamnophis sirtalis sirtalis 24, 25, 219.
Thamnophis sumichrasti cerebrosus 219.
Thamnophis sumichrasti fulvus 219.
Thamnophis sumichrasti praeocularis 219.
Thamnophis sumichrasti salvini 219.
Thamnophis sumichrasti sumichrasti 219.
Thamnophis vicinus 219.
Thorius pennatululus 284.
Tiliqua scincoides 200.
Toluca lineata lineata 284, 321.
Toluca lineata varians 321.
Toluca lineata wetmorei 284.
Tomodactylus 42.
Tomodactylus albolabris 102, 107.
Tomodactylus angustidigitorum 102, 107.
Tomodactylus anulae 102.
Tomodactylus dilatus 102, 107.
Tomodactylus fuscus 102.
Tomodactylus grandis 102.
Tomodactylus macrotympanum 102.
Tomodactylus nitidus 119.
Tomodactylus nitidus nitidus 102.
Tomodactylus nitidus orarius 102.
Tomodactylus nitidus petersi 102.
Tomodactylus petersi 102.
Tomodactylus rufescens 107.
Trachemys scripta 251.
Trachemys scripta elegans 203, 313.
Trachodon 112.
Trachydermochelys 112.
Tricertops 112.
Trigonocephalus scolecomorphus 105.
Trimeresurus puniceus 321.
Trimerorhachis 14, 111, 235.
Trimorphodon biscutatus 255.

- Trimorphodon biscutatus
 biscutatus 321.
 Trimorphodon tau 70.
 Trimorphodon upsilon 70.
 Trimorphodon vilkinsonii 48,
 101, 163, 225.
 Trionyx 149, 267.
 Trionyx ferox 129, 263.
 Trionyx guinni 251.
 Trionyx muticus muticus 204.
 Trionyx spinifer emoryi 238.
 Trionyx spinifera 129.
 Tripriion 318.
 Triturus 2, 82, 111, 137.
 Triturus kallerti 4.
 Triturus meridionalis 23, 24,
 25, 48.
 Triturus torosa 244.
 Triturus viridescens 48, 286,
 287.
 Triturus viridescens
 louisianensis 23.
 Triturus viridescens
 viridescens 23, 24, 25.
 Tropidoclonion lineatum 19,
 24, 25, 65, 132, 148, 170.
 Tropidoclonion lineatum
 annectens 261.
 Tropidoclonion lineatum
 mertensi 143.
 Tropidoclonion lineatum
 texanum 238.
 Tropidonotus clarkii 11.
 Tropidonotus collaris 219.
 Tropidonotus ordinatus eques
 219.
 Tropidophis 206.
 Tupinambis nigropunctatus 146.
 Tupinambis teguixin 146.
 Tylosaurus nepaeolicus 298.
 Tylosaurus proriger 298.
 Typhlomolge 268.
 Typhlomolge rathbuni 2, 15,
 23, 35, 48, 227, 228.
 Typhlomolge tridentifera 228.

 Uma notata notata 154.
 Uma scoporia 154.
 Uromacer catesbyi 106.
 Uromacer dorsalis 106.
 Uromacer frenatus 106.
 Uromacer oxyrhynchus 106.
 Urosaurus 321.
 Urosaurus ornatus 48, 143,
 194, 220, 223.
 Urosaurus ornatus ornatus 84,
 224, 225.
 Urosaurus ornatus schmidtii
 163, 225.
 Urosaurus texanus 192.
 Uta stansburiana 46, 94, 129,
 130, 136, 221, 225, 277.
 Uta stansburiana stansburiana
 172.
 Uta stansburiana stejnegeri
 120, 163, 220, 223, 283.

 Varanops 235.
 Varanopus curridactylus 271.
 Varanopus elrodi 271.
 Varanopus didactylus 271.
 Varanopus impressus 271.
 Varanopus langstoni 271.
 Varanopus palmatus 271.
 Varanus niloticus 276.
 Varanus prasinus beccari 304.
 Vipera aspis 321.
 Vipera berus 321.
 Virginia striatula 87, 117,
 217.
 Virginia valeriae 117.
 Virginia valeriae elegans 24,
 25.

 Waggoneria 235.

 Xantusia vigilis 136.
 Xenodon angustirostris 104.
 Xenodon bertholdi 104.
 Xenodon colubrinus 104.
 Xenodon columbrinus 104.
 Xenodon gigas 104.
 Xenodon guentheri 104.
 Xenodon neovidii 104.
 Xenodon neuwiedi 104.
 Xenodon rhabdocephalus
 mexicanus 104.
 Xenodon rhabdocephalus
 rhabdocephalus 104.
 Xenodon schotti 106.
 Xenodon severus 104.
 Xenodon suspectus 104.
 Xenopus 74, 82, 111, 114.
 Xenopus laevis 115.

 Zamenis constrictor 19, 325.
 Zamenis flagellum 11, 19.
 Zatrachys 235.

HECKMAN
BINDERY INC.



AUG 99

Bound-To-Pleas® N. MANCHESTER,
INDIANA 46962

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01298 2237